

# Peng Hu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3422574/publications.pdf>

Version: 2024-02-01

33  
papers

317  
citations

1040056

9  
h-index

940533

16  
g-index

36  
all docs

36  
docs citations

36  
times ranked

265  
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcome Heterogeneity in Coronavirus Disease 2019 (COVID-19) Patients Receiving Tocilizumab. <i>Clinical Infectious Diseases</i> , 2022, 74, 1504-1504.	5.8	2
2	A new scoring system for coronary artery abnormalities in Kawasaki disease. <i>Pediatric Research</i> , 2022, 92, 275-283.	2.3	11
3	Usage of IL-6 antagonists in COVID-19: A challenge in children. <i>Respirology</i> , 2022, 27, 245-245.	2.3	1
4	A predictive system for Henoch-Schönlein purpura nephritis established by multivariate analysis plus nomogram model in Chinese hospitalized children: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2022, , .	1.2	1
5	COVID-19 vaccination in IMiD patients receiving rituximab: a personalized regimen should be formulated. <i>Journal of the American Academy of Dermatology</i> , 2022, , .	1.2	2
6	Grisel syndrome and peripheral arthritis simultaneously occurred in a 7-year-old Chinese boy with Kawasaki disease. <i>Archives of Medical Science</i> , 2022, 18, 816-819.	0.9	1
7	Serum immunoglobulin profiles in Chinese children with Henoch-Schönlein purpura. <i>Scandinavian Journal of Immunology</i> , 2022, 96, e13191.	2.7	0
8	Systemic glucocorticoids confound SARS-CoV-2 acquisition or even clinical outcomes in patients with autoimmune disease treated with biologics: comment on the article by Simon et al. <i>Arthritis and Rheumatology</i> , 2022, 74, 2042-2043.	5.6	0
9	Assessment of coronary artery abnormalities and variability of Z-score calculation in the acute episode of Kawasaki disease—A retrospective study from China. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13409.	3.4	4
10	The downstream RAF-1 signaling of fibroblast growth factor-23 participates in the osteogenetic effect caused by C-type natriuretic peptide in vitro. <i>Advances in Medical Sciences</i> , 2021, 66, 206-214.	2.1	0
11	Clinical implications of procalcitonin in Kawasaki disease: a useful candidate for differentiating from sepsis and evaluating IVIG responsiveness. <i>Clinical and Experimental Medicine</i> , 2021, 21, 633-643.	3.6	9
12	Streptococcal infection in childhood Henoch-Schönlein purpura: a 5-year retrospective study from a single tertiary medical center in China, 2015–2019. <i>Pediatric Rheumatology</i> , 2021, 19, 79.	2.1	6
13	Association of the infectious triggers with childhood Henoch-Schönlein purpura in Anhui province, China. <i>Journal of Infection and Public Health</i> , 2020, 13, 110-117.	4.1	39
14	Hepatic dysfunction secondary to Kawasaki disease: characteristics, etiology and predictive role in coronary artery abnormalities. <i>Clinical and Experimental Medicine</i> , 2020, 20, 21-30.	3.6	18
15	C-type natriuretic peptide stimulates osteoblastic proliferation and collagen-X expression but suppresses fibroblast growth factor-23 expression in vitro. <i>Pediatric Rheumatology</i> , 2020, 18, 46.	2.1	6
16	Clinical observation of noncoronary cardiac abnormalities in Chinese children with Kawasaki disease. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13210.	3.4	15
17	The time option of IVIG treatment is associated with therapeutic responsiveness and coronary artery abnormalities but not with clinical classification in the acute episode of Kawasaki disease. <i>Pediatric Rheumatology</i> , 2019, 17, 53.	2.1	16
18	C-type natriuretic peptide attenuates renal osteodystrophy through inhibition of FGF-23/MAPK signaling. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-18.	7.7	6

#	ARTICLE	IF	CITATIONS
19	Acute Kidney Injury Secondary to Severe Hand, Foot and Mouth Disease Caused by Enterovirus-A71: Hypertension Is a Common. <i>Journal of Tropical Pediatrics</i> , 2019, 65, 510-513.	1.5	7
20	Interleukin-6 is prone to be a candidate biomarker for predicting incomplete and IVIG nonresponsive Kawasaki disease rather than coronary artery aneurysm. <i>Clinical and Experimental Medicine</i> , 2019, 19, 173-181.	3.6	41
21	Fibroblast growth factor-23 may serve as a novel biomarker for renal osteodystrophy progression. <i>International Journal of Molecular Medicine</i> , 2019, 43, 535-546.	4.0	3
22	C-Type Natriuretic Peptide Dampens Fibroblast Growth Factor-23 Expression Through MAPK Signaling Pathway in Human Mesangial Cells. <i>Journal of Interferon and Cytokine Research</i> , 2018, 38, 500-509.	1.2	2
23	C-type natriuretic peptide suppresses mesangial proliferation and matrix expression via a MMPs/TIMPs-independent pathway in vitro. <i>Journal of Receptor and Signal Transduction Research</i> , 2017, 37, 355-364.	2.5	6
24	TNF- $\alpha$ is superior to conventional inflammatory mediators in forecasting IVIG nonresponse and coronary arteritis in Chinese children with Kawasaki disease. <i>Clinica Chimica Acta</i> , 2017, 471, 76-80.	1.1	41
25	Neutral endopeptidase and natriuretic peptide receptors participate in the regulation of C-type natriuretic peptide expression in renal interstitial fibrosis. <i>Journal of Receptor and Signal Transduction Research</i> , 2017, 37, 71-83.	2.5	7
26	Hemothorax associated with Henoch-Schönlein purpura. <i>Dermatologica Sinica</i> , 2017, 35, 37-39.	0.5	3
27	Incomplete Kawasaki disease induced by measles in a 6-month-old male infant. <i>International Journal of Dermatology</i> , 2016, 55, e34-6.	1.0	20
28	Therapeutic effect of CNP on renal osteodystrophy by antagonizing the FGF-23/MAPK pathway. <i>Journal of Receptor and Signal Transduction Research</i> , 2016, 36, 213-219.	2.5	8
29	Erythromycin triggers intussusception in a pediatric patient with Henoch-Schönlein purpura. <i>Turkish Journal of Gastroenterology</i> , 2016, 27, 472-473.	1.1	2
30	Henoch-Schönlein purpura triggered by <i>Mycoplasma pneumoniae</i> in a female infant. <i>Kaohsiung Journal of Medical Sciences</i> , 2015, 31, 163-164.	1.9	9
31	Exogenous C-type natriuretic peptide infusion ameliorates unilateral ureteral obstruction-induced tubulointerstitial fibrosis in rats. <i>Laboratory Investigation</i> , 2015, 95, 263-272.	3.7	17
32	Hypertension Triggers the Rupture of Coronary Artery Aneurysm in an 8-Year-Old Boy With Kawasaki Disease. <i>Journal of Clinical Hypertension</i> , 2014, 16, 766-767.	2.0	6
33	Renal action of C-type natriuretic peptide: advocating the isolated perfused rat kidney model. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2010, 21, 613-20.	0.3	5