

Xiao-Jun Huang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3422887/xiao-jun-huang-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

547
papers

10,777
citations

51
h-index

78
g-index

615
ext. papers

14,004
ext. citations

5.4
avg, IF

6.35
L-index

#	Paper	IF	Citations
547	Conditioning including antithymocyte globulin followed by unmanipulated HLA-mismatched/haploidentical blood and marrow transplantation can achieve comparable outcomes with HLA-identical sibling transplantation. <i>Blood</i> , 2006 , 107, 3065-73	2.2	412
546	Haploidentical vs identical-sibling transplant for AML in remission: a multicenter, prospective study. <i>Blood</i> , 2015 , 125, 3956-62	2.2	268
545	Treatment of acute leukemia with unmanipulated HLA-mismatched/haploidentical blood and bone marrow transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 257-65	4.7	235
544	Who is the best donor for a related HLA haplotype-mismatched transplant?. <i>Blood</i> , 2014 , 124, 843-50	2.2	215
543	Risk stratification-directed donor lymphocyte infusion could reduce relapse of standard-risk acute leukemia patients after allogeneic hematopoietic stem cell transplantation. <i>Blood</i> , 2012 , 119, 3256-62	2.2	206
542	MRD-directed risk stratification treatment may improve outcomes of t(8;21) AML in the first complete remission: results from the AML05 multicenter trial. <i>Blood</i> , 2013 , 121, 4056-62	2.2	206
541	Long-term follow-up of haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for the treatment of leukemia: nine years of experience at a single center. <i>Cancer</i> , 2013 , 119, 978-85	6.4	182
540	A distinct glucose metabolism signature of acute myeloid leukemia with prognostic value. <i>Blood</i> , 2014 , 124, 1645-54	2.2	153
539	The consensus on indications, conditioning regimen, and donor selection of allogeneic hematopoietic cell transplantation for hematological diseases in China-recommendations from the Chinese Society of Hematology. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 33	22.4	129
538	Donor lymphocyte infusion for the treatment of leukemia relapse after HLA-mismatched/haploidentical T-cell-replete hematopoietic stem cell transplantation. <i>Haematologica</i> , 2007 , 92, 414-7	6.6	127
537	Oral tetra-arsenic tetra-sulfide formula versus intravenous arsenic trioxide as first-line treatment of acute promyelocytic leukemia: a multicenter randomized controlled trial. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4215-21	2.2	118
536	Superior graft-versus-leukemia effect associated with transplantation of haploidentical compared with HLA-identical sibling donor grafts for high-risk acute leukemia: an historic comparison. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 821-30	4.7	115
535	Donor-specific anti-human leukocyte antigen antibodies were associated with primary graft failure after unmanipulated haploidentical blood and marrow transplantation: a prospective study with randomly assigned training and validation sets. <i>Journal of Hematology and Oncology</i> , 2015 , 8, 84	22.4	106
534	Haploidentical versus Matched-Sibling Transplant in Adults with Philadelphia-Negative High-Risk Acute Lymphoblastic Leukemia: A Biologically Phase III Randomized Study. <i>Clinical Cancer Research</i> , 2016 , 22, 3467-76	12.9	96
533	The European Society for Blood and Marrow Transplantation (EBMT) Consensus Guidelines for the Detection and Treatment of Donor-specific Anti-HLA Antibodies (DSA) in Haploidentical Hematopoietic Cell Transplantation. <i>Bone Marrow Transplantation</i> , 2018 , 53, 521-534	4.4	94
532	Upfront haploidentical transplant for acquired severe aplastic anemia: registry-based comparison with matched related transplant. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 25	22.4	92
531	Resistance to arsenic therapy in acute promyelocytic leukemia. <i>New England Journal of Medicine</i> , 2014 , 370, 1864-6	59.2	84

530	Monitoring MRD with flow cytometry: an effective method to predict relapse for ALL patients after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2012 , 91, 183-92	3	84
529	The superiority of haploidentical related stem cell transplantation over chemotherapy alone as postremission treatment for patients with intermediate- or high-risk acute myeloid leukemia in first complete remission. <i>Blood</i> , 2012 , 119, 5584-90	2.2	84
528	Association of an impaired bone marrow microenvironment with secondary poor graft function after allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1465-73	4.7	80
527	In adults with t(8;21)AML, posttransplant RUNX1/RUNX1T1-based MRD monitoring, rather than c-KIT mutations, allows further risk stratification. <i>Blood</i> , 2014 , 124, 1880-6	2.2	79
526	Haplo-identical transplantation for acquired severe aplastic anaemia in a multicentre prospective study. <i>British Journal of Haematology</i> , 2016 , 175, 265-274	4.5	75
525	Homoharringtonine-based induction regimens for patients with de-novo acute myeloid leukaemia: a multicentre, open-label, randomised, controlled phase 3 trial. <i>Lancet Oncology</i> , 2013 , 14, 599-608	21.7	75
524	Haploidentical allograft is superior to matched sibling donor allograft in eradicating pre-transplantation minimal residual disease of AML patients as determined by multiparameter flow cytometry: a retrospective and prospective analysis. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 134	22.4	74
523	Haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for treatment of hematological malignancies in children. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 469-77	4.7	74
522	Oral arsenic plus retinoic acid versus intravenous arsenic plus retinoic acid for non-high-risk acute promyelocytic leukaemia: a non-inferiority, randomised phase 3 trial. <i>Lancet Oncology</i> , 2018 , 19, 871-879	21.7	73
521	The consensus on the monitoring, treatment, and prevention of leukemia relapse after allogeneic hematopoietic stem cell transplantation in China. <i>Cancer Letters</i> , 2018 , 438, 63-75	9.9	73
520	Donor lymphocyte infusions for relapse after allogeneic transplantation: when, if and for whom?. <i>Blood Reviews</i> , 2013 , 27, 55-62	11.1	72
519	Immune reconstitution following unmanipulated HLA-mismatched/haploidentical transplantation compared with HLA-identical sibling transplantation. <i>Journal of Clinical Immunology</i> , 2012 , 32, 268-80	5.7	70
518	Phase 3 study of nilotinib vs imatinib in Chinese patients with newly diagnosed chronic myeloid leukemia in chronic phase: ENESTchina. <i>Blood</i> , 2015 , 125, 2771-8	2.2	68
517	Immune reconstitution after haploidentical hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 440-9	4.7	68
516	Administration of imatinib after allogeneic hematopoietic stem cell transplantation may improve disease-free survival for patients with Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Journal of Hematology and Oncology</i> , 2012 , 5, 29	22.4	66
515	Oral arsenic and retinoic acid for non-high-risk acute promyelocytic leukemia. <i>New England Journal of Medicine</i> , 2014 , 371, 2239-41	59.2	63
514	How do we choose the best donor for T-cell-replete, HLA-haploidentical transplantation?. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 35	22.4	62
513	Multicenter, randomized, open-label study comparing the efficacy and safety of micafungin versus itraconazole for prophylaxis of invasive fungal infections in patients undergoing hematopoietic stem cell transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 1509-16	4.7	62

512	Imatinib mesylate versus allogeneic hematopoietic stem cell transplantation for patients with chronic myelogenous leukemia in the accelerated phase. <i>Blood</i> , 2011 , 117, 3032-40	2.2	62
511	Combined use of WT1 and flow cytometry monitoring can promote sensitivity of predicting relapse after allogeneic HSCT without affecting specificity. <i>Annals of Hematology</i> , 2013 , 92, 1111-9	3	61
510	Modified donor lymphocyte infusion after HLA-mismatched/haploidentical T cell-replete hematopoietic stem cell transplantation for prophylaxis of relapse of leukemia in patients with advanced leukemia. <i>Journal of Clinical Immunology</i> , 2008 , 28, 276-83	5.7	61
509	Donor-derived CD19-targeted T cell infusion induces minimal residual disease-negative remission in relapsed B-cell acute lymphoblastic leukaemia with no response to donor lymphocyte infusions after haploidentical haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2017 , 173, 508-515	4.5	59
508	Coinfusion of mesenchymal stromal cells facilitates platelet recovery without increasing leukemia recurrence in haploidentical hematopoietic stem cell transplantation: a randomized, controlled clinical study. <i>Stem Cells and Development</i> , 2011 , 20, 1679-85	4.4	58
507	Effects of the NK cell recovery on outcomes of unmanipulated haploidentical blood and marrow transplantation for patients with hematologic malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 323-34	4.7	58
506	Maintaining hyporesponsiveness and polarization potential of T cells after in vitro mixture of G-CSF mobilized peripheral blood grafts and G-CSF primed bone marrow grafts in different proportions. <i>Transplant Immunology</i> , 2007 , 17, 193-7	1.7	57
505	Controlled, Randomized, Open-Label Trial of Risk-Stratified Corticosteroid Prevention of Acute Graft-Versus-Host Disease After Haploidentical Transplantation. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1855-63	2.2	57
504	Modified donor lymphocyte infusion (DLI) for the prophylaxis of leukemia relapse after hematopoietic stem cell transplantation in patients with advanced leukemia--feasibility and safety study. <i>Journal of Clinical Immunology</i> , 2008 , 28, 390-7	5.7	56
503	Epidemiology, management, and outcome of invasive fungal disease in patients undergoing hematopoietic stem cell transplantation in China: a multicenter prospective observational study. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1117-26	4.7	54
502	Unmanipulated HLA-mismatched/haploidentical blood and marrow hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 197-204	4.7	54
501	IL-17-producing T cells contribute to acute graft-versus-host disease in patients undergoing unmanipulated blood and marrow transplantation. <i>European Journal of Immunology</i> , 2011 , 41, 514-26	6.1	53
500	Monocytic and promyelocytic myeloid-derived suppressor cells may contribute to G-CSF-induced immune tolerance in haplo-identical allogeneic hematopoietic stem cell transplantation. <i>American Journal of Hematology</i> , 2015 , 90, E9-E16	7.1	52
499	Atorvastatin enhances endothelial cell function in posttransplant poor graft function. <i>Blood</i> , 2016 , 128, 2988-2999	2.2	52
498	Expression patterns of WT1 and PRAME in acute myeloid leukemia patients and their usefulness for monitoring minimal residual disease. <i>Leukemia Research</i> , 2009 , 33, 384-90	2.7	51
497	Platelet engraftment in patients with hematologic malignancies following unmanipulated haploidentical blood and marrow transplantation: effects of CD34+ cell dose and disease status. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 632-8	4.7	51
496	Cytomegalovirus-Specific T-Cell Transfer for Refractory Cytomegalovirus Infection After Haploidentical Stem Cell Transplantation: The Quantitative and Qualitative Immune Recovery for Cytomegalovirus. <i>Journal of Infectious Diseases</i> , 2017 , 216, 945-956	7	49
495	A proteomic approach for plasma biomarker discovery with 8-plex iTRAQ labeling and SCX-LC-MS/MS. <i>Molecular and Cellular Biochemistry</i> , 2010 , 343, 91-9	4.2	49

494	The incidence, risk factors, and outcomes of primary poor graft function after unmanipulated haploidentical stem cell transplantation. <i>Annals of Hematology</i> , 2015 , 94, 1699-705	3	47
493	Haploidentical Hematopoietic Stem Cell Transplantation: A Global Overview Comparing Asia, the European Union, and the United States. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 23-6	4.7	46
492	The European Society for Blood and Marrow Transplantation (EBMT) consensus recommendations for donor selection in haploidentical hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2020 , 55, 12-24	4.4	46
491	Interferon- α Potentially Effective Treatment for Minimal Residual Disease in Acute Leukemia/Myelodysplastic Syndrome after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1939-47	4.7	44
490	Prophylactic Donor Lymphocyte Infusion (DLI) Followed by Minimal Residual Disease and Graft-versus-Host Disease-Guided Multiple DLIs Could Improve Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Refractory/Relapsed Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1311-1319	4.7	43
489	Haploidentical transplantation compared with matched sibling and unrelated donor transplantation for adults with standard-risk acute lymphoblastic leukaemia in first complete remission. <i>British Journal of Haematology</i> , 2017 , 179, 120-130	4.5	42
488	Minimal residual disease- and graft-vs.-host disease-guided multiple consolidation chemotherapy and donor lymphocyte infusion prevent second acute leukemia relapse after allotransplant. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 87	22.4	41
487	Prevention of relapse using DLI can increase survival following HLA-identical transplantation in patients with advanced-stage acute leukemia: a multi-center study. <i>Clinical Transplantation</i> , 2012 , 26, 635-43	3.8	41
486	Invasive fungal infection in patients receiving chemotherapy for hematological malignancy: a multicenter, prospective, observational study in China. <i>Tumor Biology</i> , 2015 , 36, 757-67	2.9	41
485	Molecular monitoring and stepwise preemptive therapy for Epstein-Barr virus viremia after allogeneic stem cell transplantation. <i>American Journal of Hematology</i> , 2013 , 88, 550-5	7.1	41
484	Current status of haploidentical stem cell transplantation for leukemia. <i>Journal of Hematology and Oncology</i> , 2008 , 1, 27	22.4	40
483	The mystery of chronic lymphocytic leukemia (CLL): Why is it absent in Asians and what does this tell us about etiology, pathogenesis and biology?. <i>Blood Reviews</i> , 2015 , 29, 205-13	11.1	39
482	Prevalence and prognostic significance of c-KIT mutations in core binding factor acute myeloid leukemia: a comprehensive large-scale study from a single Chinese center. <i>Leukemia Research</i> , 2014 , 38, 1435-40	2.7	39
481	Platelet-Derived Growth Factor-BB Protects Mesenchymal Stem Cells (MSCs) Derived From Immune Thrombocytopenia Patients Against Apoptosis and Senescence and Maintains MSC-Mediated Immunosuppression. <i>Stem Cells Translational Medicine</i> , 2016 , 5, 1631-1643	6.9	38
480	Association between an impaired bone marrow vascular microenvironment and prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1190-7	4.7	37
479	Allogeneic hematopoietic stem cell transplantation in China: where we are and where to go. <i>Journal of Hematology and Oncology</i> , 2012 , 5, 10	22.4	37
478	Hepatocyte growth factor gene-modified adipose-derived mesenchymal stem cells ameliorate radiation induced liver damage in a rat model. <i>PLoS ONE</i> , 2014 , 9, e114670	3.7	37
477	Epstein-Barr Virus-Related Post-Transplantation Lymphoproliferative Disorder after Unmanipulated Human Leukocyte Antigen Haploidentical Hematopoietic Stem Cell Transplantation: Incidence, Risk Factors, Treatment, and Clinical Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 2185-2191	4.7	36

476	HLA-haploidentical stem cell transplantation for hematologic malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2010 , 16, S57-63	4.7	36
475	Protective immunity transferred by infusion of cytomegalovirus-specific CD8(+) T cells within donor grafts: its associations with cytomegalovirus reactivation following unmanipulated allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2010 , 16, 994-1004	4.7	36
474	Haploidentical hematopoietic stem cell transplantation with unmanipulated granulocyte colony stimulating factor mobilized marrow and blood grafts. <i>Current Opinion in Hematology</i> , 2012 , 19, 454-61	3.3	36
473	Optimal dose of rabbit thymoglobulin in conditioning regimens for unmanipulated, haploidentical, hematopoietic stem cell transplantation: Long-term outcomes of a prospective randomized trial. <i>Cancer</i> , 2017 , 123, 2881-2892	6.4	35
472	Comparison of outcomes after umbilical cord blood and unmanipulated haploidentical hematopoietic stem cell transplantation in children with high-risk acute lymphoblastic leukemia. <i>International Journal of Cancer</i> , 2016 , 139, 2106-15	7.5	35
471	Chemotherapy followed by modified donor lymphocyte infusion as a treatment for relapsed acute leukemia after haploidentical hematopoietic stem cell transplantation without in vitro T-cell depletion: superior outcomes compared with chemotherapy alone and an analysis of prognostic factors. <i>European Journal of Hematology</i> , 2018 , 91, 304-11	3.8	35
470	Effect of recombinant human granulocyte colony-stimulating factor on T-lymphocyte function and the mechanism of this effect. <i>International Journal of Hematology</i> , 2004 , 79, 178-84	2.3	35
469	Increased reactive oxygen species and exhaustion of quiescent CD34-positive bone marrow cells may contribute to poor graft function after allotransplants. <i>Oncotarget</i> , 2016 , 7, 30892-906	3.3	35
468	Myeloid-derived suppressor cells in hematological malignancies: friends or foes. <i>Journal of Hematology and Oncology</i> , 2019 , 12, 105	22.4	34
467	Prognosis after unmanipulated HLA-haploidentical blood and marrow transplantation is correlated to the numbers of KIR ligands in recipients. <i>European Journal of Haematology</i> , 2007 , 78, 338-46	3.8	34
466	Low-dose post-transplant cyclophosphamide and anti-thymocyte globulin as an effective strategy for GVHD prevention in haploidentical patients. <i>Journal of Hematology and Oncology</i> , 2019 , 12, 88	22.4	33
465	Haploidentical hematopoietic stem cell transplantation in adults with Philadelphia-negative acute lymphoblastic leukemia: no difference in the high- and low-risk groups. <i>International Journal of Cancer</i> , 2015 , 136, 1697-707	7.5	33
464	Multicenter phase II study of a combination of cyclosporine a, methotrexate and mycophenolate mofetil for GVHD prophylaxis: results of the Chinese Bone Marrow Transplant Cooperative Group (CBMTCG). <i>Journal of Hematology and Oncology</i> , 2014 , 7, 59	22.4	33
463	Modified donor lymphocyte infusion-associated acute graft-versus-host disease after haploidentical T-cell-replete hematopoietic stem cell transplantation: incidence and risk factors. <i>Clinical Transplantation</i> , 2012 , 26, 868-76	3.8	33
462	Prolonged thrombocytopenia following allogeneic hematopoietic stem cell transplantation and its association with a reduction in ploidy and an immaturation of megakaryocytes. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 274-80	4.7	33
461	Reelin promotes the adhesion and drug resistance of multiple myeloma cells via integrin β signaling and STAT3. <i>Oncotarget</i> , 2016 , 7, 9844-58	3.3	33
460	Posaconazole vs. fluconazole as invasive fungal infection prophylaxis in China: a multicenter, randomized, open-label study. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2013 , 51, 738-45	2	33
459	The dynamics of RUNX1-RUNX1T1 transcript levels after allogeneic hematopoietic stem cell transplantation predict relapse in patients with t(8;21) acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 44	22.4	32

458	B7-H3 promotes multiple myeloma cell survival and proliferation by ROS-dependent activation of Src/STAT3 and c-Cbl-mediated degradation of SOCS3. <i>Leukemia</i> , 2019 , 33, 1475-1486	10.7	32
457	Strategies for Enhancing and Preserving Anti-leukemia Effects Without Aggravating Graft-Versus-Host Disease. <i>Frontiers in Immunology</i> , 2018 , 9, 3041	8.4	32
456	Unmanipulated haploidentical versus matched unrelated donor allogeneic stem cell transplantation in adult patients with acute myelogenous leukemia in first remission: a retrospective pair-matched comparative study of the Beijing approach with the EBMT database. <i>Haematologica</i> , 2016 , 101, e352-4	6.6	31
455	Haploidentical stem cell transplantation: anti-thymocyte globulin-based experience. <i>Seminars in Hematology</i> , 2016 , 53, 82-9	4	31
454	The effect of HLA disparity on clinical outcome after HLA-haploidentical blood and marrow transplantation. <i>Clinical Transplantation</i> , 2012 , 26, 284-91	3.8	31
453	Characteristics of BCR-ABL kinase domain point mutations in Chinese imatinib-resistant chronic myeloid leukemia patients. <i>Annals of Hematology</i> , 2011 , 90, 47-52	3	31
452	Adenovirus-mediated PDCD5 gene transfer sensitizes K562 cells to apoptosis induced by idarubicin in vitro and in vivo. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008 , 13, 641-8	5.4	31
451	Recipient expression of ligands for donor inhibitory KIRs enhances NK-cell function to control leukemic relapse after haploidentical transplantation. <i>European Journal of Immunology</i> , 2015 , 45, 2396-408	6.1	30
450	Haploidentical transplantation might have superior graft-versus-leukemia effect than HLA-matched sibling transplantation for high-risk acute myeloid leukemia in first complete remission: a prospective multicentre cohort study. <i>Leukemia</i> , 2020 , 34, 1433-1443	10.7	30
449	Salvage chemotherapy followed by granulocyte colony-stimulating factor-primed donor leukocyte infusion with graft-vs.-host disease control for minimal residual disease in acute leukemia/myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation: a retrospective analysis. <i>Frontiers in Immunology</i> , 2017 , 8, 207-209	3.8	30
448	Impact of ABO incompatibility on patients' outcome after haploidentical hematopoietic stem cell transplantation for acute myeloid leukemia - a report from the Acute Leukemia Working Party of the EBMT. <i>Haematologica</i> , 2017 , 102, 1066-1074	6.6	29
447	IFN-βs Effective for Treatment of Minimal Residual Disease in Patients with Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation: Results of a Registry Study. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1303-1310	4.7	29
446	Donor age determines outcome in acute leukemia patients over 40 undergoing haploidentical hematopoietic cell transplantation. <i>American Journal of Hematology</i> , 2018 , 93, 246-253	7.1	29
445	Comparison of outcomes after donor lymphocyte infusion with or without prior chemotherapy for minimal residual disease in acute leukemia/myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2017 , 96, 829-838	3	28
444	Spectrum of Epstein-Barr virus-associated diseases in recipients of allogeneic hematopoietic stem cell transplantation. <i>Transplantation</i> , 2013 , 96, 560-6	1.8	28
443	Impaired Function of Bone Marrow Mesenchymal Stem Cells from Immune Thrombocytopenia Patients in Inducing Regulatory Dendritic Cell Differentiation Through the Notch-1/Jagged-1 Signaling Pathway. <i>Stem Cells and Development</i> , 2017 , 26, 1648-1661	4.4	27
442	Treatment and unmet needs in steroid-refractory acute graft-versus-host disease. <i>Leukemia</i> , 2020 , 34, 1229-1240	10.7	27
441	Superior survival of unmanipulated haploidentical hematopoietic stem cell transplantation compared with chemotherapy alone used as post-remission therapy in adults with standard-risk acute lymphoblastic leukemia in first complete remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1314-21	4.7	27

440	Cytomegalovirus is a potential risk factor for late-onset hemorrhagic cystitis following allogeneic hematopoietic stem cell transplantation. <i>American Journal of Hematology</i> , 2014 , 89, 55-61	7.1	27
439	Desialylation is associated with apoptosis and phagocytosis of platelets in patients with prolonged isolated thrombocytopenia after allo-HSCT. <i>Journal of Hematology and Oncology</i> , 2015 , 8, 116	22.4	27
438	The hematopoietic cell transplantation-specific comorbidity index (HCT-CI) is an outcome predictor for partially matched related donor transplantation. <i>American Journal of Hematology</i> , 2013 , 88, 497-502	7.1	27
437	Use of G-CSF-stimulated marrow in allogeneic hematopoietic stem cell transplantation settings: a comprehensive review. <i>Clinical Transplantation</i> , 2011 , 25, 13-23	3.8	27
436	Allogeneic Stem Cell Transplantation versus Tyrosine Kinase Inhibitors Combined with Chemotherapy in Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 741-750	4.7	27
435	Minimal residual disease status determined by multiparametric flow cytometry pretransplantation predicts the outcome of patients with ALL receiving unmanipulated haploidentical allografts. <i>American Journal of Hematology</i> , 2019 , 94, 512-521	7.1	26
434	Haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for the treatment of philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1110-6	4.7	26
433	Atorvastatin enhances bone marrow endothelial cell function in corticosteroid-resistant immune thrombocytopenia patients. <i>Blood</i> , 2018 , 131, 1219-1233	2.2	26
432	Prognostic impact of IKZF1 deletion in adults with common B-cell acute lymphoblastic leukemia. <i>BMC Cancer</i> , 2016 , 16, 269	4.8	26
431	NPM1-mutated acute myeloid leukemia of monocytic or myeloid origin exhibit distinct immunophenotypes. <i>Leukemia Research</i> , 2013 , 37, 737-41	2.7	26
430	Hemorrhagic cystitis following hematopoietic stem cell transplantation: incidence, risk factors and association with CMV reactivation and graft-versus-host disease. <i>Chinese Medical Journal</i> , 2007 , 120, 1666-1671	2.9	26
429	Haploidentical bone marrow transplantation without T-cell depletion. <i>Seminars in Oncology</i> , 2012 , 39, 653-63	5.5	25
428	Conflicting impact of alloreactive NK cells on transplantation outcomes after haploidentical transplantation: do the reconstitution kinetics of natural killer cells create these differences?. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 1436-42	4.7	25
427	Nucleophosmin mutations in Chinese adults with acute myelogenous leukemia. <i>Annals of Hematology</i> , 2009 , 88, 159-66	3	25
426	Reconstitution of natural killer cell receptor repertoires after unmanipulated HLA-mismatched/haploidentical blood and marrow transplantation: analyses of CD94:NKG2A and killer immunoglobulin-like receptor expression and their associations with clinical outcome. <i>Biology of Blood and Marrow Transplantation</i> , 2007 , 13, 734-44	4.7	25
425	Clinical applications of donor lymphocyte infusion from an HLA-haploidentical donor: consensus recommendations from the Acute Leukemia Working Party of the EBMT. <i>Haematologica</i> , 2020 , 105, 47-58	6.6	25
424	Eltrombopag is an effective and safe therapy for refractory thrombocytopenia after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1310-1318	4.4	24
423	Oral all-trans retinoic acid plus danazol versus danazol as second-line treatment in adults with primary immune thrombocytopenia: a multicentre, randomised, open-label, phase 2 trial. <i>Lancet Haematology</i> , 2017 , 4, e487-e496	14.6	24

422	Impact of pretransplantation risk factors on post transplantation outcome of patients with acute myeloid leukemia in remission after haploidentical hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 283-90	4.7	24
421	Prophylactic oral NAC reduced poor hematopoietic reconstitution by improving endothelial cells after haploidentical transplantation. <i>Blood Advances</i> , 2019 , 3, 1303-1317	7.8	24
420	An unbalanced monocyte macrophage polarization in the bone marrow microenvironment of patients with poor graft function after allogeneic haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2018 , 182, 679-692	4.5	24
419	Preventing relapse after haematopoietic stem cell transplantation for acute leukaemia: the role of post-transplantation minimal residual disease (MRD) monitoring and MRD-directed intervention. <i>British Journal of Haematology</i> , 2017 , 179, 184-197	4.5	23
418	miR-153-3p, a new bio-target, is involved in the pathogenesis of acute graft-versus-host disease via inhibition of indoleamine- 2,3-dioxygenase. <i>Oncotarget</i> , 2016 , 7, 48321-48334	3.3	23
417	Allogeneic Hematopoietic Stem Cell Transplantation, Especially Haploidentical, May Improve Long-Term Survival for High-Risk Pediatric Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia in the Tyrosine Kinase Inhibitor Era. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1411-1420	4.7	23
416	Aberrant T cell responses in the bone marrow microenvironment of patients with poor graft function after allogeneic hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , 2017 , 15, 57	8.5	22
415	Antithymocyte Globulin for Matched Sibling Donor Transplantation in Patients With Hematologic Malignancies: A Multicenter, Open-Label, Randomized Controlled Study. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3367-3376	2.2	22
414	Mesenchymal stem cell deficiency influences megakaryocytopoiesis through the TNFAIP3/NF- κ B/SMAD pathway in patients with immune thrombocytopenia. <i>British Journal of Haematology</i> , 2018 , 180, 395-411	4.5	22
413	Increased Type 1 Immune Response in the Bone Marrow Immune Microenvironment of Patients with Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 1376-1382	4.7	22
412	Diarrhea during the conditioning regimen is correlated with the occurrence of severe acute graft-versus-host disease through systemic release of inflammatory cytokines. <i>Biology of Blood and Marrow Transplantation</i> , 2010 , 16, 1567-75	4.7	22
411	Haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for treatment of hematologic malignancies in children. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 91-4	4.7	22
410	Early myeloid-derived suppressor cells (HLA-DR/CD33CD16) expanded by granulocyte colony-stimulating factor prevent acute graft-versus-host disease (GVHD) in humanized mouse and might contribute to lower GVHD in patients post allo-HSCT. <i>Journal of Hematology and Oncology</i> , 2019 , 12, 31	22.4	21
409	PRAME and WT1 transcripts constitute a good molecular marker combination for monitoring minimal residual disease in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2013 , 54, 1442-9	1.9	21
408	Expression profiles of adhesion molecules on naïve T cells in bone marrow grafts of healthy donors treated with granulocyte colony-stimulating factor. <i>Transplant Immunology</i> , 2009 , 21, 228-33	1.7	21
407	The role of collateral related donors in haploidentical hematopoietic stem cell transplantation. <i>Science Bulletin</i> , 2018 , 63, 1376-1382	10.6	21
406	Reduced medical costs and hospital days when using oral arsenic plus ATRA as the first-line treatment of acute promyelocytic leukemia. <i>Leukemia Research</i> , 2015 , 39, 1319-24	2.7	20
405	Ibrutinib versus rituximab in relapsed or refractory chronic lymphocytic leukemia or small lymphocytic lymphoma: a randomized, open-label phase 3 study. <i>Cancer Medicine</i> , 2018 , 7, 1043-1055	4.8	20

404	Two dose levels of rabbit antithymocyte globulin as graft-versus-host disease prophylaxis in haploidentical stem cell transplantation: a multicenter randomized study. <i>BMC Medicine</i> , 2019 , 17, 156	11.4	20
403	Higher frequency of regulatory T cells in granulocyte colony-stimulating factor (G-CSF)-primed bone marrow grafts compared with G-CSF-primed peripheral blood grafts. <i>Journal of Translational Medicine</i> , 2015 , 13, 145	8.5	20
402	A novel triple-regulated oncolytic adenovirus carrying PDCD5 gene exerts potent antitumor efficacy on common human leukemic cell lines. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009 , 14, 1086-94	5.4	20
401	Aberrant expression of CKLF-like MARVEL transmembrane member 5 (CMTM5) by promoter methylation in myeloid leukemia. <i>Leukemia Research</i> , 2011 , 35, 771-6	2.7	20
400	Influence of lymphocyte recovery on outcome of haploidentical transplantation for hematologic malignancies. <i>Medicine (United States)</i> , 2009 , 88, 322-330	1.8	20
399	Long-term survival of acute promyelocytic leukaemia patients treated with arsenic and retinoic acid. <i>British Journal of Haematology</i> , 2016 , 174, 820-2	4.5	20
398	G-CSF-induced macrophage polarization and mobilization may prevent acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1419-1433	4.4	19
397	Plasma microRNA-586 is a new biomarker for acute graft-versus-host disease. <i>Annals of Hematology</i> , 2015 , 94, 1505-14	3	19
396	Allogeneic stem cell transplant may improve the outcome of adult patients with inv(16) acute myeloid leukemia in first complete remission with poor molecular responses to chemotherapy. <i>Leukemia and Lymphoma</i> , 2015 , 56, 3116-23	1.9	19
395	Prevalence and outcomes of uncommon BCR-ABL1 fusion transcripts in patients with chronic myeloid leukaemia: data from a single centre. <i>British Journal of Haematology</i> , 2018 , 182, 693-700	4.5	19
394	Expression of CD62L on donor CD4(+) T cells in allografts: correlation with graft-versus-host disease after unmanipulated allogeneic blood and marrow transplantation. <i>Journal of Clinical Immunology</i> , 2009 , 29, 696-704	5.7	19
393	First-line therapy for chronic graft-versus-host disease that includes low-dose methotrexate is associated with a high response rate. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 505-11	4.7	19
392	Haploidentical donor is preferred over matched sibling donor for pre-transplantation MRD positive ALL: a phase 3 genetically randomized study. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 27	22.4	19
391	The consensus from The Chinese Society of Hematology on indications, conditioning regimens and donor selection for allogeneic hematopoietic stem cell transplantation: 2021 update. <i>Journal of Hematology and Oncology</i> , 2021 , 14, 145	22.4	19
390	Regulatory B cells promote graft-versus-host disease prevention and maintain graft-versus-leukemia activity following allogeneic bone marrow transplantation. <i>OncolImmunology</i> , 2017 , 6, e1284721	7.2	18
389	Extramedullary relapse of acute leukemia after haploidentical hematopoietic stem cell transplantation: incidence, risk factors, treatment, and clinical outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 2023-8	4.7	18
388	Monitoring mixed lineage leukemia expression may help identify patients with mixed lineage leukemia--rearranged acute leukemia who are at high risk of relapse after allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 929-36	4.7	18
387	The impact of CD34+ cell dose on platelet engraftment in pediatric patients following unmanipulated haploidentical blood and marrow transplantation. <i>Pediatric Blood and Cancer</i> , 2009 , 53, 1100-6	3	18

386	Clinical characteristics and risk factors of Intracranial hemorrhage in patients following allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2016 , 95, 1637-43	3	18
385	Donor and host coexpressing KIR ligands promote NK education after allogeneic hematopoietic stem cell transplantation. <i>Blood Advances</i> , 2019 , 3, 4312-4325	7.8	18
384	Viral encephalitis after haplo-identical hematopoietic stem cell transplantation: Causative viral spectrum, characteristics, and risk factors. <i>European Journal of Haematology</i> , 2017 , 98, 450-458	3.8	17
383	Abnormalities of the Bone Marrow Immune Microenvironment in Patients with Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 906-912	4.7	17
382	Low-dose post-transplant cyclophosphamide can mitigate GVHD and enhance the G-CSF/ATG induced GVHD protective activity and improve haploidentical transplant outcomes. <i>Oncot Immunology</i> , 2017 , 6, e1356152	7.2	17
381	Immunosuppressive therapy versus haploidentical transplantation in adults with acquired severe aplastic anemia. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1319-1326	4.4	17
380	Impact of pre-transplantation minimal residual disease determined by multiparameter flow cytometry on the outcome of AML patients with FLT3-ITD after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2018 , 97, 967-975	3	17
379	Reprint of: Haploidentical Hematopoietic Stem Cell Transplantation: A Global Overview Comparing Asia, the European Union, and the United States. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, S15-8	4.7	17
378	Risk factors for cytomegalovirus DNAemia following haploidentical stem cell transplantation and its association with host hepatitis B virus serostatus. <i>Journal of Clinical Virology</i> , 2016 , 75, 10-5	14.5	17
377	Minimal residual disease status predicts outcome of acute myeloid leukaemia patients undergoing T-cell replete haploidentical transplantation. An analysis from the Acute Leukaemia Working Party (ALWP) of the European Society for Blood and Marrow Transplantation (EBMT). <i>British Journal of Haematology</i> , 2019 , 182, 111-120	4.5	17
376	Mesenchymal stem cells versus mesenchymal stem cells combined with cord blood for engraftment failure after autologous hematopoietic stem cell transplantation: a pilot prospective, open-label, randomized trial. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 236-42	4.7	17
375	High frequency of CD4+ CD25- CD69+ T cells is correlated with a low risk of acute graft-versus-host disease in allotransplants. <i>Clinical Transplantation</i> , 2012 , 26, E158-67	3.8	17
374	Improving cytomegalovirus-specific T cell reconstitution after haploidentical stem cell transplantation. <i>Journal of Immunology Research</i> , 2014 , 2014, 631951	4.5	17
373	Haploidentical/mismatched hematopoietic stem cell transplantation without in vitro T cell depletion for T cell acute lymphoblastic leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 716-21	4.7	17
372	Positive results of serum galactomannan assays and pulmonary computed tomography predict the higher response rate of empirical antifungal therapy in patients undergoing allogeneic hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 759-64	4.7	17
371	Clinical impact of absolute lymphocyte count on day 30 after unmanipulated haploidentical blood and marrow transplantation for pediatric patients with hematological malignancies. <i>American Journal of Hematology</i> , 2011 , 86, 227-30	7.1	17
370	Granulocyte Colony-Stimulating Factor-Primed Unmanipulated Haploidentical Blood and Marrow Transplantation. <i>Frontiers in Immunology</i> , 2019 , 10, 2516	8.4	17
369	Recombinant human thrombopoietin promotes platelet engraftment after haploidentical hematopoietic stem cell transplantation: a prospective randomized controlled trial. <i>Annals of Hematology</i> , 2015 , 94, 117-28	3	16

368	Reversal of T Cell Exhaustion by the First Donor Lymphocyte Infusion Is Associated with the Persistently Effective Antileukemic Responses in Patients with Relapsed AML after Allo-HSCT. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 1350-1359	4.7	16
367	N-acetyl-L-cysteine improves bone marrow endothelial progenitor cells in prolonged isolated thrombocytopenia patients post allogeneic hematopoietic stem cell transplantation. <i>American Journal of Hematology</i> , 2018 , 93, 931-942	7.1	16
366	Inverse correlation of V α T-cell recovery with EBV reactivation after haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2018 , 180, 276-285	4.5	16
365	First-line choice for severe aplastic anemia in children: Transplantation from a haploidentical donor vs immunosuppressive therapy. <i>Clinical Transplantation</i> , 2018 , 32, e13179	3.8	16
364	Monitoring of post-transplant CFBF-MYH11 as minimal residual disease, rather than KIT mutations, can predict relapse after allogeneic haematopoietic cell transplantation in adults with inv(16) acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2018 , 180, 448-451	4.5	16
363	Varying responses of PML-RARA with different genetic mutations to arsenic trioxide. <i>Blood</i> , 2016 , 127, 243-50	2.2	16
362	Rituximab-based treatments followed by adoptive cellular immunotherapy for biopsy-proven EBV-associated post-transplant lymphoproliferative disease in recipients of allogeneic hematopoietic stem cell transplantation. <i>Onc Immunology</i> , 2016 , 5, e1139274	7.2	16
361	Dysfunctional Bone Marrow Mesenchymal Stem Cells in Patients with Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 1981-1989	4.7	16
360	CD34 expression on bone marrow blasts is a novel predictor of poor prognosis independent of FLT3-ITD in acute myeloid leukemia with the NPM1-mutation. <i>Leukemia Research</i> , 2013 , 37, 624-30	2.7	16
359	Donor Th17 cells and IL-21 may contribute to the development of chronic graft-versus-host disease after allogeneic transplantation. <i>European Journal of Immunology</i> , 2013 , 43, 838-50	6.1	16
358	The impact of graft composition on clinical outcomes in pediatric patients undergoing unmanipulated HLA-mismatched/haploidentical hematopoietic stem cell transplantation. <i>Pediatric Blood and Cancer</i> , 2011 , 57, 135-41	3	16
357	First-line Therapy With Donor-derived Human Cytomegalovirus (HCMV)-specific T Cells Reduces Persistent HCMV Infection by Promoting Antiviral Immunity After Allogeneic Stem Cell Transplantation. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1429-1437	11.6	16
356	Prognostic factors and long-term follow-up of basiliximab for steroid-refractory acute graft-versus-host disease: Updated experience from a large-scale study. <i>American Journal of Hematology</i> , 2020 , 95, 927-936	7.1	16
355	Dynamic immune profiling identifies the stronger graft-versus-leukemia (GVL) effects with haploidentical allografts compared to HLA-matched stem cell transplantation. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 1172-1185	15.4	16
354	ADAM28 overexpression regulated via the PI3K/Akt pathway is associated with relapse in de novo adult B-cell acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2015 ,	2.7	15
353	T-cell replete haploidentical stem cell transplantation attenuates the prognostic impact of FLT3-ITD in acute myeloid leukemia: A report from the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation. <i>American Journal of Hematology</i> , 2018 , 93, 736-744	7.1	15
352	Prophylactic use of low-dose interleukin-2 and the clinical outcomes of hematopoietic stem cell transplantation: A randomized study. <i>Onc Immunology</i> , 2016 , 5, e1250992	7.2	15
351	Quantity and Quality Reconstitution of NKG2A Natural Killer Cells Are Associated with Graft-versus-Host Disease after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1-11	4.7	15

350	Haploidentical stem cell transplantation for the treatment of leukemia: current status. <i>Expert Review of Hematology</i> , 2014 , 7, 635-47	2.8	15
349	Epileptic seizures in patients following allogeneic hematopoietic stem cell transplantation: a retrospective analysis of incidence, risk factors, and survival rates. <i>Clinical Transplantation</i> , 2013 , 27, 80-9	3.8	15
348	High CD4/CD8 ratio in allografts predicts adverse outcomes in unmanipulated HLA-mismatched/haploidentical hematopoietic stem cell transplantation for chronic myeloid leukemia. <i>Annals of Hematology</i> , 2009 , 88, 1015-24	3	15
347	A multicenter, open-label study of posaconazole oral suspension in the treatment of invasive fungal infections in patients refractory to or intolerant of first-line therapy. <i>Future Microbiology</i> , 2012 , 7, 201-9	2.9	15
346	Optimizing antithymocyte globulin dosing in haploidentical hematopoietic cell transplantation: long-term follow-up of a multicenter, randomized controlled trial. <i>Science Bulletin</i> , 2021 , 66, 2498-2498	10.6	15
345	Abnormalities of the bone marrow immune microenvironment in patients with immune thrombocytopenia. <i>Annals of Hematology</i> , 2016 , 95, 959-65	3	15
344	A novel approach to human leukocyte antigen-mismatched transplantation in patients with malignant hematological disease. <i>Chinese Medical Journal</i> , 2004 , 117, 1778-85	2.9	15
343	Meis1 is critical to the maintenance of human acute myeloid leukemia cells independent of MLL rearrangements. <i>Annals of Hematology</i> , 2017 , 96, 567-574	3	14
342	Update of the "Beijing Protocol" haplo-identical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 703-707	4.4	14
341	Recruitment of CD8(+) T cells into bone marrow might explain the suppression of megakaryocyte apoptosis through high expression of CX3CR1(+) in prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2015 , 94, 1689-98	3	14
340	Haploidentical versus HLA-matched sibling transplantation for refractory acute leukemia undergoing sequential intensified conditioning followed by DLI: an analysis from two prospective data. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 18	22.4	14
339	N-acetyl-L-cysteine improves mesenchymal stem cell function in prolonged isolated thrombocytopenia post-allotransplant. <i>British Journal of Haematology</i> , 2018 , 180, 863-878	4.5	14
338	T cell exhaustion characterized by compromised MHC class I and II restricted cytotoxic activity associates with acute B lymphoblastic leukemia relapse after allogeneic hematopoietic stem cell transplantation. <i>Clinical Immunology</i> , 2018 , 190, 32-40	9	14
337	Differential impact of two doses of antithymocyte globulin conditioning on lymphocyte recovery upon haploidentical hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , 2015 , 13, 391	8.5	14
336	Febrile reaction associated with the infusion of haploidentical peripheral blood stem cells: incidence, clinical features, and risk factors. <i>Transfusion</i> , 2015 , 55, 2023-31	2.9	14
335	The impact of donor characteristics on the immune cell composition of mixture allografts of granulocyte-colony-stimulating factor-mobilized marrow harvests and peripheral blood harvests. <i>Transfusion</i> , 2015 , 55, 2874-81	2.9	14
334	Total body irradiation and cyclophosphamide plus antithymocyte globulin regimen is well tolerated and promotes stable engraftment as a preparative regimen before T cell-replete haploidentical transplantation for acute leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1176-82	4.7	14
333	Which method better evaluates the molecular response in newly diagnosed chronic phase chronic myeloid leukemia patients with imatinib treatment, BCR-ABL(IS) or log reduction from the baseline level?. <i>Leukemia Research</i> , 2013 , 37, 1035-40	2.7	14

332	Characterization of CD3+CD4-CD8- (double negative) T cells reconstitution in patients following hematopoietic stem-cell transplantation. <i>Transplant Immunology</i> , 2011 , 25, 180-6	1.7	14
331	Rapid Recovery of CD3+CD8+ T Cells on Day 90 Predicts Superior Survival after Unmanipulated Haploidentical Blood and Marrow Transplantation. <i>PLoS ONE</i> , 2016 , 11, e0156777	3.7	14
330	Homoharringtonine, aclarubicin and cytarabine (HAA) regimen as the first course of induction therapy is highly effective for acute myeloid leukemia with t (8;21). <i>Leukemia Research</i> , 2016 , 44, 40-4	2.7	14
329	Comparison analysis between haplo identical stem cell transplantation and matched sibling donor stem cell transplantation for high-risk acute myeloid leukemia in first complete remission. <i>Science China Life Sciences</i> , 2019 , 62, 691-697	8.5	14
328	Everyone has a donor: contribution of the Chinese experience to global practice of haploidentical hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019 , 13, 45-56	12	14
327	Comparison of the clinical outcomes of hematologic malignancies after myeloablative haploidentical transplantation with G-CSF/ATG and posttransplant cyclophosphamide: results from the Chinese Bone Marrow Transplantation Registry Group (CBMTRG). <i>Science China Life Sciences</i> , 2020 , 63, 574-584	8.5	14
326	Incidence, Risk Factors, Microbiology and Outcomes of Pre-engraftment Bloodstream Infection After Haploidentical Hematopoietic Stem Cell Transplantation and Comparison With HLA-identical Sibling Transplantation. <i>Clinical Infectious Diseases</i> , 2018 , 67, S162-S173	11.6	14
325	miRNA-98-5p Targeting IGF2BP1 Induces Mesenchymal Stem Cell Apoptosis by Modulating PI3K/Akt and p53 in Immune Thrombocytopenia. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 20, 764-776	10.7	13
324	Update on current research into haploidentical hematopoietic stem cell transplantation. <i>Expert Review of Hematology</i> , 2018 , 11, 273-284	2.8	13
323	Plerixafor and granulocyte-colony-stimulating factor for mobilization of hematopoietic stem cells for autologous transplantation in Chinese patients with non-Hodgkin's lymphoma: a randomized Phase 3 study. <i>Transfusion</i> , 2018 , 58, 81-87	2.9	13
322	Treatment outcomes in relapsed acute promyelocytic leukemia patients initially treated with all-retinoic acid and arsenic compound-based combined therapies. <i>Oncology Letters</i> , 2014 , 7, 177-182	2.6	13
321	Haploidentical Hematopoietic Stem Cell Transplantation for Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 2143-2150	4.7	13
320	Antifungal prophylaxis of patients undergoing allogeneic hematopoietic stem cell transplantation in China: a multicenter prospective observational study. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 97	22.4	13
319	Myeloablative Haploidentical Transplantation Is Superior to Chemotherapy for Patients with Intermediate-risk Acute Myelogenous Leukemia in First Complete Remission. <i>Clinical Cancer Research</i> , 2019 , 25, 1737-1748	12.9	13
318	Interferon- β salvage treatment is effective for patients with acute leukemia/myelodysplastic syndrome with unsatisfactory response to minimal residual disease-directed donor lymphocyte infusion after allogeneic hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019 , 13, 238-249	12	13
317	The impact of oral arsenic and all-trans-retinoic acid on coagulopathy in acute promyelocytic leukemia. <i>Leukemia Research</i> , 2018 , 65, 14-19	2.7	13
316	An improved anti-leukemic effect achieved with donor progenitor cell infusion for relapse patients after allogeneic bone marrow transplantation. <i>Chinese Medical Journal</i> , 2003 , 116, 736-41	2.9	13
315	All- retinoic acid protects mesenchymal stem cells from immune thrombocytopenia by regulating the complement-interleukin-1 β loop. <i>Haematologica</i> , 2019 , 104, 1661-1675	6.6	12

314	Haploidentical- versus identical-sibling transplant for high-risk pediatric AML: A multi-center study. <i>Cancer Communications</i> , 2020 , 40, 93-104	9.4	12
313	The prognostic role of E2A-PBX1 expression detected by real-time quantitative reverse transcriptase polymerase chain reaction (RQ-PCR) in B cell acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2018 , 97, 1547-1554	3	12
312	Low-dose methotrexate may preserve a stronger antileukemic effect than that of cyclosporine after modified donor lymphocyte infusion in unmanipulated haploidentical HSCT. <i>Clinical Transplantation</i> , 2015 , 29, 594-605	3.8	12
311	Improved outcome with hematopoietic stem cell transplantation in a poor prognostic subgroup of patients with mixed-lineage-leukemia-rearranged acute leukemia: Results from a prospective, multi-center study. <i>American Journal of Hematology</i> , 2014 , 89, 130-6	7.1	12
310	Early lymphocyte recovery predicts superior overall survival after unmanipulated haploidentical blood and marrow transplant for myelodysplastic syndrome and acute myeloid leukemia evolving from myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2013 , 54, 2671-7	1.9	12
309	Cysteine and glycine-rich protein 2 (CSRP2) transcript levels correlate with leukemia relapse and leukemia-free survival in adults with B-cell acute lymphoblastic leukemia and normal cytogenetics. <i>Oncotarget</i> , 2017 , 8, 35984-36000	3.3	12
308	M2 macrophages, but not M1 macrophages, support megakaryopoiesis by upregulating PI3K-AKT pathway activity. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 234	21	12
307	Allogeneic Stem Cell Transplantation for Patients with T315I BCR-ABL Mutated Chronic Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 1080-1086	4.7	12
306	Interferon- γ s Effective for Treatment of Minimal Residual Disease in Patients with t(8;21) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation: Results of a Prospective Registry Study. <i>Oncologist</i> , 2018 , 23, 1349-1357	5.7	12
305	Interferon γ the salvage therapy for patients with unsatisfactory response to minimal residual disease-directed modified donor lymphocyte infusion. <i>Chinese Medical Journal</i> , 2014 , 127, 2583-7	2.9	12
304	Immunosuppression for 6-8 weeks after modified donor lymphocyte infusion reduced acute graft-versus-host disease without influencing graft-versus-leukemia effect in haploidentical transplant. <i>Chinese Medical Journal</i> , 2014 , 127, 3602-9	2.9	12
303	Standardized fluorescence in situ hybridization testing based on an appropriate panel of probes more effectively identifies common cytogenetic abnormalities in myelodysplastic syndromes than conventional cytogenetic analysis: a multicenter prospective study of 2302 patients in China. <i>Leukemia Research</i> , 2017 , 50, 530-5	2.7	11
302	IL-35 inhibits acute graft-versus-host disease in a mouse model. <i>International Immunopharmacology</i> , 2015 , 29, 383-392	5.8	11
301	Incidence, risk factors, and outcomes of cytomegalovirus retinitis after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020 , 55, 1147-1160	4.4	11
300	Comparative Analysis of Flow Cytometry and RQ-PCR for the Detection of Minimal Residual Disease in Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia after Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 1936-1943	4.7	11
299	Minimal residual disease monitoring and preemptive immunotherapy in myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2016 , 95, 1233-40	3	11
298	Impairment of bone marrow endothelial progenitor cells in acute graft-versus-host disease patients after allotransplant. <i>British Journal of Haematology</i> , 2018 , 182, 870-886	4.5	11
297	Effects of pre- and post-transplantation minimal residual disease on outcomes in pediatric patients with acute myeloid leukemia receiving human leukocyte antigen-matched or mismatched related donor allografts. <i>American Journal of Hematology</i> , 2017 , 92, E659-E661	7.1	11

296	Haploidentical stem cell transplantation in patients aged 50 yr and older with leukemia: similar outcomes compared to younger adults. <i>Clinical Transplantation</i> , 2015 , 29, 523-30	3.8	11
295	Improved outcomes using G-CSF-mobilized blood and bone marrow grafts as the source of stem cells compared with G-PB after HLA-identical sibling transplantation in patients with acute leukemia. <i>Clinical Transplantation</i> , 2013 , 27, 844-51	3.8	11
294	Molecular responses of late chronic phase chronic myeloid leukemia patients after achieving complete cytogenetic responses with imatinib treatment: a 6-year follow-up. <i>Annals of Hematology</i> , 2009 , 88, 37-41	3	11
293	High EVI1 Expression Predicts Poor Outcomes in Adult Acute Myeloid Leukemia Patients with Intermediate Cytogenetic Risk Receiving Chemotherapy. <i>Medical Science Monitor</i> , 2018 , 24, 758-767	3.2	11
292	Superior survival of unmanipulated haploidentical haematopoietic stem cell transplantation compared with intensive chemotherapy as post-remission treatment for children with very high-risk philadelphia chromosome negative B-cell acute lymphoblastic leukaemia in first complete remission. <i>British Journal of Haematology</i> , 2020 , 188, 757-767	4.5	11
291	The Quantification of Minimal Residual Disease Pre- and Post-Unmanipulated Haploidentical Allograft by Multiparameter Flow Cytometry in Pediatric Acute Lymphoblastic Leukemia. <i>Cytometry Part B - Clinical Cytometry</i> , 2020 , 98, 75-87	3.4	11
290	Who is the best haploidentical donor for acquired severe aplastic anemia? Experience from a multicenter study. <i>Journal of Hematology and Oncology</i> , 2019 , 12, 87	22.4	10
289	Rapid reconstitution of NK1 cells after allogeneic transplantation is associated with a reduced incidence of graft-versus-host disease. <i>Science China Life Sciences</i> , 2018 , 61, 902-911	8.5	10
288	Low WT1 transcript levels at diagnosis predicted poor outcomes of acute myeloid leukemia patients with t(8;21) who received chemotherapy or allogeneic hematopoietic stem cell transplantation. <i>Chinese Journal of Cancer</i> , 2016 , 35, 46		10
287	Heterogeneous prognosis among KIT mutation types in adult acute myeloid leukemia patients with t(8;21). <i>Blood Cancer Journal</i> , 2018 , 8, 76	7	10
286	The clinical value of the quantitative detection of four cancer-testis antigen genes in multiple myeloma. <i>Molecular Cancer</i> , 2014 , 13, 25	42.1	10
285	Late-onset hemorrhagic cystitis after haploidentical hematopoietic stem cell transplantation in patients with advanced leukemia: differences in ATG dosage are key. <i>International Journal of Hematology</i> , 2013 , 98, 89-95	2.3	10
284	The impact of minimal residual disease prior to unmanipulated haploidentical hematopoietic stem cell transplantation in patients with acute myeloid leukemia in complete remission. <i>Leukemia and Lymphoma</i> , 2017 , 58, 1135-1143	1.9	10
283	Infusion-related febrile reaction after haploidentical stem cell transplantation in children is associated with higher rates of engraftment syndrome and acute graft-versus-host disease. <i>Pediatric Transplantation</i> , 2015 , 19, 918-24	1.8	10
282	The differences and correlations of BCR-ABL transcripts between peripheral blood and bone marrow assays are associated with the molecular responses in the bone marrow for chronic myelogenous leukemia. <i>American Journal of Hematology</i> , 2012 , 87, 1065-9	7.1	10
281	Individualized intervention guided by BCR-ABL transcript levels after HLA-identical sibling donor transplantation improves HSCT outcomes for patients with chronic myeloid leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2011 , 17, 649-56	4.7	10
280	Recipient-donor KIR ligand matching prevents CMV reactivation post-haploidentical T cell-replete transplantation. <i>British Journal of Haematology</i> , 2017 , 177, 766-781	4.5	9
279	Autophagy in endothelial cells regulates their haematopoiesis-supporting ability. <i>EBioMedicine</i> , 2020 , 53, 102677	8.8	9

278	Comparable survival outcome between transplantation from haploidentical donor and matched related donor or unrelated donor for severe aplastic anemia patients aged 40 years and older: A retrospective multicenter cohort study. <i>Clinical Transplantation</i> , 2020 , 34, e13810	3.8	9
277	Immunosuppressant indulges EBV reactivation and related lymphoproliferative disease by inhibiting V α T cells activities after hematopoietic transplantation for blood malignancies 2020 , 8,		9
276	Donor-Specific Anti-Human Leukocyte Antigen Antibodies Predict Prolonged Isolated Thrombocytopenia and Inferior Outcomes of Haploidentical Hematopoietic Stem Cell Transplantation. <i>Journal of Immunology Research</i> , 2017 , 2017, 1043836	4.5	9
275	Ruxolitinib/nilotinib cotreatment inhibits leukemia-propagating cells in Philadelphia chromosome-positive ALL. <i>Journal of Translational Medicine</i> , 2017 , 15, 184	8.5	9
274	Effect of the in vivo application of granulocyte colony-stimulating factor on NK cells in bone marrow and peripheral blood. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 3025-3034	5.6	9
273	Improved clinical outcomes of rhG-CSF-mobilized blood and marrow haploidentical transplantation compared to propensity score-matched rhG-CSF-primed peripheral blood stem cell haploidentical transplantation: a multicenter study. <i>Science China Life Sciences</i> , 2016 , 59, 1139-1148	8.5	9
272	Lower incidence of acute GVHD is associated with the rapid recovery of CD4CD25CD45RA regulatory T cells in patients who received haploidentical allografts from NIMA-mismatched donors: A retrospective (development) and prospective (validation) cohort-based study. <i>Oncot Immunology</i> , 2016 , 5, e1242546	7.2	9
271	Busulfan, Fludarabine, and Cyclophosphamide (BFC) conditioning allowed stable engraftment after haplo-identical allogeneic stem cell transplantation in children with adrenoleukodystrophy and mucopolysaccharidosis. <i>Bone Marrow Transplantation</i> , 2018 , 53, 770-773	4.4	9
270	Non-traditional CD4+CD25-CD69+ regulatory T cells are correlated to leukemia relapse after allogeneic hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , 2014 , 12, 187	8.5	9
269	Substitution of cyclophosphamide in the modified BuCy regimen with fludarabine is associated with increased incidence of severe pneumonia: a prospective, randomized study. <i>International Journal of Hematology</i> , 2013 , 98, 708-15	2.3	9
268	Immunomodulatory strategies for relapse after haploidentical hematopoietic stem cell transplantation in hematologic malignancy patients. <i>Best Practice and Research in Clinical Haematology</i> , 2011 , 24, 351-8	4.2	9
267	Basiliximab as Treatment for Steroid-Refractory Acute Graft-versus-Host Disease in Pediatric Patients after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 351-357	4.7	9
266	Transplantation from haploidentical donor is not inferior to that from identical sibling donor for patients with chronic myeloid leukemia in blast crisis or chronic phase from blast crisis. <i>Clinical Transplantation</i> , 2016 , 30, 994-1001	3.8	9
265	Adipose-Derived Mesenchymal Stem Cells (ADSCs) With the Potential to Ameliorate Platelet Recovery, Enhance Megakaryopoiesis, and Inhibit Apoptosis of Bone Marrow Cells in a Mouse Model of Radiation-Induced Thrombocytopenia. <i>Cell Transplantation</i> , 2016 , 25, 261-73	4	9
264	Minimal residual disease detected by multiparameter flow cytometry is complementary to genetics for risk stratification treatment in acute myeloid leukemia with biallelic CEBPA mutations. <i>Leukemia and Lymphoma</i> , 2019 , 60, 2181-2189	1.9	9
263	Different Effects of Pre-transplantation Measurable Residual Disease on Outcomes According to Transplant Modality in Patients With Philadelphia Chromosome Positive ALL. <i>Frontiers in Oncology</i> , 2020 , 10, 320	5.3	9
262	Administration of imatinib in the first 90 days after allogeneic hematopoietic cell transplantation in patients with Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Chinese Medical Journal</i> , 2011 , 124, 246-52	2.9	9
261	Comparative outcomes between cord blood transplantation and bone marrow or peripheral blood stem cell transplantation from unrelated donors in patients with hematologic malignancies: a single-institute analysis. <i>Chinese Medical Journal</i> , 2013 , 126, 2499-503	2.9	9

260	Virus reactivation and low dose of CD34+ cell, rather than haploidentical transplantation, were associated with secondary poor graft function within the first 100 days after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2019 , 98, 1877-1883	3	8
259	Rituximab for desensitization during HLA-mismatched stem cell transplantation in patients with a positive donor-specific anti-HLA antibody. <i>Bone Marrow Transplantation</i> , 2020 , 55, 1326-1336	4.4	8
258	Homeostatic T Cell Contents Are Preserved by Granulocyte Colony-Stimulating Factor Priming and Correlate with the Early Recovery of T Cell Subsets after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 252-259	4.7	8
257	Platelet transfusion refractoriness after T-cell-replete haploidentical transplantation is associated with inferior clinical outcomes. <i>Science China Life Sciences</i> , 2018 , 61, 569-577	8.5	8
256	Poor CMV-specific CD8+ T central memory subset recovery at early stage post-HSCT associates with refractory and recurrent CMV reactivation. <i>Journal of Infection</i> , 2016 , 73, 261-70	18.9	8
255	Characterization of thrombopoietin kinetics within 60 days after allogeneic hematopoietic stem cell transplantation and its correlation with megakaryocyte ploidy distribution. <i>Clinical Transplantation</i> , 2016 , 30, 170-8	3.8	8
254	Does High-Dose Cytarabine Cause More Fungal Infection in Patients With Acute Myeloid Leukemia Undergoing Consolidation Therapy: A Multicenter, Prospective, Observational Study in China. <i>Medicine (United States)</i> , 2016 , 95, e2560	1.8	8
253	Heart failure after allogeneic hematopoietic stem cell transplantation. <i>International Journal of Cardiology</i> , 2013 , 167, 2502-6	3.2	8
252	Nonmalignant late effects in survivors of partially matched donor hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 777-83	4.7	8
251	Outpatient oral treatment for acute promyelocytic leukemia. <i>New England Journal of Medicine</i> , 2015 , 372, 885	59.2	8
250	Ceruloplasmin is a potential biomarker for aGVHD following allogeneic hematopoietic stem cell transplantation. <i>PLoS ONE</i> , 2013 , 8, e58735	3.7	8
249	The predictive value of minimal residual disease when facing the inconsistent results detected by real-time quantitative PCR and flow cytometry in NPM1-mutated acute myeloid leukemia. <i>Annals of Hematology</i> , 2020 , 99, 73-82	3	8
248	Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation in First Complete Remission Can Abrogate the Poor Outcomes of Children with Acute Myeloid Leukemia Resistant to the First Course of Induction Chemotherapy. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 2235-2242	4.7	8
247	ADAM28 promotes tumor growth and dissemination of acute myeloid leukemia through IGFBP-3 degradation and IGF-I-induced cell proliferation. <i>Cancer Letters</i> , 2019 , 442, 193-201	9.9	8
246	Thrombotic microangiopathy with concomitant GI aGVHD after allogeneic hematopoietic stem cell transplantation: Risk factors and outcome. <i>European Journal of Haematology</i> , 2018 , 100, 171-181	3.8	8
245	Is there an epidemic of chronic lymphocytic leukaemia (CLL) in China?. <i>Leukemia Research</i> , 2018 , 73, 16-20.	7	8
244	Minimal residual disease-directed immunotherapy for high-risk myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019 , 13, 354-364	12	7
243	Allogeneic hematopoietic stem cell transplantation can improve the prognosis of high-risk pediatric t(8;21) acute myeloid leukemia in first remission based on MRD-guided treatment. <i>BMC Cancer</i> , 2020 , 20, 553	4.8	7

242	Detection of measurable residual disease may better predict outcomes than mutations based on next-generation sequencing in acute myeloid leukaemia with biallelic mutations of CEBPA. <i>British Journal of Haematology</i> , 2020 , 190, 533-544	4.5	7
241	Acute kidney injury following haplo stem cell transplantation: incidence, risk factors and outcome. <i>Bone Marrow Transplantation</i> , 2018 , 53, 483-486	4.4	7
240	Impact of HLA allele mismatch at HLA-A, -B, -C, -DRB1, and -DQB1 on outcomes in haploidentical stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2018 , 53, 600-608	4.4	7
239	Early BCR-ABL1 decline in imatinib-treated patients with chronic myeloid leukemia: results from a multicenter study of the Chinese CML alliance. <i>Blood Cancer Journal</i> , 2018 , 8, 61	7	7
238	Seeking biomarkers for acute graft-versus-host disease: where we are and where we are heading?. <i>Biomarker Research</i> , 2019 , 7, 17	8	7
237	Risk factors for herpes simplex virus-1/2 viremia and clinical outcomes following unmanipulated haploidentical haematopoietic stem cell transplantation. <i>Journal of Clinical Virology</i> , 2017 , 95, 20-25	14.5	7
236	Fighting against hematological malignancy in China: from unique system to global impact. <i>Science China Life Sciences</i> , 2015 , 58, 1183-90	8.5	7
235	Characteristics and influencing factors of CD19+ B cell reconstitution in patients following haploidentical/mismatched hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2012 , 96, 109-21	2.3	7
234	Seven-year response to imatinib as initial treatment versus re-treatment in Chinese patients with chronic myelogenous leukemia in the chronic phase. <i>Annals of Hematology</i> , 2011 , 90, 41-6	3	7
233	Risk Factors for Graft-Versus-Host Disease After Transplantation of Hematopoietic Stem Cells from Unrelated Donors in the China Marrow Donor Program. <i>Annals of Transplantation</i> , 2017 , 22, 384-401	1.4	7
232	Hematopoietic stem cell transplantation in China: current status and prospects. <i>American Journal of Blood Research</i> , 2011 , 1, 90-7	1.6	7
231	Long-term follow-up of CD19 chimeric antigen receptor T-cell therapy for relapsed/refractory acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>Cytotherapy</i> , 2020 , 22, 755-761	4.8	7
230	Unmanipulated haploidentical hematopoietic stem cell transplantation is an excellent option for children and young adult relapsed/refractory Philadelphia chromosome-negative B-cell acute lymphoblastic leukemia after CAR-T-cell therapy. <i>Leukemia</i> , 2021 , 35, 3092-3100	10.7	7
229	High incidence of engraftment syndrome after haploidentical allogeneic stem cell transplantation. <i>European Journal of Haematology</i> , 2016 , 96, 517-26	3.8	7
228	Is human leukocyte antigen-matched sibling donor transplant always better than haploidentical allograft?. <i>Seminars in Hematology</i> , 2019 , 56, 201-208	4	7
227	Hepatitis E virus infection after haploidentical haematopoietic stem cell transplantation: incidence and clinical course. <i>British Journal of Haematology</i> , 2019 , 184, 788-796	4.5	7
226	Ruxolitinib is an effective salvage treatment for multidrug-resistant graft-versus-host disease after haploidentical allogeneic hematopoietic stem cell transplantation without posttransplant cyclophosphamide. <i>Annals of Hematology</i> , 2021 , 100, 169-180	3	7
225	Co-Reactivation of Cytomegalovirus and Epstein-Barr Virus Was Associated With Poor Prognosis After Allogeneic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2020 , 11, 620891	8.4	7

224	Dendritic Cells Are Critical for the Activation and Expansion of V α T Cells After Allogeneic Hematopoietic Transplantation. <i>Frontiers in Immunology</i> , 2018 , 9, 2528	8.4	7
223	Hematopoietic stem cell transplantation activity in China 2019: a report from the Chinese Blood and Marrow Transplantation Registry Group. <i>Bone Marrow Transplantation</i> , 2021 , 56, 2940-2947	4.4	7
222	Characteristics and prognostic factors of acute myeloid leukemia with t (8; 21) (q22; q22). <i>Zhongguo Shi Yan Xue Ye Xue Za Zhi / Zhongguo Bing Li Sheng Li Xue Hui = Journal of Experimental Hematology / Chinese Association of Pathophysiology</i> , 2005 , 13, 733-40	0.8	7
221	Cytogenetic characteristics of B cell chronic lymphocytic leukemia in 275 Chinese patients by fluorescence in situ hybridization: a multicenter study. <i>Chinese Medical Journal</i> , 2011 , 124, 2417-22	2.9	7
220	A Retrospective Study of Central Nervous System Invasive Fungal Disease after Allogeneic Stem Cell Transplantation: Risk Factors, Clinical Characteristics, and Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1158-1164	4.7	6
219	Comparison of haplo-SCT and chemotherapy for young adults with standard-risk Ph-negative acute lymphoblastic leukemia in CR1. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 52	22.4	6
218	Posterior reversible encephalopathy syndrome (PRES) after haploidentical haematopoietic stem cell transplantation: incidence, risk factors and outcomes. <i>Bone Marrow Transplantation</i> , 2020 , 55, 2035-2042	4.4	6
217	Impact of prophylactic/preemptive donor lymphocyte infusion and intensified conditioning for relapsed/refractory leukemia: a real-world study. <i>Science China Life Sciences</i> , 2020 , 63, 1552-1564	8.5	6
216	Frequency, Risk Factors, and Outcome of Active Tuberculosis following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 1203-1209	4.7	6
215	Perianal Infections in the Phase before Engraftment after Allogeneic Hematopoietic Stem Cell Transplantations: A Study of the Incidence, Risk Factors, and Clinical Outcomes. <i>Acta Haematologica</i> , 2018 , 139, 19-27	2.7	6
214	IgG synthesis rate and anti-myelin oligodendrocyte glycoprotein antibody in CSF may be associated with the onset of CNS demyelination after haplo-HSCT. <i>Annals of Hematology</i> , 2018 , 97, 1399-1406	3	6
213	Treatment of late-onset hemorrhagic cystitis after allogeneic hematopoietic stem cell transplantation: the role of corticosteroids. <i>Annals of Hematology</i> , 2018 , 97, 1209-1217	3	6
212	Allogeneic hematopoietic cell transplantation for adult patients with treatment-related acute myeloid leukemia during first remission: Comparable to de novo acute myeloid leukemia. <i>Leukemia Research</i> , 2016 , 47, 8-15	2.7	6
211	Combination of White Blood Cell Count at Presentation With Molecular Response at 3 Months Better Predicts Deep Molecular Responses to Imatinib in Newly Diagnosed Chronic-Phase Chronic Myeloid Leukemia Patients. <i>Medicine (United States)</i> , 2016 , 95, e2486	1.8	6
210	Combined model of the EBMT score modified model and the HCT-CI improves the stratification of high-risk patients undergoing unmanipulated haploidentical blood and marrow transplantation. <i>Leukemia and Lymphoma</i> , 2016 , 57, 2133-9	1.9	6
209	Achieving optimal response at 12 months is associated with a better health-related quality of life in patients with chronic myeloid leukemia: a prospective, longitudinal, single center study. <i>BMC Cancer</i> , 2018 , 18, 782	4.8	6
208	The significance of peri-transplantation minimal residual disease assessed by multiparameter flow cytometry on outcomes for adult AML patients receiving haploidentical allografts. <i>Bone Marrow Transplantation</i> , 2019 , 54, 567-577	4.4	6
207	Haploidentical hematopoietic stem cell transplantation for pediatric Philadelphia chromosome-positive acute lymphoblastic leukemia in the imatinib era. <i>Leukemia Research</i> , 2017 , 59, 136-141	2.7	6

206	The long-term outcome of reduced-intensity allogeneic stem cell transplantation from a matched related or unrelated donor, or haploidentical family donor in patients with leukemia: a retrospective analysis of data from the China RIC Cooperative Group. <i>Annals of Hematology</i> , 2017 , 96, 279-288	3	6
205	Haploidentical hematopoietic stem cell transplantation without in vitro T-cell-depletion for the treatment of hematologic diseases. <i>Chimerism</i> , 2013 , 4, 26-8		6
204	Modified conditioning regimen busulfan-cyclophosphamide followed by allogeneic stem cell transplantation in patients with multiple myeloma. <i>Chinese Medical Journal</i> , 2007 , 120, 463-468	2.9	6
203	CD20 expression sub-stratifies standard-risk patients with B cell precursor acute lymphoblastic leukemia. <i>Oncotarget</i> , 2017 , 8, 105397-105406	3.3	6
202	A novel recombinant human thrombopoietin for treating prolonged isolated thrombocytopenia after allogeneic stem cell transplantation. <i>Platelets</i> , 2019 , 30, 994-1000	3.6	6
201	The loss or absence of minimal residual disease of . <i>British Journal of Haematology</i> , 2021 , 192, 265-271	4.5	6
200	Ethnic and geographic diversity of chronic lymphocytic leukaemia. <i>Leukemia</i> , 2021 , 35, 433-439	10.7	6
199	Disease Risk Comorbidity Index for Patients Receiving Haploidentical Allogeneic Hematopoietic Transplantation. <i>Engineering</i> , 2021 , 7, 162-169	9.7	6
198	Utility of flexible bronchoscopy with polymerase chain reaction in the diagnosis and management of pulmonary infiltrates in allogeneic HSCT patients. <i>Clinical Transplantation</i> , 2018 , 32, e13146	3.8	6
197	Hemorrhagic cystitis following hematopoietic stem cell transplantation: incidence, risk factors and association with CMV reactivation and graft-versus-host disease. <i>Chinese Medical Journal</i> , 2007 , 120, 1666-71	2.9	6
196	Donor-Derived CD19-Targeted T Cell Infusion Eliminates B Cell Acute Lymphoblastic Leukemia Minimal Residual Disease with No Response to Donor Lymphocytes after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Engineering</i> , 2019 , 5, 150-155	9.7	5
195	Superiority of allogeneic hematopoietic stem cell transplantation to nilotinib and dasatinib for adult patients with chronic myelogenous leukemia in the accelerated phase. <i>Frontiers of Medicine</i> , 2015 , 9, 304-11	12	5
194	The initial level of MLL-partial tandem duplication affects the clinical outcomes in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2018 , 59, 967-972	1.9	5
193	Outcome and Minimal Residual Disease Monitoring in Patients with t(16;21) Acute Myelogenous Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 163-168	4.7	5
192	Increased prostacyclin levels inhibit the aggregation and activation of platelets via the PI3K-AKT pathway in prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Thrombosis Research</i> , 2016 , 139, 1-9	8.2	5
191	Monoclonal gammopathy of undetermined significance in Chinese population: A prospective epidemiological study. <i>Hematological Oncology</i> , 2019 , 37, 75-79	1.3	5
190	Reduced IL-35 levels are associated with increased platelet aggregation and activation in patients with acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2015 , 94, 837-45	3	5
189	Plasma level of lipopolysaccharide-binding protein is indicative of acute graft-versus-host disease following allogeneic hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2012 , 95, 680-8	2.3	5

188	High-dose cyclophosphamide therapy associated with diffuse alveolar hemorrhage after allogeneic hematopoietic stem cell transplantation. <i>Respiration</i> , 2013 , 86, 453-61	3.7	5
187	Safety of recombinant human thrombopoietin in adults after related donor haploidentical haematopoietic stem cell transplantation: a pilot study. <i>Clinical Drug Investigation</i> , 2011 , 31, 135-41	3.2	5
186	Predicted indirectly recognizable HLA epitopes are not associated with clinical outcomes after haploidentical hematopoietic stem cell transplantation. <i>Human Immunology</i> , 2018 , 79, 117-121	2.3	5
185	Haploidentical hematopoietic stem cell transplantation for paediatric high-risk T-cell acute lymphoblastic leukaemia. <i>Pediatric Transplantation</i> , 2016 , 20, 572-80	1.8	5
184	Dysregulated megakaryocyte distribution associated with nestin mesenchymal stem cells in immune thrombocytopenia. <i>Blood Advances</i> , 2019 , 3, 1416-1428	7.8	5
183	Planned Pregnancy in Female Patients with Chronic Myeloid Leukemia Receiving Tyrosine Kinase Inhibitor Therapy. <i>Oncologist</i> , 2019 , 24, e1141-e1147	5.7	5
182	New approaches in allogenic transplantation in AML. <i>Seminars in Hematology</i> , 2019 , 56, 147-154	4	5
181	Chemotherapy plus DLI for relapse after haploidentical HSCT: the biological characteristics of relapse influences clinical outcomes of acute leukemia patients. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1198-1207	4.4	5
180	NK cell reconstitution following unmanipulated HLA-mismatched/haploidentical transplantation compared with matched sibling transplantation. <i>Science China Life Sciences</i> , 2020 , 63, 781-784	8.5	5
179	Haploidentical hematopoietic cell transplantation for severe acquired aplastic anemia: a case-control study of post-transplant cyclophosphamide included regimen vs. anti-thymocyte globulin & colony-stimulating factor-based regimen. <i>Science China Life Sciences</i> , 2020 , 63, 940-942	8.5	5
178	Association of Persistent Minimal Residual Disease with Poor Outcomes of Patients with Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Chinese Medical Journal</i> , 2018 , 131, 2808-2816	2.9	5
177	All-trans retinoic acid plus high-dose dexamethasone as first-line treatment for patients with newly diagnosed immune thrombocytopenia: a multicentre, open-label, randomised, controlled, phase 2 trial. <i>Lancet Haematology</i> , 2021 , 8, e688-e699	14.6	5
176	Negative association of donor age with CD34+ cell dose in mixture allografts of G-CSF-primed bone marrow and G-CSF-mobilized peripheral blood harvests. <i>Chinese Medical Journal</i> , 2014 , 127, 3597-601	2.9	5
175	Primary fungal prophylaxis in acute leukemia patients with different risk factors: retrospective analysis from the CAESAR study. <i>International Journal of Hematology</i> , 2017 , 106, 221-228	2.3	4
174	The prognostic significance of WilmsTumor gene 1 (WT1) expression at diagnosis in adults with Ph-negative B cell precursor acute lymphoblastic leukemia. <i>Annals of Hematology</i> , 2019 , 98, 2551-2559	3	4
173	FLT3 internal tandem duplication does not impact prognosis after haploidentical allogeneic hematopoietic stem cell transplantation in AML patients. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1462-1470	4.4	4
172	MAGE genes: Prognostic indicators in AL amyloidosis patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 5672-5678	5.6	4
171	Incidence and predictors of severe cardiotoxicity in patients with severe aplastic anaemia after haploidentical haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1694-1700	4.4	4

170	S100A16 suppresses the growth and survival of leukaemia cells and correlates with relapse and relapse free survival in adults with Philadelphia chromosome-negative B-cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2019 , 185, 836-851	4.5	4
169	Immunosuppressive treatment combined with nucleoside analog is superior to nucleoside analog only in the treatment of severe thrombocytopenia in patients with cirrhosis associated with hepatitis B in China: A multicenter, observational study. <i>Platelets</i> , 2015 , 26, 672-9	3.6	4
168	Mutation topography and risk stratification for de novo acute myeloid leukaemia with normal cytogenetics and no nucleophosmin 1 (NPM1) mutation or Fms-like tyrosine kinase 3 internal tandem duplication (FLT3-ITD). <i>British Journal of Haematology</i> , 2020 , 190, 274-283	4.5	4
167	Prognosis of haploidentical hematopoietic stem cell transplantation in non-infant children with t(v;11q23)/MLL-rearranged B-cell acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2020 , 91, 106333	2.7	4
166	Safety and efficacy of haploidentical stem cell transplantation for multiple myeloma. <i>Bone Marrow Transplantation</i> , 2018 , 53, 507-510	4.4	4
165	Prevalence and risk factors of antibodies to human leukocyte antigens in haploidentical stem cell transplantation candidates: A multi-center study. <i>Human Immunology</i> , 2018 , 79, 672-677	2.3	4
164	Comparison of efficacy between HLA6/6- and HLA3/6-matched haploidentical hematopoietic stem cell transplant in T-cell-replete transplants between parents and children. <i>Science China Life Sciences</i> , 2019 , 62, 104-111	8.5	4
163	Modification of donor lymphocyte infusion: how to improve the outcome?. <i>Science China Life Sciences</i> , 2019 , 62, 1253-1256	8.5	4
162	The cell composition of infused donor lymphocyte has different impact in different types of allogeneic hematopoietic stem cell transplantation. <i>Clinical Transplantation</i> , 2014 , 28, 926-34	3.8	4
161	Prognostic value of lactate dehydrogenase in Chinese patients with newly diagnosed transplant eligible multiple myeloma. <i>Leukemia and Lymphoma</i> , 2017 , 58, 1740-1742	1.9	4
160	Improved survival after offspring donor transplant compared with older aged-matched siblings for older leukaemia patients. <i>British Journal of Haematology</i> , 2020 , 189, 153-161	4.5	4
159	Incidence, Risk Factors, Outcomes, and Risk Score Model of Acute Pancreatitis after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 1171-1178	4.7	4
158	Therapeutic Approaches for Acute Promyelocytic Leukaemia: Moving Towards an Orally Chemotherapy-Free Era. <i>Frontiers in Oncology</i> , 2020 , 10, 586004	5.3	4
157	Comparison of different cytomegalovirus diseases following haploidentical hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2020 , 99, 2659-2670	3	4
156	The evolving role of allogeneic haematopoietic cell transplantation in the era of chimaeric antigen receptor T-cell therapy. <i>British Journal of Haematology</i> , 2021 , 193, 1060-1075	4.5	4
155	Comparison of outcomes after human leukocyte antigen-matched and haploidentical hematopoietic stem-cell transplantation for multiple myeloma. <i>Chinese Medical Journal</i> , 2019 , 132, 1765-1772	2.9	4
154	Haploidentical stem cell transplantation for aplastic anemia: the current advances and future challenges. <i>Bone Marrow Transplantation</i> , 2021 , 56, 779-785	4.4	4
153	Arsenic trioxide replacing or reducing chemotherapy in consolidation therapy for acute promyelocytic leukemia (APL2012 trial). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4

152	Combined transplantation of G-CSF primed allogeneic bone marrow cells and peripheral blood stem cells in treatment of severe aplastic anemia. <i>Chinese Medical Journal</i> , 2004 , 117, 604-7	2.9	4
151	Current status and development of hematopoietic stem cell transplantation in China: a report from Chinese Hematopoietic Stem Cell Transplantation Register Group. <i>Chinese Medical Journal</i> , 2011 , 124, 2548-55	2.9	4
150	Delay expression of NKp30 on NK cells correlates with long-term mycophenolate mofetil treatment and higher EBV viremia post allogeneic hematological stem cells transplantation. <i>Clinical Immunology</i> , 2019 , 205, 49-56	9	3
149	Incidence, risk factors and outcomes of sinusoidal obstruction syndrome after haploidentical allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2019 , 98, 1733-1742	3	3
148	Comparison of hemorrhagic and ischemic stroke after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020 , 55, 2087-2097	4.4	3
147	Arsenic trioxide alleviates acute graft-versus-host disease by modulating macrophage polarization. <i>Science China Life Sciences</i> , 2020 , 63, 1744-1754	8.5	3
146	Development and validation of a prediction model (AHC) for early identification of refractory thrombotic thrombocytopenic purpura using nationally representative data. <i>British Journal of Haematology</i> , 2020 , 191, 269-281	4.5	3
145	Impact of ABO incompatibility on outcomes after haploidentical hematopoietic stem cell transplantation for severe aplastic anemia. <i>Bone Marrow Transplantation</i> , 2020 , 55, 1068-1075	4.4	3
144	DPEP1 expression promotes proliferation and survival of leukaemia cells and correlates with relapse in adults with common B cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2020 , 190, 67-78	4.5	3
143	Comparable Efficacy and Safety of Generic Imatinib and Branded Imatinib in Patients With Newly Diagnosed Chronic Myeloid Leukemia With a Consideration of Socioeconomic Characteristics: A Retrospective Study From a Single Center. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, e304-e315	2	3
142	Expanded clinical-grade membrane-bound IL-21/4-1BBL NK cell products exhibit activity against acute myeloid leukemia in vivo. <i>European Journal of Immunology</i> , 2020 , 50, 1374-1385	6.1	3
141	Comparison of reference values for immune recovery between event-free patients receiving haploidentical allografts and those receiving human leukocyte antigen-matched sibling donor allografts. <i>Frontiers of Medicine</i> , 2018 , 12, 153-163	12	3
140	Molecular Detection of BCR-ABL in Chronic Myeloid Leukemia. <i>Methods in Molecular Biology</i> , 2016 , 1465, 1-15	1.4	3
139	Helicobacter pylori infection influences the severity of thrombocytopenia and its treatment response in chronic hepatitis B patients with compensatory cirrhosis: A multicenter, observational study. <i>Platelets</i> , 2016 , 27, 223-9	3.6	3
138	High aldehyde dehydrogenase activity at diagnosis predicts relapse in patients with t(8;21) acute myeloid leukemia. <i>Cancer Medicine</i> , 2019 , 8, 5459-5467	4.8	3
137	Concordant optimal molecular and cytogenetic responses at both 3 and 6 months predict a higher probability of MR4.5 achievement in patients with chronic myeloid leukemia treated with imatinib. <i>Leukemia and Lymphoma</i> , 2017 , 58, 1384-1393	1.9	3
136	Potential immunosuppressive function of plasma indoleamine 2,3-dioxygenase in patients with aGVHD after allo-HSCT. <i>Clinical Transplantation</i> , 2011 , 25, E304-11	3.8	3
135	Treating donor mice with rhIL-11 and rhG-CSF promotes transplant-tolerance and preserves the effects of GVL after allogeneic bone marrow transplantation. <i>Leukemia Research</i> , 2009 , 33, 123-8	2.7	3

134	Preemptive interferon- γ treatment could protect against relapse and improve long-term survival of ALL patients after allo-HSCT. <i>Scientific Reports</i> , 2020 , 10, 20148	4.9	3
133	The Prognostic Significance of Fusions in Adult Ph-Negative B-Cell Precursor Acute Lymphoblastic Leukemia: A Comprehensive Cohort Study From a Single Chinese Center. <i>Frontiers in Oncology</i> , 2021 , 11, 632532	5.3	3
132	The impact of the combination of KIT mutation and minimal residual disease on outcome in t(8;21) acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2021 , 11, 67	7	3
131	High-dose corticosteroid associated with catheter-related thrombosis after allogeneic hematopoietic stem cell transplantation. <i>Thrombosis Research</i> , 2016 , 144, 6-11	8.2	3
130	Overexpression of WT1 and PRAME predicts poor outcomes of patients with myelodysplastic syndromes with thrombocytopenia. <i>Blood Advances</i> , 2019 , 3, 3406-3418	7.8	3
129	Adverse effects of dasatinib on glucose-lipid metabolism in patients with chronic myeloid leukaemia in the chronic phase. <i>Scientific Reports</i> , 2019 , 9, 17601	4.9	3
128	Class I and II human leukocyte antibodies in pediatric haploidentical allograft candidates: prevalence and risk factors. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1287-1294	4.4	3
127	Occurrence and Severity of Donor Lymphocyte Infusion-Associated Chronic Graft-versus-Host Disease Influence the Clinical Outcomes in Relapsed Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 912-920	4.7	3
126	Gut microbiome alterations and its link to corticosteroid resistance in immune thrombocytopenia. <i>Science China Life Sciences</i> , 2021 , 64, 766-783	8.5	3
125	Pre-transplantation cytoreduction does not benefit advanced myelodysplastic syndrome patients after myeloablative transplantation with grafts from family donors. <i>Cancer Communications</i> , 2021 , 41, 333-344	9.4	3
124	Relationship of Cell Compositions in Allografts with Outcomes after Haploidentical Transplantation for Acquired Severe Aplastic Anemia: Effects of CD34 and CD14 Cell Doses. <i>Chinese Medical Journal</i> , 2018 , 131, 2185-2192	2.9	3
123	Interferon- γ s maintenance therapy can significantly reduce relapse in patients with favorable-risk acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2949-2956	1.9	3
122	The Potential Roles of Mucosa-Associated Invariant T Cells in the Pathogenesis of Gut Graft-Versus-Host Disease After Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2021 , 12, 720354	8.4	3
121	Higher proportions of peripheral CD19+CD5+ B cells predict the effect of corticosteroid in patients with late-onset hemorrhagic cystitis after allogeneic hematopoietic stem cell transplantation. <i>Chinese Medical Journal</i> , 2011 , 124, 1517-23	2.9	3
120	Reduced β -GPI is associated with increased platelet aggregation and activation in patients with prolonged isolated thrombocytopenia after allo-HSCT. <i>Science China Life Sciences</i> , 2019 , 62, 921-929	8.5	2
119	Combination of FVIII and low-dose rFVIIa improves haemostasis in acquired haemophilia A patients: a collaborative controlled study. <i>Thrombosis Research</i> , 2015 , 135, 835-40	8.2	2
118	Patients with Philadelphia-positive leukemia with Y253H or F359V mutation have a high risk of developing new mutations in the setting of dasatinib resistance. <i>Leukemia and Lymphoma</i> , 2015 , 56, 2075-81	1.9	2
117	Efficacy and Safety of Bortezomib in Multiple Myeloma Patients with Hepatitis B: A Multicenter Retrospective Study. <i>Chinese Medical Journal</i> , 2016 , 129, 274-8	2.9	2

116	Serum Lactate Dehydrogenase Can Be Used as a Factor for Re-Evaluating First-Relapsed Multiple Myeloma. <i>Acta Haematologica</i> , 2020 , 143, 559-566	2.7	2
115	Monosomal karyotype is associated with poor outcomes in patients with Philadelphia chromosome-negative acute lymphoblastic leukemia receiving chemotherapy but not allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2020 , 99, 1833-1843	3	2
114	Incidence, Risk Factors, and Outcomes of Primary Prolonged Isolated Thrombocytopenia after Haploidentical Hematopoietic Stem Cell Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 1452-1458	4.7	2
113	Efficacy and safety of micafungin for the treatment of patients with proven or probable invasive aspergillosis: A non-comparative, multicenter, phase IV, open-label study. <i>Medicine (United States)</i> , 2017 , 96, e9443	1.8	2
112	Late-onset Epstein-Barr virus-related disease in acute leukemia patients after haploidentical hematopoietic stem cell transplantation is associated with impaired early recovery of T and B lymphocytes. <i>Clinical Transplantation</i> , 2015 , 29, 904-10	3.8	2
111	Immune-related late-onset hemorrhagic cystitis post allogeneic hematopoietic stem cell transplantation. <i>Chinese Medical Journal</i> , 2008 , 121, 1766-1769	2.9	2
110	Efficacy and safety of mesenchymal stem cells treatment for multidrug-resistant graft--host disease after haploidentical allogeneic hematopoietic stem cell transplantation.. <i>Therapeutic Advances in Hematology</i> , 2022 , 13, 20406207211072838	5.7	2
109	Basiliximab for steroid-refractory acute graft-versus-host disease: a real-world analysis.. <i>American Journal of Hematology</i> , 2022 ,	7.1	2
108	All-trans retinoic acid plus low-dose rituximab vs low-dose rituximab in corticosteroid-resistant or relapsed ITP. <i>Blood</i> , 2021 ,	2.2	2
107	Haploidentical Stem Cell Transplantation for Acute Myeloid Leukemia: Current Therapies, Challenges and Future Prospective. <i>Frontiers in Oncology</i> , 2021 , 11, 758512	5.3	2
106	Comparison of central nervous system relapse outcomes following haploidentical vs identical-sibling transplant for acute lymphoblastic leukemia. <i>Annals of Hematology</i> , 2020 , 99, 1643-1653	3	2
105	Prognostic significance of SET-NUP214 fusion gene in acute leukemia after allogeneic hematopoietic stem cell transplantation. <i>Medicine (United States)</i> , 2020 , 99, e23569	1.8	2
104	Subgroup Analysis Can Optimize the Relapse-Prediction Cutoff Value for WT1 Expression After Allogeneic Hematologic Stem Cell Transplantation in Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , 2020 , 22, 188-195	5.1	2
103	Unmanipulated haploidentical hematopoietic stem cell transplantation for children with myelodysplastic syndrome. <i>Pediatric Transplantation</i> , 2020 , 24, e13864	1.8	2
102	Incidence, Risk Factors, and Outcomes of Chronic Graft-versus-Host Disease in Pediatric Patients with Hematologic Malignancies after T Cell-Replete Myeloablative Haploidentical Hematopoietic Stem Cell Transplantation with Antithymocyte Globulin/Granulocyte Colony-Stimulating Factor. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 1655-1652	4.7	2
101	Th2 polarization in target organs is involved in the alleviation of pathological damage mediated by transplanting granulocyte colony-stimulating factor-primed donor T cells. <i>Science China Life Sciences</i> , 2021 , 64, 1087-1096	8.5	2
100	G-CSF-Primed Peripheral Blood Stem Cell Haploidentical Transplantation Could Achieve Satisfactory Clinical Outcomes for Acute Leukemia Patients in the First Complete Remission: A Registered Study. <i>Frontiers in Oncology</i> , 2021 , 11, 631625	5.3	2
99	Risk factors and outcomes of diffuse alveolar haemorrhage after allogeneic haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021 , 56, 2097-2107	4.4	2

98	Graft Failure in Patients With Hematological Malignancies: A Successful Salvage With a Second Transplantation From a Different Haploidentical Donor. <i>Frontiers in Medicine</i> , 2021 , 8, 604085	4.9	2
97	T Cells May Aggravate Acute Graft-Versus-Host Disease Through CXCR4 Signaling After Allogeneic Hematopoietic Transplantation. <i>Frontiers in Immunology</i> , 2021 , 12, 687961	8.4	2
96	Impact of pre-transplant pulmonary infection developed in horizontal laminar flow unit on the outcome of subsequent allogeneic hematopoietic stem cell transplantation. <i>Journal of Thoracic Disease</i> , 2016 , 8, 2219-25	2.6	2
95	Factors affecting the CD34 cell yields from the second donations of healthy donors: The steady-state lymphocyte count is a good predictive factor. <i>Transfusion and Apheresis Science</i> , 2016 , 55, 311-317	2.4	2
94	Effects of Low-Dose Glucocorticoid Prophylaxis on Chronic Graft-versus-Host Disease and Graft-versus-Host Disease-Free, Relapse-Free Survival after Haploidentical Transplantation: Long-Term Follow-Up of a Controlled, Randomized Open-Label Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 529-537	4.7	2
93	Human herpesvirus 6 reactivation in unmanipulated haploidentical hematopoietic stem cell transplantation predicts the occurrence of grade II to IV acute graft-versus-host disease. <i>Transplant Infectious Disease</i> , 2021 , 23, e13544	2.7	2
92	Prognosis and risk factors for central nervous system relapse after allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Annals of Hematology</i> , 2021 , 100, 505-516	3	2
91	Haploidentical Stem Cell Transplantation With a Novel Conditioning Regimen in Older Patients: A Prospective Single-Arm Phase 2 Study. <i>Frontiers in Oncology</i> , 2021 , 11, 639502	5.3	2
90	Preemptive donor-derived anti-CD19 CAR T-cell infusion showed a promising anti-leukemia effect against relapse in MRD-positive B-ALL after allogeneic hematopoietic stem cell transplantation. <i>Leukemia</i> , 2021 ,	10.7	2
89	Improved function and balance in T cell modulation by endothelial cells in young people. <i>Clinical and Experimental Immunology</i> , 2021 , 206, 196-207	6.2	2
88	Allogeneic hematopoietic stem cell transplantation for intermediate-risk acute myeloid leukemia in the first remission: outcomes using haploidentical donors are similar to those using matched siblings. <i>Annals of Hematology</i> , 2021 , 100, 555-562	3	2
87	Functional Competence of NK Cells via the KIR/MHC Class I Interaction Correlates with DNAM-1 Expression.. <i>Journal of Immunology</i> , 2021 ,	5.3	2
86	Prophylactic NAC promoted hematopoietic reconstitution by improving endothelial cells after haploidentical HSCT: a phase 3, open-label randomized trial.. <i>BMC Medicine</i> , 2022 , 20, 140	11.4	2
85	Association between C-reactive protein levels in the first 1-3 days post-transplant and allogeneic immune reactions. <i>Biomarkers in Medicine</i> , 2017 , 11, 117-124	2.3	1
84	Incidence, Risk Factors, and Outcome of Immune-Mediated Neuropathies (IMNs) following Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1629-1636	4.7	1
83	Positive stool culture could predict the clinical outcomes of haploidentical hematopoietic stem cell transplantation. <i>Frontiers in Medicine</i> , 2019 , 13, 492-503	12	1
82	Comparable Outcomes after Hematopoietic Stem Cell Transplantation from Mother Donors and Matched Unrelated Donors in Patients with Hematopoietic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1210-1217	4.7	1
81	CD8CD161 T cells are associated with acute graft-versus-host disease after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020 , 55, 1652-1654	4.4	1

80	Monocyte subsets in bone marrow grafts may contribute to a low incidence of acute graft-vs-host disease for young donors. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9204-9216	5.6	1
79	Haploidentical stem cell transplantation in patients with chronic myelomonocytic leukemia. <i>Science China Life Sciences</i> , 2020 , 63, 1261-1264	8.5	1
78	A retrospective analysis on anti-CD20 antibody-treated Epstein-Barr virus-related posttransplantation lymphoproliferative disorder following ATG-based haploidentical T-replete hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2020 , 99, 2649-2657	3	1
77	Osteoclast stimulatory transmembrane protein (OC-STAMP) is a promising molecular prognostic indicator for multiple myeloma. <i>European Journal of Haematology</i> , 2020 , 105, 185-195	3.8	1
76	The impact of donor characteristics on the invariant natural killer T cells of granulocyte-colony-stimulating factor-mobilized marrow grafts and peripheral blood grafts. <i>Transplant Immunology</i> , 2018 , 48, 55-59	1.7	1
75	Combined prednisone and levothyroxine improve treatment of severe thrombocytopenia in hepatitis B with compensatory cirrhosis accompanied by subclinical and overt hypothyroidism. <i>Science China Life Sciences</i> , 2018 , 61, 924-933	8.5	1
74	Preemptive Interferon- γ Therapy Could Protect Against Relapse and Improve Survival of Acute Myeloid Leukemia Patients After Allogeneic Hematopoietic Stem Cell Transplantation: Long-Term Results of Two Registry Studies.. <i>Frontiers in Immunology</i> , 2022 , 13, 757002	8.4	1
73	Monitoring of post-transplant MLL-PTD as minimal residual disease can predict relapse after allogeneic HSCT in patients with acute myeloid leukemia and myelodysplastic syndrome.. <i>BMC Cancer</i> , 2022 , 22, 11	4.8	1
72	Preemptive Immunotherapy for Minimal Residual Disease in Patients With t(8;21) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation.. <i>Frontiers in Oncology</i> , 2021 , 11, 773394	5.3	1
71	Haplo-Identical Hematopoietic Stem Cell Transplantation in Patients with Myelodysplastic Syndrome: Similar Survival in Comparison with HLA-Identical Siblings: Multi-Center, Prospective Study. <i>Blood</i> , 2014 , 124, 1231-1231	2.2	1
70	Three-dimensional genome structure and chromatin accessibility reorganization during in vivo induction of human T cell tolerance		1
69	Endothelial Cell Dysfunction Is Involved in the Progression of Myelodysplastic Syndromes. <i>Blood</i> , 2021 , 138, 3668-3668	2.2	1
68	Safety of Recombinant Human Thrombopoietin in Adults after Related Donor Haploidentical Haematopoietic Stem Cell Transplantation. <i>Clinical Drug Investigation</i> , 2010 , 1	3.2	1
67	A modified conditioning regimen based on low-dose cyclophosphamide and fludarabine for haploidentical hematopoietic stem cell transplant in severe aplastic anemia patients at risk of severe cardiotoxicity. <i>Clinical Transplantation</i> , 2021 , e14514	3.8	1
66	Efficacy of Caspofungin in Unclassified Invasive Fungal Infection Cases: A Retrospective Analysis of Patients with Hematological Malignancies in China. <i>Medical Science Monitor</i> , 2018 , 24, 5258-5270	3.2	1
65	Effects of Granulocyte Colony-Stimulating Factor on Proliferation and Apoptosis of B Cells in Bone Marrow of Healthy Donors. <i>Transplantation Proceedings</i> , 2020 , 52, 345-352	1.1	1
64	Valproic acid enhances pamidronate-sensitized cytotoxicity of V α T cells against EBV-related lymphoproliferative cells. <i>International Immunopharmacology</i> , 2020 , 88, 106890	5.8	1
63	A risk score system for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogenic stem cell transplantation. <i>Chinese Medical Journal</i> , 2021 , 134, 1199-1208	2.9	1

62	Minimal residual disease monitoring and preemptive immunotherapies for frequent 11q23 rearranged acute leukemia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2021 , 100, 1267-1281	3	1
61	Optimizing outcomes for haploidentical hematopoietic stem cell transplantation in severe aplastic anemia with intensive GVHD prophylaxis: a review of current findings. <i>Expert Review of Hematology</i> , 2021 , 14, 449-455	2.8	1
60	Predictive Value of Dynamic Peri-Transplantation MRD Assessed By MFC Either Alone or in Combination with Other Variables for Outcomes of Patients with T-Cell Acute Lymphoblastic Leukemia. <i>Current Medical Science</i> , 2021 , 41, 443-453	2.8	1
59	Real-world assessment of the effectiveness of posaconazole for the prophylaxis and treatment of invasive fungal infections in hematological patients: A retrospective observational study. <i>Medicine (United States)</i> , 2021 , 100, e26772	1.8	1
58	Early lymphocyte recovery predicts superior outcomes after unmanipulated haploidentical blood and marrow transplant for acute myeloid leukemia. <i>Clinical Transplantation</i> , 2016 , 30, 954-8	3.8	1
57	The incidence, clinical outcome, and protective factors of mixed chimerism following hematopoietic stem cell transplantation for severe aplastic anemia. <i>Clinical Transplantation</i> , 2021 , 35, e14160	3.8	1
56	Haploidentical hematopoietic stem cell transplantation for patients with myeloid sarcoma: a single center retrospective study. <i>Annals of Hematology</i> , 2021 , 100, 799-808	3	1
55	Both the subtypes of KIT mutation and minimal residual disease are associated with prognosis in core binding factor acute myeloid leukemia: a retrospective clinical cohort study in single center. <i>Annals of Hematology</i> , 2021 , 100, 1203-1212	3	1
54	Efficacy of Haploidentical Hematopoietic Stem Cell Transplantation Compared With Chemotherapy as Postremission Treatment of Children With Intermediate-risk Acute Myeloid Leukemia in First Complete Remission. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 , 21, e126-e136	2	1
53	HCMV modulates c-Mpl/IL-3 pathway-mediated megakaryo/thrombopoiesis via PDGFR α and β receptors after allo-HSCT. <i>Journal of Cellular Physiology</i> , 2021 , 236, 6726-6741	7	1
52	Wilms tumor gene 1 is an independent prognostic factor for pediatric acute myeloid leukemia following allogeneic hematopoietic stem cell transplantation. <i>BMC Cancer</i> , 2021 , 21, 292	4.8	1
51	Synergistic antitumoral efficacy of a novel replicative adenovirus SG611-PDCD5 and daunorubicin in human leukemic cells. <i>OncoTargets and Therapy</i> , 2018 , 11, 5121-5132	4.4	1
50	Evaluation of HistoCheck as a Predictor of Clinical Outcomes after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 1866-1872	4.7	1
49	Risk Stratification of Cytogenetically Normal Acute Myeloid Leukemia With Biallelic Mutations Based on a Multi-Gene Panel and Nomogram Model. <i>Frontiers in Oncology</i> , 2021 , 11, 706935	5.3	1
48	Meta-Analysis of Interleukin-2 Receptor Antagonists as the Treatment for Steroid-Refractory Acute Graft-Host Disease. <i>Frontiers in Immunology</i> , 2021 , 12, 749266	8.4	1
47	Ibrutinib in Advanced Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: Lower Risk of Hepatitis B Virus Reactivation. <i>Acta Haematologica</i> , 2021 , 1-9	2.7	1
46	A prognostic model (BATAP) with external validation for patients with transplant-associated thrombotic microangiopathy. <i>Blood Advances</i> , 2021 ,	7.8	1
45	Overt gastrointestinal bleeding following haploidentical haematopoietic stem cell transplantation: incidence, outcomes and predictive models. <i>Bone Marrow Transplantation</i> , 2021 , 56, 1341-1351	4.4	1

44	Immune-related late-onset hemorrhagic cystitis post allogeneic hematopoietic stem cell transplantation. <i>Chinese Medical Journal</i> , 2008 , 121, 1766-9	2.9	1
43	A comprehensive model to predict severe acute graft-versus-host disease in acute leukemia patients after haploidentical hematopoietic stem cell transplantation.. <i>Experimental Hematology and Oncology</i> , 2022 , 11, 25	7.8	1
42	Risk factors for chronic graft-versus-host disease after anti-thymocyte globulin-based haploidentical hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Frontiers of Medicine</i> , 2019 , 13, 667-679	12	0
41	Outcomes of symptomatic venous thromboembolism after haploidentical donor hematopoietic stem cell transplantation and comparison with human leukocyte antigen-identical sibling transplantation. <i>Thrombosis Research</i> , 2020 , 194, 168-175	8.2	0
40	Prevalence and risk factors of having antibodies to class I and II human leukocyte antigens in older haploidentical allograft candidates. <i>Scientific Reports</i> , 2020 , 10, 2367	4.9	0
39	Fluorescence in situ hybridisation combined with CD138 immunomagnetic sorting is effective to identify cytogenetic abnormalities which play significant prognostic roles in Chinese AL amyloidosis patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020 , 27, 222-226	2.7	0
38	Higher dose of CD34+ peripheral blood stem cells is associated with better survival after haploidentical stem cell transplantation in pediatric patients. <i>Clinical Transplantation</i> , 2017 , 31, e12880	3.8	0
37	Chimeric Antigens Receptor T Cell Therapy Improve the Prognosis of Pediatric Acute Lymphoblastic Leukemia With Persistent/Recurrent Minimal Residual Disease in First Complete Remission.. <i>Frontiers in Immunology</i> , 2021 , 12, 731435	8.4	0
36	Integrated genomic analyses identify high-risk factors and actionable targets in T-cell acute lymphoblastic leukemia.. <i>Blood Science</i> , 2022 , 4, 16-28	0.9	0
35	Optimizing allogeneic grafts in hematopoietic stem cell transplantation. <i>Stem Cells Translational Medicine</i> , 2021 , 10 Suppl 2, S41-S47	6.9	0
34	COVID-19 & Allogeneic Transplant: Activity and Preventive Measures for Best Outcomes in China. <i>Advances in Cell and Gene Therapy</i> , 2020 , 3, e94	1.2	0
33	Overcoming graft failure after haploidentical transplantation: Is this a possibility?. <i>Best Practice and Research in Clinical Haematology</i> , 2021 , 34, 101255	4.2	0
32	Acute Cholecystitis Following Allogeneic Hematopoietic Stem Cell Transplantation: Clinical Features, Outcomes, Risk Factors, and Prediction Model. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 253.e1-253.e9		0
31	Clinical risk score for predicting invasive fungal disease after allogeneic hematopoietic stem cell transplantation: Analysis of the China Assessment of Antifungal Therapy in Hematological Diseases (CAESAR) study. <i>Transplant Infectious Disease</i> , 2021 , 23, e13611	2.7	0
30	Impact of socio-demographic co-variates on prognosis, tyrosine kinase-inhibitor use and outcomes in persons with newly-diagnosed chronic myeloid leukaemia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	0
29	Influence of the degree of donor bone marrow hyperplasia on patient clinical outcomes after allogeneic hematopoietic stem cell transplantation. <i>Science China Life Sciences</i> , 2020 , 63, 138-147	8.5	0
28	Comparison of the clinical outcomes between NIMA-mismatched and NIPA-mismatched haploidentical hematopoietic stem cell transplantation for patients with hematological malignancies. <i>Bone Marrow Transplantation</i> , 2021 , 56, 2723-2731	4.4	0
27	Profiles of NK cell subsets are associated with successful tyrosine kinase inhibitor discontinuation in chronic myeloid leukemia and changes following interferon treatment. <i>Annals of Hematology</i> , 2021 , 100, 2557-2566	3	0

26	PML-RARA transcript levels at the end of induction therapy are associated with prognosis in non-high-risk acute promyelocytic leukaemia with all-trans retinoic acid plus arsenic in front-line therapy: long-term follow-up of a single-centre cohort study. <i>British Journal of Haematology</i> , 2021 , 195, 722-730	4.5	o
25	Hepatitis B Seropositive Status in Recipients or Donors Is Not Related to Worse Outcomes after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 668.e1-668.e9		o
24	Clinical risk factors and prognostic model for idiopathic inflammatory demyelinating diseases after haploidentical hematopoietic stem cell transplantation in patients with hematological malignancies. <i>American Journal of Hematology</i> , 2021 , 96, 1407-1419	7.1	o
23	A Predicted Model for Refractory/Recurrent Cytomegalovirus Infection in Acute Leukemia Patients After Haploidentical Hematopoietic Stem Cell Transplantation.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 862526	5.9	o
22	The Interaction of HLA-C1/KIR2DL2/L3 Promoted KIR2DL2/L3 Single-Positive/NKG2C-Positive Natural Killer Cell Reconstitution, Raising the Incidence of aGVHD after Hematopoietic Stem Cell Transplantation.. <i>Frontiers in Immunology</i> , 2022 , 13, 814334	8.4	o
21	Multiomics Analysis Identifies SOCS1 as Restraining T Cell Activation and Preventing Graft-Versus-Host Disease.. <i>Advanced Science</i> , 2022 , e2200978	13.6	o
20	Donor selection for haploidentical hematopoietic cell transplantation- practice guidance. <i>Advances in Cell and Gene Therapy</i> , 2019 , 2, e42	1.2	
19	Haploidentical Transplantation Using Unmanipulated G-CSF-Primed Blood and Marrow as Allografts: Clinical Data and Challenges 2018 , 55-79		
18	Advancement of human leukocyte antigen-partially matched related hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2013 , 7, 306-15	12	
17	Current status of stem cell therapy in China. <i>International Journal of Hematologic Oncology</i> , 2013 , 2, 289-297		
16	Mutations Based on Next-Generation Sequencing May be Complementally to Prognostic Risk in Myelodysplastic Syndromes. <i>Blood</i> , 2020 , 136, 42-43	2.2	
15	The Prognostic Significance of WilmsTumor Gene 1 in Adult AML with Different Risk Stratification Following Allo-HSCT. <i>Blood</i> , 2020 , 136, 4-5	2.2	
14	Fluconazole is as effective as other anti-mold agents in preventing early invasive fungal disease after allogeneic stem cell transplantation: assessment of antifungal therapy in haematological disease in China.. <i>Translational Cancer Research</i> , 2020 , 9, 6900-6911	0.3	
13	Both the Subtypes of Kit Mutation and Minimal Residual Disease Are Associated with Prognosis in Core Banding Factor Acute Myeloid Leukemia. <i>Blood</i> , 2020 , 136, 4-5	2.2	
12	A Clinical Study of 15 Acute Leukemia Patients with Plasmacytoid Dendritic Cells Expansion. <i>Blood</i> , 2021 , 138, 4468-4468	2.2	
11	The Application of Decitabine in Combination with G-CSF, Low-Dose Cytarabine and Aclarubicin in AML-MRC: A Single Center Case Control Study. <i>Blood</i> , 2021 , 138, 2320-2320	2.2	
10	The Potential Roles of Mucosa-Associated Invariant T Cells in the Pathogenesis of Gut Graft-Versus-Host Disease after Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2021 , 138, 1686-1686	2.2	
9	Prognostic value of transcript levels in adult Philadelphia-negative B-cell acute lymphoblastic leukemia. <i>Hematology</i> , 2021 , 26, 9-15	2.2	

8	Lacking Of Missing Killer-Immunoglobulin-Like Receptor Ligand In Recipients Can Predict Better Prognosis After HLA-Mismatched/Haploidentical Transplantation Without T Cells Depletion In Vitro In Chronic Myeloid Leukemia Patients. <i>Blood</i> , 2013 , 122, 2165-2165	2.2
7	The incidence, risk factors, and outcomes of acute graft-vs-host disease in pediatric T-cell-replete haploidentical hematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2020 , 24, e13793	1.8
6	Comments on the article: Donor-derived CD19-targeted T cell infusion induces minimal residual disease-negative remission in relapsed B-cell acute lymphoblastic leukaemia with no response to donor lymphocyte infusions after haploidentical haematopoietic stem cell transplantation Response to Pan et al. <i>British Journal of Haematology</i> , 2019 , 184, 882-883	4.5
5	The clinical features and prognosis of the monoclonal gammopathy undetermined significance: A single center study. <i>Blood Cells, Molecules, and Diseases</i> , 2018 , 73, 9-13	2.1
4	Second unmanipulated allogeneic transplantation could be used as a salvage option for patients with relapsed acute leukemia post-chemotherapy plus modified donor lymphocyte infusion. <i>Frontiers of Medicine</i> , 2021 , 15, 728-739	12
3	A Scoring System for Predicting the Prognosis of Late-Onset Severe Pneumonia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 870.e1-870.e7	
2	Recipient and donor PTX3 rs2305619 polymorphisms increase the susceptibility to invasive fungal disease following haploidentical stem cell transplantation: a prospective study.. <i>BMC Infectious Diseases</i> , 2022 , 22, 292	4
1	Dysfunctional bone marrow endothelial progenitor cells are involved in patients with myelodysplastic syndromes.. <i>Journal of Translational Medicine</i> , 2022 , 20, 144	8.5