

# Jae-Ho Yoon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3422993/publications.pdf>

Version: 2024-02-01

121  
papers

1,320  
citations

394421

19  
h-index

526287

27  
g-index

121  
all docs

121  
docs citations

121  
times ranked

2006  
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment outcomes and prognostic factors in adult patients with secondary hemophagocytic lymphohistiocytosis not associated with malignancy. <i>Haematologica</i> , 2019, 104, 269-276.	3.5	67
2	Alteration of the Intestinal Microbiota by Broad-Spectrum Antibiotic Use Correlates with the Occurrence of Intestinal Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1933-1943.	2.0	42
3	The efficacy of rabbit antithymocyte globulin with cyclosporine in comparison to horse antithymocyte globulin as a first-line treatment in adult patients with severe aplastic anemia: a single-center retrospective study. <i>Annals of Hematology</i> , 2013, 92, 817-824.	1.8	40
4	Comparison of Allogeneic Stem Cell Transplantation from Familial-Mismatched/Haploidentical Donors and from Unrelated Donors in Adults with High-Risk Acute Myelogenous Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1552-1563.	2.0	39
5	A Well-Tolerated Regimen of 800 cGy TBI-Fludarabine-Busulfan-ATG for Reliable Engraftment after Unmanipulated Haploidentical Peripheral Blood Stem Cell Transplantation in Adult Patients with Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 119-129.	2.0	36
6	Comparable long-term outcomes after reduced-intensity conditioning versus myeloablative conditioning allogeneic stem cell transplantation for adult high-risk acute lymphoblastic leukemia in complete remission. <i>American Journal of Hematology</i> , 2013, 88, 634-641.	4.1	32
7	WT1 Measurable Residual Disease Assay in Patients With Acute Myeloid Leukemia Who Underwent Allogeneic Hematopoietic Stem Cell Transplantation: Optimal Time Points, Thresholds, and Candidates. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1925-1932.	2.0	31
8	Model-based adaptive phase I trial design of post-transplant decitabine maintenance in myelodysplastic syndrome. <i>Journal of Hematology and Oncology</i> , 2015, 8, 118.	17.0	29
9	CDKN2B downregulation and other genetic characteristics in T-acute lymphoblastic leukemia. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-15.	7.7	29
10	Matrix Metalloproteinase-9 in Monocytic Myeloid-Derived Suppressor Cells Correlate with Early Infections and Clinical Outcomes in Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 32-42.	2.0	28
11	Minimal residual disease-based long-term efficacy of reduced-intensity conditioning versus myeloablative conditioning for adult Philadelphia-positive acute lymphoblastic leukemia. <i>Cancer</i> , 2019, 125, 873-883.	4.1	28
12	Impact of cytomegalovirus reactivation on relapse and survival in patients with acute leukemia who received allogeneic hematopoietic stem cell transplantation in first remission. <i>Oncotarget</i> , 2016, 7, 17230-17241.	1.8	28
13	Geriatric assessment predicts nonfatal toxicities and survival for intensively treated older adults with AML. <i>Blood</i> , 2022, 139, 1646-1658.	1.4	28
14	Better transplant outcome with pre-transplant marrow response after hypomethylating treatment in higher-risk MDS with excess blasts. <i>Oncotarget</i> , 2017, 8, 12342-12354.	1.8	27
15	Feasible Outcomes of T Cell-Replete Haploidentical Stem Cell Transplantation with Reduced-Intensity Conditioning in Patients with Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 342-349.	2.0	23
16	Predictive Role of Circulating Immune Cell Subtypes Early after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Acute Leukemia. <i>International Journal of Stem Cells</i> , 2019, 12, 73-83.	1.8	23
17	Serial Measurement of WT1 Expression and Decrement Ratio Until Hematopoietic Cell Transplantation as a Marker of Residual Disease in Patients with Cytogenetically Normal Acute Myelogenous Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 958-966.	2.0	22
18	Graft-versus-Host Disease-Free, Relapse-Free Survival after Allogeneic Stem Cell Transplantation for Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 63-72.	2.0	22

#	ARTICLE	IF	CITATIONS
19	Clinical outcomes for ibrutinib in relapsed or refractory mantle cell lymphoma in real-world experience. <i>Cancer Medicine</i> , 2019, 8, 6860-6870.	2.8	22
20	Circulating immune cell phenotype can predict the outcome of lenalidomide plus low-dose dexamethasone treatment in patients with refractory/relapsed multiple myeloma. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 983-994.	4.2	21
21	<i>BAALC</i> and <i>WT1</i> expressions from diagnosis to hematopoietic stem cell transplantation: consecutive monitoring in adult patients with core-binding factor-positive <i>AML</i> . <i>European Journal of Haematology</i> , 2013, 91, 112-121.	2.2	20
22	Clinical Outcome of Autologous Hematopoietic Cell Transplantation in Adult Patients with Acute Myeloid Leukemia: Who May Benefit from Autologous Hematopoietic Cell Transplantation?. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 588-597.	2.0	20
23	Natural Killer Cell Function Tests by Flowcytometry-Based Cytotoxicity and IFN- $\gamma$ Production for the Diagnosis of Adult Hemophagocytic Lymphohistiocytosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5413.	4.1	20
24	Validation of treatment outcomes according to revised severity criteria from European Society for Blood and Marrow Transplantation (EBMT) for sinusoidal obstruction syndrome/veno-occlusive disease (SOS/VOD). <i>Bone Marrow Transplantation</i> , 2019, 54, 1361-1368.	2.4	20
25	Different role of circulating myeloid-derived suppressor cells in patients with multiple myeloma undergoing autologous stem cell transplantation. , 2019, 7, 35.		20
26	Long-term clinical outcomes of hematopoietic cell transplantation for intermediate-to-poor-risk acute myeloid leukemia during first remission according to available donor types. <i>Oncotarget</i> , 2017, 8, 41590-41604.	1.8	19
27	Efficacy and safety of blinatumomab treatment in adult Korean patients with relapsed/refractory acute lymphoblastic leukemia on behalf of the Korean Society of Hematology ALL Working Party. <i>Annals of Hematology</i> , 2019, 98, 151-158.	1.8	18
28	Outcomes of elderly de novo acute myeloid leukemia treated by a risk-adapted approach based on age, comorbidity, and performance status. <i>American Journal of Hematology</i> , 2013, 88, 1074-1081.	4.1	17
29	Response to pretransplant hypomethylating agents influences the outcome of allogeneic hematopoietic stem cell transplantation in adults with myelodysplastic syndromes. <i>European Journal of Haematology</i> , 2013, 90, 111-120.	2.2	17
30	Haploidentical vs matched unrelated donor transplantation for acute myeloid leukemia in remission: A prospective comparative study. <i>American Journal of Hematology</i> , 2021, 96, 98-109.	4.1	17
31	Wilms Tumor Gene 1 Expression as a Predictive Marker for Relapse and Survival after Hematopoietic Stem Cell Transplantation for Myelodysplastic Syndromes. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 460-467.	2.0	16
32	Beneficial Role of Low-Dose Antithymocyte Globulin in Unrelated Stem Cell Transplantation for Adult Patients with Acquired Severe Aplastic Anemia: Reduction of Graft-versus-Host Disease and Improvement of Graft-versus-Host Disease-Free, Failure-Free Survival Rate. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1498-1508.	2.0	16
33	Outcomes of allogeneic stem cell transplantation in patients with paroxysmal nocturnal hemoglobinuria with or without aplastic anemia. <i>European Journal of Haematology</i> , 2017, 99, 336-343.	2.2	16
34	High <i>WT1</i> expression is an early predictor for relapse in patients with acute promyelocytic leukemia in first remission with negative <i>PML-RAR<math>\alpha</math></i> after anthracycline-based chemotherapy: a single-center cohort study. <i>Journal of Hematology and Oncology</i> , 2017, 10, 30.	17.0	15
35	Clinical significance of pre-transplant circulating $CD3^+CD4^+CD161^+$ cell frequency on the occurrence of neutropenic infections after allogeneic stem cell transplantation. <i>Transplant Infectious Disease</i> , 2017, 19, e12643.	1.7	15
36	<i>CD161</i> + T Cells as Predictive Markers for Acute Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 421-428.	2.0	14

#	ARTICLE	IF	CITATIONS
37	Improved survival outcomes and restoration of graft-versus-leukemia effect by deferasirox after allogeneic stem cell transplantation in acute myeloid leukemia. <i>Cancer Medicine</i> , 2019, 8, 501-514.	2.8	13
38	Equivalent Outcome of Autologous Stem Cell Transplantation and Reduced Intensity Conditioning Stem Cell Transplantation in Acute Myeloid Leukemia Patients with t(8;21). <i>Acta Haematologica</i> , 2015, 133, 266-276.	1.4	12
39	Optimal conditioning regimen for haplo-identical stem cell transplantation in adult patients with acquired severe aplastic anemia: Prospective de-escalation study of TBI and ATG dose. <i>American Journal of Hematology</i> , 2018, 93, 1368-1375.	4.1	12
40	Progressive hyperleukocytosis is a relevant predictive marker for differentiation syndrome, early death, and subsequent relapse in acute promyelocytic leukemia. <i>Scientific Reports</i> , 2019, 9, 11935.	3.3	12
41	A case of central nervous system graft-versus-host disease following allogeneic stem cell transplantation. <i>International Journal of Hematology</i> , 2019, 110, 635-639.	1.6	12
42	Comparable Outcomes After Alternative and Matched Sibling Donor Hematopoietic Stem Cell Transplantation and the Role of Molecular Measurable Residual Disease for Acute Myeloid Leukemia in Elderly Patients. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 774.e1-774.e12.	1.2	12
43	Role of frontline autologous stem cell transplantation in young, high-risk diffuse large B-cell lymphoma patients. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 362.	1.7	12
44	Outcome of allogeneic hematopoietic stem cell transplantation for cytogenetically normal <sc>AML</sc> and identification of high-risk subgroup using <sc>W</sc> <sc>T1</sc> expression in association with <sc>N</sc> <sc>PM1</sc> and <sc>FLT3</sc>ITD mutations. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 489-499.	2.8	11
45	Clinical outcomes of venous thromboembolism with dalteparin therapy in multiple myeloma patients. <i>Thrombosis Research</i> , 2015, 136, 974-979.	1.7	11
46	Comparison of Myeloablative (CyTBI, BuCy) versus Reduced-Intensity (FluBu2TBI400) Peripheral Blood Stem Cell Transplantation in Acute Myeloid Leukemia Patients with Pretransplant Low WT1 Expression. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 2018-2026.	2.0	11
47	Incidence and risk factors of hepatic veno-occlusive disease/sinusoidal obstruction syndrome after allogeneic hematopoietic cell transplantation in adults with prophylactic ursodiol and intravenous heparin or prostaglandin E1. <i>Bone Marrow Transplantation</i> , 2021, 56, 1603-1613.	2.4	11
48	Implication of higher BAALC expression in combination with other gene mutations in adult cytogenetically normal acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2014, 55, 110-120.	1.3	10
49	Negative Impact of Unidirectional Host-versus-Graft Killer Cell Immunoglobulin-like Receptor Ligand Mismatch on Transplantation Outcomes after Unmanipulated Haploidentical Peripheral Blood Stem Cell Transplantation for Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 316-323.	2.0	10
50	Bone Marrow Plasma Cell Assessment before Peripheral Blood Stem Cell Mobilization in Patients with Multiple Myeloma Undergoing Autologous Stem Cell Transplantation. <i>BioMed Research International</i> , 2014, 2014, 1-8.	1.9	9
51	Comparative analysis of post-transplant lymphoproliferative disorder after kidney transplantation versus hematopoietic stem cell transplantation. <i>Transplant International</i> , 2014, 27, 721-732.	1.6	9
52	Allogeneic stem cell transplantation using lymphoablative rather than myeloablative conditioning regimen for relapsed or refractory lymphomas. <i>Hematological Oncology</i> , 2017, 35, 17-24.	1.7	9
53	Association of MICA and MICB polymorphisms with the susceptibility of leukemia in Korean patients. <i>Blood Cancer Journal</i> , 2018, 8, 58.	6.2	9
54	Non-inferior long-term outcomes of adults with Philadelphia chromosome-like acute lymphoblastic leukemia. <i>Bone Marrow Transplantation</i> , 2021, 56, 1953-1963.	2.4	9

#	ARTICLE	IF	CITATIONS
55	Hepatic veno-occlusive disease resulting in tacrolimus toxicity after allogeneic hematopoietic stem cell transplantation. <i>Blood Research</i> , 2013, 48, 55.	1.3	8
56	Stratification of de novo Adult Acute Myelogenous Leukemia with Adverse-Risk Karyotype: Can We Overcome the Worse Prognosis of Adverse-Risk Group Acute Myelogenous Leukemia with Hematopoietic Stem Cell Transplantation?. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 80-88.	2.0	8
57	Successful outcomes of second hematopoietic stem cell transplantation with total nodal irradiation and ATG conditioning for graft failure in adult patients with severe aplastic anemia. <i>Bone Marrow Transplantation</i> , 2018, 53, 1270-1277.	2.4	8
58	Feasible outcome of blinatumomab followed by allogeneic hematopoietic cell transplantation for adults with Philadelphia chromosome-negative acute lymphoblastic leukemia in first salvage. <i>Cancer Medicine</i> , 2019, 8, 7650-7659.	2.8	8
59	The factors influencing clinical outcomes after leukapheresis in acute leukaemia. <i>Scientific Reports</i> , 2021, 11, 6426.	3.3	8
60	Impact of Epstein-Barr Virus on Peripheral T-Cell Lymphoma Not Otherwise Specified and Angioimmunoblastic T-Cell Lymphoma. <i>Frontiers in Oncology</i> , 2021, 11, 797028.	2.8	8
61	Comparison of the effects of early intensified induction chemotherapy and standard 3+7 chemotherapy in adult patients with acute myeloid leukemia. <i>Blood Research</i> , 2017, 52, 174.	1.3	7
62	Considerations for monitoring minimal residual disease using immunoglobulin clonality in patients with precursor B-cell lymphoblastic leukemia. <i>Clinica Chimica Acta</i> , 2019, 488, 81-89.	1.1	7
63	Impact of donor type on long-term graft-versus-host disease-free/relapse-free survival for adult acute lymphoblastic leukemia in first remission. <i>Bone Marrow Transplantation</i> , 2021, 56, 828-840.	2.4	7
64	Low-dose thymoglobulin for prevention of chronic graft-versus-host disease in transplantation from an HLA-matched sibling donor. <i>American Journal of Hematology</i> , 2021, 96, 1441-1449.	4.1	7
65	A retrospective comparison of salvage intensive chemotherapy versus venetoclax-combined regimen in patients with relapsed/refractory acute myeloid leukemia (AML). <i>Therapeutic Advances in Hematology</i> , 2022, 13, 204062072210816.	2.5	7
66	Low frequency of CD3+CD4+CD161+ T cells correlates with the occurrence of infections in refractory/relapsed multiple myeloma patients receiving lenalidomide plus low-dose dexamethasone treatment. <i>Annals of Hematology</i> , 2018, 97, 2163-2171.	1.8	6
67	Autologous hematopoietic cell transplantation using dose-reduced intravenous busulfan, melphalan, and thiotepa for high-risk or relapsed lymphomas. <i>Bone Marrow Transplantation</i> , 2019, 54, 330-333.	2.4	6
68	Reactivation and dynamics of cytomegalovirus and Epstein-Barr virus after rabbit antithymocyte globulin and cyclosporine for aplastic anemia. <i>European Journal of Haematology</i> , 2019, 103, 433-441.	2.2	6
69	Experience of blinatumomab salvage for patients with acute lymphoblastic leukemia presenting with isolated extramedullary relapse after previous allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 1469-1472.	2.4	6
70	Safety and efficacy of arsenic trioxide and all-trans retinoic acid therapy in acute promyelocytic leukemia patients with a high risk for early death. <i>Annals of Hematology</i> , 2020, 99, 973-982.	1.8	6
71	Integrative Analysis of Gene Expression Data by RNA Sequencing for Differential Diagnosis of Acute Leukemia: Potential Application of Machine Learning. <i>Frontiers in Oncology</i> , 2021, 11, 717616.	2.8	6
72	SOCS1 and SOCS3 are expressed in mononuclear cells in human cytomegalovirus viremia after allogeneic hematopoietic stem cell transplantation. <i>Blood Research</i> , 2015, 50, 40.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Prognostic impact of interim positron emission tomography in mantle cell lymphoma patients treated with frontline R-CHOP. <i>British Journal of Haematology</i> , 2020, 188, 860-871.	2.5	5
74	Specific donor HLA allotypes as predictors of cytomegalovirus disease risk in acute myeloid leukemia. <i>Hla</i> , 2020, 96, 445-455.	0.6	5
75	The clinical, laboratory, and radiologic improvement due to siltuximab treatment in idiopathic multicentric Castleman's disease. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 424-432.	1.7	5
76	Development and validation of a comorbidity index for predicting survival outcomes after allogeneic stem cell transplantation in adult patients with acute leukemia: a Korean nationwide cohort study. <i>Blood Research</i> , 2021, 56, 184-196.	1.3	5
77	Response to blinatumomab or inotuzumab ozogamicin for isolated extramedullary relapse of adult acute lymphoblastic leukemia after allogeneic hematopoietic cell transplantation: a case study. <i>International Journal of Hematology</i> , 2022, 115, 135-139.	1.6	5
78	Characteristics and Survival Outcome Analysis of Extramedullary Involvement in Adult Patients With t(8;21) Acute Myeloid Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 38-45.e2.	0.4	4
79	Clinical Outcomes of Fludarabine and Melphalan With an 800 cGy Total Body Irradiation Conditioning Regimen in Patients With Refractory or Relapsed Aggressive Non-Hodgkin Lymphoma Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 345-355.e7.	0.4	4
80	Non-myeloablative matched sibling stem cell transplantation with the optional reinforced stem cell infusion for patients with hemoglobinopathies. <i>European Journal of Haematology</i> , 2020, 105, 387-398.	2.2	4
81	Effects of Hormone Replacement Therapy on Bone Mass After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3267-e3276.	3.6	4
82	Differential effects of donor lymphocyte infusion upon treatment response and GVHD according to relapse level and donor sources in patients with myelodysplastic syndrome. <i>Therapeutic Advances in Hematology</i> , 2021, 12, 204062072110437.	2.5	4
83	Comparable Outcomes Between Unrelated and Haploidentical Stem Cell Transplantation in Adult Patients With Severe Aplastic Anemia. <i>Transplantation</i> , 2021, 105, 1097-1105.	1.0	4
84	Normal karyotype mosaicism in adult AML patients with adverse-risk and undefined karyotype: preliminary report of treatment outcomes after hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2013, 97, 773-781.	1.6	3
85	Impact of an Additional Chromosome on the Clinical Outcomes of Hematopoietic Stem Cell Transplantation in Philadelphia Chromosome-Positive Acute Myeloid Leukemia in Adults. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1621-1628.	2.0	3
86	Circulating CD3 <sup>+</sup> CD4 <sup>+</sup> CD161 <sup>+</sup> Cells Are Associated with Early Complications after Autologous Stem Cell Transplantation in Multiple Myeloma. <i>BioMed Research International</i> , 2018, 2018, 1-8.	1.9	3
87	Risk factors predicting graft-versus-host disease and relapse-free survival after allogeneic hematopoietic stem cell transplantation in relapsed or refractory non-Hodgkin's lymphoma. <i>Annals of Hematology</i> , 2019, 98, 1743-1753.	1.8	3
88	HLA-mismatched donor and high ferritin level showed poor clinical outcomes after allogeneic hematopoietic cell transplantation in patients with advanced myelofibrosis. <i>Therapeutic Advances in Hematology</i> , 2020, 11, 204062072093693.	2.5	3
89	Outcomes of Haploidentical Stem Cell Transplantation using Total Body Irradiation (600 cGy) and Fludarabine with Antithymocyte Globulin in Adult Patients with Severe Aplastic Anemia: A Prospective Phase II Study. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1906-1914.	2.0	3
90	Poor prognosis in patients with diffuse large B cell lymphomas with bone marrow involvement possessing chromosomal abnormalities, despite aggressive treatment. <i>Annals of Hematology</i> , 2020, 99, 557-570.	1.8	3

#	ARTICLE	IF	CITATIONS
91	Natural-killer cell cytotoxicity as a diagnostic and prognostic marker for adult patients with secondary hemophagocytic lymphohistiocytosis: a prospective phase II observational study. <i>Therapeutic Advances in Hematology</i> , 2021, 12, 204062072110205.	2.5	3
92	Prognostic values of D816V KIT mutation and peri-transplant CBFB-MYH11 MRD monitoring on acute myeloid leukemia with CBFB-MYH11. <i>Bone Marrow Transplantation</i> , 2021, 56, 2682-2689.	2.4	3
93	Hepatic sinusoidal obstruction syndrome/veno-occlusive disease after hematopoietic cell transplantation: historical and current considerations in Korea. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1261-1280.	1.7	3
94	Prediction and recommendation by machine learning through repetitive internal validation for hepatic veno-occlusive disease/sinusoidal obstruction syndrome and early death after allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2022, , .	2.4	3
95	Durable outcomes of double cord blood transplantation in adults with acute lymphoblastic leukemia: high-risk features for early and long-term mortality. <i>Therapeutic Advances in Hematology</i> , 2022, 13, 204062072210767.	2.5	3
96	Effectiveness of Single-dose Rasburicase in Patients With Lymphoid Malignancies at a High Risk for Tumor Lysis Syndrome. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 595-603.	0.4	2
97	Prognostic Prediction Model for Second Allogeneic Stem-Cell Transplantation in Patients With Relapsed Acute Myeloid Leukemia: Single-Center Report. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, e167-e182.	0.4	2
98	Experiences of allogeneic hematopoietic cell transplantation following non-myeloablative conditioning regimen in severely comorbid patients with myelofibrosis: case series with a patient presenting with extensive extramedullary hematopoiesis. <i>Therapeutic Advances in Hematology</i> , 2020, 11, 204062072093203.	2.5	2
99	Prognostic Impacts of D816V KIT Mutation and Peri-Transplant RUNX1/RUNX1T1 MRD Monitoring on Acute Myeloid Leukemia with RUNX1/RUNX1T1. <i>Cancers</i> , 2021, 13, 336.	3.7	2
100	Hepatic venoocclusive disease/sinusoidal obstruction syndrome with normal portal vein flow mimicking aggravated chronic hepatic GVHD following inotuzumab ozogamicin salvage therapy: a case report of pathologic-radiologic discrepancy. <i>Therapeutic Advances in Hematology</i> , 2021, 12, 204062072110661.	2.5	2
101	Prognostic role of the ratio of natural killer cells to regulatory T cells in patients with multiple myeloma treated with lenalidomide and dexamethasone. <i>Experimental Hematology</i> , 2022, 110, 60-68.	0.4	2
102	Depth of Response to Intensive Chemotherapy Has Significant Prognostic Value among Acute Myeloid Leukemia (AML) Patients Undergoing Allogeneic Hematopoietic Stem-Cell Transplantation with Intermediate or Adverse Risk at Diagnosis Compared to At-Risk Group According to European Leukemia Net 2017 Risk Stratification. <i>Cancers</i> , 2022, 14, 3199.	3.7	2
103	Excellent outcomes of hematopoietic stem cell transplantation with total nodal irradiation and antithymocyte globulin conditioning in severe aplastic anemia with advanced age and/or severe comorbidity. <i>Bone Marrow Transplantation</i> , 2020, 55, 1447-1450.	2.4	1
104	Role of pretransplant anti-thymocyte globulin in matched sibling donor stem cell transplantation after reduced intensity conditioning for myelodysplastic syndrome. <i>European Journal of Haematology</i> , 2020, 104, 459-468.	2.2	1
105	Comparison of the modified low-dose cytarabine and etoposide with decitabine therapy for elderly acute myeloid leukemia patients unfit for intensive chemotherapy. <i>Oncotarget</i> , 2018, 9, 5823-5833.	1.8	1
106	Clinical manifestations of autoimmune disease-related non-Hodgkin lymphoma: a Korean single-center, retrospective clinical study. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 944-952.	1.7	1
107	A Phase 3 Trial of Thymoglobuline for Prevention of Chronic Gvhd in Transplantation from an HLA-Matched Sibling. <i>Blood</i> , 2020, 136, 32-32.	1.4	1
108	Daratumumab monotherapy in relapsed and refractory multiple myeloma patients with severely compromised forced expiratory volume in one second. <i>Blood Research</i> , 2022, 57, 76-80.	1.3	1

#	ARTICLE	IF	CITATIONS
109	Comparison of transplant-specific prognostic scoring systems in haploidentical transplantation for myelodysplastic syndrome. <i>European Journal of Haematology</i> , 2018, 101, 200-207.	2.2	0
110	Molecular and Cytogenetic Risk Stratification For Core-Binding Factor-Positive Adult AML With Analysis Of Post-Remission Treatment Outcomes Including Transplantation. <i>Blood</i> , 2013, 122, 1301-1301.	1.4	0
111	Clinico-Immunobiologic Study By a Prospective Open-Label Clinical Trial of Deferasirox before & after Allogeneic HSCT in Adult Patients with AML - Preliminary Analysis Focusing on Outcomes with Immunocyte Subsets (I) -. <i>Blood</i> , 2014, 124, 2543-2543.	1.4	0
112	Efficiency of Homing and Engraftment Is Higher in VEGFR-3+CD34+CD38- Cells Than in VEGFR-3-CD34+CD38- Cells in Leukemic Patients. <i>Blood</i> , 2014, 124, 4782-4782.	1.4	0
113	Efficacy and Safety of Promace-Cytabom Regimen with Sandwiched Radiotherapy Method in the Treatment of Newly Diagnosed, Stage IE to IIE, Extranodal NK/T-Cell Lymphoma, Nasal Type. <i>Blood</i> , 2016, 128, 3006-3006.	1.4	0
114	Low Frequency of CD161+CD4+ T Cells Correlate with the Occurrence of Infections in Refractory/Relapsed Multiple Myeloma Patients Receiving Lenalidomide Plus Low-Dose Dexamethasone Treatment. <i>Blood</i> , 2016, 128, 5621-5621.	1.4	0
115	Specific Donor Human Leukocyte Antigen (HLA) Allotypes and CMV IgG Serology Status Predict the Risk of Cytomegalovirus-Related Disease in Acute Myeloid Leukemia Patients Who Received Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2018, 132, 2076-2076.	1.4	0
116	Comparable Outcomes between Unrelated Donor (8/8 or 7/8 matched) and Haploidentical Donor for Allogeneic Stem Cell Transplantation in Adult Patients with Severe Aplastic Anemia. <i>Blood</i> , 2019, 134, 4619-4619.	1.4	0
117	Immuno-Target Therapy for Relapsed or Refractory Acute Lymphoblastic Leukemia. <i>Korean Journal of Medicine</i> , 2020, 95, 320-324.	0.3	0
118	Haploidentical Versus Cord Blood Stem Cell Transplantation As the Second Transplant for Relapsed Acute Myeloid Leukemia Patients after the First Stem Cell Transplantation. <i>Blood</i> , 2021, 138, 1849-1849.	1.4	0
119	Superior Survival Outcome of Blinatumomab Compared to Mitoxantrone-Etoposide-Cytarabine Salvage for Adult Patients with Relapsed or Refractory B-Cell Precursor Acute Lymphoblastic Leukemia: A Propensity Score-Matched Cohort Analysis. <i>Blood</i> , 2021, 138, 2309-2309.	1.4	0
120	Comparison of Prognostic Impact between the European Leukemia Net (ELN) 2017 Risk Classification and Pre-Transplant WT1 expression in Patients Receiving Allogeneic Transplantation for Acute Myeloid Leukemia (AML). <i>Blood</i> , 2021, 138, 3459-3459.	1.4	0
121	Effects of Delayed Treatment on Patients with Acute Myeloid Leukemia; Treatment Delay Matters in Younger Patients. <i>Blood</i> , 2020, 136, 19-20.	1.4	0