

# Eduardo Primo-Millo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3423039/publications.pdf>

Version: 2024-02-01

80  
papers

3,333  
citations

126907

33  
h-index

155660

55  
g-index

81  
all docs

81  
docs citations

81  
times ranked

2804  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fruit-dependent epigenetic regulation of flowering in <i>Citrus</i> . <i>New Phytologist</i> , 2020, 225, 376-384.	7.3	37
2	Mechanical pruning attenuates alternate bearing in 'Nadorcott' mandarin. <i>Scientia Horticulturae</i> , 2020, 261, 108993.	3.6	11
3	Vegetative growth. , 2020, , 193-217.		5
4	Flowering and fruit set. , 2020, , 219-244.		8
5	Auxin and Gibberellin Interact in Citrus Fruit Set. <i>Journal of Plant Growth Regulation</i> , 2018, 37, 491-501.	5.1	21
6	Molecular Characterization and Stress Tolerance Evaluation of New Allotetraploid Somatic Hybrids Between Carrizo Citrange and <i>Citrus macrophylla</i> W. rootstocks. <i>Frontiers in Plant Science</i> , 2018, 9, 901.	3.6	30
7	Tetraploidy Enhances Boron-Excess Tolerance in Carrizo Citrange ( <i>Citrus sinensis</i> L. Osb. 'Poncirus') Tj ETQq1 1 0,784314 rgBT /Over	3.6	37
8	Biosynthesis and Contents of Gibberellins in Seeded and Seedless Sweet Orange ( <i>Citrus sinensis</i> L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	3.1	9
9	Effects of salinity on diploid (2x) and doubled diploid (4x) <i>Citrus macrophylla</i> genotypes. <i>Scientia Horticulturae</i> , 2016, 207, 33-40.	3.6	48
10	Gibberellin reactivates and maintains ovary-wall cell division causing fruit set in parthenocarpic <i>Citrus</i> species. <i>Plant Science</i> , 2016, 247, 13-24.	3.6	48
11	An Integrated View of Whole-Tree Hydraulic Architecture. Does Stomatal or Hydraulic Conductance Determine Whole Tree Transpiration?. <i>PLoS ONE</i> , 2016, 11, e0155246.	2.5	19
12	BEHAVIOR OF DIPLOID AND TETRAPLOID GENOTYPES OF 'CARRIZO' CITRANGE UNDER ABIOTIC STRESS. <i>Acta Horticulturae</i> , 2015, , 1283-1292.	0.2	4
13	DIFFERENTIAL EXPRESSION OF PROTEINS RELATED TO PRIMARY METABOLISM IN 'MONCADA' MANDARIN LEAVES WITH CONTRASTING FRUIT LOAD. <i>Acta Horticulturae</i> , 2015, , 613-624.	0.2	0
14	PROTEINS RELATED TO STRESS AND REDOX STATE OF 'MONCADA' MANDARIN LEAVES WITH CONTRASTING FRUIT LOAD. <i>Acta Horticulturae</i> , 2015, , 625-634.	0.2	0
15	Physiological and Molecular Responses to Excess Boron in <i>Citrus macrophylla</i> W. <i>PLoS ONE</i> , 2015, 10, e0134372.	2.5	32
16	Carbon utilization by fruit limits shoot growth in alternate-bearing citrus trees. <i>Journal of Plant Physiology</i> , 2015, 176, 108-117.	3.5	28
17	Hormonal Profile in Ovaries of Mandarin Varieties with Differing Reproductive Behaviour. <i>Journal of Plant Growth Regulation</i> , 2015, 34, 584-594.	5.1	19
18	Flooding Impairs Fe Uptake and Distribution in Citrus Due to the Strong Down-Regulation of Genes Involved in Strategy I Responses to Fe Deficiency in Roots. <i>PLoS ONE</i> , 2015, 10, e0123644.	2.5	18

#	ARTICLE	IF	CITATIONS
19	Effects of high levels of zinc and manganese ions on Strategy I responses to iron deficiency in citrus. <i>Plant and Soil</i> , 2013, 373, 943-953.	3.7	14
20	The effect of sodium bicarbonate on plant performance and iron acquisition system of FA-5 (Forner-Alcaide 5) citrus seedlings. <i>Acta Physiologiae Plantarum</i> , 2013, 35, 2833-2845.	2.1	30
21	Bicarbonate blocks iron translocation from cotyledons inducing iron stress responses in Citrus roots. <i>Journal of Plant Physiology</i> , 2013, 170, 899-905.	3.5	18
22	Strategy I responses to Fe-deficiency of two Citrus rootstocks differing in their tolerance to iron chlorosis. <i>Scientia Horticulturae</i> , 2013, 153, 56-63.	3.6	28
23	Metabolic responses to iron deficiency in roots of Carrizo citrange [ <i>Citrus sinensis</i> (L.) Osbeck. x <i>Poncirus trifoliata</i> (L.) Raf.]. <i>Tree Physiology</i> , 2013, 33, 320-329.	3.1	34
24	Carbon balance of citrus plantations in Eastern Spain. <i>Agriculture, Ecosystems and Environment</i> , 2013, 171, 103-111.	5.3	21
25	Self-pollination and parthenocarpic ability in developing ovaries of self-incompatible Clementine mandarins ( <i>Citrus clementina</i> ). <i>Physiologia Plantarum</i> , 2013, 148, 87-96.	5.2	38
26	Proteomic analysis of "Moncada" mandarin leaves with contrasting fruit load. <i>Plant Physiology and Biochemistry</i> , 2013, 62, 95-106.	5.8	18
27	Proteomic study of "Moncada" mandarin buds from on- versus off-crop trees. <i>Plant Physiology and Biochemistry</i> , 2013, 73, 41-55.	5.8	14
28	Use or abuse of bioinformatic tools: a response to Samach. <i>Annals of Botany</i> , 2013, 111, 335-336.	2.9	0
29	Allometric Models for Estimating Carbon Fixation in Citrus Trees. <i>Agronomy Journal</i> , 2013, 105, 1355-1366.	1.8	4
30	Use of Nitrification Inhibitor DMPP to Improve Nitrogen Uptake Efficiency in Citrus Trees. <i>Journal of Agricultural Science</i> , 2013, 5, .	0.2	6
31	Influence of Rootstocks on Photosynthesis in Navel Orange Leaves: Effects on Growth, Yield, and Carbohydrate Distribution. <i>Crop Science</i> , 2012, 52, 836-848.	1.8	14
32	Impact of fertilizer-water management on nitrogen use efficiency and potential nitrate leaching in citrus trees. <i>Soil Science and Plant Nutrition</i> , 2012, 58, 659-669.	1.9	22
33	Fruit load modulates flowering-related gene expression in buds of alternate-bearing "Moncada" mandarin. <i>Annals of Botany</i> , 2012, 110, 1109-1118.	2.9	37
34	Gibberellic Acid Reduces Flowering Intensity in Sweet Orange [ <i>Citrus sinensis</i> (L.) Osbeck] by Repressing CiFT Gene Expression. <i>Journal of Plant Growth Regulation</i> , 2012, 31, 529-536.	5.1	75
35	Flooding affects uptake and distribution of carbon and nitrogen in citrus seedlings. <i>Journal of Plant Physiology</i> , 2012, 169, 1150-1157.	3.5	44
36	Nitrogen use efficiency of young citrus trees as influenced by the timing of fertilizer application. <i>Journal of Plant Nutrition and Soil Science</i> , 2012, 175, 282-292.	1.9	29

#	ARTICLE	IF	CITATIONS
37	Fertigation: Concept and Application in Citrus. , 2012, , 281-301.		5
38	Seasonal Changes in Nitrate Uptake Efficiency in Young Potted Citrus Trees. Journal of Agricultural Science, 2012, 4, .	0.2	6
39	Fate of 15N-Labeled Potassium Nitrate in Different Citrus-Cultivated Soils: Influence of Spring and Summer Application. Water, Air, and Soil Pollution, 2012, 223, 2209-2222.	2.4	9
40	Influence of salinity on pip gene expression in citrus roots and its relationship with root hydraulic conductance, transpiration and chloride exclusion from leaves. Environmental and Experimental Botany, 2012, 78, 163-166.	4.2	37
41	NUTRITIONAL RESPONSES OF CITRUS ROOTSTOCKS TO SALINITY: PERFORMANCE OF THE NEW HYBRIDS FORNER-ALCAIDE 5 AND FORNER-ALCAIDE 13. Journal of Plant Nutrition, 2011, 34, 1437-1452.	1.9	23
42	Fruit regulates seasonal expression of flowering genes in alternate-bearing "Moncada" mandarin. Annals of Botany, 2011, 108, 511-519.	2.9	92
43	Nitrogen remobilization response to current supply in young citrus trees. Plant and Soil, 2011, 342, 433-443.	3.7	24
44	Water-deficit tolerance in citrus is mediated by the down regulation of PIP gene expression in the roots. Plant and Soil, 2011, 347, 91-104.	3.7	31
45	Hydraulic and Chemical Responses of Citrus Seedlings to Drought and Osmotic Stress. Journal of Plant Growth Regulation, 2011, 30, 353-366.	5.1	13
46	Root signalling and modulation of stomatal closure in flooded citrus seedlings. Plant Physiology and Biochemistry, 2011, 49, 636-645.	5.8	92
47	Relationships between xylem anatomy, root hydraulic conductivity, leaf/root ratio and transpiration in citrus trees on different rootstocks. Physiologia Plantarum, 2010, 139, 159-169.	5.2	75
48	Citrus rootstock responses to water stress. Scientia Horticulturae, 2010, 126, 95-102.	3.6	66
49	Ammonium transport and CitAMT1 expression are regulated by N in Citrus plants. Planta, 2009, 229, 331-342.	3.2	29
50	Regulation of Nitrate Transport in Citrus Rootstocks Depending of Nitrogen Availability. Plant Signaling and Behavior, 2007, 2, 337-342.	2.4	17
51	Ammonium transport and CitAMT1 expression are regulated by light and sucrose in Citrus plants. Journal of Experimental Botany, 2007, 58, 2811-2825.	4.8	24
52	Carbohydrate and ethylene levels related to fruitlet drop through abscission zone A in citrus. Trees - Structure and Function, 2006, 20, 348-355.	1.9	68
53	Responses of Citrus plants to ozone: leaf biochemistry, antioxidant mechanisms and lipid peroxidation. Plant Physiology and Biochemistry, 2006, 44, 125-131.	5.8	63
54	Antagonistic Changes between Abscisic Acid and Gibberellins in Citrus Fruits Subjected to a Series of Different Water Conditions. Journal of Plant Growth Regulation, 2005, 24, 179-187.	5.1	35

#	ARTICLE	IF	CITATIONS
55	Recovery of the <sup>15</sup> N-labelled fertiliser in citrus trees in relation with timing of application and irrigation system. <i>Plant and Soil</i> , 2005, 268, 367-376.	3.7	40
56	Hydrogel substrate amendment alleviates drought effects on young citrus plants. <i>Plant and Soil</i> , 2005, 270, 73-82.	3.7	134
57	Nitrate improves growth in salt-stressed citrus seedlings through effects on photosynthetic activity and chloride accumulation. <i>Tree Physiology</i> , 2004, 24, 1027-1034.	3.1	43
58	Chloride absorption in salt-sensitive Carrizo citrange and salt-tolerant Cleopatra mandarin citrus rootstocks is linked to water use. <i>Journal of Experimental Botany</i> , 2003, 54, 825-833.	4.8	174
59	Fruit set dependence on carbohydrate availability in citrus trees. <i>Tree Physiology</i> , 2003, 23, 199-204.	3.1	104
60	Transmissible salt tolerance traits identified through reciprocal grafts between sensitive Carrizo and tolerant Cleopatra citrus genotypes. <i>Journal of Plant Physiology</i> , 2002, 159, 991-998.	3.5	40
61	Abscisic Acid Reduces Leaf Abscission and Increases Salt Tolerance in Citrus Plants. <i>Journal of Plant Growth Regulation</i> , 2002, 21, 234-240.	5.1	115
62	The synthetic auxin 3,5,6-TPA stimulates carbohydrate accumulation and growth in citrus fruit. <i>Plant Growth Regulation</i> , 2002, 36, 141-147.	3.4	45
63	In vivo sucrose stimulation of colour change in citrus fruit epicarps: Interactions between nutritional and hormonal signals. <i>Physiologia Plantarum</i> , 2001, 112, 244-250.	5.2	105
64	The ectopic overexpression of a citrus gibberellin 20-oxidase enhances the non-13-hydroxylation pathway of gibberellin biosynthesis and induces an extremely elongated phenotype in tobacco. <i>Physiologia Plantarum</i> , 2001, 112, 251-260.	5.2	72
65	Hormonal regulation of fruitlet abscission induced by carbohydrate shortage in citrus. <i>Planta</i> , 2000, 210, 636-643.	3.2	168
66	Cytokinins in peach: Endogenous levels during early fruit development. <i>Plant Physiology and Biochemistry</i> , 1999, 37, 741-750.	5.8	18
67	Influence of Chloride and Transpiration on Net <sup>15</sup> NO <sub>3</sub> <sup>-</sup> Uptake Rate by Citrus Roots. <i>Annals of Botany</i> , 1999, 84, 117-120.	2.9	21
68	Kinetics of nitrate uptake by Citrus seedlings and inhibitory effects of salinity. <i>Plant Science</i> , 1997, 126, 105-112.	3.6	77
69	Growth and gas exchange parameters of Citrus plants stressed with different salts. <i>Journal of Plant Physiology</i> , 1997, 150, 194-199.	3.5	111
70	Selection of a NaCl-tolerant Citrus plant. <i>Plant Cell Reports</i> , 1995, 14, 314-8.	5.6	25
71	1-Aminocyclopropane-1-carboxylic acid-induced ethylene stimulates callus formation by cell enlargement in the cambial region of internodal explants of Citrus. <i>Plant Science</i> , 1995, 110, 113-119.	3.6	16
72	1-Aminocyclopropane-1-Carboxylic Acid Transported from Roots to Shoots Promotes Leaf Abscission in Cleopatra Mandarin ( <i>Citrus reshni</i> Hort. ex Tan.) Seedlings Rehydrated after Water Stress. <i>Plant Physiology</i> , 1992, 100, 131-137.	4.8	133

#	ARTICLE	IF	CITATIONS
73	Gibberellins and Parthenocarpic Ability in Developing Ovaries of Seedless Mandarins. <i>Plant Physiology</i> , 1992, 99, 1575-1581.	4.8	129
74	Control by the embryo axis of the breakdown of storage proteins in cotyledons of germinating seeds of citrus limon. <i>Journal of the Science of Food and Agriculture</i> , 1991, 56, 435-443.	3.5	8
75	Hormonal changes associated with fruit set and development in mandarins differing in their parthenocarpic ability. <i>Physiologia Plantarum</i> , 1990, 79, 400-406.	5.2	70
76	Gibberellins in <i>Citrus sinensis</i> : A comparison between seeded and seedless varieties. <i>Journal of Plant Growth Regulation</i> , 1990, 9, 201-206.	5.1	51
77	Hormonal changes associated with fruit set and development in mandarins differing in their parthenocarpic ability. <i>Physiologia Plantarum</i> , 1990, 79, 400-406.	5.2	51
78	Influence of p-dimethylaminoazobenzene and doxorubicin on tobacco cell growth ( <i>Nicotiana tabacum</i> ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	3.45	0
79	Selection of <i>Nicotiana tabacum</i> Haploids of High Photosynthetic Efficiency. <i>Plant Physiology</i> , 1985, 79, 505-508.	4.8	23
80	Chromatin changes related to dedifferentiation and differentiation in tobacco tissue culture ( <i>Nicotiana tabacum</i> L.). <i>Planta</i> , 1982, 155, 273-280.	3.2	9