

# Jooryung Huh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3424255/publications.pdf>

Version: 2024-02-01

136  
papers

2,337  
citations

218677

26  
h-index

276875

41  
g-index

139  
all docs

139  
docs citations

139  
times ranked

3964  
citing authors

#	ARTICLE	IF	CITATIONS
1	A New Prognostic Index for Extranodal Natural Killer/T-Cell Lymphoma: Incorporation of Serum $\hat{I}^2$ -2 Microglobulin to PINK. <i>Cancer Research and Treatment</i> , 2023, 55, 314-324.	3.0	3
2	BCL2 super-expressor diffuse large B-cell lymphoma: a distinct subgroup associated with poor prognosis. <i>Modern Pathology</i> , 2022, 35, 480-488.	5.5	6
3	Determining clinical course of diffuse large B-cell lymphoma using targeted transcriptome and machine learning algorithms. <i>Blood Cancer Journal</i> , 2022, 12, 25.	6.2	7
4	A prognostic index for extranodal marginal zone lymphoma based on the mucosa-associated lymphoid tissue International Prognostic Index and serum $\hat{I}^2$ -microglobulin levels. <i>British Journal of Haematology</i> , 2021, 193, 307-315.	2.5	4
5	Aggressive B-cell Lymphoma with MYC/TP53 Dual Alterations Displays Distinct Clinicopathobiological Features and Response to Novel Targeted Agents. <i>Molecular Cancer Research</i> , 2021, 19, 249-260.	3.4	20
6	Prognostic Impact of Age at the Time of Diagnosis in Korean Patients with Diffuse Large B-cell Lymphoma in the Rituximab Era: A Single Institution Study. <i>Cancer Research and Treatment</i> , 2021, 53, 270-278.	3.0	1
7	Reappraisal of the prognostic value of Epstein-Barr virus status in monomorphic post-transplantation lymphoproliferative disorders—diffuse large B-cell lymphoma. <i>Scientific Reports</i> , 2021, 11, 2880.	3.3	5
8	The limited role of comprehensive staging workup in ocular adnexal extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue type (MALToma) with excellent prognosis. <i>British Journal of Haematology</i> , 2021, 193, 848-851.	2.5	4
9	Efficacy and safety of prophylactic high-dose MTX in high-risk DLBCL: a treatment intent-based analysis. <i>Blood Advances</i> , 2021, 5, 2142-2152.	5.2	23
10	Prognostic Stratification of Patients with Burkitt Lymphoma Using Serum $\hat{I}^2$ -microglobulin Levels. <i>Cancer Research and Treatment</i> , 2021, 53, 847-856.	3.0	9
11	Genetic profiles of subcutaneous panniculitis-like T-cell lymphoma and clinicopathological impact of <i>HAVCR2</i> mutations. <i>Blood Advances</i> , 2021, 5, 3919-3930.	5.2	26
12	Upward trend in follicular lymphoma among the Korean population: 10-year experience at a large tertiary institution. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 330-337.	1.1	5
13	Prognostic significance of serum $\hat{I}^2$ -microglobulin levels in patients with peripheral T-cell lymphoma not otherwise specified. <i>Leukemia and Lymphoma</i> , 2021, , 1-7.	1.3	4
14	Determining Clinical Course of Diffuse Large B-Cell Lymphoma Using Targeted Transcriptome and Machine Learning Algorithms. <i>Blood</i> , 2021, 138, 2395-2395.	1.4	1
15	Identification of microRNAs modulated by DNA hypomethylating drugs in extranodal NK/T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2020, 61, 66-74.	1.3	9
16	The First Korean Case of Epstein-Barr Virus-positive Natural Killer/T-cell Lymphoma That Progressed From Severe Mosquito Bite Allergy, With Coexistence of Hemophagocytic Lymphohistiocytosis. <i>Annals of Laboratory Medicine</i> , 2020, 40, 80-83.	2.5	2
17	JL1 Antigen Expression on Bone Marrow Lymphoma Cells from Patients With Non-Hodgkin Lymphoma. <i>Annals of Laboratory Medicine</i> , 2020, 40, 1-6.	2.5	0
18	Distinct clinical characteristics at diagnosis in patients with late relapses compared with early relapses of diffuse large B-cell lymphoma treated with R-CHOP. <i>Leukemia and Lymphoma</i> , 2020, 61, 1119-1125.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Diagnostic utility of STAT6YE361 expression in classical Hodgkin lymphoma and related entities. <i>Modern Pathology</i> , 2020, 33, 834-845.	5.5	16
20	Superiority of Epstein-Barr Virus DNA in the Plasma Over Whole Blood for Prognostication of Extranodal NK/T Cell Lymphoma. <i>Frontiers in Oncology</i> , 2020, 10, 594692.	2.8	8
21	A refined cell-of-origin classifier with targeted NGS and artificial intelligence shows robust predictive value in DLBCL. <i>Blood Advances</i> , 2020, 4, 3391-3404.	5.2	22
22	Long-term follow-up of abbreviated R-CHOP chemoimmunotherapy for completely resected limited-stage diffuse large B cell lymphoma (CISL 12-09). <i>Annals of Hematology</i> , 2020, 99, 2831-2836.	1.8	3
23	Clinicopathological and prognostic significance of <i>BCL2</i> , <i>BCL6</i> , <i>MYC</i> , and <i>IRF4</i> copy number gains and translocations in follicular lymphoma: a study by FISH analysis. <i>Leukemia and Lymphoma</i> , 2020, 61, 3342-3350.	1.3	2
24	XPO1 expression worsens the prognosis of unfavorable DLBCL that can be effectively targeted by selinexor in the absence of mutant p53. <i>Journal of Hematology and Oncology</i> , 2020, 13, 148.	17.0	27
25	Quantitative analysis of tumor-specific BCL2 expression in DLBCL: refinement of prognostic relevance of BCL2. <i>Scientific Reports</i> , 2020, 10, 10680.	3.3	5
26	Risk Stratification Using Multivariable Fractional Polynomials in Diffuse Large B-Cell Lymphoma. <i>Frontiers in Oncology</i> , 2020, 10, 329.	2.8	8
27	The clinical outcomes of rituximab biosimilar CT-P10 (Truxima <sup>®</sup> ) with CHOP as first-line treatment for patients with diffuse large B-cell lymphoma: real-world experience. <i>Leukemia and Lymphoma</i> , 2020, 61, 1575-1583.	1.3	17
28	Efficacy of Brentuximab Vedotin in Relapsed or Refractory High-CD30 <sup>+</sup> Expressing Non-Hodgkin Lymphomas: Results of a Multicenter, Open-Labelled Phase II Trial. <i>Cancer Research and Treatment</i> , 2020, 52, 374-387.	3.0	26
29	Follicular lymphoma with prominent Dutcher body formation after liver transplantation. <i>Blood Research</i> , 2019, 54, 84-84.	1.3	0
30	Ruxolitinib shows activity against Hodgkin lymphoma but not primary mediastinal large B-cell lymphoma. <i>BMC Cancer</i> , 2019, 19, 1080.	2.6	17
31	Immunoglobulin somatic hypermutation has clinical impact in DLBCL and potential implications for immune checkpoint blockade and neoantigen-based immunotherapies. , 2019, 7, 272.		22
32	Classification of malignant lymphoma subtypes in Korean patients: a report of the 4th nationwide study. <i>Journal of Hematopathology</i> , 2019, 12, 173-181.	0.4	9
33	PD-1/PD-L1 expression and interaction by automated quantitative immunofluorescent analysis show adverse prognostic impact in patients with diffuse large B-cell lymphoma having T-cell infiltration: a study from the International DLBCL Consortium Program. <i>Modern Pathology</i> , 2019, 32, 741-754.	5.5	39
34	Systemic HD-MTX for CNS prophylaxis in high-risk DLBCL patients: a prospectively collected, single-center cohort analysis. <i>International Journal of Hematology</i> , 2019, 110, 86-94.	1.6	19
35	Thiotepa, busulfan, and cyclophosphamide or busulfan, cyclophosphamide, and etoposide high-dose chemotherapy followed by autologous stem cell transplantation for consolidation of primary central nervous system lymphoma. <i>Annals of Hematology</i> , 2019, 98, 1657-1664.	1.8	10
36	Beta-2 microglobulin as a prognostic factor of primary central nervous system lymphoma. <i>Blood Research</i> , 2019, 54, 285-288.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Multistaining Optimization for Epstein-Barr Virus-Encoded RNA In Situ Hybridization and Immunohistochemistry of Formalin-Fixed Paraffin-Embedded Tissues Using an Automated Immunostainer. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 317-326.	1.1	5
38	Complete metabolic response (CMR) in positron emission tomography-computed tomography (PET-CT) scans may have prognostic significance in patients with marginal zone lymphomas (MZL). <i>Hematological Oncology</i> , 2018, 36, 56-61.	1.7	6
39	Epstein-Barr virus positivity is associated with angiogenesis in, and poorer survival of, patients receiving standard treatment for classical Hodgkin's lymphoma. <i>Hematological Oncology</i> , 2018, 36, 182-188.	1.7	18
40	Endoscopic features and clinical outcomes of colorectal mucosa-associated lymphoid tissue lymphoma. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 529-539.	1.0	28
41	The cell-of-origin classification of diffuse large B cell lymphoma in a Korean population by the Lymph2Cx assay and its correlation with immunohistochemical algorithms. <i>Annals of Hematology</i> , 2018, 97, 2363-2372.	1.8	13
42	Clinical Significance of PTEN Deletion, Mutation, and Loss of PTEN Expression in De Novo Diffuse Large B-Cell Lymphoma. <i>Neoplasia</i> , 2018, 20, 574-593.	5.3	64
43	Central Nervous System Relapse in Patients with Peripheral T-Cell Lymphoma. <i>Blood</i> , 2018, 132, 5346-5346.	1.4	1
44	Prognostic Value of Serum Beta-2 Microglobulin during and after Completing Chemotherapy in Marginal Zone Lymphoma. <i>Blood</i> , 2018, 132, 5335-5335.	1.4	0
45	Central Nervous System Relapse in Patients with Extranodal NK/T-Cell Lymphoma, Nasal Type. <i>Blood</i> , 2018, 132, 1634-1634.	1.4	0
46	RGS1 expression is associated with poor prognosis in multiple myeloma. <i>Journal of Clinical Pathology</i> , 2017, 70, 202-207.	2.0	27
47	PD-L1 expression correlates with VEGF and microvessel density in patients with uniformly treated classical Hodgkin lymphoma. <i>Annals of Hematology</i> , 2017, 96, 1883-1890.	1.8	37
48	Interim 18F-FDG PET/CT may not predict the outcome in primary central nervous system lymphoma patients treated with sequential treatment with methotrexate and cytarabine. <i>Annals of Hematology</i> , 2017, 96, 1509-1515.	1.8	15
49	Clinical characteristics, treatment, and outcome of primary rectal lymphoma: a single center experience of 16 patients. <i>Blood Research</i> , 2017, 52, 125.	1.3	7
50	Treatment outcomes of dose-attenuated CHOP chemotherapy in elderly patients with peripheral T cell lymphoma. <i>Blood Research</i> , 2017, 52, 270.	1.3	6
51	Blastic plasmacytoid dendritic cell neoplasm in the CSF. <i>Blood Research</i> , 2017, 52, 158.	1.3	0
52	Sequential heart and autologous stem cell transplantation for light-chain cardiac amyloidosis. <i>Blood Research</i> , 2017, 52, 221.	1.3	4
53	Primary central nervous system lymphoma: a new prognostic model for patients with diffuse large B-cell histology. <i>Blood Research</i> , 2017, 52, 285.	1.3	19
54	Feasibility of abbreviated cycles of immunochemotherapy for completely resected limited-stage CD20+ diffuse large B-cell lymphoma (CISL 12-09). <i>Oncotarget</i> , 2017, 8, 13367-13374.	1.8	6

#	ARTICLE	IF	CITATIONS
55	The immune checkpoint molecule V-set Ig domain-containing 4 is an independent prognostic factor for multiple myeloma. <i>Oncotarget</i> , 2017, 8, 58122-58132.	1.8	13
56	An isolated cardiac relapse after allogeneic hematopoietic stem cell transplantation for acute lymphoblastic leukemia. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 753-757.	1.7	8
57	GLUT1 as a Prognostic Factor for Classical Hodgkin's Lymphoma: Correlation with PD-L1 and PD-L2 Expression. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 152-158.	1.1	20
58	Epstein-Barr Virus-Associated Lymphoproliferative Disorders: Review and Update on 2016 WHO Classification. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 352-358.	1.1	67
59	Molecular Testing of Lymphoproliferative Disorders: Current Status and Perspectives. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 224-241.	1.1	12
60	Prognostic significance of serum beta-2 microglobulin in patients with diffuse large B-cell lymphoma in the rituximab era. <i>Oncotarget</i> , 2016, 7, 76934-76943.	1.8	33
61	Prognostic impact of concurrent <i>MYC</i> and <i>BCL6</i> rearrangements and expression in <i>de novo</i> diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2016, 7, 2401-2416.	1.8	93
62	Genomic Profile of Chronic Lymphocytic Leukemia in Korea Identified by Targeted Sequencing. <i>PLoS ONE</i> , 2016, 11, e0167641.	2.5	27
63	Assessment of CD37 B-cell antigen and cell of origin significantly improves risk prediction in diffuse large B-cell lymphoma. <i>Blood</i> , 2016, 128, 3083-3100.	1.4	59
64	Clinical and Biologic Significance of <i>MYC</i> Genetic Mutations in <i>De Novo</i> Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2016, 22, 3593-3605.	7.0	48
65	Programmed death 1 expression in the peritumoral microenvironment is associated with a poorer prognosis in classical Hodgkin lymphoma. <i>Tumor Biology</i> , 2016, 37, 7507-7514.	1.8	40
66	A new extranodal scoring system based on the prognostically relevant extranodal sites in diffuse large B-cell lymphoma, not otherwise specified treated with chemoimmunotherapy. <i>Annals of Hematology</i> , 2016, 95, 1249-1258.	1.8	13
67	Recurrence patterns of mucosa-associated lymphoid tissue lymphoma after definitive radiation treatment: A single center experience. <i>Hematology</i> , 2016, 21, 542-548.	1.5	5
68	Serum beta-2 microglobulin as a prognostic biomarker in patients with mantle cell lymphoma. <i>Hematological Oncology</i> , 2016, 34, 22-27.	1.7	25
69	<i>MYC</i> overexpression correlates with <i>MYC</i> amplification or translocation, and is associated with poor prognosis in mantle cell lymphoma. <i>Histopathology</i> , 2016, 68, 442-449.	2.9	34
70	Pretreatment whole blood Epstein-Barr virus-DNA is a significant prognostic marker in patients with Hodgkin lymphoma. <i>Annals of Hematology</i> , 2016, 95, 801-808.	1.8	18
71	Cutaneous anaplastic large-cell lymphoma (ALCL): A comparative clinical feature and survival outcome analysis of 52 cases according to primary tumor site. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1135-1143.	1.2	18
72	Autologous Stem Cell Transplantation with Thiotepa, Busulfan, and Cyclophosphamide Conditioning in Patients with Primary Central Nervous System Lymphoma: A Remarkable Outcome Form Single-Center Experience. <i>Blood</i> , 2016, 128, 3462-3462.	1.4	1

#	ARTICLE	IF	CITATIONS
73	p63 expression confers significantly better survival outcomes in high-risk diffuse large B-cell lymphoma and demonstrates p53-like and p53-independent tumor suppressor function. <i>Aging</i> , 2016, 8, 345-365.	3.1	19
74	RelA NF- $\kappa$ B subunit activation as a therapeutic target in diffuse large B-cell lymphoma. <i>Aging</i> , 2016, 8, 3321-3340.	3.1	29
75	Primary Follicular Lymphoma of the Duodenum: A Case Report. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 479-481.	1.1	3
76	Insulin-like growth factor-1 receptor is associated with better prognosis in classical Hodgkin's lymphoma: Correlation with <i>MET</i> expression. <i>International Journal of Experimental Pathology</i> , 2015, 96, 232-239.	1.3	4
77	Splenic rupture in primary amyloidosis with chronic neutrophilic leukemia. <i>Blood Research</i> , 2015, 50, 5.	1.3	1
78	Dysregulated CXCR4 expression promotes lymphoma cell survival and independently predicts disease progression in germinal center B-cell-like diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2015, 6, 5597-5614.	1.8	61
79	The absolute lymphocyte to monocyte ratio is associated with poor prognosis in classical Hodgkin lymphoma patients younger than 60 years of age. <i>Hematological Oncology</i> , 2015, 33, 133-140.	1.7	16
80	<i>TCL1</i> expression predicts overall survival in patients with mantle cell lymphoma. <i>European Journal of Haematology</i> , 2015, 95, 583-594.	2.2	8
81	Prognostic effect of Ki-67 expression in rituximab, cyclophosphamide, doxorubicin, vincristine and prednisone-treated diffuse large B-cell lymphoma is limited to non-germinal center B-cell-like subtype in late-elderly patients. <i>Leukemia and Lymphoma</i> , 2015, 56, 2630-2636.	1.3	11
82	Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2015, 28, 1555-1573.	5.5	48
83	Prognostic and biological significance of survivin expression in patients with diffuse large B-cell lymphoma treated with rituximab-CHOP therapy. <i>Modern Pathology</i> , 2015, 28, 1297-1314.	5.5	21
84	Evaluation of NF- $\kappa$ B subunit expression and signaling pathway activation demonstrates that p52 expression confers better outcome in germinal center B-cell-like diffuse large B-cell lymphoma in association with CD30 and BCL2 functions. <i>Modern Pathology</i> , 2015, 28, 1202-1213.	5.5	17
85	<sup>18</sup> F-Fluorodeoxyglucose (FDG)-positron emission tomography/computed tomography in mucosa-associated lymphoid tissue lymphoma: variation in <sup>18</sup> F-FDG avidity according to site involvement. <i>Leukemia and Lymphoma</i> , 2015, 56, 3288-3294.	1.3	36
86	Clinical and biological significance of <i>de novo</i> CD5+ diffuse large B-cell lymphoma in Western countries. <i>Oncotarget</i> , 2015, 6, 5615-5633.	1.8	72
87	Prognostic impact of c-Rel nuclear expression and <i>REL</i> amplification and crosstalk between c-Rel and the p53 pathway in diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2015, 6, 23157-23180.	1.8	35
88	Age cutoff for Epstein-Barr virus-positive diffuse large B-cell lymphoma-is it necessary?. <i>Oncotarget</i> , 2015, 6, 13933-13945.	1.8	33
89	TdT+ T-Lymphoblastic Proliferation in Castleman Disease. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 1-4.	1.1	13
90	Diffuse Large B-Cell Lymphoma with Involvement of the Breast and Testis in a Male Patient. <i>Cancer Research and Treatment</i> , 2015, 47, 539-543.	3.0	3

#	ARTICLE	IF	CITATIONS
91	Ureteral Marginal Zone Lymphoma of Mucosa-Associated Lymphoid Tissue, Chronic Inflammation, and Renal Artery Atherosclerosis. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 339-342.	1.1	1
92	CD163 Expression Was Associated with Angiogenesis and Shortened Survival in Patients with Uniformly Treated Classical Hodgkin Lymphoma. <i>PLoS ONE</i> , 2014, 9, e87066.	2.5	46
93	Intestinal Diffuse Large B-Cell Lymphoma: An Evaluation of Different Staging Systems. <i>Journal of Korean Medical Science</i> , 2014, 29, 53.	2.5	26
94	Clinical features and outcomes in patients with human immunodeficiency virus-negative, multicentric Castleman's disease: a single medical center experience. <i>Blood Research</i> , 2014, 49, 253.	1.3	26
95	Treatment of primary testicular diffuse large B cell lymphoma without prophylactic intrathecal chemotherapy: a single center experience. <i>Blood Research</i> , 2014, 49, 170.	1.3	14
96	Reed-Sternberg-like cells in follicular lymphoma. <i>Blood Research</i> , 2014, 49, 147.	1.3	4
97	Primary mediastinal large B-cell lymphoma: a single-center experience in Korea. <i>Blood Research</i> , 2014, 49, 36.	1.3	3
98	Abbreviated chemotherapy for limited-stage diffuse large B-cell lymphoma after complete resection. <i>Blood Research</i> , 2014, 49, 115.	1.3	3
99	Current Concepts in Primary Effusion Lymphoma and Other Effusion-Based Lymphomas. <i>Korean Journal of Pathology</i> , 2014, 48, 81.	1.3	36
100	A Case of Type II Enteropathy-Associated T-Cell Lymphoma with Epstein-Barr Virus Positivity. <i>Korean Journal of Pathology</i> , 2014, 48, 426-429.	1.3	6
101	LGALS3 as a prognostic factor for classical Hodgkin's lymphoma. <i>Modern Pathology</i> , 2014, 27, 1338-1344.	5.5	16
102	Expression of CD99 in Multiple Myeloma: A Clinicopathologic and Immunohistochemical Study of 170 Cases. <i>Korean Journal of Pathology</i> , 2014, 48, 209.	1.3	9
103	Cutaneous extranodal natural killer/T-cell lymphoma: A comparative clinicopathologic and survival outcome analysis of 45 cases according to the primary tumor site. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 1002-1009.	1.2	44
104	Clinical Implications of Phosphorylated STAT3 Expression in <i>De Novo</i> Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2014, 20, 5113-5123.	7.0	60
105	18F-FDG PET in Patients with Primary Systemic Anaplastic Large Cell Lymphoma: Differential Features According to Expression of Anaplastic Lymphoma Kinase. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 249-256.	1.0	10
106	Prognostic Significance of Absolute Lymphocyte Count/Absolute Monocyte Count Ratio at Diagnosis in Patients with Multiple Myeloma. <i>Korean Journal of Pathology</i> , 2013, 47, 526.	1.3	27
107	Prognostic value of immunohistochemical algorithms in gastrointestinal diffuse large B-cell lymphoma. <i>Blood Research</i> , 2013, 48, 266.	1.3	16
108	STAT3 Expression and Clinical Implications In <i>De Novo</i> Diffuse Large B-Cell Lymphoma: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 365-365.	1.4	1

#	ARTICLE	IF	CITATIONS
109	Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 213-213.	1.4	0
110	Prognostic Impact Of Beta-2 Microglobulin In Patients With Non-Gastric Marginal Zone Lymphoma. <i>Blood</i> , 2013, 122, 4297-4297.	1.4	0
111	EBV-associated T and NK cell lymphoproliferative disorders: consensus report of the 4th Asian Hematopathology Workshop. <i>Journal of Hematopathology</i> , 2012, 5, 319-324.	0.4	14
112	Epidemiologic overview of malignant lymphoma. <i>The Korean Journal of Hematology</i> , 2012, 47, 92.	0.7	95
113	Clinical Significance of Immunoglobulin Isotype Switching in Patients with Multiple Myeloma. <i>Blood</i> , 2012, 120, 4980-4980.	1.4	0
114	Prognostic Value of Positron Emission Tomography- Computed Tomography in Patients with Marginal Zone Lymphoma. <i>Blood</i> , 2012, 120, 5084-5084.	1.4	1
115	WHO Classification of Malignant Lymphomas in Korea: Report of the Third Nationwide Study. <i>Korean Journal of Pathology</i> , 2011, 45, 254.	1.3	68
116	Associations of Methylene Tetrahydrofolate Reductase Polymorphism and Methotrexate-Related Toxicities in Korean Treated for Malignant Lymphoma. <i>Blood</i> , 2011, 118, 1607-1607.	1.4	0
117	Distribution of lymphoid neoplasms in the Republic of Korea: Analysis of 5318 cases according to the World Health Organization classification. <i>American Journal of Hematology</i> , 2010, 85, 760-764.	4.1	109
118	The Efficacy of Bortezomib-CHOP In Patients with Advanced Stage T or NK/T Cell Lymphomas: The Results of Multicenter Phase II Study.. <i>Blood</i> , 2010, 116, 1791-1791.	1.4	2
119	PROGNOSTIC SIGNIFICANCE of CD68 EXPRESSION for Korean PATIENTS with HODGKIN'S LYMPHOMA. <i>Blood</i> , 2010, 116, 3888-3888.	1.4	1
120	Primary Mediastinal Large B-Cell Lymphoma: A Single Center Experience in Korea.. <i>Blood</i> , 2009, 114, 5013-5013.	1.4	0
121	SIGNIFICANCE of ABSOLUTE LYMPHOCYTE COUNT at RELAPSE as a PROGNOSTIC FACTOR in PATIENTS with T-CELL NON-HODGKIN'S LYMPHOMA.. <i>Blood</i> , 2009, 114, 2939-2939.	1.4	0
122	VPDL Chemotherapy for T-cell Lymphoblastic Lymphoma (T-LBL) in Adults: Comparison with Upfront Autologous Stem Cell Transplantation in a Single Center. <i>The Korean Journal of Hematology</i> , 2008, 43, 138.	0.7	2
123	Immunohistochemical Prognostic Marker for Diffuse Large B Cell Lymphoma in Patients Treated with CHOP Like Chemotherapy: Validation of the Algorithm by Hans Et Al. and Analysis of Individual Markers. <i>Blood</i> , 2008, 112, 5274-5274.	1.4	0
124	Central Nervous System (CNS) Relapse in Extranodal NK/T Cell Lymphoma, Nasal Type: When Do We Need CNS Prophylaxis in Patients with Extranodal NK/T Cell Lymphoma?. <i>Blood</i> , 2008, 112, 2833-2833.	1.4	0
125	A Phase I Trial of Bortezomib Plus CHOP Every 2 Weeks in Patients with Advanced Stage Diffuse Large B-Cell Lymphomas.. <i>Blood</i> , 2007, 110, 4446-4446.	1.4	2
126	Primary Systemic Anaplastic Large Cell Lymphoma in Korean Adults; Retrospective Analysis of 36 Patients.. <i>Blood</i> , 2006, 108, 4633-4633.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Burkitt's Lymphoma in Korea: Clinical Manifestations and Efficacy of Modified CALGB 9251 Regimen (BNHL).. Blood, 2005, 106, 4661-4661.	1.4	2
128	BEAC or BEAM Chemotherapy Followed by Autologous Stem Cell Transplantation in Non-Hodgkin's Lymphoma Patients: Comparative Analysis on Efficacy and Toxicity.. Blood, 2005, 106, 5291-5291.	1.4	0
129	Relationship between endometrial estrogen and progesterone receptors, and sonographic endometrial appearance in the preovulatory phase. Journal of Obstetrics and Gynaecology Research, 2002, 28, 233-235.	1.3	0
130	Relationship between Endometrial Estrogen and Progesterone Receptors, and Sonographic Endometrial Appearance in the Preovulatory Phase. Journal of Obstetrics and Gynaecology Research, 2000, 26, 95-101.	1.3	6
131	Congenital CD34-positive granular cell dendrocytosis. Journal of Cutaneous Pathology, 1999, 26, 253-258.	1.3	15
132	Detection of Epstein-Barr virus in Korean peripheral T-cell lymphoma. American Journal of Hematology, 1999, 60, 205-214.	4.1	48
133	Diagnostic Pitfalls of Merkel Cell Carcinoma and Dramatic Response to Chemotherapy. Journal of Dermatology, 1998, 25, 322-328.	1.2	9
134	The Brenner Tumors of The Ovary: A Clinicopathologic Study. Korean Journal of Gynecologic Oncology and Colposcopy, 1998, 9, 168.	0.0	0
135	Immunohistochemical Study for Expression of p53, bcl-2 and Bax in Uterine Sarcoma. Korean Journal of Gynecologic Oncology and Colposcopy, 1997, 8, 395.	0.0	0
136	Tumor implantation along abdominal trocar site after pelviscopic removal of malignant ovarian tumor: a case report. Journal of Korean Medical Science, 1996, 11, 440.	2.5	6