

Monika Salgueiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3424984/publications.pdf>

Version: 2024-02-01

19
papers

587
citations

933447

10
h-index

839539

18
g-index

20
all docs

20
docs citations

20
times ranked

1018
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of the antihypertensive effect of nocturnal administration of acetylsalicylic acid. <i>Journal of Hypertension</i> , 2019, 37, 406-414.	0.5	1
2	Long-acting injectable second-generation antipsychotics in first-episode psychosis. <i>International Clinical Psychopharmacology</i> , 2019, 34, 51-56.	1.7	25
3	Clustering a large Spanish sample of patients with fibromyalgia using the Fibromyalgia Impact Questionnaire® Revised: differences in clinical outcomes, economic costs, inflammatory markers, and gray matter volumes. <i>Pain</i> , 2019, 160, 908-921.	4.2	27
4	Cognitive Impairment in Patients With Neuropsychiatric and Non-neuropsychiatric Systemic Lupus Erythematosus: A Systematic Review and Meta-analysis. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 629-639.	1.8	20
5	Psychometric properties of the Spanish version of the 12-item Interpersonal Needs Questionnaire in fibromyalgia syndrome patients. <i>Anales De Psicología</i> , 2018, 34, 274.	0.7	6
6	Domain-specific associations between disability and depression, anxiety, and somatization in primary care patients. <i>Psychiatry Research</i> , 2018, 269, 596-601.	3.3	9
7	Cost-Effectiveness and Cost-Utility Analysis of the Treatment of Emotional Disorders in Primary Care: PsicAP Clinical Trial. Description of the Sub-study Design. <i>Frontiers in Psychology</i> , 2018, 9, 281.	2.1	5
8	Perceived burdensomeness, thwarted belongingness and suicidal ideation in patients with fibromyalgia and healthy subjects: a cross-sectional study. <i>Rheumatology International</i> , 2018, 38, 1479-1486.	3.0	10
9	The PHQ-PD as a Screening Tool for Panic Disorder in the Primary Care Setting in Spain. <i>PLoS ONE</i> , 2016, 11, e0161145.	2.5	19
10	Efficacy of a cognitive and behavioural psychotherapy applied by primary care psychologists in patients with mixed anxiety-depressive disorder: a research protocol. <i>BMC Family Practice</i> , 2015, 16, 39.	2.9	2
11	Hyperexcitable C nociceptors in fibromyalgia. <i>Annals of Neurology</i> , 2014, 75, 196-208.	5.3	217
12	Reply. <i>Annals of Neurology</i> , 2014, 76, 917-918.	5.3	0
13	Validation of a Spanish version of the Revised Fibromyalgia Impact Questionnaire (FIQR). <i>Health and Quality of Life Outcomes</i> , 2013, 11, 132.	2.4	119
14	An Artificial Neural Network Approach for Predicting Functional Outcome in Fibromyalgia Syndrome after Multidisciplinary Pain Program. <i>Pain Medicine</i> , 2013, 14, 1450-1460.	1.9	5
15	Is psychological distress intrinsic to fibromyalgia syndrome? Cross-sectional analysis in two clinical presentations. <i>Rheumatology International</i> , 2012, 32, 3463-3469.	3.0	7
16	Selective impairment of spinal mu-opioid receptor mechanism by plasticity of serotonergic facilitation mediated by 5-HT _{2A} and 5-HT _{2B} receptors. <i>Pain</i> , 2012, 153, 1418-1425.	4.2	25
17	Subtype-specific changes in 5-HT receptor-mediated modulation of C fibre-evoked spinal field potentials are triggered by peripheral nerve injury. <i>Neuroscience</i> , 2010, 168, 831-841.	2.3	58
18	Valoración de factores sociales y clínicos en el síndrome de fibromialgia. <i>Revista De La Sociedad Española Del Dolor</i> , 2009, 16, 323-329.	0.1	8

#	ARTICLE	IF	CITATIONS
19	Depression of C fibre-evoked spinal field potentials by the spinal μ opioid receptor is enhanced in the spinal nerve ligation model of neuropathic pain: Involvement of the δ -subtype. <i>Neuropharmacology</i> , 2008, 55, 1376-1382.	4.1	7