

# David W Kaufman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3425160/publications.pdf>

Version: 2024-02-01

90  
papers

9,488  
citations

66234

42  
h-index

60497

81  
g-index

92  
all docs

92  
docs citations

92  
times ranked

7395  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | COLLABORATIONS, COLLEAGUES AND FRIENDSHIPS: THE HEMATOLOGY BRANCH AND BLOOD DISEASE CENTERS IN ASIA. <i>Seminars in Hematology</i> , 2022, 59, 6-12.   | 1.8 | 0         |
| 2  | Five-year trends in acetaminophen use exceeding the recommended daily maximum dose. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1028-1034.   | 1.1 | 5         |
| 3  | Diagnosis, Risk Factors, Outcomes, and Evaluation of Invasive Candida Infections. , 2019, , 69-85.   |     | 0         |
| 4  | Prevalence of exceeding maximum daily dose of paracetamol, and seasonal variations in cold/flu season. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1250-1257.  | 1.1 | 16        |
| 5  | Exceeding the daily dosing limit of nonsteroidal anti-inflammatory drugs among ibuprofen users. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 322-331.   | 0.9 | 27        |
| 6  | Exceeding the maximum daily dose of acetaminophen with use of different single-ingredient OTC formulations. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2018, 58, 499-504.                       | 0.7 | 6         |
| 7  | Knowledge of dosing directions among current users of acetaminophen-containing medications. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2018, 58, 492-498.                                       | 0.7 | 7         |
| 8  | Relation of Health Literacy to Exceeding the Labeled Maximum Daily Dose of Acetaminophen. <i>American Journal of Preventive Medicine</i> , 2016, 50, e183-e190.  | 1.6 | 13        |
| 9  | Patterns of acetaminophen medication use associated with exceeding the recommended maximum daily dose. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 915-921.  | 0.9 | 17        |
| 10 | Changes in the Incidence of Candidiasis in Neonatal Intensive Care Units. <i>Pediatrics</i> , 2014, 133, 236-242.  | 1.0 | 115       |
| 11 | Prevalence and correlates of exceeding the labeled maximum dose of acetaminophen among adults in a U.S.-based internet survey. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 1280-1288.                    | 0.9 | 33        |
| 12 | Commonly used antihypertensives and lower urinary tract symptoms: results from the Boston Area Community Health (BACH) Survey. <i>BJU International</i> , 2012, 109, 1676-1684.                                      | 1.3 | 43        |
| 13 | Seasonal variation of Stevens-Johnson syndrome and toxic epidermal necrolysis associated with trimethoprim-sulfamethoxazole. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1193-1194.            | 0.6 | 4         |
| 14 | Vitamin, Fluoride, and Iron Use among US Children Younger than 12 Years of Age: Results from the Slone Survey 1998-2007. <i>Journal of the American Dietetic Association</i> , 2011, 111, 285-289.                   | 1.3 | 6         |
| 15 | Factors Related to Colonization with <i>Oxalobacter formigenes</i> in U.S. Adults. <i>Journal of Endourology</i> , 2011, 25, 673-679.  | 1.1 | 70        |
| 16 | Risk of Aplastic Anemia and Pesticide and Other Chemical Exposures. <i>Asia-Pacific Journal of Public Health</i> , 2011, 23, 369-377.  | 0.4 | 23        |
| 17 | Classification of the myelodysplastic syndrome in a national registry of recently diagnosed patients. <i>Leukemia Research</i> , 2010, 34, 939-941.  | 0.4 | 5         |
| 18 | General exposures to prescription medications by race/ethnicity in a population-based sample: results from the Boston Area Community Health Survey. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 384-392. | 0.9 | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Medication Use Among Children &lt;lt;12 Years of Age in the United States: Results From the Slone Survey. <i>Pediatrics</i> , 2009, 124, 446-454.  | 1.0 | 148       |
| 20 | Incidence and non-drug aetiologies of aplastic anaemia in Thailand. <i>European Journal of Haematology</i> , 2009, 57, 31-34.  | 1.1 | 1         |
| 21 | Ex-drinking may be a surrogate for unmeasured risk factors for upper gastrointestinal bleeding: reappraisal and an additional survey of subjects from a case&quot;control study in Japan. <i>European Journal of Epidemiology</i> , 2009, 24, 143-147. | 2.5 | 5         |
| 22 | Risk factors for leukemia in Thailand. <i>Annals of Hematology</i> , 2009, 88, 1079-1088.  | 0.8 | 24        |
| 23 | Emergency department visits attributed to selected analgesics, United States, 2004&quot;2005. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 188-195.   | 0.9 | 18        |
| 24 | Medications as Risk Factors of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Children: A Pooled Analysis. <i>Pediatrics</i> , 2009, 123, e297-e304.   | 1.0 | 226       |
| 25 | Use of Alkylating Agents Among Patients with Multiple Myeloma in a National Registry, 2006-2008.. <i>Blood</i> , 2009, 114, 4941-4941.   | 0.6 | 0         |
| 26 | Prevalence and characteristics of opioid use in the US adult population. <i>Pain</i> , 2008, 138, 507-513.   | 2.0 | 269       |
| 27 | Interpretation of Associations in Pharmacoepidemiology. <i>Seminars in Hematology</i> , 2008, 45, 181-188.   | 1.8 | 4         |
| 28 | Cough and Cold Medication Use by US Children, 1999&quot;2006: Results From the Slone Survey. <i>Pediatrics</i> , 2008, 122, e323-e329.   | 1.0 | 92        |
| 29 | <i>Oxalobacter formigenes</i> May Reduce the Risk of Calcium Oxalate Kidney Stones. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1197-1203.  | 3.0 | 251       |
| 30 | Fluconazole Prophylaxis Decreases the Combined Outcome of Invasive <i>Candida</i> Infections or Mortality in Preterm Infants. <i>Pediatrics</i> , 2008, 122, 1158-1159.  | 1.0 | 34        |
| 31 | Pseudoephedrine Use Among US Children, 1999-2006: Results From the Slone Survey. <i>Pediatrics</i> , 2008, 122, 1299-1304.   | 1.0 | 24        |
| 32 | The epidemiology of acquired aplastic anemia. <i>Haematologica</i> , 2008, 93, 489-492.  | 1.7 | 156       |
| 33 | Patterns of Treatment among Patients with Recently-Diagnosed Myelodysplastic Syndromes in a National Registry, 2006&quot;2008. <i>Blood</i> , 2008, 112, 876-876.  | 0.6 | 3         |
| 34 | Attitudes toward Participation in Research, New Treatments, and Medication Side Effects among Multiple Myeloma and Myelodysplastic Syndrome Patients - The Patient Registries at Slone: Myeloma & MDS.. <i>Blood</i> , 2007, 110, 3325-3325.           | 0.6 | 0         |
| 35 | The epidemiology of aplastic anemia in Thailand. <i>Blood</i> , 2006, 107, 1299-1307.  | 0.6 | 156       |
| 36 | Case-control study on the association of upper gastrointestinal bleeding and nonsteroidal anti-inflammatory drugs in Japan. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 765-772.  | 0.8 | 129       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Relative incidence of agranulocytosis and aplastic anemia. American Journal of Hematology, 2006, 81, 65-67.   | 2.0  | 46        |
| 38 | Changing Incidence of Candida Bloodstream Infections Among NICU Patients in the United States: 1995-2004. Pediatrics, 2006, 117, 1680-1687.   | 1.0  | 245       |
| 39 | Non-Contrast-Enhanced Computerized Tomography and Analgesic-Related Kidney Disease: Report of the National Analgesic Nephropathy Study. Journal of the American Society of Nephrology: JASN, 2006, 17, 1472-1480. | 3.0  | 21        |
| 40 | Use of Herbal/Natural Supplements According to Racial/Ethnic Group. Journal of Alternative and Complementary Medicine, 2006, 12, 555-561.   | 2.1  | 33        |
| 41 | Are Cyclooxygenase-2 Inhibitors Being Taken Only by Those Who Need Them?. Archives of Internal Medicine, 2005, 165, 1066.   | 4.3  | 6         |
| 42 | Use of postmenopausal hormone therapy since the Women's Health Initiative findings. Pharmacoepidemiology and Drug Safety, 2005, 14, 837-842.  | 0.9  | 44        |
| 43 | Recent Trends in Use of Herbal and Other Natural Products. Archives of Internal Medicine, 2005, 165, 281.   | 4.3  | 235       |
| 44 | Final Results of the Thai-NHLBI Epidemiological Study of Aplastic Anemia.. Blood, 2004, 104, 2814-2814.   | 0.6  | 0         |
| 45 | The risk of Stevens-Johnson syndrome and toxic epidermal necrolysis associated with nonsteroidal antiinflammatory drugs: a multinational perspective. Journal of Rheumatology, 2003, 30, 2234-40.                 | 1.0  | 52        |
| 46 | Recent Patterns of Medication Use in the Ambulatory Adult Population of the United States. JAMA - Journal of the American Medical Association, 2002, 287, 337.  | 3.8  | 1,552     |
| 47 | The fellow eye in naion: report from the ischemic optic neuropathy decompression trial follow-up study. American Journal of Ophthalmology, 2002, 134, 317-328.  | 1.7  | 284       |
| 48 | Aplastic anemia in Brazil: Incidence and risk factors. American Journal of Hematology, 2002, 71, 268-274.   | 2.0  | 29        |
| 49 | Fluconazole Prophylaxis against Fungal Colonization and Infection in Preterm Infants. New England Journal of Medicine, 2001, 345, 1660-1666.  | 13.9 | 508       |
| 50 | Signal generation and clarification: use of case-control data. Pharmacoepidemiology and Drug Safety, 2001, 10, 197-203.   | 0.9  | 20        |
| 51 | Acetylsalicylic acid and other salicylates in relation to Stevens-Johnson syndrome and toxic epidermal necrolysis. British Journal of Clinical Pharmacology, 2001, 51, 174-176.                                   | 1.1  | 8         |
| 52 | Estimating risks for matching factors in case-control studies. Journal of Clinical Epidemiology, 2000, 53, 251-256.   | 2.4  | 2         |
| 53 | Epidemiological assessment of drug-induced disease. Lancet, The, 2000, 356, 1339-1343.  | 6.3  | 91        |
| 54 | The Risk of Acute Major Upper Gastrointestinal Bleeding Among Users of Aspirin and Ibuprofen at Various Levels of Alcohol Consumption. American Journal of Gastroenterology, 1999, 94, 3189-3196.                 | 0.2  | 97        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Regional patterns in the incidence of aplastic anemia in Thailand. , 1999, 61, 164-168.  |      | 32        |
| 56 | Major upper gastrointestinal bleeding and the use of calcium channel blockers. Lancet, The, 1999, 353, 559.  | 6.3  | 20        |
| 57 | Regional patterns in the incidence of aplastic anemia in Thailand. , 1999, 61, 164.  |      | 1         |
| 58 | Relation of aplastic anaemia to use of chloramphenicol eye drops in two international case-control studies. BMJ: British Medical Journal, 1998, 316, 666-666.  | 2.4  | 54        |
| 59 | Use of household pesticides and the risk of aplastic anaemia in Thailand. The Aplastic Anemia Study Group. International Journal of Epidemiology, 1997, 26, 643-650.   | 0.9  | 15        |
| 60 | Association of seropositivity for hepatitis viruses and aplastic anemia in Thailand. Hepatology, 1997, 25, 1255-1257.  | 3.6  | 13        |
| 61 | Aminopyrine and blood dyscrasias. , 1997, 6, 292-292.  |      | 1         |
| 62 | Risk of aspirin-associated major upper-gastrointestinal bleeding with enteric-coated or buffered product. Lancet, The, 1996, 348, 1413-1416.   | 6.3  | 395       |
| 63 | Drugs in the aetiology of agranulocytosis and aplastic anaemia. European Journal of Haematology, 1996, 57, 23-30.  | 1.1  | 103       |
| 64 | An epidemiological study of aplastic anaemia: relationship of drug exposures to clinical features and outcome. European Journal of Haematology, 1996, 57, 47-52.   | 1.1  | 2         |
| 65 | An association of aplastic anaemia in Thailand with low socioeconomic status. British Journal of Haematology, 1995, 91, 80-84.   | 1.2  | 34        |
| 66 | An international collaborative case-control study of severe cutaneous adverse reactions (SCAR). Design and methods. Journal of Clinical Epidemiology, 1995, 48, 1099-1108.   | 2.4  | 70        |
| 67 | Medication Use and the Risk of Stevensâ€“Johnson Syndrome or Toxic Epidermal Necrolysis. New England Journal of Medicine, 1995, 333, 1600-1608.  | 13.9 | 1,320     |
| 68 | Epidemiologic Approaches to the Study of Toxic Epidermal Necrolysis.. Journal of Investigative Dermatology, 1994, 102, 31S-33S.  | 0.3  | 21        |
| 69 | Nonsteroidal anti-inflammatory drug use in relation to major upper gastrointestinal bleeding. Clinical Pharmacology and Therapeutics, 1993, 53, 485-494.   | 2.3  | 123       |
| 70 | Endometrial Cancer and Age at Last Delivery: Evidence for an Association. American Journal of Epidemiology, 1991, 133, 554-559.  | 1.6  | 34        |
| 71 | Risks of agranulocytosis and aplastic anemia in relation to the use of cardiovascular drugs: The International Agranulocytosis and Aplastic Anemia Study. Clinical Pharmacology and Therapeutics, 1991, 49, 330-341. | 2.3  | 51        |
| 72 | RELIABILITY OF PERSONAL INTERVIEW DATA IN A HOSPITAL-BASED CASE-CONTROL STUDY. American Journal of Epidemiology, 1990, 131, 79-90.   | 1.6  | 113       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Case-Control Study of Idiopathic Retinal Detachment. <i>International Journal of Epidemiology</i> , 1990, 19, 1045-1050.   | 0.9  | 50        |
| 74 | ORAL CONTRACEPTIVE USE AND LIVER CANCER. <i>American Journal of Epidemiology</i> , 1989, 130, 878-882.   | 1.6  | 83        |
| 75 | NONCONTRACEPTIVE ESTROGEN USE AND EPITHELIAL OVARIAN CANCER. <i>American Journal of Epidemiology</i> , 1989, 130, 1142-1151.   | 1.6  | 88        |
| 76 | DOES GALLBLADDER REMOVAL PROTECT AGAINST SUBSEQUENT MYOCARDIAL INFARCTION?. <i>American Journal of Epidemiology</i> , 1986, 124, 420-427.  | 1.6  | 16        |
| 77 | THE RISK OF MYOCARDIAL INFARCTION 10 OR MORE YEARS AFTER VASECTOMY IN MEN UNDER 55 YEARS OF AGE1. <i>American Journal of Epidemiology</i> , 1986, 123, 1049-1056.                                      | 1.6  | 24        |
| 78 | Evidence for an increased risk of Crohn's disease in oral contraceptive users. <i>Gastroenterology</i> , 1985, 89, 1046-1049.  | 0.6  | 74        |
| 79 | ALCOHOLIC BEVERAGES AND MYOCARDIAL INFARCTION IN YOUNG MEN1. <i>American Journal of Epidemiology</i> , 1985, 121, 548-554.   | 1.6  | 34        |
| 80 | Cigarette Smoking and the Risk of Endometrial Cancer. <i>New England Journal of Medicine</i> , 1985, 313, 593-596.   | 13.9 | 168       |
| 81 | Risk of Localized and Widespread Endometrial Cancer in Relation to Recent and Discontinued Use of Conjugated Estrogens. <i>New England Journal of Medicine</i> , 1985, 313, 969-972.                   | 13.9 | 210       |
| 82 | The Risk of Myocardial Infarction after Quitting Smoking in Men under 55 Years of Age. <i>New England Journal of Medicine</i> , 1985, 313, 1511-1514.  | 13.9 | 322       |
| 83 | Breast Cancer and Cigarette Smoking. <i>New England Journal of Medicine</i> , 1984, 310, 92-94.  | 13.9 | 49        |
| 84 | Nicotine and Carbon Monoxide Content of Cigarette Smoke and the Risk of Myocardial Infarction in Young Men. <i>New England Journal of Medicine</i> , 1983, 308, 409-413.                               | 13.9 | 111       |
| 85 | Risk of Myocardial Infarction in Relation to Current and Discontinued Use of Oral Contraceptives. <i>New England Journal of Medicine</i> , 1981, 305, 420-424.   | 13.9 | 189       |
| 86 | Recent and Past Use of Conjugated Estrogens in Relation to Adenocarcinoma of the Endometrium. <i>New England Journal of Medicine</i> , 1980, 303, 485-489.   | 13.9 | 131       |
| 87 | Thiazides and Acute Cholecystitis. <i>New England Journal of Medicine</i> , 1980, 303, 546-548.  | 13.9 | 45        |
| 88 | Decreased Risk of Endometrial Cancer among Oral-Contraceptive Users. <i>New England Journal of Medicine</i> , 1980, 303, 1045-1047.  | 13.9 | 125       |
| 89 | Cigarette Smoking in Relation to the Risk of Myocardial infarction in Young Women. Modifying Influence of Age and Predisposing Factors. <i>International Journal of Epidemiology</i> , 1980, 9, 57-63. | 0.9  | 26        |
| 90 | Relation of Cigarette Smoking to Myocardial Infarction in Young Women. <i>New England Journal of Medicine</i> , 1978, 298, 1273-1276.  | 13.9 | 121       |