

Shigetsugu Hatakeyama

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3425397/publications.pdf>

Version: 2024-02-01

126
papers

13,312
citations

32410

55
h-index

25230

113
g-index

127
all docs

127
docs citations

127
times ranked

17936
citing authors

#	ARTICLE	IF	CITATIONS
1	Autophagy promotes citrullination of VIM (vimentin) and its interaction with major histocompatibility complex class II in synovial fibroblasts. <i>Autophagy</i> , 2020, 16, 946-955.	4.3	26
2	A substrate-trapping strategy to find E3 ubiquitin ligase substrates identifies Parkin and TRIM28 targets. <i>Communications Biology</i> , 2020, 3, 592.	2.0	21
3	RNA Sensing by Gut Piezo1 Is Essential for Systemic Serotonin Synthesis. <i>Cell</i> , 2020, 182, 609-624.e21.	13.5	74
4	The role of Mediator and Little Elongation Complex in transcription termination. <i>Nature Communications</i> , 2020, 11, 1063.	5.8	21
5	TRIM59 Promotes Gliomagenesis by Inhibiting TC45 Dephosphorylation of STAT3. <i>Cancer Research</i> , 2018, 78, 1792-1804.	0.4	48
6	Mutations in bassoon in individuals with familial and sporadic progressive supranuclear palsy-like syndrome. <i>Scientific Reports</i> , 2018, 8, 819.	1.6	26
7	Anti-Sez6l2 antibody detected in a patient with immune-mediated cerebellar ataxia inhibits complex formation of GluR1 and Sez6l2. <i>Journal of Neurology</i> , 2018, 265, 962-965.	1.8	16
8	Loss of TRIM29 Alters Keratin Distribution to Promote Cell Invasion in Squamous Cell Carcinoma. <i>Cancer Research</i> , 2018, 78, 6795-6806.	0.4	38
9	Brain-Derived Neurotrophic Factor Improves Limited Exercise Capacity in Mice With Heart Failure. <i>Circulation</i> , 2018, 138, 2064-2066.	1.6	32
10	Regulation of intestinal homeostasis by the ulcerative colitis-associated gene RNF186. <i>Mucosal Immunology</i> , 2017, 10, 446-459.	2.7	55
11	TRIM Family Proteins: Roles in Autophagy, Immunity, and Carcinogenesis. <i>Trends in Biochemical Sciences</i> , 2017, 42, 297-311.	3.7	586
12	Leukemogenic kinase <i>FIP1L1</i> and <i>PDGFRA</i> and a small ubiquitin-like modifier E3 ligase, <i>PIAS1</i> , form a positive cross-talk through their enzymatic activities. <i>Cancer Science</i> , 2017, 108, 200-207.	1.7	4
13	Fine-tuning of thymocyte development by ubiquitination-mediated stability control of the ESCRT protein CHMP5. <i>Cellular and Molecular Immunology</i> , 2017, 14, 957-959.	4.8	2
14	Sez6l2 regulates phosphorylation of ADD and neuritogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2017, 494, 234-241.	1.0	24
15	TRIM proteins and diseases. <i>Journal of Biochemistry</i> , 2017, 161, mvw087.	0.9	122
16	TRIM39 negatively regulates the NF κ B-mediated signaling pathway through stabilization of Cactin. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 1085-1101.	2.4	52
17	p53 represses the transcription of snRNA genes by preventing the formation of little elongation complex. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016, 1859, 975-982.	0.9	3
18	The novel heart-specific RING finger protein 207 is involved in energy metabolism in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 100, 43-53.	0.9	16

#	ARTICLE	IF	CITATIONS
19	Early evidence for the role of TRIM29 in multiple cancer models. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 767-770.	1.5	28
20	Role of apolipoprotein B100 and oxidized low-density lipoprotein in the monocyte tissue factor induction mediated by anti- β_2 glycoprotein I antibodies. <i>Lupus</i> , 2016, 25, 1288-1298.	0.8	7
21	Ribophorin II is involved in the tissue factor expression mediated by phosphatidylserine-dependent antiprothrombin antibody on monocytes. <i>Rheumatology</i> , 2016, 55, 1117-1126.	0.9	2
22	Oxidative Stress Regulates IL-4 Gene Expression in Mast Cells through the Reduction of Histone Deacetylase. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 152, 48-52.	1.1	7
23	Siglec-15 is a potential therapeutic target for postmenopausal osteoporosis. <i>Bone</i> , 2015, 71, 217-226.	1.4	46
24	MED26 regulates the transcription of snRNA genes through the recruitment of little elongation complex. <i>Nature Communications</i> , 2015, 6, 5941.	5.8	42
25	The TRIM-FLMN protein TRIM45 directly interacts with RACK1 and negatively regulates PKC-mediated signaling pathway. <i>Oncogene</i> , 2015, 34, 1280-1291.	2.6	31
26	TRIM29 regulates the p63-mediated pathway in cervical cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2296-2305.	1.9	17
27	TRIM29 regulates the assembly of DNA repair proteins into damaged chromatin. <i>Nature Communications</i> , 2015, 6, 7299.	5.8	45
28	Molecular Role of RNF43 in Canonical and Noncanonical Wnt Signaling. <i>Molecular and Cellular Biology</i> , 2015, 35, 2007-2023.	1.1	71
29	Identification of anti-Sez6l2 antibody in a patient with cerebellar ataxia and retinopathy. <i>Journal of Neurology</i> , 2014, 261, 224-226.	1.8	33
30	TRIM29 Suppresses TWIST1 and Invasive Breast Cancer Behavior. <i>Cancer Research</i> , 2014, 74, 4875-4887.	0.4	73
31	Pathology of frontotemporal dementia with limb girdle muscular dystrophy caused by a DNAJB6 mutation. <i>Clinical Neurology and Neurosurgery</i> , 2014, 127, 10-12.	0.6	9
32	TRIM29 as a novel prostate basal cell marker for diagnosis of prostate cancer. <i>Acta Histochemica</i> , 2014, 116, 708-712.	0.9	43
33	Siglec-15 Regulates Osteoclast Differentiation by Modulating RANKL-Induced Phosphatidylinositol 3-Kinase/Akt and Erk Pathways in Association With Signaling Adaptor DAP12. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2463-2475.	3.1	100
34	Activation of Double-stranded RNA-activated Protein Kinase (PKR) by Interferon-stimulated Gene 15 (ISG15) Modification Down-regulates Protein Translation. <i>Journal of Biological Chemistry</i> , 2013, 288, 2839-2847.	1.6	81
35	14-3-3 proteins sequester a pool of soluble TRIM32 ubiquitin ligase to repress autoubiquitination and cytoplasmic body formation. <i>Journal of Cell Science</i> , 2013, 126, 2014-26.	1.2	33
36	Ubiquitin-mediated regulation of JAK-STAT signaling in embryonic stem cells. <i>Jak-stat</i> , 2012, 1, 168-175.	2.2	20

#	ARTICLE	IF	CITATIONS
37	TRIM67 Protein Negatively Regulates Ras Activity through Degradation of 80K-H and Induces Neurogenesis. <i>Journal of Biological Chemistry</i> , 2012, 287, 12050-12059.	1.6	45
38	TRIM6 interacts with c-Myc and maintains pluripotency of mouse embryonal stem cells. <i>Journal of Cell Science</i> , 2012, 125, 1544-55.	1.2	35
39	TRIM32 promotes retinoic acid receptor β -mediated differentiation in human promyelogenous leukemic cell line HL60. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 594-600.	1.0	16
40	TRIM59 interacts with ECSIT and negatively regulates NF- κ B and IRF-3/7-mediated signal pathways. <i>Biochemical and Biophysical Research Communications</i> , 2012, 422, 501-507.	1.0	75
41	TRIM45 negatively regulates NF- κ B-mediated transcription and suppresses cell proliferation. <i>Biochemical and Biophysical Research Communications</i> , 2012, 423, 104-109.	1.0	40
42	RNF43 interacts with NEDL1 and regulates p53-mediated transcription. <i>Biochemical and Biophysical Research Communications</i> , 2011, 404, 143-147.	1.0	52
43	UBE4B promotes Hdm2-mediated degradation of the tumor suppressor p53. <i>Nature Medicine</i> , 2011, 17, 347-355.	15.2	103
44	TRIM proteins and cancer. <i>Nature Reviews Cancer</i> , 2011, 11, 792-804.	12.8	641
45	Plasma gelsolin facilitates interaction between α ₂ glycoprotein I and α ₅ β ₁ integrin. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 141-151.	1.6	25
46	TRIM29 negatively regulates p53 via inhibition of Tip60. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 1245-1253.	1.9	76
47	TRIM8 regulates Nanog via Hsp90 α -mediated nuclear translocation of STAT3 in embryonic stem cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 1784-1792.	1.9	31
48	MDA-9/syntenin interacts with ubiquitin via a novel ubiquitin-binding motif. <i>Molecular and Cellular Biochemistry</i> , 2011, 352, 163-172.	1.4	19
49	TRIM32 promotes neural differentiation through retinoic acid receptor-mediated transcription. <i>Journal of Cell Science</i> , 2011, 124, 3492-3502.	1.2	51
50	TRIM40 promotes neddylation of IKK α and is downregulated in gastrointestinal cancers. <i>Carcinogenesis</i> , 2011, 32, 995-1004.	1.3	91
51	Molecular Basis for the Association of Human E4B U Box Ubiquitin Ligase with E2-Conjugating Enzymes UbcH5c and Ubc4. <i>Structure</i> , 2010, 18, 955-965.	1.6	45
52	TRIM8 modulates STAT3 activity through negative regulation of PIAS3. <i>Journal of Cell Science</i> , 2010, 123, 2238-2245.	1.2	77
53	Direct binding of TRAF2 and TRAF6 to TICAM-1/TRIF adaptor participates in activation of the Toll-like receptor 3/4 pathway. <i>Molecular Immunology</i> , 2010, 47, 1283-1291.	1.0	80
54	Expression of recombinant sea urchin cellulase SnEG54 using mammalian cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2010, 395, 352-355.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Riplet/RNF135, a RING Finger Protein, Ubiquitinates RIG-I to Promote Interferon- β Induction during the Early Phase of Viral Infection. <i>Journal of Biological Chemistry</i> , 2009, 284, 807-817.	1.6	308
56	TRIM24 mediates ligand-dependent activation of androgen receptor and is repressed by a bromodomain-containing protein, BRD7, in prostate cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 1828-1836.	1.9	83
57	Large-scale proteomic analysis of tyrosine-phosphorylation induced by T-cell receptor or B-cell receptor activation reveals new signaling pathways. <i>Proteomics</i> , 2009, 9, 3549-3563.	1.3	49
58	Human synovial sarcoma proto-oncogene Syt is essential for early embryonic development through the regulation of cell migration. <i>Laboratory Investigation</i> , 2009, 89, 645-656.	1.7	10
59	Ubiquitin-Conjugating Enzyme UBE2Q2 Suppresses Cell Proliferation and Is Down-Regulated in Recurrent Head and Neck Cancer. <i>Molecular Cancer Research</i> , 2009, 7, 1553-1562.	1.5	14
60	The E3 Ligase TTC3 Facilitates Ubiquitination and Degradation of Phosphorylated Akt. <i>Developmental Cell</i> , 2009, 17, 800-810.	3.1	129
61	Inhibition of NF- κ B signaling via tyrosine phosphorylation of I κ B. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 744-749.	1.0	17
62	TRIM36 interacts with the kinetochore protein CENP-H and delays cell cycle progression. <i>Biochemical and Biophysical Research Communications</i> , 2009, 381, 383-387.	1.0	54
63	TRIM31 interacts with p53 and inhibits Src-induced anchorage-independent growth. <i>Biochemical and Biophysical Research Communications</i> , 2009, 388, 422-427.	1.0	12
64	ZNRF1 interacts with tubulin and regulates cell morphogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2009, 389, 506-511.	1.0	20
65	Involvement of I κ B in suppression of NF- κ B activation by regulated interaction with lysine-63-linked polyubiquitin chain. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 826-837.	1.9	35
66	Ro52 functionally interacts with IgG1 and regulates its quality control via the ERAD system. <i>Molecular Immunology</i> , 2008, 45, 2045-2054.	1.0	30
67	TRIM68 Regulates Ligand-Dependent Transcription of Androgen Receptor in Prostate Cancer Cells. <i>Cancer Research</i> , 2008, 68, 3486-3494.	0.4	53
68	Tripartite Motif Protein 32 Facilitates Cell Growth and Migration via Degradation of Abl-Interactor 2. <i>Cancer Research</i> , 2008, 68, 5572-5580.	0.4	109
69	APC-mediated Ubiquitination of the Insulin Receptor Enhances its Internalization, but does not Induce its Degradation. <i>Endocrine Journal</i> , 2007, 54, 77-88.	0.7	18
70	Ligand-dependent transcription of estrogen receptor β is mediated by the ubiquitin ligase EFP. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 245-251.	1.0	38
71	Involvement of Rabring7 in EGF receptor degradation as an E3 ligase. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 1058-1064.	1.0	38
72	Protection of vincristine-induced neuropathy by WldS expression and the independence of the activity of Nmnat1. <i>Neuroscience Letters</i> , 2007, 411, 228-232.	1.0	24

#	ARTICLE	IF	CITATIONS
73	Establishment of a newly improved detection system for NF- κ B activity. <i>Immunology Letters</i> , 2007, 109, 175-181.	1.1	11
74	Ubiquitylation of $\hat{\mu}$ -COP by PIRH2 and regulation of the secretion of PSA. <i>Molecular and Cellular Biochemistry</i> , 2007, 307, 73-82.	1.4	12
75	Degradation of Tob1 Mediated by SCFSkp2-Dependent Ubiquitination. <i>Cancer Research</i> , 2006, 66, 8477-8483.	0.4	55
76	Elmo1 inhibits ubiquitylation of Dock180. <i>Journal of Cell Science</i> , 2006, 119, 923-932.	1.2	49
77	Large-scale analysis of the human ubiquitin-related proteome. <i>Proteomics</i> , 2005, 5, 4145-4151.	1.3	167
78	Targeted Destruction of c-Myc by an Engineered Ubiquitin Ligase Suppresses Cell Transformation and Tumor Formation. <i>Cancer Research</i> , 2005, 65, 7874-7879.	0.4	58
79	Noncovalent SUMO-1 Binding Activity of Thymine DNA Glycosylase (TDG) Is Required for Its SUMO-1 Modification and Colocalization with the Promyelocytic Leukemia Protein. <i>Journal of Biological Chemistry</i> , 2005, 280, 5611-5621.	1.6	95
80	Mapping of Ubiquitination Sites on Target Proteins. <i>Methods in Enzymology</i> , 2005, 399, 277-286.	0.4	11
81	Mammalian E4 Is Required for Cardiac Development and Maintenance of the Nervous System. <i>Molecular and Cellular Biology</i> , 2005, 25, 10953-10964.	1.1	54
82	Ubiquitylation and Degradation of Serum-inducible Kinase by hVPS18, a RING-H2 Type Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2005, 280, 41619-41627.	1.6	26
83	Cell Surface Expression of CD147/EMMPRIN Is Regulated by Cyclophilin 60. <i>Journal of Biological Chemistry</i> , 2005, 280, 27866-27871.	1.6	66
84	Small Ubiquitin-Like Modifier 1 (SUMO-1) Modification of the Synergy Control Motif of Ad4 Binding Protein/Steroidogenic Factor 1 (Ad4BP/SF-1) Regulates Synergistic Transcription between Ad4BP/SF-1 and Sox9. <i>Molecular Endocrinology</i> , 2004, 18, 2451-2462.	3.7	103
85	AIRE Functions As an E3 Ubiquitin Ligase. <i>Journal of Experimental Medicine</i> , 2004, 199, 167-172.	4.2	130
86	Subcellular Expression of Autoimmune Regulator Is Organized in a Spatiotemporal Manner. <i>Journal of Biological Chemistry</i> , 2004, 279, 33984-33991.	1.6	65
87	Mouse Fbw7/Sel-10/Cdc4 Is Required for Notch Degradation during Vascular Development. <i>Journal of Biological Chemistry</i> , 2004, 279, 9417-9423.	1.6	225
88	Functional Regulation of FEZ1 by the U-box-type Ubiquitin Ligase E4B Contributes to Neuritogenesis. <i>Journal of Biological Chemistry</i> , 2004, 279, 53533-53543.	1.6	56
89	Interaction of U-box-type ubiquitin-protein ligases (E3s) with molecular chaperones. <i>Genes To Cells</i> , 2004, 9, 533-548.	0.5	83
90	CHIP promotes proteasomal degradation of familial ALS-linked mutant SOD1 by ubiquitinating Hsp/Hsc70. <i>Journal of Neurochemistry</i> , 2004, 90, 231-244.	2.1	160

#	ARTICLE	IF	CITATIONS
91	U-box protein carboxyl terminus of Hsc70-interacting protein (CHIP) mediates poly-ubiquitylation preferentially on four-repeat Tau and is involved in neurodegeneration of tauopathy. <i>Journal of Neurochemistry</i> , 2004, 91, 299-307.	2.1	116
92	Cytoplasmic ubiquitin ligase KPC regulates proteolysis of p27Kip1 at G1 phase. <i>Nature Cell Biology</i> , 2004, 6, 1229-1235.	4.6	379
93	Molecular clearance of ataxin-3 is regulated by a mammalian E4. <i>EMBO Journal</i> , 2004, 23, 659-669.	3.5	145
94	Phosphorylation-dependent degradation of c-Myc is mediated by the F-box protein Fbw7. <i>EMBO Journal</i> , 2004, 23, 2116-2125.	3.5	683
95	Skp2-Mediated Degradation of p27 Regulates Progression into Mitosis. <i>Developmental Cell</i> , 2004, 6, 661-672.	3.1	333
96	Ubiquitylation as a Quality Control System for Intracellular Proteins. <i>Journal of Biochemistry</i> , 2003, 134, 1-8.	0.9	48
97	Characterization of the mouse gene for the U-box-type ubiquitin ligase UFD2a. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 297-304.	1.0	52
98	U-box proteins as a new family of ubiquitin ligases. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 635-645.	1.0	212
99	Preferential interaction of TIP120A with Cul1 that is not modified by NEDD8 and not associated with Skp1. <i>Biochemical and Biophysical Research Communications</i> , 2003, 303, 1209-1216.	1.0	55
100	Impaired degradation of inhibitory subunit of NF- κ B ($I\kappa$ B) and β -catenin as a result of targeted disruption of the β -TrCP1 gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8752-8757.	3.3	106
101	Degradation of p57Kip2 mediated by SCFSkp2-dependent ubiquitylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10231-10236.	3.3	266
102	Identification of Developmentally Expressed Proteins That Functionally Interact with Nedd4 Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2002, 277, 2897-2907.	1.6	69
103	Formation of Mallory Body-like Inclusions and Cell Death Induced by Deregulated Expression of Keratin 18. <i>Molecular Biology of the Cell</i> , 2002, 13, 3441-3451.	0.9	24
104	CHIP Is Associated with Parkin, a Gene Responsible for Familial Parkinson's Disease, and Enhances Its Ubiquitin Ligase Activity. <i>Molecular Cell</i> , 2002, 10, 55-67.	4.5	460
105	Increased proliferation of B cells and auto-immunity in mice lacking protein kinase C δ . <i>Nature</i> , 2002, 416, 865-869.	13.7	400
106	Regulation of the Cell Cycle at the G1 \rightarrow S Transition by Proteolysis of Cyclin E and p27Kip1. <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 853-860.	1.0	217
107	Characterization of a Mouse Gene (Fbxw6) That Encodes a Homologue of <i>Caenorhabditis elegans</i> SEL-10. <i>Genomics</i> , 2001, 78, 214-222.	1.3	23
108	Spatial and temporal expression patterns of the cyclin-dependent kinase (CDK) inhibitors p27 Kip1 and p57 Kip2 during mouse development. <i>Anatomy and Embryology</i> , 2001, 203, 77-87.	1.5	89

#	ARTICLE	IF	CITATIONS
109	Regulation of the Level of Vesl-1S/Homer-1a Proteins by Ubiquitin-Proteasome Proteolytic Systems. <i>Journal of Biological Chemistry</i> , 2001, 276, 15893-15897.	1.6	46
110	Degradation of p27 at the G0-G1 Transition Mediated by a Skp2-independent Ubiquitination Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 48937-48943.	1.6	198
111	U Box Proteins as a New Family of Ubiquitin-Protein Ligases. <i>Journal of Biological Chemistry</i> , 2001, 276, 33111-33120.	1.6	507
112	The SOCS Box of SOCS-1 Accelerates Ubiquitin-dependent Proteolysis of TEL-JAK2. <i>Journal of Biological Chemistry</i> , 2001, 276, 12530-12538.	1.6	279
113	Essential Role of the Prosurvival bcl-2 Homologue A1 in Mast Cell Survival After Allergic Activation. <i>Journal of Experimental Medicine</i> , 2001, 194, 1561-1570.	4.2	95
114	Phosphorylation at Serine 10, a Major Phosphorylation Site of p27, Increases Its Protein Stability. <i>Journal of Biological Chemistry</i> , 2000, 275, 25146-25154.	1.6	189
115	RING fingers mediate ubiquitin-conjugating enzyme (E2)-dependent ubiquitination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 11364-11369.	3.3	1,054
116	Down-regulation of p27 by Two Mechanisms, Ubiquitin-mediated Degradation and Proteolytic Processing. <i>Journal of Biological Chemistry</i> , 1999, 274, 13886-13893.	1.6	208
117	Common Pathway for the Ubiquitination of I κ B α , I κ B β , and I κ B μ Mediated by the F-Box Protein FWD1. <i>Journal of Biological Chemistry</i> , 1999, 274, 28169-28174.	1.6	80
118	Molecular Dissection of the Interactions among I κ B α , FWD1, and Skp1 Required for Ubiquitin-mediated Proteolysis of I κ B α . <i>Journal of Biological Chemistry</i> , 1999, 274, 29641-29647.	1.6	37
119	Ubiquitin-dependent degradation of I κ B α is mediated by a ubiquitin ligase Skp1/Cul 1/F-box protein FWD1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 3859-3863.	3.3	192
120	An F-box protein, FWD1, mediates ubiquitin-dependent proteolysis of β -catenin. <i>EMBO Journal</i> , 1999, 18, 2401-2410.	3.5	505
121	Structure and Expression of the Gene Encoding Mouse F-Box Protein, Fwd2. <i>Genomics</i> , 1999, 62, 50-58.	1.3	18
122	Multiple gene duplication and expression of mouse bcl-2-related genes, A1. <i>International Immunology</i> , 1998, 10, 631-637.	1.8	69
123	Accelerated Neutrophil Apoptosis in Mice Lacking A1-a, a Subtype of the bcl-2-related A1 Gene. <i>Journal of Experimental Medicine</i> , 1998, 188, 1985-1992.	4.2	192
124	Subcellular Localization and Ubiquitin-conjugating Enzyme (E2) Interactions of Mammalian HECT Family Ubiquitin Protein Ligases. <i>Journal of Biological Chemistry</i> , 1997, 272, 15085-15092.	1.6	83
125	Csk overexpression reduces several monokines and nitric oxide productions but enhances prostaglandin E2 production in response to lipopolysaccharide in the macrophage cell line J774A.1. <i>European Journal of Immunology</i> , 1997, 27, 742-749.	1.6	28
126	Functional significance of the Fas molecule in naive lymphocytes. <i>International Immunology</i> , 1996, 8, 423-431.	1.8	27