

Bernhard Tribukait

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3425542/publications.pdf>

Version: 2024-02-01

36
papers

1,271
citations

393982

19
h-index

433756

31
g-index

41
all docs

41
docs citations

41
times ranked

547
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum thymidine kinase 1 concentration as a predictive biomarker in prostate cancer. <i>Prostate</i> , 2022, 82, 911-916.	1.2	4
2	Dynamics of Serum Thymidine Kinase 1 at the First Cycle of Neoadjuvant Chemotherapy Predicts Outcome of Disease in Estrogen-Receptor-Positive Breast Cancer. <i>Cancers</i> , 2021, 13, 5442.	1.7	1
3	Early prediction of pathologic response to neoadjuvant treatment of breast cancer: use of a cell-loss metric based on serum thymidine kinase 1 and tumour volume. <i>BMC Cancer</i> , 2020, 20, 440.	1.1	13
4	Predicting invasiveness and disease-specific survival in upper tract urothelial carcinoma: identifying relevant clinical tumour characteristics. <i>World Journal of Urology</i> , 2019, 37, 2335-2342.	1.2	9
5	Diagnostic accuracy of upper tract urothelial carcinoma: how samples are collected matters. <i>Scandinavian Journal of Urology</i> , 2017, 51, 137-145.	0.6	40
6	PRIMARY POLYCYTHAEMIA. <i>Acta Pathologica Et Microbiologica Scandinavica Section A, Pathology</i> , 2009, 81A, 195-203.	0.1	6
7	Investigation on Cell Proliferation with a New Antibody against Thymidine Kinase 1. <i>Analytical Cellular Pathology</i> , 2001, 23, 11-19.	2.1	31
8	Reliability of DNA cytometric S-phase analysis in surgical biopsies: Assessment of systematic and sampling errors and comparison between results obtained by image and flow cytometry. <i>Cytometry</i> , 2000, 42, 196-208.	1.8	5
9	Evaluation of Tumor Heterogeneity of Prostate Carcinoma by Flow- and Image DNA Cytometry and Histopathological Grading. <i>Analytical Cellular Pathology</i> , 2000, 20, 49-62.	2.1	22
10	Tissue PSA from fine-needle biopsies of prostatic carcinoma as related to serum PSA, clinical stage, cytological grade, and DNA ploidy. , 1999, 38, 183-188.		24
11	Comparison of routine flow cytometric DNA analysis of fresh tissues in two laboratories: Effects of differences in preparation methods and background models of cell cycle calculation. , 1998, 34, 187-197.		10
12	S-phase fraction of 155 soft tissue sarcomas: Correlation with clinical outcome. , 1996, 77, 1815-1822.		23
13	A comparison of proliferation markers and their prognostic value for women with endometrial carcinoma: Ki-67, proliferating cell nuclear antigen, and flow cytometric S-phase fraction. , 1996, 78, 1942-1951.		43
14	A comparison of proliferation markers and their prognostic value for women with endometrial carcinoma: Ki-67, proliferating cell nuclear antigen, and flow cytometric S-phase fraction. <i>Cancer</i> , 1996, 78, 1942-1951.	2.0	6
15	New epi-fluorescence optical system for independent analysis of two different fluorochromes in microscopy. <i>Cytometry</i> , 1995, 20, 95-101.	1.8	1
16	Fluorescence image cytometry for measurement of nuclear DNA content in surgical pathology. <i>Cytometry</i> , 1995, 22, 323-329.	1.8	11
17	Consensus review of the clinical utility of dna cytometry in bladder cancer. <i>Cytometry</i> , 1993, 14, 478-481.	1.8	111
18	Preparation of cell nuclei from fresh tissues for high-quality DNA flow cytometry. <i>Cytometry</i> , 1993, 14, 793-804.	1.8	61

#	ARTICLE	IF	CITATIONS
19	Improved method for release of cell nuclei from paraffin-embedded cell material of squamous cell carcinomas. <i>Cytometry</i> , 1993, 14, 931-935.	1.8	10
20	Prognostic Significance of Mucosal Aneuploidy in Stage Ta/T1 Grade 3 Carcinoma of the Bladder. <i>Journal of Urology</i> , 1992, 148, 1420-1426.	0.2	44
21	Deoxyribonucleic Acid Profile and Tumor Progression in Primary Carcinoma in Situ of the Bladder: A Study of 63 Patients with Grade 3 Lesions. <i>Journal of Urology</i> , 1992, 147, 11-15.	0.2	65
22	DNA ploidy in cell nuclei from paraffin-embedded material-comparison of results from two laboratories. <i>Cytometry</i> , 1992, 13, 395-403.	1.8	17
23	An improved hedley method for preparation of paraffin-embedded tissues for flow cytometric analysis of ploidy and S-phase. <i>Cytometry</i> , 1991, 12, 614-621.	1.8	105
24	DNA content prognostic in soft tissue sarcoma: 102 patients followed for 10 years. <i>Acta Orthopaedica</i> , 1991, 62, 187-194.	1.4	35
25	Characterization of Squamous Cell Bladder Tumors by Flow Cytometric Deoxyribonucleic Acid Analysis: A Report of 100 Cases. <i>Journal of Urology</i> , 1990, 144, 879-883.	0.2	22
26	Prognostic significance of flow cytometry studies in B-cell non-hodgkin lymphoma. <i>Hematological Oncology</i> , 1990, 8, 1-12.	0.8	47
27	Flow dna analysis in the characterization of carcinoma of the renal pelvis and ureter. <i>Cancer</i> , 1989, 64, 2141-2145.	2.0	22
28	DNA microspectrophotometry of bone sarcomas in tissue sections as compared to imprint and flow DNA analysis. <i>Cytometry</i> , 1986, 7, 544-550.	1.8	26
29	Early detection of malignancy in ulcerative colitis a flow-cytometric dna study. <i>Cancer</i> , 1984, 53, 291-295.	2.0	172
30	DNA ploidy and cell phase in human pituitary tumors. <i>Cancer</i> , 1984, 53, 1708-1713.	2.0	54
31	Chromosomal and DNA patterns in transitional cell bladder carcinoma: A comparative cytogenetic and flow-cytofluorometric DNA study. <i>Cancer</i> , 1984, 53, 1718-1723.	2.0	82
32	Clinical DNA flow cytometry. <i>Medical Oncology and Tumor Pharmacotherapy</i> , 1984, 1, 211-218.	1.0	64
33	Human pituitary tumors with two cell lines. <i>Archives of Oto-rhino-laryngology</i> , 1983, 238, 263-272.	0.5	1
34	TSH-secreting pituitary tumor. <i>Archives of Oto-rhino-laryngology</i> , 1983, 238, 135-142.	0.5	1
35	Normal Growth Hormone Secretion is Rare after Microsurgical Normalization of Growth Hormone Levels in Acromegaly. <i>Acta Medica Scandinavica</i> , 1982, 212, 401-405.	0.0	19
36	DNA pattern and cytological findings in fine-needle aspirates of untreated prostatic tumors. A flow-cytofluorometric study. <i>Prostate</i> , 1981, 2, 79-88.	1.2	64