

Yu Duan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3427595/yu-duan-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

3,032
citations

26
h-index

52
g-index

129
ext. papers

3,672
ext. citations

5.1
avg, IF

5.53
L-index

#	Paper	IF	Citations
119	Self-Assembly 3D Porous Crumpled MXene Spheres as Efficient Gas and Pressure Sensing Material for Transient All-MXene Sensors.. <i>Nano-Micro Letters</i> , 2022 , 14, 56	19.5	1
118	Highly efficient blue and white phosphorescent organic light-emitting diodes with low-efficiency roll-off utilizing thermally activated delayed fluorescent-based co-host architecture. <i>Journal of Luminescence</i> , 2022 , 244, 118686	3.8	0
117	Engineering of interface exciplex system for highly efficient white organic light-emitting diodes based on single-emission-layer architecture. <i>Organic Electronics</i> , 2022 , 100, 106382	3.5	0
116	Highly efficient orange and white OLEDs based on ultrathin phosphorescent emitters with double reverse intersystem crossing system. <i>Journal of Luminescence</i> , 2022 , 246, 118852	3.8	0
115	High efficiency, ultra-low roll-offs in orange phosphorescent organic light-emitting devices using a novel exciplex system. <i>Organic Electronics</i> , 2022 , 106, 106536	3.5	
114	Novel optical and electrical combined calcium corrosion test: An industrial application of the barrier permeability of spotless water vapor. <i>Measurement: Journal of the International Measurement Confederation</i> , 2022 , 196, 111264	4.6	0
113	Spectroscopic ellipsometry study of CsPbBr ₃ perovskite thin films prepared by vacuum evaporation. <i>Journal Physics D: Applied Physics</i> , 2021 , 54, 224002	3	4
112	Bulk Passivation and Interfacial Passivation for Perovskite Solar Cells: Which One is More Effective?. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2002078	4.6	13
111	Phosphomolybdic Acid-Modified Monolayer Graphene Anode for Efficient Organic and Perovskite Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 12268-12277	9.5	2
110	Fabrication of nucleation induction layer of self-encapsulated metal anode by an atomic layer half-reaction for enhanced flexible OLEDs. <i>Applied Physics Letters</i> , 2021 , 118, 213301	3.4	1
109	Advanced Applications of Atomic Layer Deposition in Perovskite-Based Solar Cells. <i>Advanced Photonics Research</i> , 2021 , 2, 2100011	1.9	3
108	Recent advances in semitransparent perovskite solar cells. <i>Information Materials</i> , 2021 , 3, 101-124	23.1	19
107	Enhanced flexibility and stability of PEDOT:PSS electrodes through interfacial crosslinking for flexible organic light-emitting diodes. <i>Organic Electronics</i> , 2021 , 89, 106047	3.5	7
106	Flexible resistive NO ₂ gas sensor of three-dimensional crumpled MXene Ti ₃ C ₂ T _x /ZnO spheres for room temperature application. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128828	8.5	76
105	A highly transparent laminated composite cathode for organic light-emitting diodes. <i>Applied Physics Letters</i> , 2021 , 119, 073301	3.4	
104	Improved efficiency, stable spectra and low efficiency roll-off achieved simultaneously in white phosphorescent organic light-emitting diodes by strategic exciton management. <i>Organic Electronics</i> , 2021 , 97, 106262	3.5	0
103	Highly efficient, ultralow turn-on voltage red and white organic light-emitting devices based on a novel exciplex host. <i>Materials Advances</i> , 2021 , 2, 3677-3684	3.3	3

102	Highly Conductive Alkaline-Earth Metal Electrodes: The Possibility of Maintaining Both Low Work Function and Surface Stability for Organic Electronics. <i>Advanced Optical Materials</i> , 2020 , 8, 2000206	8.1	7
101	Efficient Flexible Inorganic Perovskite Light-Emitting Diodes Fabricated with CsPbBr Emitters Prepared via Low-Temperature in Situ Dynamic Thermal Crystallization. <i>Nano Letters</i> , 2020 , 20, 4673-4680	11.5	25
100	Color-stable white phosphorescent organic light-emitting diodes based on double bipolar mixed-host layer. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 255106	3	
99	Progress of High-Throughput and Low-Cost Flexible Perovskite Solar Cells. <i>Solar Rrl</i> , 2020 , 4, 1900556	7.1	21
98	Surface Functionalization of a Graphene Cathode to Facilitate ALD Growth of an Electron Transport Layer and Realize High-Performance Flexible Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020 , 3, 4208-4216	6.1	11
97	Improved injection properties of self-passivated degenerated transparent electrode for organic and perovskite light emitting devices. <i>Applied Surface Science</i> , 2020 , 504, 144442	6.7	14
96	Hermetic seal for perovskite solar cells: An improved plasma enhanced atomic layer deposition encapsulation. <i>Nano Energy</i> , 2020 , 69, 104375	17.1	56
95	A Novel Nucleation Inducer for Ultrathin Au Anodes in High Efficiency and Flexible Organic Optoelectronic Devices. <i>Advanced Optical Materials</i> , 2020 , 8, 1901320	8.1	4
94	Highly Efficient, Simplified Monochrome and White Organic Light-Emitting Devices based on Novel Exciplex Host. <i>Advanced Optical Materials</i> , 2020 , 8, 1901247	8.1	15
93	A simple approach employing energy-down-shift Y3Al5O12:Ce3+ phosphor for realization of flexible white light emitting diodes. <i>Semiconductor Science and Technology</i> , 2020 , 35, 015010	1.8	
92	Multiple short pulse process for low-temperature atomic layer deposition and its transient steric hindrance. <i>Applied Physics Letters</i> , 2019 , 114, 201902	3.4	5
91	Hybrid perovskite charge generation layer for highly efficient tandem organic light-emitting diodes. <i>Organic Electronics</i> , 2019 , 73, 299-303	3.5	7
90	Highly efficient organic-inorganic hybrid perovskite quantum dot/nanocrystal light-emitting diodes using graphene electrode and modified PEDOT:PSS. <i>Organic Electronics</i> , 2019 , 72, 30-38	3.5	18
89	Opportunities and Challenges of Lead-Free Perovskite Optoelectronic Devices. <i>Trends in Chemistry</i> , 2019 , 1, 368-379	14.8	61
88	Improvement of Gas and Humidity Sensing Properties of Organ-like MXene by Alkaline Treatment. <i>ACS Sensors</i> , 2019 , 4, 1261-1269	9.2	107
87	Caffeine Improves the Performance and Thermal Stability of Perovskite Solar Cells. <i>Joule</i> , 2019 , 3, 1464-1477	14.87	266
86	White Light-Emitting Devices Based on Inorganic Perovskite and Organic Materials. <i>Molecules</i> , 2019 , 24,	4.8	6
85	Crystalline Liquid-like Behavior: Surface-Induced Secondary Grain Growth of Photovoltaic Perovskite Thin Film. <i>Journal of the American Chemical Society</i> , 2019 , 141, 13948-13953	16.4	96

84	Organic-inorganic hybrid perovskite quantum dot light-emitting diodes using a graphene electrode and modified PEDOT:PSS.. <i>RSC Advances</i> , 2019 , 9, 20931-20940	3.7	3
83	High-efficiency and low efficiency roll-off in white organic light-emitting diodes employing a novel blue emitter. <i>Organic Electronics</i> , 2019 , 75, 105375	3.5	2
82	Functional Metal Oxides in Perovskite Solar Cells. <i>ChemPhysChem</i> , 2019 , 20, 2580-2586	3.2	21
81	Highly efficient phosphorescent organic light-emitting diodes based on single-layer structure. <i>Optics Letters</i> , 2019 , 44, 1722-1725	3	3
80	A Review of Perovskites Solar Cell Stability. <i>Advanced Functional Materials</i> , 2019 , 29, 1808843	15.6	554
79	Two-In-One Method for Graphene Transfer: Simplified Fabrication Process for Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 7289-7295	9.5	22
78	Effect of Various Oxidants on Reaction Mechanisms, Self-Limiting Natures and Structural Characteristics of Al ₂ O ₃ Films Grown by Atomic Layer Deposition. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701248	4.6	19
77	Transparent electrodes based on ultrathin/ultra smooth Cu films produced through atomic layer deposition as new ITO-free organic light-emitting devices. <i>Organic Electronics</i> , 2018 , 58, 18-24	3.5	9
76	High quality factor microcavity OLED employing metal-free electrically active Bragg mirrors. <i>Organic Electronics</i> , 2018 , 62, 174-180	3.5	22
75	Efficient white organic light-emitting diodes with double co-host emitting layers. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9890-9896	7.1	5
74	Atomic Layer Deposition: Effect of Various Oxidants on Reaction Mechanisms, Self-Limiting Natures and Structural Characteristics of Al ₂ O ₃ Films Grown by Atomic Layer Deposition (Adv. Mater. Interfaces 14/2018). <i>Advanced Materials Interfaces</i> , 2018 , 5, 1870070	4.6	6
73	Flexible transparent electrodes for organic light-emitting diodes simply fabricated with AuCl ₃ -modified graphene. <i>Organic Electronics</i> , 2018 , 63, 71-77	3.5	15
72	Low-temperature remote plasma enhanced atomic layer deposition of ZrO/zircone nanolaminate film for efficient encapsulation of flexible organic light-emitting diodes. <i>Scientific Reports</i> , 2017 , 7, 40061	4.9	35
71	Smooth ZnO:Al-AgNWs Composite Electrode for Flexible Organic Light-Emitting Device. <i>Nanoscale Research Letters</i> , 2017 , 12, 77	5	23
70	The Cut-Off Phenomenon Effect on ZrO ₂ Growth Using Remote Plasma-Enhanced Atomic Layer Deposition. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 4714-4719	3.8	1
69	High-efficiency orange and white phosphorescent organic light-emitting diodes based on homojunction structure. <i>Organic Electronics</i> , 2017 , 44, 183-188	3.5	5
68	Highly-flexible, ultra-thin, and transparent single-layer graphene/silver composite electrodes for organic light emitting diodes. <i>Nanotechnology</i> , 2017 , 28, 315201	3.4	8
67	High efficiency warm white phosphorescent organic light emitting devices based on blue light emission from a bipolar mixed-host. <i>Organic Electronics</i> , 2017 , 45, 273-278	3.5	17

66	A flexible plasma-treated silver-nanowire electrode for organic light-emitting devices. <i>Scientific Reports</i> , 2017 , 7, 16468	4.9	41
65	Aluminum-Doped Zinc Oxide Transparent Electrode Prepared by Atomic Layer Deposition for Organic Light Emitting Devices. <i>IEEE Nanotechnology Magazine</i> , 2017 , 16, 634-638	2.6	20
64	Inkjet-printed Ag grid combined with Ag nanowires to form a transparent hybrid electrode for organic electronics. <i>Organic Electronics</i> , 2017 , 41, 179-185	3.5	41
63	Efficient white phosphorescent organic light-emitting diodes consisting of orange ultrathin and blue mixed host emission layers. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 335101	3	8
62	Dramatic efficiency improvement in single-layer orange phosphorescent organic light-emitting devices with suppressed efficiency roll-off. <i>RSC Advances</i> , 2016 , 6, 55017-55021	3.7	6
61	High-efficiency and superior color-stability white phosphorescent organic light-emitting diodes based on double mixed-host emission layers. <i>Organic Electronics</i> , 2016 , 31, 136-141	3.5	15
60	Improved color stability of white organic light-emitting diodes without interlayer between red, orange and blue emission layers. <i>Optics Communications</i> , 2016 , 362, 59-63	2	6
59	Recent progress on thin-film encapsulation technologies for organic electronic devices. <i>Optics Communications</i> , 2016 , 362, 43-49	2	172
58	Management of charge carriers and excitons for efficient and color-stable white phosphorescent organic light-emitting diodes with simplified structure. <i>Organic Electronics</i> , 2016 , 37, 207-212	3.5	16
57	Doping-free orange and white phosphorescent organic light-emitting diodes with ultra-simple structure and excellent color stability. <i>Organic Electronics</i> , 2015 , 18, 84-88	3.5	40
56	Effect of hole mobilities through the emissive layer on space charge limited currents of phosphorescent organic light-emitting diodes. <i>Optical and Quantum Electronics</i> , 2015 , 47, 375-385	2.4	3
55	Highly efficient orange and white phosphorescent organic light-emitting devices with simplified structure. <i>Organic Electronics</i> , 2015 , 26, 225-229	3.5	8
54	Method for Aluminum Oxide Thin Films Prepared through Low Temperature Atomic Layer Deposition for Encapsulating Organic Electroluminescent Devices. <i>Materials</i> , 2015 , 8, 600-610	3.5	26
53	Efficient simplified orange and white phosphorescent organic light-emitting devices with reduced efficiency roll-off. <i>Organic Electronics</i> , 2015 , 22, 122-126	3.5	10
52	High-performance flexible Ag nanowire electrode with low-temperature atomic-layer-deposition fabrication of conductive-bridging ZnO film. <i>Nanoscale Research Letters</i> , 2015 , 10, 90	5	18
51	Efficient non-doped monochrome and white phosphorescent organic light-emitting diodes based on ultrathin emissive layers. <i>Organic Electronics</i> , 2015 , 26, 451-457	3.5	49
50	Highly flexible peeled-off silver nanowire transparent anode using in organic light-emitting devices. <i>Applied Surface Science</i> , 2015 , 351, 445-450	6.7	30
49	Application of exciplex in the fabrication of white organic light emitting devices with mixed fluorescent and phosphorescent layers. <i>Journal of Luminescence</i> , 2015 , 166, 77-81	3.8	7

48	Improved performance for white phosphorescent organic light-emitting diodes utilizing an orange ultrathin non-doped emission layer. <i>RSC Advances</i> , 2015 , 5, 39097-39102	3.7	9
47	White-light electroluminescent organic devices based on efficient energy harvesting of singlet and triplet excited states using blue-light exciplex. <i>Applied Physics Express</i> , 2014 , 7, 052102	2.4	11
46	The improvement of thin film barrier performances of organic/inorganic hybrid nanolaminates employing a low-temperature MLD/ALD method. <i>RSC Advances</i> , 2014 , 4, 43850-43856	3.7	32
45	Optimization of Al ₂ O ₃ Films Deposited by ALD at Low Temperatures for OLED Encapsulation. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 18783-18787	3.8	21
44	Thin-film barrier performance of zirconium oxide using the low-temperature atomic layer deposition method. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3799-804	9.5	41
43	High barrier properties of transparent thin-film encapsulations for top emission organic light-emitting diodes. <i>Organic Electronics</i> , 2014 , 15, 1120-1125	3.5	30
42	High-performance barrier using a dual-layer inorganic/organic hybrid thin-film encapsulation for organic light-emitting diodes. <i>Organic Electronics</i> , 2014 , 15, 1936-1941	3.5	19
41	High barrier properties of transparent thin-film encapsulations for top-emission organic light-emitting diodes 2014 ,		1
40	Fabrication of tunable [Al ₂ O ₃ :Alucone] thin-film encapsulations for top-emitting organic light-emitting diodes with high performance optical and barrier properties. <i>Organic Electronics</i> , 2014 , 15, 2546-2552	3.5	21
39	Realization of Thin Film Encapsulation by Atomic Layer Deposition of Al ₂ O ₃ at Low Temperature. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 20308-20312	3.8	64
38	Passivation Properties of UV-Curable Polymer for Organic Light Emitting Diodes. <i>ECS Solid State Letters</i> , 2013 , 2, R31-R33		14
37	Novel tetraarylsilan-centred compounds as single host for white organic light-emitting diodes with high efficiency and low roll-off. <i>Journal Physics D: Applied Physics</i> , 2013 , 46, 265101	3	4
36	Pure red emission hybrid light-emitting devices based on the blend of CdSe/ZnS quantum dots and an n-type polymer. <i>Thin Solid Films</i> , 2012 , 520, 7153-7156	2.2	2
35	Efficient white organic light-emitting diodes based on an orange iridium phosphorescent complex. <i>Journal of Luminescence</i> , 2011 , 131, 2144-2147	3.8	17
34	Highly efficient white polymer light-emitting devices based on wide bandgap polymer doped with blue and yellow phosphorescent dyes. <i>Optics Letters</i> , 2010 , 35, 2436-8	3	14
33	High-efficiency red phosphorescent electroluminescence devices based on mixed p/n host matrices. <i>Optics Letters</i> , 2010 , 35, 3174-6	3	12
32	Shaping white light through electroluminescent fully organic coupled microcavities. <i>Advanced Materials</i> , 2010 , 22, 4696-700	24	17
31	White light-emitting devices based on the combined emission from red CdSe/ZnS quantum dots, green phosphorescent, and blue fluorescent organic molecules. <i>Applied Physics Letters</i> , 2009 , 94, 243506 ^{3,4}	3.4	34

30	Efficient white organic light-emitting devices based on blue, orange, red phosphorescent dyes. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 055115	3	4
29	Very low voltage and stable p-i-n organic light-emitting diodes using a linear S,S-dioxide oligothiophene as emitting layer. <i>Applied Physics Letters</i> , 2009 , 94, 063510	3.4	19
28	Influence of interlayer on the performance of stacked white organic light-emitting devices. <i>Applied Physics Letters</i> , 2009 , 95, 123307	3.4	25
27	Extremely low voltage and high bright p-i-n fluorescent white organic light-emitting diodes. <i>Applied Physics Letters</i> , 2008 , 92, 113304	3.4	39
26	Color-stable and efficient stacked white organic light-emitting devices comprising blue fluorescent and orange phosphorescent emissive units. <i>Applied Physics Letters</i> , 2008 , 93, 153508	3.4	44
25	Small-molecular white organic light-emitting devices employing 2, 5, 2', 5'-tetra (p-trifluoromethylstyryl)-biphenyl as single-emitting component. <i>Optical and Quantum Electronics</i> , 2008 , 40, 57-63	2.4	2
24	Bright white light electroluminescent devices based on efficient management of singlet and triplet excitons. <i>Optical and Quantum Electronics</i> , 2008 , 40, 967-972	2.4	
23	Simulation of transform for external quantum efficiency and power efficiency of electroluminescent devices. <i>Journal of Luminescence</i> , 2007 , 122-123, 626-628	3.8	15
22	Highly efficient and high colour rendering index white organic light-emitting devices using bis(2-(2-fluorophenyl)-1,3-benzothiazolato-N,C2') iridium (acetylacetonate) as yellow emitter. <i>Semiconductor Science and Technology</i> , 2007 , 22, 798-801	1.8	7
21	Highly efficient phosphorescent organic light-emitting devices based on Re(CO)3Cl-bathophenanthroline. <i>Semiconductor Science and Technology</i> , 2007 , 22, 553-556	1.8	14
20	White organic light-emitting devices employing phosphorescent iridium complex as RGB dopants. <i>Semiconductor Science and Technology</i> , 2007 , 22, 728-731	1.8	6
19	White organic light-emitting devices with a bipolar transport layer between blue fluorescent and orange phosphorescent emitting layers. <i>Applied Physics Letters</i> , 2007 , 91, 023505	3.4	73
18	A high performance fluorescent white organic light-emitting device and its optimization for full-colour display. <i>Semiconductor Science and Technology</i> , 2006 , 21, 148-151	1.8	3
17	High-performance blue electroluminescence devices based on distyrylbenzene derivatives. <i>Applied Physics Letters</i> , 2006 , 88, 263503	3.4	30
16	Oligomeric Phenylenevinylene with Cross Dipole Arrangement and Amorphous Morphology: Enhanced Solid-State Luminescence Efficiency and Electroluminescence Performance. <i>Advanced Materials</i> , 2005 , 17, 2710-2714	2.4	69
15	Blue electroluminescent devices based on a trimeric phenylenevinylene derivative as emitting layer. <i>Thin Solid Films</i> , 2005 , 492, 275-278	2.2	1
14	Improving the current efficiency of organic light-emitting device utilizing the well structure. <i>Optical and Quantum Electronics</i> , 2005 , 37, 371-376	2.4	3
13	High-efficiency Red Electrofluorescence Devices Employing a Rhenium Complex as Phosphorescent Sensitizer. <i>Optical and Quantum Electronics</i> , 2005 , 37, 1121-1127	2.4	2

12	A Novel Efficient Blue Organic Light Emitting Structure. <i>Materials Science Forum</i> , 2005 , 475-479, 3677-3680		2
11	Small Molecular White Organic Light Emitting Devices with Single Emission Zone. <i>Japanese Journal of Applied Physics</i> , 2004 , 43, 7501-7503	1.4	5
10	High-Efficiency White Organic Light-Emitting Devices Based on Multiple Quantum-Well Structure. <i>Chinese Physics Letters</i> , 2004 , 21, 534-536	1.8	13
9	Small molecular white organic light emitting devices with a single emission layer. <i>Semiconductor Science and Technology</i> , 2004 , 19, L32-L34	1.8	9
8	White organic light-emitting devices. <i>Optical and Quantum Electronics</i> , 2004 , 36, 1193-1203	2.4	5
7	A novel amorphous oligo(phenylenevinylene) dimer with a biphenyl linkage center and fluorene end groups for electroluminescent devices. <i>Journal of Materials Chemistry</i> , 2004 , 14, 2735		16
6	Blue and white organic light-emitting devices based on 2,5,2',5'-tetrakis (4-fluorophenylenevinyl)-biphenyl 2004 , 5280, 712		
5	Highly efficient blue organic light-emitting devices using oligo(phenylenevinylene) dimers as an emitting layer. <i>Semiconductor Science and Technology</i> , 2004 , 19, L78-L80	1.8	10
4	Improved efficiency of organic light-emitting devices employing bathocuproine doped in the electron-transporting layer. <i>Semiconductor Science and Technology</i> , 2003 , 18, L49-L52	1.8	14
3	White organic light-emitting devices using a phosphorescent sensitizer. <i>Applied Physics Letters</i> , 2003 , 82, 4224-4226	3.4	101
2	Stable and highly efficient perovskite solar cells: Doping hydrophobic fluoride into hole transport material PTAA. <i>Nano Research</i> , 1	10	1
1	ALD-Assisted Graphene Functionalization for Advanced Applications. <i>Journal of Electronic Materials</i> , 1	1.9	1