

# Gijs Afink

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3427597/gijs-afink-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50  
papers

1,215  
citations

20  
h-index

34  
g-index

55  
ext. papers

1,453  
ext. citations

5.5  
avg, IF

3.9  
L-index

#	Paper	IF	Citations
50	TBX2, a Novel Regulator of Labour. <i>Medicina (Lithuania)</i> , <b>2021</b> , 57,	3.1	1
49	Knockdown of Splicing Complex Protein PCBP2 Reduces Extravillous Trophoblast Differentiation Through Transcript Switching. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 671806	5.7	1
48	Circular RNA Sequencing of Maternal Platelets: A Novel Tool for the Identification of Pregnancy-Specific Biomarkers. <i>Clinical Chemistry</i> , <b>2021</b> , 67, 508-517	5.5	3
47	Soluble syndecan-1 and glycosaminoglycans in preeclamptic and normotensive pregnancies. <i>Scientific Reports</i> , <b>2021</b> , 11, 4387	4.9	3
46	High-quality human preimplantation embryos stimulate endometrial stromal cell migration via secretion of microRNA hsa-miR-320a. <i>Human Reproduction</i> , <b>2020</b> , 35, 1797-1807	5.7	10
45	The bivariate NRIP1/ZEB2 RNA marker permits non-invasive presymptomatic screening of pre-eclampsia. <i>Scientific Reports</i> , <b>2020</b> , 10, 21857	4.9	1
44	Plasma ceramide is increased and associated with proteinuria in women with pre-eclampsia and HELLP syndrome. <i>Pregnancy Hypertension</i> , <b>2020</b> , 19, 100-105	2.6	5
43	Role of soluble endoglin in BMP9 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 17800-17808	11.5	35
42	The apelinergic-axis in human preeclamptic pregnancies: A systematic review. <i>Pregnancy Hypertension</i> , <b>2019</b> , 17, 148-157	2.6	10
41	Peptide hormone ELABELA enhances extravillous trophoblast differentiation, but placenta is not the major source of circulating ELABELA in pregnancy. <i>Scientific Reports</i> , <b>2019</b> , 9, 19077	4.9	7
40	Associations of vomiting and antiemetic use in pregnancy with levels of circulating GDF15 early in the second trimester: A nested case-control study. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 123	4.8	21
39	In silico analysis of the Mus musculus uterine gene expression landscape during pregnancy identifies putative upstream regulators for labour. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204236	3.7	1
38	ELABELA deficiency promotes preeclampsia and cardiovascular malformations in mice. <i>Science</i> , <b>2017</b> , 357, 707-713	33.3	117
37	Higher decidual EB13 and HLA-G mRNA expression in preeclampsia: Cause or consequence of preeclampsia. <i>Human Immunology</i> , <b>2016</b> , 77, 68-70	2.3	6
36	Total bile acids in the maternal and fetal compartment in relation to placental ABCG2 expression in preeclamptic pregnancies complicated by HELLP syndrome. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2015</b> , 1852, 131-6	6.9	15
35	Placental expression of heparan sulfate 3-O-sulfotransferase-3A1 in normotensive and pre-eclamptic pregnancies. <i>Placenta</i> , <b>2015</b> , 36, 1218-24	3.4	6
34	The idiopathic preterm delivery methylation profile in umbilical cord blood DNA. <i>BMC Genomics</i> , <b>2015</b> , 16, 736	4.5	29

33	Meta-Analysis of Placental Transcriptome Data Identifies a Novel Molecular Pathway Related to Preeclampsia. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132468	3.7	24
32	Increased glucocerebrosidase expression and activity in preeclamptic placenta. <i>Placenta</i> , <b>2015</b> , 36, 160-9	3.4	19
31	Pathophysiological aspects of thyroid hormone disorders/thyroid peroxidase autoantibodies and reproduction. <i>Human Reproduction Update</i> , <b>2015</b> , 21, 378-87	15.8	108
30	SFlt-1 elevates blood pressure by augmenting endothelin-1-mediated vasoconstriction in mice. <i>PLoS ONE</i> , <b>2014</b> , 9, e91897	3.7	33
29	Resistance artery creatine kinase mRNA and blood pressure in humans. <i>Hypertension</i> , <b>2014</b> , 63, 68-73	8.5	27
28	HELLP syndrome preceded by intrahepatic cholestasis of pregnancy: one serious itch. <i>BMJ Case Reports</i> , <b>2014</b> , 2014,	0.9	3
27	Active caspase-3 is removed from cells by release of caspase-3-enriched vesicles. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2013</b> , 1833, 1844-52	4.9	38
26	The clinical and molecular relations between idiopathic preterm labor and maternal congenital heart defects. <i>Reproductive Sciences</i> , <b>2013</b> , 20, 190-201	3	5
25	Differentially expressed genes in the pre-eclamptic placenta: a systematic review and meta-analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e68991	3.7	61
24	Transglutaminase 2 is secreted from smooth muscle cells by transamidation-dependent microparticle formation. <i>Amino Acids</i> , <b>2012</b> , 42, 961-73	3.5	24
23	Molecular genetics of preeclampsia and HELLP syndrome - a review. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2012</b> , 1822, 1960-9	6.9	69
22	Soluble fms-like tyrosine kinase 1 and soluble endoglin are elevated circulating anti-angiogenic factors in pre-eclampsia. <i>Pregnancy Hypertension</i> , <b>2012</b> , 2, 358-67	2.6	19
21	Iodotyrosine deiodinase defect identified via genome-wide approach. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E1276-83	5.6	13
20	Brain abnormalities and glioma-like lesions in mice overexpressing the long isoform of PDGF-A in astrocytic cells. <i>PLoS ONE</i> , <b>2011</b> , 6, e18303	3.7	20
19	Expression of placental FLT1 transcript variants relates to both gestational hypertensive disease and fetal growth. <i>Hypertension</i> , <b>2011</b> , 58, 70-6	8.5	56
18	Initial characterization of C16orf89, a novel thyroid-specific gene. <i>Thyroid</i> , <b>2010</b> , 20, 811-21	6.2	11
17	Substrate-dependent localization of transglutaminase 2. <i>FASEB Journal</i> , <b>2010</b> , 24, 822.1	0.9	
16	GFAP promoter driven transgenic expression of PDGF $\beta$ in the mouse brain leads to glioblastoma in a Trp53 null background. <i>Glia</i> , <b>2009</b> , 57, 1143-53	9	47

15	Molecular characterization of iodotyrosine dehalogenase deficiency in patients with hypothyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 4894-901	5.6	58
14	Haplotype-specific expression of the human PDGFRA gene correlates with the risk of glioblastomas. <i>International Journal of Cancer</i> , <b>2008</b> , 123, 322-329	7.5	17
13	Gli1 is not required for Pdgfralpha expression during mouse embryonic development. <i>Differentiation</i> , <b>2005</b> , 73, 109-19	3.5	4
12	A PDGFRA promoter polymorphism, which disrupts the binding of ZNF148, is associated with primitive neuroectodermal tumours and ependymomas. <i>Journal of Medical Genetics</i> , <b>2005</b> , 42, 31-7	5.8	24
11	C/EBP is an essential component of PDGFRA transcription in MG-63 cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 315, 313-8	3.4	10
10	Forced expression of platelet-derived growth factor B in the mouse cerebellar primordium changes cell migration during midline fusion and causes cerebellar ectopia. <i>Molecular and Cellular Neurosciences</i> , <b>2004</b> , 26, 308-21	4.8	9
9	A regulating element essential for PDGFRA transcription is recognized by neural tube defect-associated PRX homeobox transcription factors. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2002</b> , 1588, 254-60	6.9	10
8	Oncogene lineages of human papillomavirus type 16 E6, E7 and E5 in preinvasive and invasive cervical squamous cell carcinoma. <i>Journal of Pathology</i> , <b>2001</b> , 195, 307-11	9.4	15
7	PATCHED and p53 gene alterations in sporadic and hereditary basal cell cancer. <i>Oncogene</i> , <b>2001</b> , 20, 7770-8	9.2	112
6	Platelet-derived growth factor receptor-alpha in ventricular zone cells and in developing neurons. <i>Molecular and Cellular Neurosciences</i> , <b>2001</b> , 17, 1001-13	4.8	37
5	Comparison of chromosome 3p deletions between cervical precancers synchronous with and without invasive cancer. <i>International Journal of Cancer</i> , <b>2000</b> , 86, 518-23	7.5	20
4	Comparison of chromosome 3p deletions between cervical precancers synchronous with and without invasive cancer <b>2000</b> , 86, 518		1
3	Specific expression in mouse mesoderm- and neural crest-derived tissues of a human PDGFRA promoter/lacZ transgene. <i>Mechanisms of Development</i> , <b>1998</b> , 70, 167-80	1.7	22
2	Altered regulation of platelet-derived growth factor receptor-alpha gene-transcription in vitro by spina bifida-associated mutant Pax1 proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 14459-63	11.5	21
1	Lysophosphatidic acid and bradykinin have opposite effects on phenotypic transformation of normal rat kidney cells. <i>Journal of Cellular Biochemistry</i> , <b>1994</b> , 56, 480-9	4.7	7