

Bill Oxley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3429022/publications.pdf>

Version: 2024-02-01

13
papers

320
citations

933447

10
h-index

1125743

13
g-index

14
all docs

14
docs citations

14
times ranked

175
citing authors

#	ARTICLE	IF	CITATIONS
1	Accuracy of Placement of Pedicle Screws in the Lumbosacral Region of Dogs Using 3D-Printed Patient-Specific Drill Guides. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2021, 34, 053-058.	0.5	13
2	Lumbosacral intervertebral disk extrusions in 13 dogs. <i>Veterinary Surgery</i> , 2021, 50, 823-832.	1.0	3
3	Accuracy of placement of pedicle screws in the thoracolumbar spine of dogs with spinal deformities with three-dimensionally printed patient-specific drill guides. <i>Veterinary Surgery</i> , 2020, 49, 347-353.	1.0	30
4	Accuracy of three-dimensional printed patient-specific drill guides for treatment of canine humeral intracondylar fissure. <i>Veterinary Surgery</i> , 2020, 49, 363-372.	1.0	18
5	Long-term outcomes after pantarsal arthrodesis with medial plate fixation without external coaptation in 30 dogs. <i>Veterinary Surgery</i> , 2020, 49, 502-511.	1.0	7
6	Atlantoaxial ventral stabilisation using 3D-printed patient-specific drill guides for placement of bicortical screws in dogs. <i>Journal of Small Animal Practice</i> , 2020, 61, 609-616.	1.2	16
7	Accuracy of patient-specific three-dimensional printed osteotomy and reduction guides for distal femoral osteotomy in dogs with medial patella luxation. <i>Veterinary Surgery</i> , 2019, 48, 584-591.	1.0	27
8	A 3-dimensional printed patient-specific guide system for minimally invasive plate osteosynthesis of a comminuted mid-diaphyseal humeral fracture in a cat. <i>Veterinary Surgery</i> , 2018, 47, 445-453.	1.0	30
9	Accuracy of a patient-specific 3D printed drill guide for placement of cervical transpedicular screws. <i>Veterinary Surgery</i> , 2018, 47, 236-242.	1.0	50
10	Bilateral shoulder arthrodesis in a Pekinese using three-dimensional printed patient-specific osteotomy and reduction guides. <i>Veterinary and Comparative Orthopaedics and Traumatology</i> , 2017, 30, 230-236.	0.5	23
11	Stabilisation of a cranial cervical vertebral fracture using a 3D-printed patient-specific drill guide. <i>Journal of Small Animal Practice</i> , 2016, 57, 277-277.	1.2	31
12	Comparison of Complication Rates and Clinical Outcome Between Tibial Plateau Leveling Osteotomy and a Modified Cranial Closing Wedge Osteotomy for Treatment of Cranial Cruciate Ligament Disease in Dogs. <i>Veterinary Surgery</i> , 2013, 42, 739-750.	1.0	47
13	Precision of a Novel Computed Tomographic Method for Quantification of Femoral Varus in Dogs and an Assessment of the Effect of Femoral Malpositioning. <i>Veterinary Surgery</i> , 2013, 42, 751-758.	1.0	25