Giovanna Tropea Garzia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3430451/publications.pdf

Version: 2024-02-01

24 papers 1,004 citations

16 h-index 610901 24 g-index

24 all docs

24 docs citations

times ranked

24

864 citing authors

#	Article	IF	Citations
1	Microbial mutualism suppression by Trichoderma and Bacillus species for controlling the invasive ambrosia beetle Xylosandrus compactus. Biological Control, 2022, 170, 104929.	3.0	7
2	Recent advances toward the sustainable management of invasive Xylosandrus ambrosia beetles. Journal of Pest Science, 2021, 94, 615-637.	3.7	45
3	<i>Drosophila suzukii</i> (Diptera: Drosophilidae): A Decade of Research Towards a Sustainable Integrated Pest Management Program. Journal of Economic Entomology, 2021, 114, 1950-1974.	1.8	113
4	Seasonal changes in population structure of the ambrosia beetle Xylosandrus compactus and its associated fungi in a southern Mediterranean environment. PLoS ONE, 2020, 15, e0239011.	2.5	17
5	First data on the flight activity and distribution of the ambrosia beetle <i>Xylosandrus compactus</i> (Eichhoff) on carob trees in Sicily. EPPO Bulletin, 2019, 49, 340-351.	0.8	18
6	Unusual Behavior of Xylosandrus compactus (Coleoptera: Scolytinae) on Carob Trees in a Mediterranean Environment. Insects, 2019, 10, 82.	2.2	16
7	Temperature and tomato variety influence the development and the plant damage induced by the zoophytophagous mirid bug Nesidiocoris tenuis. Journal of Pest Science, 2019, 92, 1049-1056.	3.7	32
8	Carob pests in the Mediterranean region: bio-ecology, natural enemies and management options. Phytoparasitica, 2019, 47, 605-628.	1.2	12
9	Augmentative releases of Trichopria drosophilae for the suppression of early season Drosophila suzukii populations. BioControl, 2019, 64, 9-19.	2.0	62
10	Host location and dispersal ability of the cosmopolitan parasitoid Trichopria drosophilae released to control the invasive spotted wing Drosophila. Biological Control, 2018, 117, 188-196.	3.0	58
11	Geographic distribution of Phyllocoptruta oleivora in the Mediterranean Basin, with particular emphasis on Italy. Systematic and Applied Acarology, 2018, 23, 1021.	0.5	5
12	<i>Rhyzopertha dominica</i> (F., 1792) (Coleoptera: Bostrichidae): a stored grain pest on olive trees in Sicily. EPPO Bulletin, 2017, 47, 263-268.	0.8	7
13	Cost–benefit analysis of controlling the spotted wing drosophila (<i>Drosophila suzukii</i>) Tj ETQq1 1 0.7843 Science, 2017, 73, 2318-2327.	314 rgBT /C 3.4	Overlock 10 1 32
14	Comparative life history traits of indigenous Italian parasitoids of Drosophila suzukii and their effectiveness at different temperatures. Biological Control, 2017, 112, 20-27.	3.0	58
15	Insights into food webs associated with the South American tomato pinworm. Pest Management Science, 2017, 73, 1352-1357.	3.4	32
16	Olfactory response of the zoophytophagous mirid Nesidiocoris tenuis to tomato and alternative host plants. Arthropod-Plant Interactions, 2017, 11, 121-131.	1.1	37
17	Drosophila suzukii population response to environment and management strategies. Journal of Pest Science, 2016, 89, 653-665.	3.7	90
18	Farmers' knowledge and perception of grain legume pests and their management in the Eastern province of Kenya. Crop Protection, 2016, 87, 90-97.	2.1	35

#	Article	IF	CITATIONS
19	Can alternative host plant and prey affect phytophagy and biological control by the zoophytophagous mirid Nesidiocoris tenuis?. BioControl, 2016, 61, 79-90.	2.0	110
20	Repellency of Plant Extracts against the Legume Flower Thrips Megalurothrips sjostedti (Thysanoptera: Thripidae). Insects, 2015, 6, 608-625.	2.2	42
21	Potential Toxicity of Â-Cypermethrin-Treated Nets on Tuta absoluta (Lepidoptera: Gelechiidae). Journal of Economic Entomology, 2015, 108, 1191-1197.	1.8	30
22	First record of the Persea Mite <i>Oligonychus perseae</i> (Acari: Tetranychidae) in Italy with a review of the literature. International Journal of Acarology, 2015, 41, 97-99.	0.7	9
23	<i>Tuta absoluta</i> , a South American pest of tomato now in the EPPO region: biology, distribution and damage. EPPO Bulletin, 2012, 42, 205-210.	0.8	113
24	Identification of Planococcus ficus and Planococcus citri (Hemiptera: Pseudococcidae) by PCR-RFLP of COI gene. Zootaxa, 2008, 1816, 65.	0.5	24