Colin J R Stewart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3432239/publications.pdf

Version: 2024-02-01

109264 143943 3,878 123 35 57 citations h-index g-index papers 125 125 125 4020 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Germline and somatic SMARCA4 mutations characterize small cell carcinoma of the ovary, hypercalcemic type. Nature Genetics, 2014, 46, 438-443.	9.4	383
2	Data set for reporting of ovary, fallopian tube and primary peritoneal carcinoma: recommendations from the International Collaboration on Cancer Reporting (ICCR). Modern Pathology, 2015, 28, 1101-1122.	2.9	164
3	High-grade Endometrial Carcinomas: Morphologic and Immunohistochemical Features, Diagnostic Challenges and Recommendations. International Journal of Gynecological Pathology, 2019, 38, S40-S63.	0.9	164
4	DICER1 Mutations Are Consistently Present in Moderately and Poorly Differentiated Sertoli-Leydig Cell Tumors. American Journal of Surgical Pathology, 2017, 41, 1178-1187.	2.1	114
5	Endometriosis-associated ovarian neoplasia. Pathology, 2018, 50, 190-204.	0.3	113
6	BCOR is a robust diagnostic immunohistochemical marker of genetically diverse high-grade endometrial stromal sarcoma, including tumors exhibiting variant morphology. Modern Pathology, 2017, 30, 1251-1261.	2.9	112
7	Uterine Inflammatory Myofibroblastic Tumors Frequently Harbor ALK Fusions With IGFBP5 and THBS1. American Journal of Surgical Pathology, 2017, 41, 773-780.	2.1	103
8	Concurrent ARID1A and ARID1B inactivation in endometrial and ovarian dedifferentiated carcinomas. Modern Pathology, 2016, 29, 1586-1593.	2.9	87
9	Persistent Gestational Trophoblastic Disease After an Androgenetic/Biparental Fetal Chimera. International Journal of Gynecological Pathology, 2006, 25, 366-372.	0.9	86
10	The influence of clinical and genetic factors on patient outcome in small cell carcinoma of the ovary, hypercalcemic type. Gynecologic Oncology, 2016, 141, 454-460.	0.6	85
11	SWI/SNF complex deficiency and mismatch repair protein expression in undifferentiated and dedifferentiated endometrial carcinoma. Pathology, 2015, 47, 439-445.	0.3	84
12	Homologous Recombination DNA Repair Pathway Disruption and Retinoblastoma Protein Loss Are Associated with Exceptional Survival in High-Grade Serous Ovarian Cancer. Clinical Cancer Research, 2018, 24, 569-580.	3.2	79
13	Undifferentiated Endometrial Carcinomas Show Frequent Loss of Core Switch/Sucrose Nonfermentable Complex Proteins. American Journal of Surgical Pathology, 2018, 42, 76-83.	2.1	78
14	Pathological chemotherapy response score is prognostic in tubo-ovarian high-grade serous carcinoma: A systematic review and meta-analysis of individual patient data. Gynecologic Oncology, 2019, 154, 441-448.	0.6	74
15	SMARCA4-deficient Uterine Sarcoma and Undifferentiated Endometrial Carcinoma Are Distinct Clinicopathologic Entities. American Journal of Surgical Pathology, 2020, 44, 263-270.	2.1	67
16	Immunophenotypic features of MELF pattern invasion in endometrial adenocarcinoma: evidence for epithelial–mesenchymal transition. Histopathology, 2009, 55, 91-101.	1.6	64
17	Epithelial–mesenchymal transition in carcinomas of the female genital tract. Histopathology, 2013, 62, 31-43.	1.6	59
18	Immunophenotypic features of dedifferentiated endometrial carcinoma – insights from <scp>BRG</scp> 1/ <scp>Ini</scp> 1â€deficient tumours. Histopathology, 2016, 69, 560-569.	1.6	54

#	Article	IF	CITATIONS
19	A combination of the immunohistochemical markers CK7 and SATB2 is highly sensitive and specific for distinguishing primary ovarian mucinous tumors from colorectal and appendiceal metastases. Modern Pathology, 2019, 32, 1834-1846.	2.9	54
20	An Evaluation of the Morphologic Features of Low-grade Mucinous Neoplasms of the Appendix Metastatic in the Ovary, and Comparison With Primary Ovarian Mucinous Tumors. International Journal of Gynecological Pathology, 2014, 33, 1-10.	0.9	52
21	KRAS mutations in ovarian low-grade endometrioid adenocarcinoma: association with concurrent endometriosis. Human Pathology, 2012, 43, 1177-1183.	1.1	51
22	Accuracy of Frozen Section in Distinguishing Primary Ovarian Neoplasia from Tumors Metastatic to the Ovary. International Journal of Gynecological Pathology, 2005, 24, 356-362.	0.9	49
23	ER and PR expression and survival after endometrial cancer. Gynecologic Oncology, 2018, 148, 258-266.	0.6	49
24	Prostatic-type Tissue in the Lower Female Genital Tract: A Morphologic Spectrum, Including Vaginal Tubulosquamous Polyp, Adenomyomatous Hyperplasia of Paraurethral Skene Glands (Female Prostate), and Ectopic Lesion in the Vulva. American Journal of Surgical Pathology, 2010, 34, 950-955.	2.1	48
25	ALK Is a Specific Diagnostic Marker for Inflammatory Myofibroblastic Tumor of the Uterus. American Journal of Surgical Pathology, 2018, 42, 1353-1359.	2.1	48
26	Guidelines to Aid in the Distinction of Endometrial and Endocervical Carcinomas, and the Distinction of Independent Primary Carcinomas of the Endometrium and Adnexa From Metastatic Spread Between These and Other Sites. International Journal of Gynecological Pathology, 2019, 38, S75-S92.	0.9	48
27	Superficial cervico-vaginal myofibroblastoma: a report of five cases. Pathology, 2005, 37, 144-148.	0.3	46
28	Ovarian embryonal rhabdomyosarcoma is a rare manifestation of the DICER1 syndrome. Human Pathology, 2015, 46, 917-922.	1.1	46
29	Gynecologic Manifestations of the DICER1 Syndrome. Surgical Pathology Clinics, 2016, 9, 227-241.	0.7	43
30	Significantly greater prevalence of DICER1 alterations in uterine embryonal rhabdomyosarcoma compared to adenosarcoma. Modern Pathology, 2020, 33, 1207-1219.	2.9	43
31	Evaluation of fluorescence <i>inâ€situ</i> hybridization in monomorphic endometrial stromal neoplasms and their histological mimics: a review of 49 cases. Histopathology, 2014, 65, 473-482.	1.6	41
32	Frequent Mismatch Repair Protein Deficiency in Mixed Endometrioid and Clear Cell Carcinoma of the Endometrium. International Journal of Gynecological Pathology, 2017, 36, 555-561.	0.9	40
33	Ovarian mucinous tumour arising in mature cystic teratoma and associated with pseudomyxoma peritonei: report of two cases and comparison with ovarian involvement by low-grade appendiceal mucinous tumour. Pathology, 2006, 38, 534-538.	0.3	39
34	Expression of cell cycle regulatory proteins in endometrial adenocarcinoma: variations in conventional tumor areas and in microcystic, elongated and fragmented glands. Modern Pathology, 2009, 22, 725-733.	2.9	39
35	Ovarian Sex Cord-Stromal Tumors in Patients With Probable or Confirmed Germline DICER1 Mutations. International Journal of Gynecological Pathology, 2015, 34, 266-274.	0.9	39
36	Mucosal endocrine cell micronests and single endocrine cells following neo-adjuvant therapy for adenocarcinoma of the distal oesophagus and oesophagogastric junction. Journal of Clinical Pathology, 2007, 60, 1284-1289.	1.0	38

#	Article	IF	CITATIONS
37	Value of cytology in the intraoperative assessment of ovarian tumors. Cancer Cytopathology, 2010, 118, 127-136.	1.4	36
38	Mutational Landscape of Ovarian Adult Granulosa Cell Tumors from Whole Exome and Targeted <i>TERT</i> Promoter Sequencing. Molecular Cancer Research, 2019, 17, 177-185.	1.5	36
39	Assessment of Serosal Invasion and Criteria for the Classification of Pathological (p) T4 Staging in Colorectal Carcinoma: Confusions, Controversies and Criticisms. Cancers, 2011, 3, 164-181.	1.7	35
40	Fallopian tube metastases of nonâ€gynaecological origin: a series of 20 cases emphasizing patterns of involvement including intraâ€epithelial spread. Histopathology, 2012, 60, E106-14.	1.6	35
41	PAX2 and Cyclin D1 Expression in the Distinction Between Cervical Microglandular Hyperplasia and Endometrial Microglandular-like Carcinoma. International Journal of Gynecological Pathology, 2015, 34, 90-100.	0.9	34
42	NTRK-rearranged mesenchymal tumours: diagnostic challenges, morphological patterns and proposed testing algorithm. Pathology, 2020, 52, 401-409.	0.3	34
43	Co-existence of leiomyomas, adenomyosis and endometriosis in women with endometrial cancer. Scientific Reports, 2020, 10, 3621.	1.6	33
44	An immunohistochemical and molecular analysis of problematic and unclassified ovarian sex cord–stromal tumors. Human Pathology, 2013, 44, 2774-2781.	1.1	29
45	Longâ€ŧerm survival of patients with mismatch repair proteinâ€deficient, highâ€stage ovarian clear cell carcinoma. Histopathology, 2017, 70, 309-313.	1.6	29
46	PGR Gene Fusions Identify a Molecular Subset of Uterine Epithelioid Leiomyosarcoma With Rhabdoid Features. American Journal of Surgical Pathology, 2019, 43, 810-818.	2.1	28
47	Galectin-3 Expression in Uterine Endometrioid Adenocarcinoma. International Journal of Gynecological Pathology, 2010, 29, 555-561.	0.9	27
48	Cyclin D1, Eâ€cadherin and betaâ€catenin expression in FIGO Stage IA cervical squamous carcinoma: diagnostic value and evidence for epithelial–mesenchymal transition. Histopathology, 2012, 61, 1125-1133.	1.6	26
49	High-grade transformation of low-grade endometrial stromal sarcomas lacking YWHAE and BCOR genetic abnormalities. Modern Pathology, 2020, 33, 1861-1870.	2.9	26
50	Microâ€anatomical variation in cellular proliferation in endometrial adenocarcinoma, and inverse correlation between Ki67 and cytokeratin 7 expression. Histopathology, 2010, 57, 46-54.	1.6	25
51	Frequent loss of claudinâ€4 expression in dedifferentiated and undifferentiated endometrial carcinomas. Histopathology, 2018, 73, 299-305.	1.6	25
52	Intraoperative Assessment of Clear Cell Carcinoma of the Ovary. International Journal of Gynecological Pathology, 2008, 27, 475-482.	0.9	24
53	Cytokeratin 19 Expression in Normal Endometrium and in Low-grade Endometrioid Adenocarcinoma of the Endometrium. International Journal of Gynecological Pathology, 2011, 30, 484-491.	0.9	23
54	Fascin expression in low-grade uterine endometrioid adenocarcinoma: correlation with microcystic, elongated and fragmented (MELF)-type alteration at the deep invasive margin. Histopathology, 2011, 59, 73-80.	1.6	23

#	Article	IF	CITATIONS
55	The application of nextâ€generation sequencingâ€based molecular diagnostics in endometrial stromal sarcoma. Histopathology, 2016, 69, 551-559.	1.6	23
56	Extrauterine Adenomyoma With Atypical (Symplastic) Smooth Muscle Cells. International Journal of Gynecological Pathology, 2009, 28, 23-28.	0.9	22
57	Risk of high-grade serous ovarian cancer associated with pelvic inflammatory disease, parity and breast cancer. Cancer Epidemiology, 2018, 55, 110-116.	0.8	22
58	Novel <i>POLE</i> pathogenic germline variant in a family with multiple primary tumors results in distinct mutational signatures. Human Mutation, 2019, 40, 36-41.	1.1	21
59	Tubulo-squamous Vaginal Polyp With Basaloid Epithelial Differentiation. International Journal of Gynecological Pathology, 2009, 28, 563-566.	0.9	20
60	βâ€Catenin and Eâ€cadherin expression in stage I adultâ€type granulosa cell tumour of the ovary: correlation with tumour morphology and clinical outcome. Histopathology, 2013, 62, 257-266.	1.6	19
61	Fascin expression in undifferentiated and dedifferentiated endometrial carcinoma. Human Pathology, 2015, 46, 1514-1520.	1.1	19
62	Correlation between invasive pattern and immunophenotypic alterations in endocervical adenocarcinoma. Histopathology, 2011, 58, 720-728.	1.6	18
63	Cervical carcinomas with a micropapillary component: a clinicopathological study of eight cases. Histopathology, 2018, 72, 626-633.	1.6	18
64	Immunophenotypic analysis of ovarian endometrioid adenocarcinoma: Correlation with KRAS mutation and the presence of endometriosis. Pathology, 2013, 45, 559-566.	0.3	17
65	p53 immunohistochemical analysis of fusionâ€positive uterine sarcomas. Histopathology, 2021, 78, 805-813.	1.6	17
66	Foamy gland changes in gastric-type endocervical neoplasia. Pathology, 2015, 47, 653-658.	0.3	16
67	Clinicopathological and immunohistological features of polypoid endometriosis. Histopathology, 2016, 68, 398-404.	1.6	16
68	TSC2-mutant uterine sarcomas with JAZF1-SUZ12 fusions demonstrate hybrid features of endometrial stromal sarcoma and PEComa and are responsive to mTOR inhibition. Modern Pathology, 2022, 35, 117-127.	2.9	16
69	Coexisting Serous Carcinoma of the Endometrium and the Fallopian Tube. International Journal of Gynecological Pathology, 2010, 29, 278-281.	0.9	15
70	Fascin expression in endocervical neoplasia: correlation with tumour morphology and growth pattern. Journal of Clinical Pathology, 2012, 65, 213-217.	1.0	15
71	SF1 immunohistochemistry is useful in differentiating uterine tumours resembling sex cord-stromal tumours from potential histological mimics. Pathology, 2016, 48, 434-440.	0.3	15
72	Cytologic findings in stratified mucinâ€producing intraepithelial lesion of the cervix: A report of 34 cases. Diagnostic Cytopathology, 2016, 44, 20-25.	0.5	14

#	Article	IF	CITATIONS
73	SWI/SNF-deficient malignancies of the female genital tract. Seminars in Diagnostic Pathology, 2021, 38, 199-211.	1.0	14
74	Molecular alterations in lesions of anogenital mammary-like glands and their mammary counterparts including hidradenoma papilliferum, intraductal papilloma, fibroadenoma and phyllodes tumor. Annals of Diagnostic Pathology, 2017, 28, 12-18.	0.6	13
75	Evaluation of molecular analysis in challenging ovarian sex cord-stromal tumours: a review of 50 cases. Pathology, 2020, 52, 686-693.	0.3	12
76	Podoplanin and SOX2 Expression in CIN 3–like Squamous Cell Carcinoma of the Cervix. International Journal of Gynecological Pathology, 2018, 37, 59-67.	0.9	11
77	Extravascular migratory metastasis in gynaecological carcinosarcoma. Histopathology, 2014, 65, 363-370.	1.6	10
78	SOX2 Expression in Cervical Intraepithelial Neoplasia Grade 3 (CIN3) and Superficially Invasive (Stage) Tj ETQq0 566-573.	0 0 rgBT / 0.9	Overlock 10 1
79	Value of Pathology Review in a Population-based Series of Ovarian Tumors. International Journal of Gynecological Pathology, 2017, 36, 377-385.	0.9	10
80	An immunohistochemical and molecular analysis of papillary proliferation of the endometrium. Pathology, 2018, 50, 286-292.	0.3	10
81	Loss of ARID1B and SMARCB1 expression are specific for the diagnosis of dedifferentiated/undifferentiated carcinoma in tumours of the upper gynaecological tract and cervix. Histopathology, 2021, 79, 160-167.	1.6	10
82	Protocol for the Examination of Specimens From Patients With Primary Carcinomas of the Colon and Rectum. Archives of Pathology and Laboratory Medicine, 2009, 133, 1359-1360.	1.2	10
83	Risk and prognostic factors for endometrial carcinoma after diagnosis of breast or Lynchâ€associated cancers—A populationâ€based analysis. Cancer Medicine, 2018, 7, 6411-6422.	1.3	9
84	Comparison of Proliferation Indices in Primary Adult-type Granulosa Cell Tumors of the Ovary and Their Corresponding Metastases: An Analysis of 14 Cases. International Journal of Gynecological Pathology, 2009, 28, 423-431.	0.9	8
85	Deciduoid mesothelial hyperplasia of the pelvic peritoneum. Histopathology, 2013, 63, 598-600.	1.6	8
86	Endometrial Synovial-like Metaplasia Associated With Levonorgestrel-releasing Intrauterine System. International Journal of Gynecological Pathology, 2015, 34, 570-575.	0.9	8
87	p16 immunoreactivity in endometrial stromal cells: stromal p16 expression characterises but is not specific for endometrial polyps. Pathology, 2015, 47, $112-117$.	0.3	8
88	NKX3.1 expression in cervical â€~adenoid basal cell carcinoma': another gynaecological lesion with prostatic differentiation?. Pathology, 2021, 53, 193-198.	0.3	8
89	Cervical intraepithelial neoplasia (<scp>CIN</scp>) 3â€like squamous cell carcinoma of the cervix: a review of 14 cases with comparison of Eâ€cadherin and cyclin D1 expression in the <scp>CIN</scp> 3â€like and infiltrative tumour elements. Histopathology, 2017, 70, 367-374.	1.6	7
90	A detailed morphological and immunohistochemical comparison of primary endometrial and tubo-ovarian high-grade serous carcinomas and their corresponding omental metastases. Pathology, 2020, 52, 197-205.	0.3	7

#	Article	IF	CITATIONS
91	Histological comparison of partial hydatidiform mole and trisomy gestation specimens. Pathology, 2016, 48, 550-554.	0.3	6
92	Endometrial neuroendocrine carcinoma and undifferentiated carcinoma are distinct entities with overlap in neuroendocrine marker expression. Histopathology, 2022, 81, 44-54.	1.6	6
93	High-grade squamous intraepithelial lesion (HSIL) of the cervix with bizarre cytological appearances (â€~pleomorphic HSIL'): a review of 19 cases. Pathology, 2017, 49, 465-470.	0.3	5
94	Evaluation of pathology review at gynaecological oncology multidisciplinary team meetings: a 5-year prospective analysis of cases with major diagnostic discordance. Pathology, 2019, 51, 353-361.	0.3	5
95	Excisional treatment comparison for in situ endocervical adenocarcinoma (EXCISE): A phase 2 pilot randomized controlled trial to compare histopathological margin status, specimen size and fragmentation after loop electrosurgical excision procedure and cold knife cone biopsy. Gynecologic Oncology. 2020. 159. 623-629.	0.6	5
96	Anastomosing haemangioma of the ovary with hilus cell hyperplasia. Pathology, 2020, 52, 392-394.	0.3	5
97	Cytologic Identification of Reinke Crystalloids in Ovarian Leydig Cell Tumor. Archives of Pathology and Laboratory Medicine, 2006, 130, 765-766.	1.2	5
98	Caldesmon is useful in demonstrating extramural venous invasion in colorectal carcinomas showing mucinous differentiation. Pathology, 2012, 44, 48-51.	0.3	4
99	Endometrial intravascular thrombi are typically associated with shedding but may be the sentinel feature of an underlying thrombotic disorder. Histopathology, 2020, 76, 919-922.	1.6	4
100	Stromal Endocrine Cell Micronests Associated With an Ovarian Mucinous Cystadenoma: Endocrine Cell Preservation (Pseudohyperplasia) Potentially Mimicking Stromal Sex Cord Proliferation or Tumor Microinvasion. International Journal of Gynecological Pathology, 2021, 40, 56-59.	0.9	4
101	Ovarian Neoplasia Associated With Localized Endocervical Carcinoma. International Journal of Gynecological Pathology, 2011, 30, 62-63.	0.9	3
102	TRACEBACK: Testing of Historical Tubo-Ovarian Cancer Patients for Hereditary Risk Genes as a Cancer Prevention Strategy in Family Members. Journal of Clinical Oncology, 2022, , JCO2102108.	0.8	3
103	Use of reticulin stain in the diagnosis of intra-uterine gestation. Pathology, 2008, 40, 365-371.	0.3	2
104	Epithelial-to-mesenchymal transition in endometrioid adenocarcinoma of the endometrium. Human Pathology, 2013, 44, 1956-1957.	1.1	2
105	Endometrial polyp-like lesion arising in adenomyosis: a report of three cases. Pathology, 2015, 47, 478-479.	0.3	2
106	Asynchronous glands in secretory pattern endometrium: clinical associations and immunohistological changes. Histopathology, 2015, 67, 39-47.	1.6	2
107	A Case Report of Syndromic Multinodular Goitre in Adolescence: Exploring the Phenotype Overlap between Cowden and DICER1 Syndromes. European Thyroid Journal, 2018, 7, 44-50.	1.2	2
108	Cerebellar Differentiation in Ovarian Teratoma. International Journal of Gynecological Pathology, 2018, 37, 316-323.	0.9	2

#	ARTICLE	IF	CITATIONS
109	Re: Madore <i>et al</i> . Characterization of the molecular differences between ovarian endometrioid carcinoma and ovarian serous carcinoma. <i>j Pathol</i> 2010;220:392–400. Journal of Pathology, 2010, 222, 117-117.	2.1	1
110	Fallopian Tube Intraluminal Tumor Spread. American Journal of Surgical Pathology, 2014, 38, 578-579.	2.1	1
111	Incidence of germline BRCA1/2 mutations in women with tubo-ovarian high-grade serous carcinomas with and without serous tubal intra-epithelial carcinomas. International Journal of Gynecological Cancer, 2020, 30, 94-99.	1.2	1
112	Uterine plexiform tumourlets: multifocal and solitary cases with subsets expressing melanocytic markers. Histopathology, 2021, 78, 690-698.	1.6	1
113	Comparison of Primary and Recurrent Adult Granulosa Cell Tumors. International Journal of Gynecological Pathology, 2012, 31, 541.	0.9	0
114	Keratin expression in colorectal cancer: freak of nature or significant finding?. Histopathology, 2012, 60, 846-847.	1.6	0
115	Mullerian Carcinosarcoma Arising in the Cecum Associated With Florid Vascular Proliferation/Glomeruloid Microvascular Proliferation. International Journal of Gynecological Pathology, 2013, 32, 38-43.	0.9	0
116	Response to: High-grade squamous intraepithelial lesion (HSIL) of the cervix with bizarre cytological appearances (†pleomorphic HSIL'): author reply. Pathology, 2018, 50, 370.	0.3	0
117	Peritumoral granulomatous reaction in endometrial carcinoma: association with DNA mismatch repair protein deficiency, particularly loss of PMS2 expression. Histopathology, 2018, 73, 428-437.	1.6	0
118	Lynch syndrome associated endometrial carcinomas in Western Australia: an analysis of universal screening by mismatch repair protein immunohistochemistry. International Journal of Gynecological Cancer, 2021, 31, ijgc-2020-002299.	1.2	0
119	Microcystic stromal tumour arising in association with serous cystadenoma. Pathology, 2021, 53, 940-942.	0.3	0
120	Adjunct molecular analysis in the distinction of primary ovarian mucinous carcinoma from colon carcinoma metastatic to the ovary. Pathology, 2022, 54, 136-138.	0.3	0
121	SMARCA4-deficient anaplastic carcinoma arising in a primary retroperitoneal mucinous adenocarcinoma. Pathology, 2022, 54, 376-378.	0.3	0
122	Atypical Microglandular Hyperplasia of Endocervix as the Presenting Feature of Plasminogen Deficiency. International Journal of Gynecological Pathology, 2021, 40, 224-228.	0.9	0
123	Bartholin gland adenocarcinoma with micropapillary features: a case report with molecular evaluation. Pathology, 2022, , .	0.3	0