## Fang-Jen S Lee

## List of Publications by Citations

Source: https://exaly.com/author-pdf/3433113/fang-jen-s-lee-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62
papers
1,318
citations
4
h-index
9-index

64
ext. papers
ext. citations
62
h-index
34
g-index
4
g-index
L-index

#	Paper	IF	Citations
62	Acetylation of yeast AMPK controls intrinsic aging independently of caloric restriction. <i>Cell</i> , <b>2011</b> , 146, 969-79	56.2	114
61	ARF GTPases and their GEFs and GAPs: concepts and challenges. <i>Molecular Biology of the Cell</i> , <b>2019</b> , 30, 1249-1271	3.5	86
60	Characterization of an ADP-ribosylation factor-like 1 protein in Saccharomyces cerevisiae. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 30998-1005	5.4	78
59	Different ARF domains are required for the activation of cholera toxin and phospholipase D. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 21-4	5.4	74
58	ARL4D recruits cytohesin-2/ARNO to modulate actin remodeling. <i>Molecular Biology of the Cell</i> , <b>2007</b> , 18, 4420-37	3.5	68
57	Identification of a novel protein 3a from severe acute respiratory syndrome coronavirus. <i>FEBS Letters</i> , <b>2004</b> , 565, 111-6	3.8	61
56	Arl1p regulates spatial membrane organization at the trans-Golgi network through interaction with Arf-GEF Gea2p and flippase Drs2p. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, E668-77	11.5	48
55	Functional characterization and localization of acetyl-CoA hydrolase, Ach1p, in Saccharomyces cerevisiae. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 17203-9	5.4	39
54	ARL4, an ARF-like protein that is developmentally regulated and localized to nuclei and nucleoli. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 37815-23	5.4	38
53	Characterization of a novel ADP-ribosylation factor-like protein (yARL3) in Saccharomyces cerevisiae. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 3819-27	5.4	38
52	Role for Gcs1p in regulation of Arl1p at trans-Golgi compartments. <i>Molecular Biology of the Cell</i> , <b>2005</b> , 16, 4024-33	3.5	37
51	Arl1p is involved in transport of the GPI-anchored protein Gas1p from the late Golgi to the plasma membrane. <i>Journal of Cell Science</i> , <b>2006</b> , 119, 3845-55	5.3	35
50	A developmentally regulated ARF-like 5 protein (ARL5), localized to nuclei and nucleoli, interacts with heterochromatin protein 1. <i>Journal of Cell Science</i> , <b>2002</b> , 115, 4433-45	5.3	35
49	Differential secretion of Sap4-6 proteins in Candida albicans during hyphae formation. <i>Microbiology</i> (United Kingdom), <b>2002</b> , 148, 3743-3754	2.9	35
48	Role for Arf3p in development of polarity, but not endocytosis, in Saccharomyces cerevisiae. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 3834-47	3.5	33
47	The Arf family GTPase Arl4A complexes with ELMO proteins to promote actin cytoskeleton remodeling and reveals a versatile Ras-binding domain in the ELMO proteins family. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 38969-79	5.4	31
46	ARL4A acts with GCC185 to modulate Golgi complex organization. <i>Journal of Cell Science</i> , <b>2011</b> , 124, 4014-26	5.3	30

45	Phospholipid- and GTP-dependent activation of cholera toxin and phospholipase D by human ADP-ribosylation factor-like protein 1 (HARL1). <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 15872-6	5.4	30	
44	N alpha-acetyltransferase deficiency alters protein synthesis in Saccharomyces cerevisiae. <i>FEBS Letters</i> , <b>1989</b> , 256, 139-42	3.8	30	
43	Biosynthesis of superoxide dismutase in Saccharomyces cerevisiae: effects of paraquat and copper. Journal of Free Radicals in Biology & Medicine, 1985, 1, 319-25		25	
42	Syt1p promotes activation of Arl1p at the late Golgi to recruit Imh1p. <i>Journal of Cell Science</i> , <b>2010</b> , 123, 3478-89	5.3	20	
41	ADP-ribosylation factor-like 4C binding to filamin-A modulates filopodium formation and cell migration. <i>Molecular Biology of the Cell</i> , <b>2017</b> , 28, 3013-3028	3.5	19	
40	Biosynthesis of superoxide dismutase and catalase in chemostat culture of Saccharomyces cerevisiae. <i>Applied Microbiology and Biotechnology</i> , <b>1987</b> , 26, 531-536	5.7	19	
39	Acetyl-CoA hydrolase involved in acetate utilization in Saccharomyces cerevisiae. <i>BBA - Proteins and Proteomics</i> , <b>1996</b> , 1297, 105-9		17	
38	Effect of oxygen tension on stability and expression of a killer toxin chimeric plasmid in a chemostat culture of Saccharomyces cerevisiae. <i>Applied Microbiology and Biotechnology</i> , <b>1987</b> , 27, 72	5.7	17	
37	Multiple activities of Arl1 GTPase in the trans-Golgi network. <i>Journal of Cell Science</i> , <b>2017</b> , 130, 1691-16	5 <b>99</b> 3	14	
36	The yeast ADP-ribosylation factor GAP, Gcs1p, is involved in maintenance of mitochondrial morphology. <i>Journal of Cell Science</i> , <b>2002</b> , 115, 275-282	5.3	14	
35	Purification and characterization of an acetyl-CoA hydrolase from Saccharomyces cerevisiae. <i>FEBS Journal</i> , <b>1989</b> , 184, 21-8		13	
34	Stability and expression of a plasmid-containing killer toxin cDNA in batch and chemostat cultures of saccharomyces cerevisiae. <i>Biotechnology and Bioengineering</i> , <b>1988</b> , 31, 783-9	4.9	13	
33	Afi1p functions as an Arf3p polarization-specific docking factor for development of polarity. Journal of Biological Chemistry, <b>2008</b> , 283, 16915-27	5.4	12	
32	GTP-binding-defective ARL4D alters mitochondrial morphology and membrane potential. <i>PLoS ONE</i> , <b>2012</b> , 7, e43552	3.7	12	
31	The Arl3 and Arl1 GTPases co-operate with Cog8 to regulate selective autophagy via Atg9 trafficking. <i>Traffic</i> , <b>2017</b> , 18, 580-589	5.7	11	
30	The RNA helicase Dhh1p cooperates with Rbp1p to promote porin mRNA decay via its non-conserved C-terminal domain. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, 1331-44	20.1	11	
29	Identification of a novel function of the clathrin-coated structure at the plasma membrane in facilitating GM-CSF receptor-mediated activation of JAK2. <i>Cell Cycle</i> , <b>2012</b> , 11, 3611-26	4.7	11	
28	Biosynthesis of superoxide dismutase and catalase inSaccharomyces cerevisiae: effects of oxygen and cytochromec deficiency. <i>Journal of Industrial Microbiology</i> , <b>1986</b> , 1, 187-193		11	

27	Identification and characterization of an ADP-ribosylation factor in Plasmodium falciparum. <i>Molecular and Biochemical Parasitology</i> , <b>1997</b> , 87, 217-23	1.9	10
26	Determinants of Rbp1p localization in specific cytoplasmic mRNA-processing foci, P-bodies. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 29379-90	5.4	10
25	The yeast RNA-binding protein Rbp1p modifies the stability of mitochondrial porin mRNA. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 453-62	5.4	10
24	Cloning of a Saccharomyces cerevisiae gene encoding a protein homologous to allantoicase of Neurospora crassa. <i>Yeast</i> , <b>1991</b> , 7, 993-5	3.4	10
23	Arf-like protein 4D. The AFCS-nature Molecule Pages,		10
22	Unfolded protein response regulates yeast small GTPase Arl1p activation at late Golgi via phosphorylation of Arf GEF Syt1p. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E1683-90	11.5	9
21	The yeast ADP-ribosylation factor GAP, Gcs1p, is involved in maintenance of mitochondrial morphology. <i>Journal of Cell Science</i> , <b>2002</b> , 115, 275-82	5.3	9
20	Competition between the golgin Imh1p and the GAP Gcs1p stabilizes activated Arl1p at the late-Golgi. <i>Journal of Cell Science</i> , <b>2012</b> , 125, 4586-96	5.3	8
19	Structural elements of ADP-ribosylation factor 1 required for functional interaction with cytohesin-1. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 12438-44	5.4	8
18	Arf3p GTPase is a key regulator of Bud2p activation for invasive growth in Saccharomyces cerevisiae. <i>Molecular Biology of the Cell</i> , <b>2013</b> , 24, 2328-39	3.5	7
17	CBAP functions as a novel component in chemokine-induced ZAP70-mediated T-cell adhesion and migration. <i>PLoS ONE</i> , <b>2013</b> , 8, e61761	3.7	6
16	Snf1/AMP-activated protein kinase activates Arf3p to promote invasive yeast growth via a non-canonical GEF domain. <i>Nature Communications</i> , <b>2015</b> , 6, 7840	17.4	5
15	A N(alpha)-acetyltransferase selectively transfers an acetyl group to NH2-terminal methionine residues: purification and partial characterization. <i>BBA - Proteins and Proteomics</i> , <b>1997</b> , 1338, 244-52		5
14	Effect of temperature andhtpRon the biosynthesis of superoxide dismutase inEscherichia coli. <i>FEMS Microbiology Letters</i> , <b>1989</b> , 58, 133-137	2.9	5
13	The N-terminus of Vps74p is essential for the retention of glycosyltransferases in the Golgi but not for the modulation of apical polarized growth in Saccharomyces cerevisiae. <i>PLoS ONE</i> , <b>2013</b> , 8, e74715	3.7	5
12	ADP-ribosylation factor-like 4A interacts with Robo1 to promote cell migration by regulating Cdc42 activation. <i>Molecular Biology of the Cell</i> , <b>2019</b> , 30, 69-81	3.5	5
11	Action of Arl1 GTPase and golgin Imh1 in Ypt6-independent retrograde transport from endosomes to the trans-Golgi network. <i>Molecular Biology of the Cell</i> , <b>2019</b> , 30, 1008-1019	3.5	4
10	Mechanism of action of the flippase Drs2p in modulating GTP hydrolysis of Arl1p. <i>Journal of Cell Science</i> , <b>2014</b> , 127, 2615-20	5.3	4

## LIST OF PUBLICATIONS

9	Structural organization of the rat acyl-peptide hydrolase gene. Nucleic Acids Research, 1989, 17, 4397-4	40 <u>0</u> 0.1	4
8	Cooperative recruitment of Arl4A and Pak1 to the plasma membrane contributes to sustained Pak1 activation for cell migration. <i>Journal of Cell Science</i> , <b>2020</b> , 133,	5.3	3
7	Arl4D-EB1 interaction promotes centrosomal recruitment of EB1 and microtubule growth. <i>Molecular Biology of the Cell</i> , <b>2020</b> , 31, 2348-2362	3.5	1
6	Golgin Imh1 and GARP complex cooperate to restore the impaired SNARE recycling transport induced by ER stress <i>Cell Reports</i> , <b>2022</b> , 38, 110488	10.6	1
5	Purification, properties, and analysis of yARL3. <i>Methods in Enzymology</i> , <b>2001</b> , 329, 417-23	1.7	
4	NEAcetylation of Eukaryotic Proteins: Purification and Characterization of Yeast NEAcetyltransferase and Acetylcoenzyme A Hydrolase <b>1989</b> , 352-355		
3	Identification and characterization of SARS-CoV protein 3a and its interacting cellular proteins. <i>FASEB Journal</i> , <b>2011</b> , 25, lb101	0.9	
2	Investigation of the Dravet syndrome using a mouse model. FASEB Journal, 2012, 26, 1035.14	0.9	
1	Developing methods to enhancing cell engraftment in a genetically engineered mouse model. <i>FASEB Journal</i> , <b>2013</b> , 27, 1181.4	0.9	