

# Christophe Garweg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3435893/publications.pdf>

Version: 2024-02-01

28  
papers

1,299  
citations

758635

12  
h-index

552369

26  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1379  
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and validation of a risk score for predicting pericardial effusion in patients undergoing leadless pacemaker implantation: experience with the Micra transcatheter pacemaker. <i>Europace</i> , 2022, 24, 1119-1126.	0.7	25
2	Leadless pacemaker implant with concomitant atrioventricular node ablation: Experience with the Micra transcatheter pacemaker. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 832-841.	0.8	3
3	A Predictive Model for the Long-Term Electrical Performance of a Leadless Transcatheter Pacemaker. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 502-512.	1.3	12
4	Behavior of AV synchrony pacing mode in a leadless pacemaker during variable AV conduction and arrhythmias. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1947-1957.	0.8	5
5	Quality of life outcomes in cryoablation of atrial fibrillation—A literature review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1756-1768.	0.5	2
6	Re-implantation after extraction of a cardiac implantable electronic device. <i>Acta Cardiologica</i> , 2020, 75, 505-513.	0.3	1
7	Atrioventricular Synchronous Pacing Using a Leadless Ventricular Pacemaker. <i>JACC: Clinical Electrophysiology</i> , 2020, 6, 94-106.	1.3	144
8	Leadless pacemaker for patients following cardiac valve intervention. <i>Archives of Cardiovascular Diseases</i> , 2020, 113, 772-779.	0.7	13
9	Diagnosis and treatment of atrioventricular nodal reentrant tachycardia: a case report illustrating clinical management and ablation strategy. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-7.	0.3	1
10	Bacteraemia after leadless pacemaker implantation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2440-2447.	0.8	13
11	Arrhythmia in Mitral Valve Prolapse. <i>Journal of the American College of Cardiology</i> , 2020, 76, 650-652.	1.2	5
12	Predictors of atrial mechanical sensing and atrioventricular synchrony with a leadless ventricular pacemaker: Results from the MARVEL 2 Study. <i>Heart Rhythm</i> , 2020, 17, 2037-2045.	0.3	36
13	Determinants of the difficulty of leadless pacemaker implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 551-557.	0.5	10
14	Leadless pacing with Micra TPS: A comparison between right ventricular outflow tract, mid-septal, and apical implant sites. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2002-2011.	0.8	26
15	Behavior of leadless AV synchronous pacing during atrial arrhythmias and stability of the atrial signals over time—Results of the MARVEL Evolve subanalysis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 381-387.	0.5	19
16	Leadless Pacemaker Implantation in Hemodialysis Patients. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 162-170.	1.3	54
17	Paradoxical nonreentrant tachycardia induced by iatrogenic atrioventricular block. <i>Acta Cardiologica</i> , 2019, 74, 423-424.	0.3	0
18	Inter- and intra-observer variability of visual fragmented QRS scoring in ischemic and non-ischemic cardiomyopathy. <i>Journal of Electrocardiology</i> , 2018, 51, 549-554.	0.4	15

#	ARTICLE	IF	CITATIONS
19	Monocentric experience of leadless pacing with focus on challenging cases for conventional pacemaker. <i>Acta Cardiologica</i> , 2018, 73, 459-468.	0.3	12
20	High-Detailed evaluation of the right atrial anatomy by three-dimensional rotational angiography during ablation procedures for atrioventricular nodal reentrant tachycardia and atrial flutter. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 268-274.	0.4	2
21	Response to atrial arrhythmias in an atrioventricular synchronous ventricular leadless pacemaker: A case report in a paroxysmal atrial fibrillation patient. <i>HeartRhythm Case Reports</i> , 2018, 4, 561-563.	0.2	3
22	Accelerometer-based atrioventricular synchronous pacing with a ventricular leadless pacemaker: Results from the Micra atrioventricular feasibility studies. <i>Heart Rhythm</i> , 2018, 15, 1363-1371.	0.3	116
23	Updated performance of the Micra transcatheter pacemaker in the real-world setting: A comparison to the investigational study and a transvenous historical control. <i>Heart Rhythm</i> , 2018, 15, 1800-1807.	0.3	239
24	A leadless pacemaker in the real-world setting: The Micra Transcatheter Pacing System Post-Approval Registry. <i>Heart Rhythm</i> , 2017, 14, 1375-1379.	0.3	251
25	Successful repositioning of leadless cardiac pacemaker during open heart surgery. <i>Acta Cardiologica</i> , 2017, 72, 503-504.	0.3	5
26	Which QT Correction Formulae to Use for QT Monitoring?. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	281
27	Leadless cardiac pacemaker as alternative in case of congenital vascular abnormality and pocket infection. <i>Europace</i> , 2016, 18, 1564-1564.	0.7	6
28	Apparent delay in tachycardia detection due to ventricular pacing: what is the mechanism?. <i>Europace</i> , 2013, 15, 1656-1656.	0.7	0