

Nathalie Alepee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3439901/nathalie-alepee-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76 papers	1,831 citations	23 h-index	41 g-index
85 ext. papers	2,054 ext. citations	3.5 avg, IF	4.2 L-index

#	Paper	IF	Citations
76	A proposed eye irritation testing strategy to reduce and replace in vivo studies using Bottom-Up and Top-Down approaches. <i>Toxicology in Vitro</i> , 2010 , 24, 1-9	3.6	151
75	Categorization of chemicals according to their relative human skin sensitizing potency. <i>Dermatitis</i> , 2014 , 25, 11-21	2.6	125
74	The Myeloid U937 Skin Sensitization Test (U-SENS) addresses the activation of dendritic cell event in the adverse outcome pathway for skin sensitization. <i>Toxicology in Vitro</i> , 2015 , 29, 901-16	3.6	117
73	Systematic evaluation of non-animal test methods for skin sensitisation safety assessment. <i>Toxicology in Vitro</i> , 2015 , 29, 259-70	3.6	99
72	Prevalidation of a new in vitro reconstituted human cornea model to assess the eye irritating potential of chemicals. <i>Toxicology in Vitro</i> , 2006 , 20, 1-17	3.6	94
71	Non-animal methods to predict skin sensitization (II): an assessment of defined approaches. <i>Critical Reviews in Toxicology</i> , 2018 , 48, 359-374	5.7	93
70	Non-animal methods to predict skin sensitization (I): the Cosmetics Europe database. <i>Critical Reviews in Toxicology</i> , 2018 , 48, 344-358	5.7	79
69	A catch-up validation study on reconstructed human epidermis (SkinEthic RHE) for full replacement of the Draize skin irritation test. <i>Toxicology in Vitro</i> , 2010 , 24, 257-66	3.6	77
68	Retrospective analysis of the Draize test for serious eye damage/eye irritation: importance of understanding the in vivo endpoints under UN GHS/EU CLP for the development and evaluation of in vitro test methods. <i>Archives of Toxicology</i> , 2014 , 88, 701-23	5.8	73
67	The 3T3 neutral red uptake phototoxicity test: practical experience and implications for phototoxicity testing--the report of an ECVAM-EFPIA workshop. <i>Regulatory Toxicology and Pharmacology</i> , 2012 , 63, 480-8	3.4	58
66	Cosmetics Europe compilation of historical serious eye damage/eye irritation in vivo data analysed by drivers of classification to support the selection of chemicals for development and evaluation of alternative methods/strategies: the Draize eye test Reference Database (DRD). <i>Archives of Toxicology</i> , 2017 , 91, 521-547	5.8	50
65	Cosmetics Europe multi-laboratory pre-validation of the EpiOcular reconstituted human tissue test method for the prediction of eye irritation. <i>Toxicology in Vitro</i> , 2013 , 27, 619-26	3.6	38
64	In vitro assessment of eye irritancy using the Reconstructed Human Corneal Epithelial SkinEthic HCE model: application to 435 substances from consumer products industry. <i>Toxicology in Vitro</i> , 2010 , 24, 523-37	3.6	38
63	Guiding principles for the implementation of non-animal safety assessment approaches for cosmetics: skin sensitisation. <i>Regulatory Toxicology and Pharmacology</i> , 2012 , 63, 40-52	3.4	36
62	Assessment of the optimized SkinEthic Reconstructed Human Epidermis (RHE) 42 bis skin irritation protocol over 39 test substances. <i>Toxicology in Vitro</i> , 2010 , 24, 245-56	3.6	31
61	Skin sensitisation--moving forward with non-animal testing strategies for regulatory purposes in the EU. <i>Regulatory Toxicology and Pharmacology</i> , 2013 , 67, 531-5	3.4	30
60	Multi-laboratory validation of SkinEthic HCE test method for testing serious eye damage/eye irritation using liquid chemicals. <i>Toxicology in Vitro</i> , 2016 , 31, 43-53	3.6	29

59	Cosmetics Europe multi-laboratory pre-validation of the SkinEthic [®] reconstituted human corneal epithelium test method for the prediction of eye irritation. <i>Toxicology in Vitro</i> , 2013 , 27, 1476-88	3.6	29
58	Two novel prediction models improve predictions of skin corrosive sub-categories by test methods of OECD Test Guideline No. 431. <i>Toxicology in Vitro</i> , 2015 , 29, 2055-80	3.6	25
57	Sub-categorisation of skin corrosive chemicals by the EpiSkin [®] reconstructed human epidermis skin corrosion test method according to UN GHS: revision of OECD Test Guideline 431. <i>Toxicology in Vitro</i> , 2014 , 28, 131-45	3.6	24
56	Prospective multicentre study of the U-SENS test method for skin sensitization testing. <i>Toxicology in Vitro</i> , 2015 , 30, 373-82	3.6	24
55	Report from the EPAA workshop: in vitro ADME in safety testing used by EPAA industry sectors. <i>Toxicology in Vitro</i> , 2011 , 25, 589-604	3.6	24
54	Development of a next generation risk assessment framework for the evaluation of skin sensitisation of cosmetic ingredients. <i>Regulatory Toxicology and Pharmacology</i> , 2020 , 116, 104721	3.4	21
53	Use of HPLC/UPLC-spectrophotometry for detection of formazan in in vitro Reconstructed human Tissue (RhT)-based test methods employing the MTT-reduction assay to expand their applicability to strongly coloured test chemicals. <i>Toxicology in Vitro</i> , 2015 , 29, 741-61	3.6	20
52	Report of the EPAA-ECVAM workshop on the validation of Integrated Testing Strategies (ITS). <i>ATLA Alternatives To Laboratory Animals</i> , 2012 , 40, 175-81	2.1	20
51	Regulatory assessment of in vitro skin corrosion and irritation data within the European framework: Workshop recommendations. <i>Regulatory Toxicology and Pharmacology</i> , 2012 , 62, 393-403	3.4	19
50	Multi-laboratory evaluation of SkinEthic HCE test method for testing serious eye damage/eye irritation using solid chemicals and overall performance of the test method with regard to solid and liquid chemicals testing. <i>Toxicology in Vitro</i> , 2016 , 34, 55-70	3.6	19
49	Development of a defined approach for eye irritation or serious eye damage for neat liquids based on cosmetics Europe analysis of in vitro RhCE and BCOP test methods. <i>Toxicology in Vitro</i> , 2019 , 59, 100-114	3.6	17
48	An integrated testing strategy for in vitro skin corrosion and irritation assessment using SkinEthic [®] Reconstructed Human Epidermis. <i>Toxicology in Vitro</i> , 2015 , 29, 1779-92	3.6	17
47	Development of a defined approach for eye irritation or serious eye damage for liquids, neat and in dilution, based on cosmetics Europe analysis of in vitro STE and BCOP test methods. <i>Toxicology in Vitro</i> , 2019 , 57, 154-163	3.6	15
46	Alternative Integrated Testing for Skin Sensitization: Assuring Consumer Safety. <i>Applied in Vitro Toxicology</i> , 2018 , 4, 30-43	1.3	15
45	The usefulness of the validated SkinEthic [®] RHE test method to identify skin corrosive UN GHS subcategories. <i>Toxicology in Vitro</i> , 2014 , 28, 616-25	3.6	15
44	CON4EI: Development of testing strategies for hazard identification and labelling for serious eye damage and eye irritation of chemicals. <i>Toxicology in Vitro</i> , 2018 , 49, 99-115	3.6	14
43	Computational chemistry, systems biology and toxicology. Harnessing the chemistry of life: revolutionizing toxicology. a commentary. <i>Journal of Applied Toxicology</i> , 2011 , 31, 206-9	4.1	14
42	State-of-the-art and new options to assess T cell activation by skin sensitizers: Cosmetics Europe Workshop. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2018 , 35, 179-192	4.3	14

41	Assessment of cosmetic ingredients in the in vitro reconstructed human epidermis test method EpiSkin [®] using HPLC/UPLC-spectrophotometry in the MTT-reduction assay. <i>Toxicology in Vitro</i> , 2016 , 33, 105-17	3.6	13
40	CON4EI: Selection of the reference chemicals for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2017 , 44, 44-48	3.6	13
39	CON4EI: EpiOcular [®] Eye Irritation Test (EpiOcular [®] EIT) for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2018 , 49, 21-33	3.6	11
38	CON4EI: CONSortium for in vitro Eye Irritation testing strategy - EpiOcular [®] Time-to-toxicity (EpiOcular ET-50) protocols for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2018 , 49, 34-52	3.6	10
37	In vitro skin irritation assessment becomes a reality in China using a reconstructed human epidermis test method. <i>Toxicology in Vitro</i> , 2017 , 41, 159-167	3.6	9
36	CON4EI: Bovine Corneal Opacity and Permeability (BCOP) test for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2017 , 44, 122-133	3.6	9
35	Read-across can increase confidence in the Next Generation Risk Assessment for skin sensitisation: A case study with resorcinol. <i>Regulatory Toxicology and Pharmacology</i> , 2020 , 117, 104755	3.4	9
34	Reprint of "CON4EI: Bovine Corneal Opacity and Permeability (BCOP) test for hazard identification and labelling of eye irritating chemicals". <i>Toxicology in Vitro</i> , 2018 , 49, 53-64	3.6	8
33	CON4EI: SkinEthic [®] Human Corneal Epithelium Eye Irritation Test (SkinEthic [®] HCE EIT) for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2018 , 49, 11-20	3.6	8
32	CON4EI: Short Time Exposure (STE) test method for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2018 , 49, 65-76	3.6	8
31	Comparative assessment of 24-hr primary skin irritation test and human patch test data with in vitro skin irritation tests according to OECD Test Guideline 439 (for quasi-drugs in Japan). <i>Journal of Toxicological Sciences</i> , 2018 , 43, 751-768	1.9	8
30	The kinetic direct peptide reactivity assay (kDPRA): Intra- and inter-laboratory reproducibility in a seven-laboratory ring trial. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2020 , 37, 639-651	4.3	7
29	Usefulness of the EpiSkin [®] reconstructed human epidermis model within Integrated Approaches on Testing and Assessment (IATA) for skin corrosion and irritation. <i>Toxicology in Vitro</i> , 2019 , 54, 147-167	3.6	5
28	Reprint of "CON4EI: Selection of the reference chemicals for hazard identification and labelling of eye irritating chemicals". <i>Toxicology in Vitro</i> , 2018 , 49, 6-10	3.6	4
27	Barriers to validation: a report by the European Partnership fo Alternative Approaches to Animal Testing (EPAA) Working Group 5. <i>ATLA Alternatives To Laboratory Animals</i> , 2008 , 36, 459-64	2.1	4
26	Development of the SkinEthic [®] HCE Time-to-Toxicity test method for identifying liquid chemicals not requiring classification and labelling and liquids inducing serious eye damage and eye irritation. <i>Toxicology in Vitro</i> , 2020 , 69, 104960	3.6	4
25	SkinEthic [®] HCE Time-to-Toxicity on solids: A test method for distinguishing chemicals inducing serious eye damage, eye irritation and not requiring classification and labelling. <i>Toxicology in Vitro</i> , 2021 , 75, 105203	3.6	4
24	Assessment of a defined approach based on a stacking prediction model to identify skin sensitization hazard. <i>Toxicology in Vitro</i> , 2019 , 60, 134-143	3.6	3

23	A way forward of alternative methods in China: Implementation of skin corrosivity potential using in vitro reconstructed human epidermis. <i>Toxicology in Vitro</i> , 2018 , 52, 321-331	3.6	3
22	The importance of understanding drivers of irritation in vivo for selection of chemicals used in the development and evaluation of in vitro eye irritation assays: Cosmetics Europe analysis. <i>Toxicology Letters</i> , 2013 , 221, S162	4.4	3
21	Implementation, availability and regulatory status of an OECD accepted Reconstructed Human Epidermis model in Brazil. <i>Vigilância Sanitária Em Debate: Sociedade, Ciência & Tecnologia</i> , 2018 , 6, 64	1.1	3
20	The EyeIRR-IS assay: Development and evaluation of an in vitro assay to measure the eye irritation sub-categorization of liquid chemicals. <i>Toxicology in Vitro</i> , 2021 , 71, 105072	3.6	3
19	Skin sensitisation testing in practice: Applying a stacking meta model to cosmetic ingredients. <i>Toxicology in Vitro</i> , 2020 , 66, 104831	3.6	3
18	A new 3D model for genotoxicity assessment: EpiSkin-Micronucleus Assay. <i>Mutagenesis</i> , 2021 , 36, 51-61	2.8	3
17	A ready-to-use integrated in vitro skin corrosion and irritation testing strategy using EpiSkin model in China. <i>Toxicology in Vitro</i> , 2020 , 65, 104778	3.6	2
16	CON4EI: Evaluation of QSAR models for hazard identification and labelling of eye irritating chemicals. <i>Toxicology in Vitro</i> , 2018 , 49, 90-98	3.6	2
15	SkinEthic-HCE Eye Irritation Test: Similar performance demonstrated after long distance shipment and extended storage conditions. <i>Toxicology in Vitro</i> , 2019 , 54, 202-214	3.6	2
14	Overall performance of Bovine Corneal Opacity and Permeability (BCOP) Laser Light-Based Opacimeter (LLBO) test method with regard to solid and liquid chemicals testing. <i>Toxicology in Vitro</i> , 2021 , 70, 105044	3.6	2
13	Next generation risk assessment for skin sensitisation: A case study with propyl paraben. <i>Regulatory Toxicology and Pharmacology</i> , 2021 , 123, 104936	3.4	2
12	Validation of the SkinEthic HCE time-to-toxicity test method for eye hazard classification of chemicals according to UN GHS.. <i>Toxicology in Vitro</i> , 2022 , 80, 105319	3.6	1
11	Assessment of the skin sensitization potential of fragrance ingredients using the U-SENS assay.. <i>Toxicology in Vitro</i> , 2021 , 79, 105298	3.6	1
10	Assessment of the Human Epidermis SkinEthic-RHE Model for In Vitro Skin Corrosion Testing of Chemicals 2017 , 143-157		1
9	U-SENS-A U937 Cell Line Activation Test for Skin Sensitization 2017 , 311-330		1
8	An In Vitro Skin Irritation Test Using the SkinEthic-Reconstructed Human Epidermal (RHE) Model 2017 , 59-72		1
7	Real world-like simulations show efficient predictive power of in vitro skin corrosion tests used as stand-alone and in combination and how can toxicologists take advantage of them. <i>Toxicology in Vitro</i> , 2021 , 70, 105043	3.6	1
6	Performance Statistics of Defined Approaches for Eye Hazard Identification of Non-Surfactant Liquids to Distinguish Between the Three United Nations Globally Harmonized System Categories. <i>Applied in Vitro Toxicology</i> , 2021 , 7, 91-101	1.3	1

- 5 Expansion of the Cosmetics Europe skin sensitisation database with new substances and PPRA data.. *Regulatory Toxicology and Pharmacology*, **2022**, 105169 3.4 1
- 4 Skin Irritation Hazard of Chemicals Assessed by the EpiSkin® In Vitro Test Method **2017**, 25-39
- 3 The EpiSkin® Human Epidermis Model for In Vitro Skin Corrosion of Test Chemicals **2017**, 107-125
- 2 Reprint of: Characterising hepatic mitochondrial function as a model for systemic toxicity: a commentary. *Toxicology*, **2012**, 302, e1-4 4.4
- 1 Amending the U-SENS® skin sensitization test method for interfering auto-fluorescent chemicals.. *Toxicology in Vitro*, **2022**, 105353 3.6