

Joanna Morrison

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3439931/publications.pdf>

Version: 2024-02-01

72
papers

3,662
citations

201674
27
h-index

138484
58
g-index

74
all docs

74
docs citations

74
times ranked

4396
citing authors

#	ARTICLE	IF	CITATIONS
1	Forced evictions and their social and health impacts in Southern Somalia: a qualitative study in Mogadishu Internally Displaced Persons (IDP) camps. <i>Global Health Action</i> , 2021, 14, 1969117.	1.9	3
2	Addressing anaemia in pregnancy in rural plains Nepal: A qualitative, formative study. <i>Maternal and Child Nutrition</i> , 2021, 17, e13170.	3.0	19
3	Socioeconomic Inequalities in Chronic Liver Diseases and Cirrhosis Mortality in European Urban Areas before and after the Onset of the 2008 Economic Recession. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8801.	2.6	6
4	Socio-economic inequalities on cancer mortality in nine European areas: The effect of the last economic recession. <i>Cancer Epidemiology</i> , 2020, 69, 101827.	1.9	4
5	Health management committee strengthening and community mobilisation through women's groups to improve trained health worker attendance at birth in rural Nepal: a cluster randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 268.	2.4	9
6	Effect of the recent economic crisis on socioeconomic inequalities in mortality in nine urban areas in Europe. <i>Gaceta Sanitaria</i> , 2020, 34, 253-260.	1.5	8
7	Evaluation of data availability on population health indicators at the regional level across the European Union. <i>Population Health Metrics</i> , 2019, 17, 11.	2.7	28
8	Implementation and fidelity of a participatory learning and action cycle intervention to prevent and control type 2 diabetes in rural Bangladesh. <i>Global Health Research and Policy</i> , 2019, 4, 19.	3.6	14
9	Sustainability of community-based women's groups: reflections from a participatory intervention for newborn and maternal health in Nepal. <i>Community Development Journal</i> , 2019, 54, 731-749.	1.1	22
10	Participatory learning and action to address type 2 diabetes in rural Bangladesh: a qualitative process evaluation. <i>BMC Endocrine Disorders</i> , 2019, 19, 118.	2.2	22
11	Community groups or mobile phone messaging to prevent and control type 2 diabetes and intermediate hyperglycaemia in Bangladesh (DMagic): a cluster-randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 200-212.	11.4	86
12	The equity impact of community women's groups to reduce neonatal mortality: a meta-analysis of four cluster randomized trials. <i>International Journal of Epidemiology</i> , 2019, 48, 168-182.	1.9	25
13	Organising Concepts of 'Women's Empowerment' for Measurement: A Typology. <i>Social Indicators Research</i> , 2019, 143, 1349-1376.	2.7	38
14	Beyond interviews and focus groups: a framework for integrating innovative qualitative methods into randomised controlled trials of complex public health interventions. <i>Trials</i> , 2019, 20, 329.	1.6	42
15	Exploring the equity impact of a maternal and newborn health intervention: a qualitative study of participatory women's groups in rural South Asia and Africa. <i>International Journal for Equity in Health</i> , 2019, 18, 55.	3.5	18
16	Developing a theory-driven contextually relevant mHealth intervention. <i>Global Health Action</i> , 2019, 12, 1550736.	1.9	31
17	'There is no point giving cash to women who don't spend it the way they are told to spend it' - Exploring women's agency over cash in a combined participatory women's groups and cash transfer programme to improve low birthweight in rural Nepal. <i>Social Science and Medicine</i> , 2019, 221, 9-18.	3.8	9
18	Do Participatory Learning and Action Women's Groups Alone or Combined with Cash or Food Transfers Expand Women's Agency in Rural Nepal?. <i>Journal of Development Studies</i> , 2019, 55, 1670-1686.	2.1	25

#	ARTICLE	IF	CITATIONS
19	Gendered perceptions of physical activity and diabetes in rural Bangladesh: a qualitative study to inform mHealth and community mobilization interventions. WHO South-East Asia Journal of Public Health, 2019, 8, 104.	0.7	11
20	Formative qualitative research to develop community-based interventions addressing low birth weight in the plains of Nepal. Public Health Nutrition, 2018, 21, 377-384.	2.2	36
21	Does adiposity mediate the relationship between socioeconomic position and non-allergic asthma in childhood?. Journal of Epidemiology and Community Health, 2018, 72, 390-396.	3.7	1
22	Thailand's national universal developmental screening programme for young children: action research for improved follow-up. BMJ Global Health, 2018, 3, e000589.	4.7	16
23	Diabetes knowledge and care practices among adults in rural Bangladesh: a cross-sectional survey. BMJ Global Health, 2018, 3, e000891.	4.7	23
24	A cash-based intervention and the risk of acute malnutrition in children aged 6–59 months living in internally displaced persons camps in Mogadishu, Somalia: A non-randomised cluster trial. PLoS Medicine, 2018, 15, e1002684.	8.4	34
25	Protocol of economic evaluation and equity impact analysis of mHealth and community groups for prevention and control of diabetes in rural Bangladesh in a three-arm cluster randomised controlled trial. BMJ Open, 2018, 8, e022035.	1.9	2
26	Distribution of diabetes, hypertension and non-communicable disease risk factors among adults in rural Bangladesh: a cross-sectional survey. BMJ Global Health, 2018, 3, e000787.	4.7	42
27	The long-term impact of community mobilisation through participatory women's groups on women's agency in the household: A follow-up study to the Makwanpur trial. PLoS ONE, 2018, 13, e0197426.	2.5	13
28	Revisiting the patriarchal bargain: The intergenerational power dynamics of household money management in rural Nepal. World Development, 2018, 112, 193-204.	4.9	33
29	Impact on birth weight and child growth of Participatory Learning and Action women's groups with and without transfers of food or cash during pregnancy: Findings of the low birth weight South Asia cluster-randomised controlled trial (LBWSAT) in Nepal. PLoS ONE, 2018, 13, e0194064.	2.5	52
30	Applying a Public Health Ethics Framework to Consider Scaled-Up Verbal Autopsy and Verbal Autopsy with Immediate Disclosure of Cause of Death in Rural Nepal. Public Health Ethics, 2018, 11, 293-310.	1.0	3
31	Findings from a cluster randomised trial of unconditional cash transfers in Niger. Maternal and Child Nutrition, 2018, 14, e12615.	3.0	11
32	Girls' Menstrual Management in Five Districts of Nepal: Implications for Policy and Practice. Studies in Social Justice, 2018, 12, 251-272.	0.6	12
33	Mother's education and offspring asthma risk in 10 European cohort studies. European Journal of Epidemiology, 2017, 32, 797-805.	5.7	25
34	Interventions to reduce inequalities in health and early child development in Europe from a qualitative perspective. International Journal for Equity in Health, 2017, 16, 87.	3.5	5
35	Validating an Agency-based Tool for Measuring Women's Empowerment in a Complex Public Health Trial in Rural Nepal. Journal of Human Development and Capabilities, 2017, 18, 107-135.	2.0	23
36	The REFANI-S study protocol: a non-randomised cluster controlled trial to assess the role of an unconditional cash transfer, a non-food item kit, and free piped water in reducing the risk of acute malnutrition among children aged 6–59 months living in camps for internally displaced persons in the Afgoye corridor, Somalia. BMC Public Health, 2017, 17, 632.	2.9	9

#	ARTICLE	IF	CITATIONS
37	Protocol of the Low Birth Weight South Asia Trial (LBWSAT), a cluster-randomised controlled trial testing impact on birth weight and infant nutrition of Participatory Learning and Action through women's groups, with and without unconditional transfers of fortified food or cash during pregnancy in Nepal. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 320.	2.4	32
38	Impact of Low Maternal Education on Early Childhood Overweight and Obesity in Europe. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 274-284.	1.7	72
39	The effect of community groups and mobile phone messages on the prevention and control of diabetes in rural Bangladesh: study protocol for a three-arm cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 600.	1.6	25
40	Is the Job Satisfaction Survey a good tool to measure job satisfaction amongst health workers in Nepal? Results of a validation analysis. <i>BMC Health Services Research</i> , 2016, 16, 308.	2.2	15
41	Reaching the poor with health interventions: programme-incidence analysis of seven randomised trials of women's groups to reduce newborn mortality in Asia and Africa. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 31-41.	3.7	21
42	The REFANI-N study protocol: a cluster-randomised controlled trial of the effectiveness and cost-effectiveness of early initiation and longer duration of emergency/seasonal unconditional cash transfers for the prevention of acute malnutrition among children, 6-59 months, in Tahoua, Niger. <i>BMC Public Health</i> , 2015, 15, 1289.	2.9	9
43	Validating a tool to measure auxiliary nurse midwife and nurse motivation in rural Nepal. <i>Human Resources for Health</i> , 2015, 13, 30.	3.1	6
44	What Affects Clean Delivery Kit Utilization at Birth in Nepal? A Qualitative Study. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP1263-NP1272.	1.0	9
45	Perceptions and beliefs of public policymakers in a Southern European city. <i>International Journal for Equity in Health</i> , 2015, 14, 18.	3.5	7
46	Cause-specific neonatal mortality: analysis of 3772 neonatal deaths in Nepal, Bangladesh, Malawi and India. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F439-F447.	2.8	48
47	Mother's education and the risk of preterm and small for gestational age birth: a DRIVERS meta-analysis of 12 European cohorts. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 826-833.	3.7	146
48	Socioeconomic inequalities in mortality in 16 European cities. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 245-254.	2.3	45
49	Social inequalities in early childhood health and development: a European-wide systematic review. <i>Pediatric Research</i> , 2014, 76, 418-424.	2.3	155
50	Systematic review of parenting interventions in European countries aiming to reduce social inequalities in children's health and development. <i>BMC Public Health</i> , 2014, 14, 1040.	2.9	55
51	Social differences in avoidable mortality between small areas of 15 European cities: an ecological study. <i>International Journal of Health Geographics</i> , 2014, 13, 8.	2.5	53
52	Municipal interventions against inequalities in health: The view of their managers. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 476-487.	2.3	6
53	How to reach every newborn: three key messages. <i>The Lancet Global Health</i> , 2014, 2, e436-e437.	6.3	8
54	Retention of nurses in rural Nepal: are short term contracts the answer?. <i>BMC Health Services Research</i> , 2014, 14, .	2.2	1

#	ARTICLE	IF	CITATIONS
55	Exploring the first delay: a qualitative study of home deliveries in Makwanpur district Nepal. BMC Pregnancy and Childbirth, 2014, 14, 89.	2.4	29
56	Social and health policies or interventions to tackle health inequalities in European cities: a scoping review. BMC Public Health, 2014, 14, 198.	2.9	54
57	Disabled women's maternal and newborn health care in rural Nepal: A qualitative study. Midwifery, 2014, 30, 1132-1139.	2.3	54
58	Health inequalities in European cities: perceptions and beliefs among local policymakers. BMJ Open, 2014, 4, e004454.	1.9	14
59	Factors and processes influencing health inequalities in urban areas. Journal of Epidemiology and Community Health, 2013, 67, 389-391.	3.7	95
60	Women's groups practising participatory learning and action to improve maternal and newborn health in low-resource settings: a systematic review and meta-analysis. Lancet, The, 2013, 381, 1736-1746.	13.7	477
61	Comparison of health policy documents of European cities: Are they oriented to reduce inequalities in health?. Journal of Public Health Policy, 2013, 34, 100-120.	2.0	12
62	Association between Clean Delivery Kit Use, Clean Delivery Practices, and Neonatal Survival: Pooled Analysis of Data from Three Sites in South Asia. PLoS Medicine, 2012, 9, e1001180.	8.4	66
63	Community mobilisation and health management committee strengthening to increase birth attendance by trained health workers in rural Makwanpur, Nepal: study protocol for a cluster randomised controlled trial. Trials, 2011, 12, 128.	1.6	25
64	Utilization and management of maternal and child health funds in rural Nepal. Community Development Journal, 2010, 45, 75-89.	1.1	13
65	Evidence-based policy-making: The implications of globally-applicable research for context-specific problem-solving in developing countries. Social Science and Medicine, 2009, 69, 1539-1546.	3.8	92
66	The experiences of districts in implementing a national incentive programme to promote safe delivery in Nepal. BMC Health Services Research, 2009, 9, 97.	2.2	71
67	Community participation: lessons for maternal, newborn, and child health. Lancet, The, 2008, 372, 962-971.	13.7	285
68	Community-based capital cash transfer to support orphans in Western Kenya: A consumer perspective. Vulnerable Children and Youth Studies, 2008, 3, 1-15.	1.1	17
69	Behaviour change in perinatal care practices among rural women exposed to a women's group intervention in Nepal [ISRCTN31137309]. BMC Pregnancy and Childbirth, 2006, 6, 20.	2.4	24
70	Women's health groups to improve perinatal care in rural Nepal. BMC Pregnancy and Childbirth, 2005, 5, 6.	2.4	86
71	Economic assessment of a women's group intervention to improve birth outcomes in rural Nepal. Lancet, The, 2005, 366, 1882-1884.	13.7	73
72	Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. Lancet, The, 2004, 364, 970-979.	13.7	690