

David Hardisson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3440805/publications.pdf>

Version: 2024-02-01

134
papers

8,170
citations

50244

46
h-index

48277

88
g-index

146
all docs

146
docs citations

146
times ranked

12667
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular characterization of triple negative breast cancer formaldehyde-fixed paraffin-embedded samples by data-independent acquisition proteomics. <i>Proteomics</i> , 2022, 22, e2100110.	1.3	3
2	Prognosis Stratification Tools in Early-Stage Endometrial Cancer: Could We Improve Their Accuracy?. <i>Cancers</i> , 2022, 14, 912.	1.7	4
3	The Clinical Impact of Neoadjuvant Endocrine Treatment on Luminal-like Breast Cancers and Its Prognostic Significance: Results from a Single-Institution Prospective Cohort Study. <i>Current Oncology</i> , 2022, 29, 2199-2210.	0.9	8
4	Antitumoral Effect of Plocabulin in High Grade Serous Ovarian Carcinoma Cell Line Models. <i>Frontiers in Oncology</i> , 2022, 12, 862321.	1.3	1
5	Prognostic markers of inflammation in endometrioid and clear cell ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2022, 32, 1009-1016.	1.2	7
6	Lobular endocervical glandular hyperplasia mimicking cervical adenocarcinoma. <i>Journal of Obstetrics and Gynaecology</i> , 2021, 41, 1166-1168.	0.4	1
7	Proteomic Analysis of Low-Grade, Early-Stage Endometrial Carcinoma Reveals New Dysregulated Pathways Associated with Cell Death and Cell Signaling. <i>Cancers</i> , 2021, 13, 794.	1.7	31
8	Clinicopathological features and prognostic significance of CTNNB1 mutation in low-grade, early-stage endometrial endometrioid carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1167-1176.	1.4	26
9	One-Step Nucleic Acid Amplification (OSNA) of Sentinel Lymph Node in Early-Stage Endometrial Cancer: Spanish Multicenter Study (ENDO-OSNA). <i>Cancers</i> , 2021, 13, 4465.	1.7	9
10	Multiplexed magnetic beads-assisted amperometric bioplatfoms for global detection of methylations in nucleic acids. <i>Analytica Chimica Acta</i> , 2021, 1182, 338946.	2.6	10
11	The Frequency and Prognostic Significance of the Histologic Type in Early-stage Ovarian Carcinoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 149-161.	2.1	21
12	c-Src functionality controls self-renewal and glucose metabolism in MCF7 breast cancer stem cells. <i>PLoS ONE</i> , 2020, 15, e0235850.	1.1	11
13	Molecular and clinicopathologic characterization of intravenous leiomyomatosis. <i>Modern Pathology</i> , 2020, 33, 1844-1860.	2.9	16
14	Amperometric Bioplatfoms To Detect Regional DNA Methylation with Single-Base Sensitivity. <i>Analytical Chemistry</i> , 2020, 92, 5604-5612.	3.2	35
15	Prognostic value of macrophage polarization markers in epithelial neoplasms and melanoma. A systematic review and meta-analysis. <i>Modern Pathology</i> , 2020, 33, 1458-1465.	2.9	39
16	c-Src functionality controls self-renewal and glucose metabolism in MCF7 breast cancer stem cells. , 2020, 15, e0235850.		0
17	c-Src functionality controls self-renewal and glucose metabolism in MCF7 breast cancer stem cells. , 2020, 15, e0235850.		0
18	c-Src functionality controls self-renewal and glucose metabolism in MCF7 breast cancer stem cells. , 2020, 15, e0235850.		0

#	ARTICLE	IF	CITATIONS
19	c-Src functionality controls self-renewal and glucose metabolism in MCF7 breast cancer stem cells. , 2020, 15, e0235850.		0
20	Myoinvasive Pattern as a Prognostic Marker in Low-Grade, Early-Stage Endometrioid Endometrial Carcinoma. <i>Cancers</i> , 2019, 11, 1845.	1.7	17
21	Versatile Electroanalytical Bioplatfoms for Simultaneous Determination of Cancer-Related DNA 5-Methyl- and 5-Hydroxymethyl-Cytosines at Global and Gene-Specific Levels in Human Serum and Tissues. <i>ACS Sensors</i> , 2019, 4, 227-234.	4.0	56
22	Electrochemical affinity biosensors for fast detection of gene-specific methylations with no need for bisulfite and amplification treatments. <i>Scientific Reports</i> , 2018, 8, 6418.	1.6	62
23	E-cadherin breast tumor expression, risk factors and survival: Pooled analysis of 5,933 cases from 12 studies in the Breast Cancer Association Consortium. <i>Scientific Reports</i> , 2018, 8, 6574.	1.6	51
24	Predicting Response to Standard First-line Treatment in High-grade Serous Ovarian Carcinoma by Angiogenesis-related Genes. <i>Anticancer Research</i> , 2018, 38, 5393-5400.	0.5	11
25	The role of glycosyltransferase enzyme GCNT3 in colon and ovarian cancer prognosis and chemoresistance. <i>Scientific Reports</i> , 2018, 8, 8485.	1.6	26
26	Rapid Electrochemical Assessment of Tumor Suppressor Gene Methylations in Raw Human Serum and Tumor Cells and Tissues Using Immunomagnetic Beads and Selective DNA Hybridization. <i>Angewandte Chemie</i> , 2018, 130, 8326-8330.	1.6	49
27	Rapid Electrochemical Assessment of Tumor Suppressor Gene Methylations in Raw Human Serum and Tumor Cells and Tissues Using Immunomagnetic Beads and Selective DNA Hybridization. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8194-8198.	7.2	61
28	Frequent and Rare HBP2 Variants Are Not Associated with Increased Susceptibility to Familial Nonmedullary Thyroid Carcinoma in the Spanish Population. <i>Hormone Research in Paediatrics</i> , 2018, 89, 397-407.	0.8	3
29	High-throughput 3-dimensional culture of epithelial ovarian cancer cells as preclinical model of disease. <i>Oncotarget</i> , 2018, 9, 21893-21903.	0.8	21
30	Intratumoral activating GNAS (R201C) mutation in two unrelated patients with virilizing ovarian Leydig cell tumors. <i>Endocrinología y Nutrición (English Ed)</i> , 2017, 64, 335-337.	0.1	0
31	Intratumoral activating GNAS (R201C) mutation in two unrelated patients with virilizing ovarian Leydig cell tumors. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017, 64, 335-337.	0.1	2
32	Primary Leiomyosarcoma of the Ovarian Vein: Case Report and Literature Review. <i>International Journal of Surgical Pathology</i> , 2017, 25, 339-343.	0.4	9
33	Comparison of risk classification between EndoPredict and MammaPrint in ER-positive/HER2-negative primary invasive breast cancer. <i>PLoS ONE</i> , 2017, 12, e0183452.	1.1	11
34	The NER-related gene <i>GTF2H5</i> predicts survival in high-grade serous ovarian cancer patients. <i>Journal of Gynecologic Oncology</i> , 2016, 27, e7.	1.0	30
35	G Protein-coupled Receptor Kinase 2 (GRK2) Promotes Breast Tumorigenesis Through a HDAC6-Pin1 Axis. <i>EBioMedicine</i> , 2016, 13, 132-145.	2.7	53
36	Role of placental barrier integrity in infection by <i>Trypanosoma cruzi</i> . <i>Acta Tropica</i> , 2016, 164, 360-368.	0.9	18

#	ARTICLE	IF	CITATIONS
37	One-step nucleic acid amplification (OSNA) for the detection of sentinel lymph node metastasis in endometrial cancer. <i>Gynecologic Oncology</i> , 2016, 143, 54-59.	0.6	31
38	Predictive value of angiogenesis-related gene profiling in patients with HER2-negative metastatic breast cancer treated with bevacizumab and weekly paclitaxel. <i>Oncotarget</i> , 2016, 7, 24217-24227.	0.8	8
39	Subclassification of the molecular types of breast cancer based on the expression of immunohistochemical markers and evolution. <i>Investigacion Clinica</i> , 2016, 57, 187-216.	0.2	5
40	Population-based multicase-control study in common tumors in Spain (MCC-Spain): rationale and study design. <i>Gaceta Sanitaria</i> , 2015, 29, 308-315.	0.6	158
41	Clinicopathological Significance of Taz and VGLL1 Expression in Early Stage Ovarian Cancer. A study by Spanish Group for Ovarian Cancer Research (GEICO).. <i>Journal of Clinical Oncology</i> , 2015, 33, e16583-e16583.	0.8	0
42	Abstract 4838: Inhibitor of differentiation-1 (Id1) expression correlates with epithelial-mesenchymal transition (EMT)-related proteins in epithelial ovarian cancer (EOC) and constitutes a novel prognostic factor. , 2015, , .		0
43	Continuation of bevacizumab and addition of hormone therapy following weekly paclitaxel therapy in HER2-negative metastatic breast cancer. <i>OncoTargets and Therapy</i> , 2014, 7, 2175.	1.0	11
44	NIS Mediates Iodide Uptake in the Female Reproductive Tract and Is a Poor Prognostic Factor in Ovarian Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1199-E1208.	1.8	26
45	The PTEN/NRF2 Axis Promotes Human Carcinogenesis. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 2498-2514.	2.5	104
46	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014, 23, 6096-6111.	1.4	53
47	Characterization of the genomic features and expressed fusion genes in micropapillary carcinomas of the breast. <i>Journal of Pathology</i> , 2014, 232, 553-565.	2.1	88
48	Reproducibility of current classifications of endometrial endometrioid glandular proliferations: further evidence supporting a simplified classification. <i>Histopathology</i> , 2014, 64, 284-292.	1.6	46
49	FGF receptor genes and breast cancer susceptibility: results from the Breast Cancer Association Consortium. <i>British Journal of Cancer</i> , 2014, 110, 1088-1100.	2.9	21
50	Nomogram including the total tumoral load in the sentinel nodes assessed by one-step nucleic acid amplification as a new factor for predicting nonsentinel lymph node metastasis in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2014, 147, 371-380.	1.1	40
51	Accurate Identification of ALK Positive Lung Carcinoma Patients: Novel FDA-Cleared Automated Fluorescence In Situ Hybridization Scanning System and Ultrasensitive Immunohistochemistry. <i>PLoS ONE</i> , 2014, 9, e107200.	1.1	58
52	Central pathology review of early-stage ovarian carcinoma: Description and correlation with follow-up”A study by the Spanish Group for Ovarian Cancer Research (GEICO).. <i>Journal of Clinical Oncology</i> , 2014, 32, 5583-5583.	0.8	2
53	Predictive value of angiogenesis-related gene profiling in patients with HER2-negative metastatic breast cancer (MBC) treated with bevacizumab and weekly paclitaxel (Bev-Pac).. <i>Journal of Clinical Oncology</i> , 2014, 32, 564-564.	0.8	2
54	DNA Methylation Signatures Identify Biologically Distinct Thyroid Cancer Subtypes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2811-2821.	1.8	100

#	ARTICLE	IF	CITATIONS
55	Developmental and tumoral vascularization is regulated by G protein-coupled receptor kinase 2. <i>Journal of Clinical Investigation</i> , 2013, 123, 4714-4730.	3.9	52
56	Comparison of Molecular Analysis and Histopathology for Axillary Lymph Node Staging in Primary Breast Cancer. <i>Diagnostic Molecular Pathology</i> , 2012, 21, 69-76.	2.1	25
57	mRNA In Situ Hybridization (HistoSonda). <i>Diagnostic Molecular Pathology</i> , 2012, 21, 84-92.	2.1	11
58	Advances in establishment and analysis of three-dimensional tumor spheroid-based functional assays for target validation and drug evaluation. <i>BMC Biology</i> , 2012, 10, 29.	1.7	751
59	Revisión de casos con diagnóstico de toxoplasmosis en el Hospital La Paz de Madrid (1967-2010). <i>Revista Espanola De Patología</i> , 2012, 45, 5-13.	0.6	1
60	Aurora B kinase expression in laryngeal squamous cell carcinoma and its prognostic implications. <i>Histopathology</i> , 2011, 58, 368-376.	1.6	14
61	Lysyl oxidase-like 2 (LOXL2), a new regulator of cell polarity required for metastatic dissemination of basal-like breast carcinomas. <i>EMBO Molecular Medicine</i> , 2011, 3, 528-544.	3.3	150
62	From targeted therapy in ovarian cancer to personalizing therapy for ovarian cancer. <i>Expert Opinion on Investigational Drugs</i> , 2011, 20, 591-594.	1.9	3
63	Abstract 4829: Massively parallel RNA sequencing analysis of micropapillary carcinomas of the breast. , 2011, , .		0
64	An 8-gene qRT-PCR-based gene expression score that has prognostic value in early breast cancer. <i>BMC Cancer</i> , 2010, 10, 336.	1.1	22
65	Molecular characterization of ovarian cancer by gene-expression profiling. <i>Gynecologic Oncology</i> , 2010, 118, 88-92.	0.6	41
66	A Method to Calculate the Volume of Palatine Tonsils. <i>Anatomical Record</i> , 2010, 293, 2144-2146.	0.8	4
67	Histopathological analysis of human specimens removed from the injection area of expanded adipose-derived stem cells. <i>Histopathology</i> , 2010, 56, 979-982.	1.6	12
68	Comparison of gene expression profiling by reverse transcription quantitative PCR between fresh frozen and formalin-fixed, paraffin-embedded breast cancer tissues. <i>BioTechniques</i> , 2010, 48, 389-397.	0.8	60
69	The miR-200 family controls β -tubulin III expression and is associated with paclitaxel-based treatment response and progression-free survival in ovarian cancer patients. <i>Endocrine-Related Cancer</i> , 2010, 18, 85-95.	1.6	188
70	Tiling Path Genomic Profiling of Grade 3 Invasive Ductal Breast Cancers. <i>Clinical Cancer Research</i> , 2009, 15, 2711-2722.	3.2	152
71	Angiogenesis and ovarian cancer. <i>Clinical and Translational Oncology</i> , 2009, 11, 564-571.	1.2	59
72	Aurora kinases as prognostic biomarkers in ovarian carcinoma. <i>Human Pathology</i> , 2009, 40, 631-638.	1.1	35

#	ARTICLE	IF	CITATIONS
73	Comparison of Prognostic Gene Profiles Using qRT-PCR in Paraffin Samples: A Retrospective Study in Patients with Early Breast Cancer. <i>PLoS ONE</i> , 2009, 4, e5911.	1.1	18
74	Targeting Angiogenesis in Ovarian Carcinoma. <i>Current Cancer Therapy Reviews</i> , 2009, 5, 188-202.	0.2	0
75	Signet-Ring Stromal Tumor of the Ovary: Report of a Case and Review of the Literature. <i>Pathology and Oncology Research</i> , 2008, 14, 333-336.	0.9	17
76	Molecular profiling pleomorphic lobular carcinomas of the breast: evidence for a common molecular genetic pathway with classic lobular carcinomas. <i>Journal of Pathology</i> , 2008, 215, 231-244.	2.1	153
77	Clinicopathological and molecular analysis of endometrial carcinoma associated with tamoxifen. <i>Modern Pathology</i> , 2008, 21, 925-936.	2.9	22
78	Transitional cell carcinoma of the endometrium and endometrial carcinoma with transitional cell differentiation: a clinicopathologic study of 5 cases and review of the literature. <i>Human Pathology</i> , 2008, 39, 1606-1613.	1.1	17
79	Lysyl Oxidase-2 as a New Poor Prognosis Marker of Squamous Cell Carcinomas. <i>Cancer Research</i> , 2008, 68, 4541-4550.	0.4	192
80	Epithelial-Mesenchymal Transition in Breast Cancer Relates to the Basal-like Phenotype. <i>Cancer Research</i> , 2008, 68, 989-997.	0.4	934
81	Angiogenesis-Related Gene Expression Profile with Independent Prognostic Value in Advanced Ovarian Carcinoma. <i>PLoS ONE</i> , 2008, 3, e4051.	1.1	20
82	Phospholipid Hydroperoxide Glutathione Peroxidase (PHGPx) expression is downregulated in poorly differentiated breast invasive ductal carcinoma. <i>Free Radical Research</i> , 2007, 41, 681-687.	1.5	25
83	Inactivation of the Candidate Tumor Suppressor Par-4 in Endometrial Cancer. <i>Cancer Research</i> , 2007, 67, 1927-1934.	0.4	100
84	Sox2: a possible driver of the basal-like phenotype in sporadic breast cancer. <i>Modern Pathology</i> , 2007, 20, 474-481.	2.9	209
85	Prognostic Significance of Basal-Like Phenotype and Fascin Expression in Node-Negative Invasive Breast Carcinomas. <i>Clinical Cancer Research</i> , 2006, 12, 1533-1539.	3.2	318
86	Expression of cadherins and catenins correlates with distinct histologic types of ovarian carcinomas. <i>Human Pathology</i> , 2006, 37, 1042-1049.	1.1	69
87	Nasopharyngeal cyst after adenoidectomy in a child with liver transplantation. <i>International Journal of Pediatric Otorhinolaryngology Extra</i> , 2006, 1, 119-122.	0.1	0
88	Abnormal ezrin localization is associated with clinicopathological features in invasive breast carcinomas. <i>Breast Cancer Research and Treatment</i> , 2006, 98, 71-79.	1.1	99
89	Caveolin-1 expression is associated with a basal-like phenotype in sporadic and hereditary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006, 99, 85-90.	1.1	121
90	FGFR1 Emerges as a Potential Therapeutic Target for Lobular Breast Carcinomas. <i>Clinical Cancer Research</i> , 2006, 12, 6652-6662.	3.2	256

#	ARTICLE	IF	CITATIONS
91	Vimentin and laminin expression is associated with basal-like phenotype in both sporadic and BRCA1-associated breast carcinomas. <i>Journal of Clinical Pathology</i> , 2006, 60, 1006-1012.	1.0	93
92	Low Frequency of BRAF Mutations in Endometrial and in Cervical Carcinomas. <i>Clinical Cancer Research</i> , 2006, 12, 3865-3866.	3.2	20
93	Localisation of COX-2 protein is different in breast ductal carcinoma and adjacent non-tumour ductal epithelium. <i>Clinical and Translational Oncology</i> , 2005, 7, 239-243.	1.2	3
94	Breast Cancer Prognosis Determined by Gene Expression Profiling: A Quantitative Reverse Transcriptase Polymerase Chain Reaction Study. <i>Journal of Clinical Oncology</i> , 2005, 23, 7278-7285.	0.8	54
95	Breast carcinomas fulfill the Warburg hypothesis and provide metabolic markers of cancer prognosis. <i>Carcinogenesis</i> , 2005, 26, 2095-2104.	1.3	155
96	Fine needle aspiration cytology of mammary carcinoma with osteoclast-like giant cells. <i>Cytopathology</i> , 2004, 15, 321-325.	0.4	16
97	Cytoplasmic localization of p120ctn and E-cadherin loss characterize lobular breast carcinoma from preinvasive to metastatic lesions. <i>Oncogene</i> , 2004, 23, 3272-3283.	2.6	185
98	Numerical aberrations of chromosomes 8, 9, 11, and 17 in squamous cell carcinoma of the pharynx and larynx: a fluorescence in situ hybridization and DNA flow cytometric analysis of 50 cases. <i>Oral Oncology</i> , 2004, 40, 409-417.	0.8	15
99	Re: Scholten et al. Nuclear β -catenin is a molecular feature of type I endometrial carcinoma. <i>J Pathol</i> 2003; 201: 460-465. <i>Journal of Pathology</i> , 2004, 202, 511-512.	2.1	7
100	Molecular alterations associated with cyclin d1 overexpression in endometrial cancer. <i>International Journal of Cancer</i> , 2004, 110, 194-200.	2.3	35
101	Expression of the nucleoside-derived drug transporters hCNT1, hENT1 and hENT2 in gynecologic tumors. <i>International Journal of Cancer</i> , 2004, 112, 959-966.	2.3	84
102	Molecular pathogenesis of head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2003, 260, 502-508.	0.8	142
103	Epigenetic and genetic alterations of APC and CDH1 genes in lobular breast cancer: Relationships with abnormal E-cadherin and catenin expression and microsatellite instability. <i>International Journal of Cancer</i> , 2003, 106, 208-215.	2.3	186
104	Abnormalities of E- and P-cadherin and catenin (β -, γ -catenin, and p120ctn) expression in endometrial cancer and endometrial atypical hyperplasia. <i>Journal of Pathology</i> , 2003, 199, 471-478.	2.1	121
105	Cyclin E gene (CCNE) amplification and hCDC4 mutations in endometrial carcinoma. <i>Journal of Pathology</i> , 2003, 201, 589-595.	2.1	56
106	Cyclin D1 gene (CCND1) mutations in endometrial cancer. <i>Oncogene</i> , 2003, 22, 6115-6118.	2.6	107
107	Tissue Microarray Immunohistochemical Expression Analysis of Mismatch Repair (hMLH1 and hMSH2) Tj ETQq1 1 0.784314 rgBT /Over Microsatellite Instability. <i>Modern Pathology</i> , 2003, 16, 1148-1158.	2.9	38
108	New insights in β -tubulin sequence analysis in non-small cell lung cancer. <i>Lung Cancer</i> , 2003, 41, 41-48.	0.9	20

#	ARTICLE	IF	CITATIONS
109	Fine Needle Aspiration Cytology of Solid Papillary Carcinoma of the Breast. <i>Acta Cytologica</i> , 2003, 47, 259-264.	0.7	16
110	Multiple Pulmonary Leiomyomatous Hamartomas Associated With a Bronchogenic Cyst in a Man. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, e194-e196.	1.2	7
111	Differential gene expression profile in endometrioid and nonendometrioid endometrial carcinoma: STK15 is frequently overexpressed and amplified in nonendometrioid carcinomas. <i>Cancer Research</i> , 2003, 63, 5697-702.	0.4	119
112	Adenomatoid Tumors of the Uterus: An Analysis of 60 Cases. <i>International Journal of Gynecological Pathology</i> , 2002, 21, 34-40.	0.9	108
113	Solitary fibrous tumor of the skin. <i>Journal of the American Academy of Dermatology</i> , 2002, 46, S37-S40.	0.6	29
114	Kaposiform hemangioendothelioma of the external auditory canal in an adult. <i>Head and Neck</i> , 2002, 24, 614-617.	0.9	26
115	Abnormalities of the APC/ β -catenin pathway in endometrial cancer. <i>Oncogene</i> , 2002, 21, 7981-7990.	2.6	252
116	Eccrine Porocarcinoma (Malignant Eccrine Poroma). <i>American Journal of Surgical Pathology</i> , 2002, 26, 272-273.	2.1	40
117	Visceral Carcinoma With Shadow Cell Differentiation Can Mimic Pilomatrix Carcinoma. <i>American Journal of Dermatopathology</i> , 2002, 24, 446-447.	0.3	0
118	Crohn's disease limited to the appendix. <i>American Journal of Surgery</i> , 2001, 182, 531-533.	0.9	42
119	Factors Related to Nerve Injury and Hypocalcemia in Thyroid Gland Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2001, 124, 111-114.	1.1	79
120	Post-transplant lymphoproliferative disease in tonsils of children with liver transplantation. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2001, 58, 113-118.	0.4	13
121	Pilomatrix Carcinoma: A Clinicopathologic Study of Six Cases and Review of the Literature. <i>American Journal of Dermatopathology</i> , 2001, 23, 394-401.	0.3	129
122	Value of Fine Needle Aspiration Cytology in the Initial Diagnosis of Hodgkin's Disease. <i>Acta Cytologica</i> , 2001, 45, 300-306.	0.7	55
123	Primary Osteosarcoma of the Uterine Corpus: Report of a Case with Immunohistochemical and Ultrastructural Study. <i>Gynecologic Oncology</i> , 2001, 82, 181-186.	0.6	21
124	Graft-vs-Host Disease as a Cause of Enlargement of the Epiglottis in an Immunocompromised Child. <i>JAMA Otolaryngology</i> , 2001, 127, 439.	1.5	2
125	The Prognostic Significance of P-Cadherin in Infiltrating Ductal Breast Carcinoma. <i>Modern Pathology</i> , 2001, 14, 650-654.	2.9	85
126	Sarcomatoid carcinoma of the pyriform sinus with brain and subcutaneous metastases: an unusual metastatic spread pattern. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 445-448.	0.8	2

#	ARTICLE	IF	CITATIONS
127	Postoperative Radiotherapy in Patients with Positive Nodes after Functional Neck Dissection. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2000, 109, 844-848.	0.6	25
128	Extracapsular Spread and Desmoplastic Pattern in Neck Lymph Nodes: Two Prognostic Factors of Laryngeal Cancer. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 1999, 108, 672-676.	0.6	30
129	Cytologic Features of Malignant Peripheral Nerve Sheath Tumor. <i>Acta Cytologica</i> , 1999, 43, 175-183.	0.7	38
130	Subungual Malignant Melanoma of the Hand: Unusual Clinical Presentation: Case report. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 1998, 32, 347-350.	0.6	6
131	Giant Chondroid Syringoma of the Axilla. <i>Journal of Cutaneous Medicine and Surgery</i> , 1998, 3, 115-117.	0.6	20
132	Intracortical Hemangioma of Bone. Report of Two Cases and Review of the Literature*. <i>Journal of Bone and Joint Surgery - Series A</i> , 1998, 80, 1673-8.	1.4	31
133	Letters to the Editor: Rosai-Dorfman Disease and Juvenile Xanthogranuloma. <i>Pediatric Pathology & Laboratory Medicine: Journal of the Society for Pediatric Pathology, Affiliated With the International Paediatric Pathology Association</i> , 1997, 17, 527-529.	0.3	2
134	Adrenal Gland Leiomyoma in a Child with Acquired Immunodeficiency Syndrome. <i>Pediatric Pathology & Laboratory Medicine: Journal of the Society for Pediatric Pathology, Affiliated With the International Paediatric Pathology Association</i> , 1995, 15, 923-929.	0.3	38