

Andrew M Allen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3440885/andrew-m-allen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

5,226
citations

41
h-index

71
g-index

109
ext. papers

5,606
ext. citations

5.5
avg, IF

5.14
L-index

#	Paper	IF	Citations
106	Advancing respiratory-cardiovascular physiology with the working heart-brainstem preparation over 25 years.. <i>Journal of Physiology</i> , 2022 ,	3.9	1
105	Selective optogenetic stimulation of efferent fibers in the vagus nerve of a large mammal. <i>Brain Stimulation</i> , 2021 , 14, 88-96	5.1	8
104	Does glyceryl trinitrate cause central sympatholytic effects? Insights from a case of baroreflex failure. <i>Internal Medicine Journal</i> , 2020 , 50, 114-117	1.6	1
103	PreBötzinger complex neurons drive respiratory modulation of blood pressure and heart rate. <i>ELife</i> , 2020 , 9,	8.9	18
102	A Chemogenetic Tool that Enables Functional Neural Circuit Analysis. <i>Cell Reports</i> , 2020 , 32, 108139	10.6	6
101	Extensive Inhibitory Gating of Viscerosensory Signals by a Sparse Network of Somatostatin Neurons. <i>Journal of Neuroscience</i> , 2019 , 39, 8038-8050	6.6	3
100	Respiratory sympathetic modulation is augmented in chronic kidney disease. <i>Respiratory Physiology and Neurobiology</i> , 2019 , 262, 57-66	2.8	5
99	Intrathecal Administration of Losartan Reduces Directly Recorded Cardiac Sympathetic Nerve Activity in Ovine Heart Failure. <i>Hypertension</i> , 2019 , 74, 896-902	8.5	4
98	Neurohumoral interactions contributing to renal vasoconstriction and decreased renal blood flow in heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019 , 317, R386-R396	3.2	8
97	Involvement of Phox2B Neurons Located in the Commissural NTs with the Maintenance of Hypertension in SH Rats. <i>FASEB Journal</i> , 2019 , 33, 742.5	0.9	
96	Insights into the neurochemical signature of the Innervation of Beige Fat. <i>Molecular Metabolism</i> , 2018 , 11, 47-58	8.8	11
95	Cholinergic Submucosal Neurons Display Increased Excitability Following Cholera Toxin Exposure in Mouse Ileum. <i>Frontiers in Physiology</i> , 2018 , 9, 260	4.6	8
94	Orphan receptor GPR37L1 contributes to the sexual dimorphism of central cardiovascular control. <i>Biology of Sex Differences</i> , 2018 , 9, 14	9.3	6
93	Viscerosensory input drives angiotensin II type 1A receptor-expressing neurons in the solitary tract nucleus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 314, R282-R293	3.2	1
92	Optogenetic Demonstration of Functional Innervation of Mouse Colon by Neurons Derived From Transplanted Neural Cells. <i>Gastroenterology</i> , 2017 , 152, 1407-1418	13.3	34
91	Excessive Respiratory Modulation of Blood Pressure Triggers Hypertension. <i>Cell Metabolism</i> , 2017 , 25, 739-748	24.6	37
90	Kif1bp loss in mice leads to defects in the peripheral and central nervous system and perinatal death. <i>Scientific Reports</i> , 2017 , 7, 16676	4.9	8

89	Functional and neurochemical characterization of angiotensin type 1A receptor-expressing neurons in the nucleus of the solitary tract of the mouse. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 313, R438-R449	3.2	4
88	The angiotensin receptor blocker, Losartan, inhibits mammary tumor development and progression to invasive carcinoma. <i>Oncotarget</i> , 2017 , 8, 18640-18656	3.3	45
87	Mapping and Analysis of the Connectome of Sympathetic Premotor Neurons in the Rostral Ventrolateral Medulla of the Rat Using a Volumetric Brain Atlas. <i>Frontiers in Neural Circuits</i> , 2017 , 11, 9	3.5	22
86	Adrenergic Neurons in the CNS 2017 , 29-37		1
85	Respiratory modulation of sympathetic nerve activity is enhanced in male rat offspring following uteroplacental insufficiency. <i>Respiratory Physiology and Neurobiology</i> , 2016 , 226, 147-51	2.8	4
84	Recording, labeling, and transfection of single neurons in deep brain structures. <i>Physiological Reports</i> , 2015 , 3, e12246	2.6	10
83	Identification of CNS neurons with polysynaptic connections to both the sympathetic and parasympathetic innervation of the submandibular gland. <i>Brain Structure and Function</i> , 2015 , 220, 2103-20	4	6
82	Catecholaminergic C3 neurons are sympathoexcitatory and involved in glucose homeostasis. <i>Journal of Neuroscience</i> , 2014 , 34, 15110-22	6.6	20
81	Leptin mediates the increase in blood pressure associated with obesity. <i>Cell</i> , 2014 , 159, 1404-16	56.2	232
80	Angiotensin type 1A receptor expression in C1 neurons of the rostral ventrolateral medulla contributes to the development of angiotensin-dependent hypertension. <i>Experimental Physiology</i> , 2014 , 99, 1597-610	2.4	7
79	Central angiotensinergic mechanisms associated with hypertension. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2013 , 175, 85-92	2.4	22
78	Cardiovascular role of angiotensin type1A receptors in the nucleus of the solitary tract of mice. <i>Cardiovascular Research</i> , 2013 , 100, 181-91	9.9	7
77	Male contraception via simultaneous knockout of β A-adrenoceptors and P2X1-purinoceptors in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 20825-30	11.5	31
76	Stimulation of angiotensin type 1A receptors on catecholaminergic cells contributes to angiotensin-dependent hypertension. <i>Hypertension</i> , 2013 , 62, 866-71	8.5	21
75	Baroreceptor reflex control of heart rate in angiotensin type 1A receptor knockout mice. <i>Physiological Reports</i> , 2013 , 1, e00171	2.6	1
74	Angiotensin type 1A receptors transfected into the nucleus tractus solitarii of AT1a β mice increase blood pressure and cardiovascular responses to aversive stress. <i>FASEB Journal</i> , 2013 , 27, 926.10 ^{0.9}	0.9	
73	Efferent projections of C3 adrenergic neurons in the rat central nervous system. <i>Journal of Comparative Neurology</i> , 2012 , 520, 2352-68	3.4	22
72	Disruption of muscle renin-angiotensin system in AT1a β mice enhances muscle function despite reducing muscle mass but compromises repair after injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012 , 303, R321-31	3.2	12

71	Hypothalamic gene expression in EB PUFA-deficient male rats before, and following, development of hypertension. <i>Hypertension Research</i> , 2012 , 35, 381-7	4.7	13
70	Angiotensin type 1A receptors in C1 neurons of the rostral ventrolateral medulla modulate the pressor response to aversive stress. <i>Journal of Neuroscience</i> , 2012 , 32, 2051-61	6.6	35
69	Central angiotensin type 1 receptor blockade decreases cardiac but not renal sympathetic nerve activity in heart failure. <i>Hypertension</i> , 2012 , 59, 634-41	8.5	32
68	Angiotensin 1A receptors transfected into caudal ventrolateral medulla inhibit baroreflex gain and stress responses. <i>Cardiovascular Research</i> , 2012 , 96, 330-9	9.9	9
67	AT1A angiotensin receptors in the renal proximal tubule regulate blood pressure. <i>Cell Metabolism</i> , 2011 , 13, 469-475	24.6	182
66	Role of angiotensin in the rostral ventrolateral medulla in the development and maintenance of hypertension. <i>Current Opinion in Pharmacology</i> , 2011 , 11, 117-23	5.1	16
65	Control of sympathetic vasomotor tone by catecholaminergic C1 neurones of the rostral ventrolateral medulla oblongata. <i>Cardiovascular Research</i> , 2011 , 91, 703-10	9.9	60
64	Renal proximal tubule angiotensin AT1A receptors regulate blood pressure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011 , 301, R1067-77	3.2	63
63	Expression of angiotensin type 1A receptors in C1 neurons restores the sympathoexcitation to angiotensin in the rostral ventrolateral medulla of angiotensin type 1A knockout mice. <i>Hypertension</i> , 2010 , 56, 143-50	8.5	32
62	Changes in angiotensin type 1 receptor binding and angiotensin-induced pressor responses in the rostral ventrolateral medulla of angiotensinogen knockout mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010 , 298, R411-8	3.2	4
61	The endogenous actions of hypothalamic peptides on brown adipose tissue thermogenesis in the rat. <i>Endocrinology</i> , 2010 , 151, 4236-46	4.8	54
60	Is augmented central respiratory-sympathetic coupling involved in the generation of hypertension?. <i>Respiratory Physiology and Neurobiology</i> , 2010 , 174, 89-97	2.8	37
59	Cell-selective Expression of Angiotensin Type 1A Receptors In The Rostral Ventrolateral Medulla Of The Mouse. <i>FASEB Journal</i> , 2010 , 24, 808.11	0.9	
58	Neuronal Angiotensin 2009 , 697-702		4
57	Angiotensin II type 2 receptor antagonizes angiotensin II type 1 receptor-mediated cardiomyocyte autophagy. <i>Hypertension</i> , 2009 , 53, 1032-40	8.5	86
56	Amplified respiratory-sympathetic coupling in the spontaneously hypertensive rat: does it contribute to hypertension?. <i>Journal of Physiology</i> , 2009 , 587, 597-610	3.9	162
55	The role of thermogenesis in antipsychotic drug-induced weight gain. <i>Obesity</i> , 2009 , 17, 16-24	8	79
54	The effects of rimonabant on brown adipose tissue in rat: implications for energy expenditure. <i>Obesity</i> , 2009 , 17, 254-61	8	83

53	Central neural regulation of cardiovascular function by angiotensin: a focus on the rostral ventrolateral medulla. <i>Neuroendocrinology</i> , 2009 , 89, 361-9	5.6	25
52	Angiotensin Actions on and within Brain 2009 , 381-388		
51	Distribution of cells expressing human renin-promoter activity in the brain of a transgenic mouse. <i>Brain Research</i> , 2008 , 1243, 78-85	3.7	14
50	Osmoregulatory fluid intake but not hypovolemic thirst is intact in mice lacking angiotensin. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R1533-43	3.2	26
49	Chronic beta2-adrenoceptor stimulation impairs cardiac relaxation via reduced SR Ca ²⁺ -ATPase protein and activity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H2587-95	5.2	21
48	Ciliary neurotrophic factor suppresses hypothalamic AMP-kinase signaling in leptin-resistant obese mice. <i>Endocrinology</i> , 2006 , 147, 3906-14	4.8	86
47	Expression of constitutively active angiotensin receptors in the rostral ventrolateral medulla increases blood pressure. <i>Hypertension</i> , 2006 , 47, 1054-61	8.5	57
46	Baroreceptor reflex stimulation does not induce cytomegalovirus promoter-driven transgene expression in the ventrolateral medulla in vivo. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2006 , 126-127, 150-5	2.4	
45	A neglected Accessory Vasomotor pathway: implications for blood pressure control. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 473-7	3	2
44	Structural and functional evidence supporting a role for leptin in central neural pathways influencing blood pressure in rats. <i>Experimental Physiology</i> , 2005 , 90, 689-96	2.4	36
43	Effect of I.C.V. injection of AT4 receptor ligands, NLE1-angiotensin IV and LVV-hemorphin 7, on spatial learning in rats. <i>Neuroscience</i> , 2004 , 124, 341-9	3.9	99
42	Effect of fimbria-fornix lesion on 125I-angiotensin IV (Ang IV) binding in the guinea pig hippocampus. <i>Brain Research</i> , 2003 , 979, 7-14	3.7	3
41	Hypothalamic paraventricular nucleus inhibition decreases renal sympathetic nerve activity in hypertensive and normotensive rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2003 , 108, 17-21	2.4	46
40	The brain renin-angiotensin system: location and physiological roles. <i>International Journal of Biochemistry and Cell Biology</i> , 2003 , 35, 901-18	5.6	400
39	Physiological impact of increased expression of the AT1 angiotensin receptor. <i>Hypertension</i> , 2003 , 42, 507-14	8.5	29
38	Inhibition of the hypothalamic paraventricular nucleus in spontaneously hypertensive rats dramatically reduces sympathetic vasomotor tone. <i>Hypertension</i> , 2002 , 39, 275-80	8.5	189
37	ANP potentiates nonarterial baroreflex bradycardia: evidence from sinoaortic denervation in rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2002 , 97, 89-98	2.4	16
36	Neural pathways from the lamina terminalis influencing cardiovascular and body fluid homeostasis. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 990-2	3	76

35	Blockade of angiotensin AT1-receptors in the rostral ventrolateral medulla of spontaneously hypertensive rats reduces blood pressure and sympathetic nerve discharge. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2001 , 2, S120-S124	3	43
34	Review: AT1-receptors in the central nervous system. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2001 , 2, S95-S101	3	12
33	Autoradiographic localization and quantification of components of the Renin-Angiotensin system in tissues. <i>Methods in Molecular Medicine</i> , 2001 , 51, 315-37		
32	Baroreflex inhibition of cardiac sympathetic outflow is attenuated by angiotensin II in the nucleus of the solitary tract. <i>Neuroscience</i> , 2001 , 103, 153-60	3.9	61
31	Potentialiation of cholinergic transmission in the rat hippocampus by angiotensin IV and LVV-hemorphin-7. <i>Neuropharmacology</i> , 2001 , 40, 618-23	5.5	88
30	Chapter iii Localization of angiotensin receptors in the nervous system. <i>Handbook of Chemical Neuroanatomy</i> , 2000 , 79-124		20
29	The physiological role of AT1 receptors in the ventrolateral medulla. <i>Brazilian Journal of Medical and Biological Research</i> , 2000 , 33, 643-52	2.8	27
28	Localization and function of angiotensin AT1 receptors. <i>American Journal of Hypertension</i> , 2000 , 13, 315-385		188
27	Angiotensin II receptors in the human brain. <i>Regulatory Peptides</i> , 1999 , 79, 1-7		51
26	Interaction of circulating hormones with the brain: the roles of the subfornical organ and the organum vasculosum of the lamina terminalis. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998 , 25, S61-7	3	118
25	Bioactive angiotensin peptides. <i>Journal of Human Hypertension</i> , 1998 , 12, 289-93	2.6	36
24	Angiotensin receptors in the nervous system. <i>Brain Research Bulletin</i> , 1998 , 47, 17-28	3.9	205
23	Mapping tissue angiotensin-converting enzyme and angiotensin AT1, AT2 and AT4 receptors. <i>Journal of Hypertension</i> , 1998 , 16, 2027-37	1.9	89
22	LOCALIZATION OF ANGIOTENSIN II RECEPTORS IN RAT KIDNEY AND BRAIN 1998 , 61-81		
21	Angiotensin II receptor subtypes in the human central nervous system. <i>Brain Research</i> , 1995 , 675, 231-40	3.7	83
20	Distribution of angiotensin II receptor binding in the spinal cord of the sheep. <i>Brain Research</i> , 1994 , 650, 40-8	3.7	31
19	Synaptic and neurotransmitter regulation of activity in mammalian hypothalamic magnocellular neurosecretory cells. <i>Progress in Brain Research</i> , 1992 , 92, 277-88	2.9	19
18	High resolution localization of angiotensin II receptors in rat renal medulla. <i>Kidney International</i> , 1992 , 42, 1372-80	9.9	63

17	Mapping of angiotensin II receptor subtype heterogeneity in rat brain. <i>Journal of Comparative Neurology</i> , 1992 , 316, 467-84	3.4	264
16	Angiotensin II receptor binding associated with nigrostriatal dopaminergic neurons in human basal ganglia. <i>Annals of Neurology</i> , 1992 , 32, 339-44	9.4	77
15	Angiotensin II receptor subtypes in rat brain. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1991 , 18, 93-6	3	47
14	Localization and characterization of angiotensin II receptor binding sites in the human basal ganglia, thalamus, midbrain pons, and cerebellum. <i>Journal of Comparative Neurology</i> , 1991 , 312, 291-8	3.4	49
13	Angiotensin II receptor subtypes in rat brain and peripheral tissues. <i>Cardiology</i> , 1991 , 79 Suppl 1, 45-54	1.6	51
12	Angiotensin II Receptors in the Human Central Nervous System 1991 , 123-142		2
11	The brain angiotensin system: insights from mapping its components. <i>Trends in Endocrinology and Metabolism</i> , 1990 , 1, 189-98	8.8	34
10	In vitro autoradiographic localization of binding to angiotensin receptors in the rat heart. <i>International Journal of Cardiology</i> , 1990 , 28, 25-33	3.2	50
9	Localization of angiotensin II binding sites in the bovine adrenal medulla using a labelled specific antagonist. <i>Neuroscience</i> , 1989 , 28, 777-87	3.9	56
8	Localization and characterization of angiotensin II receptor binding and angiotensin converting enzyme in the human medulla oblongata. <i>Journal of Comparative Neurology</i> , 1988 , 269, 249-64	3.4	101
7	Localization of angiotensin II receptor binding in rabbit brain by in vitro autoradiography. <i>Journal of Comparative Neurology</i> , 1988 , 270, 372-84	3.4	103
6	Angiotensin receptor binding in human hypothalamus: autoradiographic localization. <i>Brain Research</i> , 1987 , 420, 375-9	3.7	63
5	Overlapping distributions of receptors for atrial natriuretic peptide and angiotensin II visualized by in vitro autoradiography: morphological basis of physiological antagonism. <i>Canadian Journal of Physiology and Pharmacology</i> , 1987 , 65, 1517-21	2.4	57
4	Localization and characterization of insulin receptors in rat brain and pituitary gland using in vitro autoradiography and computerized densitometry. <i>Endocrinology</i> , 1987 , 121, 1562-70	4.8	273
3	Local Actions of Angiotensin II. <i>Journal of Cardiovascular Pharmacology</i> , 1986 , 8, S35-39	3.1	36
2	Angiotensin II receptor binding in the rat nucleus tractus solitarii is reduced after unilateral nodose ganglionectomy or vagotomy. <i>European Journal of Pharmacology</i> , 1986 , 125, 305-7	5.3	60
1	Autoradiographic localization of angiotensin receptors in the sheep brain. <i>Brain Research</i> , 1986 , 375, 373-6	3.7	66