

Amita Aggarwal

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3442801/amita-aggarwal-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

2,458
citations

26
h-index

41
g-index

184
ext. papers

3,022
ext. citations

3.6
avg, IF

5.4
L-index

#	Paper	IF	Citations
159	Work disability remains a major problem in rheumatoid arthritis in the 2000s: data from 32 countries in the QUEST-RA study. <i>Arthritis Research and Therapy</i> , 2010 , 12, R42	5.7	160
158	Interleukin 17 levels are increased in juvenile idiopathic arthritis synovial fluid and induce synovial fibroblasts to produce proinflammatory cytokines and matrix metalloproteinases. <i>Journal of Rheumatology</i> , 2008 , 35, 515-9	4.1	126
157	Determinants of discordance in patients and physicians' rating of rheumatoid arthritis disease activity. <i>Arthritis Care and Research</i> , 2012 , 64, 206-14	4.7	118
156	Th1/Th17 cytokine profiles in patients with reactive arthritis/undifferentiated spondyloarthritis. <i>Journal of Rheumatology</i> , 2007 , 34, 2285-90	4.1	109
155	Performance of current guidelines for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2871-80	9.5	84
154	Autoantibodies in rheumatoid arthritis: association with severity of disease in established RA. <i>Clinical Rheumatology</i> , 2007 , 26, 201-4	3.9	71
153	Phenotypic variability and disparities in treatment and outcomes of childhood arthritis throughout the world: an observational cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 255-263	14.5	58
152	Impact of rheumatoid arthritis on quality of life. <i>Modern Rheumatology</i> , 2007 , 17, 290-295	3.3	51
151	Psoriatic arthritis: a critical review. <i>Clinical Reviews in Allergy and Immunology</i> , 2013 , 44, 141-8	12.3	43
150	mTOR signaling pathway regulates the IL-12/IL-10 axis in <i>Leishmania donovani</i> infection. <i>Medical Microbiology and Immunology</i> , 2012 , 201, 37-46	4	40
149	Childhood onset systemic lupus erythematosus: how is it different from adult SLE?. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 182-91	2.3	39
148	Long-term outcome of lupus nephritis in Asian Indians. <i>Arthritis Care and Research</i> , 2012 , 64, 713-20	4.7	36
147	MicroRNA-132, miR-146a, and miR-155 as potential biomarkers of methotrexate response in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2019 , 38, 877-884	3.9	36
146	Elevated serum receptor activator of NF-kappaB ligand (RANKL), osteoprotegerin (OPG), matrix metalloproteinase (MMP)3, and ProMMP1 in patients with juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2008 , 27, 289-94	3.9	35
145	Impact of rheumatoid arthritis on quality of life. <i>Modern Rheumatology</i> , 2007 , 17, 290-5	3.3	35
144	Th-17 associated cytokines in patients with reactive arthritis/undifferentiated spondyloarthritis. <i>Clinical Rheumatology</i> , 2011 , 30, 771-6	3.9	34
143	Elevated concentrations of monocyte derived cytokines in synovial fluid of children with enthesitis related arthritis and polyarticular types of juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1349-53	4.1	34

142	Role of autoantibody testing. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 907-20	5.3	33
141	Expression of Toll-like receptors 2 and 4 is increased in peripheral blood and synovial fluid monocytes of patients with enthesitis-related arthritis subtype of juvenile idiopathic arthritis. <i>Rheumatology</i> , 2011 , 50, 481-8	3.9	33
140	Methotrexate inhibits interleukin-6 production in patients with juvenile rheumatoid arthritis. <i>Rheumatology International</i> , 2003 , 23, 134-7	3.6	30
139	IL-17 and IFN- γ -producing NK and $\gamma\delta$ T cells are preferentially expanded in synovial fluid of patients with reactive arthritis and undifferentiated spondyloarthritis. <i>Clinical Immunology</i> , 2017 , 183, 207-212	9	29
138	Juvenile onset systemic sclerosis: a single center experience of 23 cases from Asia. <i>Clinical Rheumatology</i> , 2007 , 26, 1259-62	3.9	28
137	Association of microRNA-146a and its target gene IRAK1 polymorphism with enthesitis related arthritis category of juvenile idiopathic arthritis. <i>Rheumatology International</i> , 2014 , 34, 1395-400	3.6	27
136	Soluble receptor for advanced glycation endproducts is decreased in patients with juvenile idiopathic arthritis (ERA category) and inversely correlates with disease activity and S100A12 levels. <i>Journal of Rheumatology</i> , 2011 , 38, 1994-9	4.1	27
135	2018 APLAR axial spondyloarthritis treatment recommendations. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 340-356	2.3	26
134	Synovial fluid RANKL and matrix metalloproteinase levels in enthesitis related arthritis subtype of juvenile idiopathic arthritis. <i>Rheumatology International</i> , 2009 , 29, 907-11	3.6	26
133	Th1 and Th17 Predominance in the Enthesitis-related Arthritis Form of Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 1730-6	4.1	25
132	Effect of probiotics on clinical and immune parameters in enthesitis-related arthritis category of juvenile idiopathic arthritis. <i>Clinical and Experimental Immunology</i> , 2016 , 185, 301-8	6.2	25
131	Procalcitonin kinetics as a prognostic marker in severe sepsis/septic shock. <i>Indian Journal of Critical Care Medicine</i> , 2015 , 19, 140-6	1.3	24
130	TLR4 endogenous ligand MRP8/14 level in enthesitis-related arthritis and its association with disease activity and TLR4 expression. <i>Rheumatology</i> , 2014 , 53, 270-4	3.9	24
129	Levels of serum matrix metalloproteinase-3 correlate with disease activity in the enthesitis-related arthritis category of juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 2482-7	4.1	24
128	Chemokine and chemokine receptor analysis reveals elevated interferon-inducible protein-10 (IP)-10/CXCL10 levels and increased number of CCR5+ and CXCR3+ CD4 T cells in synovial fluid of patients with enthesitis-related arthritis (ERA). <i>Clinical and Experimental Immunology</i> , 2007 , 148, 515-9	6.2	24
127	Enthesitis-related arthritis. <i>Clinical Rheumatology</i> , 2015 , 34, 1839-46	3.9	23
126	M2 macrophages and their role in rheumatic diseases. <i>Rheumatology International</i> , 2019 , 39, 769-780	3.6	23
125	Natural killer cell and gamma delta T cell alterations in enthesitis related arthritis category of juvenile idiopathic arthritis. <i>Clinical Immunology</i> , 2015 , 161, 163-9	9	22

124	Myeloid-related Protein 8/14 Levels in Rheumatoid Arthritis: Marker of Disease Activity and Response to Methotrexate. <i>Journal of Rheumatology</i> , 2016 , 43, 731-7	4.1	22
123	Methotrexate-induced pancytopenia: a case series of 46 patients. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 846-851	2.3	21
122	Elevated levels of serum MRP8/14 in ankylosing spondylitis: associated with peripheral arthritis and active disease. <i>Clinical Rheumatology</i> , 2016 , 35, 3075-3079	3.9	21
121	Outcome in patients with enthesitis related arthritis (ERA): juvenile arthritis damage index (JADI) and functional status. <i>Pediatric Rheumatology</i> , 2008 , 6, 18	3.5	21
120	Longitudinal assessment of monocyte chemoattractant protein-1 in lupus nephritis as a biomarker of disease activity. <i>Clinical Rheumatology</i> , 2016 , 35, 2707-2714	3.9	20
119	Physical disability, articular, and extra-articular damage in patients with juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2008 , 27, 1261-5	3.9	20
118	Juvenile ankylosing spondylitis--is it the same disease as adult ankylosing spondylitis?. <i>Rheumatology International</i> , 2005 , 25, 94-6	3.6	20
117	Development of a consensus core dataset in juvenile dermatomyositis for clinical use to inform research. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 241-250	2.4	20
116	Ultrasound-guided retro-calcaneal bursa corticosteroid injection for refractory Achilles tendinitis in patients with seronegative spondyloarthropathy: efficacy and follow-up study. <i>Rheumatology International</i> , 2016 , 36, 875-80	3.6	19
115	Soluble CD25 in serum: a potential marker for subclinical macrophage activation syndrome in patients with active systemic onset juvenile idiopathic arthritis. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 261-7	2.3	19
114	Clinical, Immunological, and Molecular Findings in 57 Patients With Severe Combined Immunodeficiency (SCID) From India. <i>Frontiers in Immunology</i> , 2019 , 10, 23	8.4	19
113	Deficiency of Adenosine Deaminase 2 in Adults and Children: Experience From India. <i>Arthritis and Rheumatology</i> , 2021 , 73, 276-285	9.5	18
112	Physical, psychosocial and economic impact of rheumatoid arthritis: a pilot study of patients seen at a tertiary care referral centre. <i>The National Medical Journal of India</i> , 2006 , 19, 187-91	0.4	18
111	Pediatric-onset Takayasu's arteritis: clinical features and short-term outcome. <i>Rheumatology International</i> , 2015 , 35, 1701-6	3.6	17
110	Higher prevalence of extra-articular manifestations in ankylosing spondylitis with peripheral arthritis. <i>Journal of Clinical Rheumatology</i> , 2008 , 14, 264-6	1.1	17
109	Anemia in rheumatoid arthritis: high prevalence of iron-deficiency anemia in Indian patients. <i>Rheumatology International</i> , 2006 , 26, 1091-5	3.6	17
108	CD39 positive regulatory T cell frequency as a biomarker of treatment response to methotrexate in rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1548-1556	2.3	17
107	Associations of killer cell immunoglobulin like receptors with rheumatoid arthritis among North Indian population. <i>Human Immunology</i> , 2014 , 75, 802-7	2.3	16

106	Differences between adult and pediatric onset Henoch-Schonlein purpura from North India. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 292-298	2.3	16
105	Prospective validation of the Juvenile Spondyloarthritis Disease Activity Index in children with enthesitis-related arthritis. <i>Rheumatology</i> , 2018 , 57, 2167-2171	3.9	15
104	T cell responses to citrullinated self-peptides in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013 , 33, 2359-63	3.6	15
103	Outcome in juvenile rheumatoid arthritis in India. <i>Indian Pediatrics</i> , 2004 , 41, 180-4	1.2	15
102	Induction of metalloproteinases expression by TLR ligands in human fibroblast like synoviocytes from juvenile idiopathic arthritis patients. <i>Indian Journal of Medical Research</i> , 2010 , 131, 771-9	2.9	15
101	Effect of administration of a probiotic preparation on gut microbiota and immune response in healthy women in India: an open-label, single-arm pilot study. <i>BMC Gastroenterology</i> , 2018 , 18, 85	3	14
100	Membrane-bound toll-like receptors are overexpressed in peripheral blood and synovial fluid mononuclear cells of enthesitis-related arthritis category of juvenile idiopathic arthritis (JIAERA) patients and lead to secretion of inflammatory mediators. <i>Journal of Clinical Immunology</i> , 2012 , 32, 488-96	5.7	14
99	Impact of the COVID-19 pandemic on patients with systemic lupus erythematosus: Observations from an Indian inception cohort. <i>Lupus</i> , 2021 , 30, 158-164	2.6	14
98	IL1RN*2 allele of IL-1receptor antagonist VNTR polymorphism is associated with susceptibility to ankylosing [corrected] spondylitis in Indian patients. <i>Clinical Rheumatology</i> , 2008 , 27, 573-6	3.9	13
97	Tenascin-C, a biomarker of disease activity in early ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2018 , 37, 1401-1405	3.9	12
96	HLA B27 typing in 511 children with juvenile idiopathic arthritis from India. <i>Rheumatology International</i> , 2016 , 36, 1407-11	3.6	12
95	Identification of autoimmune polyendocrine syndrome type 1 in patients with isolated hypoparathyroidism. <i>Clinical Endocrinology</i> , 2016 , 85, 544-50	3.4	12
94	NMR-Based Serum Metabolomics Reveals Reprogramming of Lipid Dysregulation Following Cyclophosphamide-Based Induction Therapy in Lupus Nephritis. <i>Journal of Proteome Research</i> , 2018 , 17, 2440-2448	5.6	12
93	Prevalence of musculoskeletal complaints and juvenile idiopathic arthritis in children from a developing country: a school-based study. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 256-60	2.3	12
92	Approach to a patient with connective tissue disease. <i>Indian Journal of Pediatrics</i> , 2010 , 77, 1157-64	3	12
91	Clinical, Immunological, and Molecular Features of Severe Combined Immune Deficiency: A Multi-Institutional Experience From India. <i>Frontiers in Immunology</i> , 2020 , 11, 619146	8.4	12
90	Osteopenia is common in adult male patients with active juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2006 , 33, 1642-5	4.1	12
89	Sonologic enthesitis in children with enthesitis-related arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 143-7	2.2	12

88	Prominent midfoot involvement in children with enthesitis-related arthritis category of juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 1737-1745	3.9	11
87	Juvenile dermatomyositis at a tertiary care hospital: is there any change in the last decade?. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 556-60	2.3	11
86	Microbial orchestra in juvenile idiopathic arthritis: Sounds of disarray?. <i>Immunological Reviews</i> , 2020 , 294, 9-26	11.3	11
85	HLA-B27 subtypes in enthesitis-related arthritis category of juvenile idiopathic arthritis and ankylosing spondylitis in northern India. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 931-5	2.2	11
84	Lack of association of single nucleotide polymorphisms in toll-like receptors 2 and 4 with enthesitis-related arthritis category of juvenile idiopathic arthritis in Indian population. <i>Rheumatology International</i> , 2013 , 33, 417-21	3.6	10
83	Reduction in procalcitonin level and outcome in critically ill children with severe sepsis/septic shock-A pilot study. <i>Journal of Critical Care</i> , 2016 , 36, 230-233	4	10
82	Performance of the American College of Rheumatology 2016 criteria for fibromyalgia in a referral care setting. <i>Rheumatology International</i> , 2019 , 39, 1397-1403	3.6	9
81	Synovial fluid mononuclear cell gene expression profiling suggests dysregulation of innate immune genes in enthesitis-related arthritis patients. <i>Rheumatology</i> , 2012 , 51, 1785-9	3.9	9
80	Endocarditis: the great mimic of rheumatic diseases. <i>Tropical Doctor</i> , 2016 , 46, 180-186	0.9	9
79	Beyond Autoantibodies: Biologic Roles of Human Autoreactive B Cells in Rheumatoid Arthritis Revealed by RNA-Sequencing. <i>Arthritis and Rheumatology</i> , 2019 , 71, 529-541	9.5	8
78	Clinical and Molecular Findings in Mendelian Susceptibility to Mycobacterial Diseases: Experience From India. <i>Frontiers in Immunology</i> , 2021 , 12, 631298	8.4	8
77	Urinary prostaglandin D synthase as biomarker in lupus nephritis: a longitudinal study. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 694-8	2.2	8
76	Tenascin-C Levels, A Toll-like Receptor 4 Ligand, in Enthesitis-related Arthritis Category of Juvenile Idiopathic Arthritis: A Cross-sectional and Longitudinal Study. <i>Journal of Rheumatology</i> , 2015 , 42, 891-6	4.1	7
75	Poor obstetric outcomes in Indian women with Takayasu arteritis. <i>Advances in Rheumatology</i> , 2020 , 60, 17	3	7
74	NMR-based clinical metabolomics revealed distinctive serum metabolic profiles in patients with spondyloarthritis. <i>Magnetic Resonance in Chemistry</i> , 2021 , 59, 85-98	2.1	7
73	Clinical and Genetic Profile of X-Linked Agammaglobulinemia: A Multicenter Experience From India. <i>Frontiers in Immunology</i> , 2020 , 11, 612323	8.4	7
72	Hearing loss in ankylosing spondylitis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1202-1208	2.3	6
71	Antineutrophil cytoplasmic antibody (ANCA) testing: Audit from a clinical immunology laboratory. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 774-778	2.3	6

70	Adult onset Still's disease: experience from a tertiary care rheumatology unit. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, e136-41	2.3	6
69	Novel NLRP12 variant presenting with familial cold autoimmunity syndrome phenotype. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e117	2.4	6
68	Epistatic interactions among CYP2C19*2, CYP3A4 and GSTP1 on the cyclophosphamide therapy in lupus nephritis patients. <i>Pharmacogenomics</i> , 2017 , 18, 1401-1411	2.6	5
67	Baseline adenosine receptor mRNA expression in blood as predictor of response to methotrexate therapy in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2019 , 39, 1431-1438	3.6	5
66	Health related quality of life measure in systemic pediatric rheumatic diseases and its translation to different languages: an international collaboration. <i>Pediatric Rheumatology</i> , 2014 , 12, 49	3.5	5
65	Translation, cultural adaptation, and validation of the Bath questionnaires and HAQ-S in Hindi for Indian patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2012 , 31, 1511-5	3.9	5
64	A modified juvenile arthritis damage index to improve articular damage assessment in juvenile idiopathic arthritis-enthesitis-related arthritis (JIA-ERA). <i>Clinical Rheumatology</i> , 2012 , 31, 767-74	3.9	5
63	Clinical application of tests used in rheumatology. <i>Indian Journal of Pediatrics</i> , 2002 , 69, 889-92	3	5
62	Urinary soluble CD163 is a good biomarker for renal disease activity in lupus nephritis. <i>Clinical Rheumatology</i> , 2021 , 40, 941-948	3.9	5
61	Macrophage activation syndrome in systemic lupus erythematosus and systemic-onset juvenile idiopathic arthritis: a retrospective study of similarities and dissimilarities. <i>Rheumatology International</i> , 2021 , 41, 625-631	3.6	5
60	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease. <i>PLoS ONE</i> , 2020 , 15, e0228359	3.7	4
59	Hip involvement in children with enthesitis related arthritis (ERA) is associated with poor outcomes in adulthood. <i>Clinical Rheumatology</i> , 2021 , 40, 4619-4627	3.9	4
58	ERAP1 rs30187 single nucleotide polymorphism does not confer disease susceptibility in North Indian children with enthesitis-related arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 1161-1165	3.9	3
57	Microsporidial myositis in adult-onset immunodeficiency: case-based review. <i>Rheumatology International</i> , 2019 , 39, 1995-2003	3.6	3
56	Patients with enthesitis related arthritis show similar monocyte function pattern as seen in adult axial spondyloarthritis. <i>Pediatric Rheumatology</i> , 2020 , 18, 6	3.5	3
55	Rheumatology workforce issues in South Asia: Challenges and solutions. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 443-447	2.3	3
54	In-hospital mortality and its predictors in a cohort of SLE from Northern India. <i>Lupus</i> , 2020 , 29, 1971-1977.	2.6	3
53	A prospective study of novel disease activity indices for ankylosing spondylitis. <i>Rheumatology International</i> , 2020 , 40, 1843-1849	3.6	3

52	International Consensus For The Dosing Of Corticosteroids In Childhood-Onset Systemic Lupus Erythematosus With Proliferative Lupus Nephritis. <i>Arthritis and Rheumatology</i> , 2021 ,	9.5	3
51	Do we believe in non-radiographic axial spondyloarthritis? A debate. <i>Autoimmunity Reviews</i> , 2021 , 20, 102703	13.6	3
50	Synergy between tuberculin skin test and proliferative T cell responses to PPD or cell-membrane antigens of Mycobacterium tuberculosis for detection of latent TB infection in a high disease-burden setting. <i>PLoS ONE</i> , 2018 , 13, e0204429	3.7	3
49	Ovarian Insufficiency is Major Short-term Toxicity in Systemic Lupus Erythematosus Patients Treated with Cyclophosphamide. <i>Journal of the Association of Physicians of India, The</i> , 2016 , 64, 28-31	0.4	3
48	Evidence for M2 macrophage activation in patients with enthesitis-related arthritis category of juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2019 , 38, 1715-1719	3.9	2
47	Nuclear magnetic resonance-based targeted profiling of urinary acetate and citrate following cyclophosphamide therapy in patients with lupus nephritis. <i>Lupus</i> , 2020 , 29, 782-786	2.6	2
46	Paediatric selective IgM deficiency and IgG4 deficiency: an extremely unusual association. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	2
45	Delay in seeking medical help in patients with rheumatoid arthritis in India: A qualitative study. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 1707-1718	2.3	2
44	Urinary C3d is elevated in patients with active Lupus nephritis and a fall in its level after 3 months predicts response at 6 months on follow up. <i>Lupus</i> , 2020 , 29, 1800-1806	2.6	2
43	The Spectrum of Clinical, Immunological, and Molecular Findings in Familial Hemophagocytic Lymphohistiocytosis: Experience From India. <i>Frontiers in Immunology</i> , 2021 , 12, 612583	8.4	2
42	Comparison of two dose escalation strategies of methotrexate in active rheumatoid arthritis: a multicentre, parallel group, randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1376-1384 ²	2.4	2
41	Clinical spectrum of active tuberculosis in patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2021 , 41, 2185-2193	3.6	2
40	Juvenile idiopathic arthritis and the gut microbiome: Where are we now?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101496	5.3	2
39	Indian SLE Inception cohort for Research (INSPIRE): the design of a multi-institutional cohort. <i>Rheumatology International</i> , 2021 , 41, 887-894	3.6	2
38	Clinical features, severity and outcome of acute pancreatitis in systemic lupus erythematosus. <i>Rheumatology International</i> , 2021 , 1	3.6	2
37	IL-27 levels are low in enthesitis-related arthritis category of juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 337-42	2.2	2
36	The Hindi version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018 , 38, 235-242	3.6	1
35	Management of Juvenile Idiopathic Arthritis 2017 , 247-261		1

34	Work productivity loss among rheumatoid arthritis patients in India: a qualitative study. <i>Rheumatology Advances in Practice</i> , 2019 , 3, rkz046	1.1	1
33	Paradoxical gastrointestinal effects of interleukin-17 blockers. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	1
32	Spectrum of Systemic Auto-Inflammatory Diseases in India: A Multi-Centric Experience. <i>Frontiers in Immunology</i> , 2021 , 12, 630691	8.4	1
31	Polymorphism of genes involved in methotrexate pathway: Predictors of response to methotrexate therapy in Indian rheumatoid arthritis patients. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 654-662	2.3	1
30	A Rare Cause of Double Negative T Cell Lymphocytosis. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2021 , 37, 511-513	0.7	1
29	Serum and urinary galectin-9 and C-X-C motif chemokine ligand 10.. <i>Lupus</i> , 2022 , 9612033221082907	2.6	1
28	Pulmonary mucormycosis in systemic lupus erythematosus: successful management of a case along with review of literature. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	0
27	Reactive arthritis and undifferentiated peripheral spondyloarthritis share human leucocyte antigen B27 subtypes and serum and synovial fluid cytokine profiles. <i>Rheumatology</i> , 2021 , 60, 3004-3011	3.9	0
26	Ralstonia mannitolilytica bacteraemia and gastroenteritis in a patient with rheumatoid arthritis: an emerging nosocomial infection. <i>Rheumatology</i> , 2021 , 60, e195-e196	3.9	0
25	Cardiovascular risk knowledge in patients of South Asian origin living with rheumatoid arthritis: data from India and the UK. <i>BMC Rheumatology</i> , 2020 , 4, 57	2.9	0
24	Monogenic Lupus with IgA Nephropathy Caused by Spondyloenchondrodysplasia with Immune Dysregulation. <i>Indian Journal of Pediatrics</i> , 2021 , 88, 819-823	3	0
23	High Prevalence of Active Tuberculosis in Adults and Children with Idiopathic Inflammatory Myositis as Compared with Systemic Lupus Erythematosus in a Tuberculosis Endemic Country: Retrospective Data Review from a Tertiary Care Centre in India. <i>Mediterranean Journal of Rheumatology</i> , 2021 , 33, 124-128	1.4	0
22	Spectrum of Myelitis in Systemic Lupus Erythematosus: Experience from a Single Tertiary Care Centre over 25 Years. <i>Mediterranean Journal of Rheumatology</i> , 2021 , 32, 31-38	1.4	0
21	Elevated urinary IL-36 in patients with active lupus nephritis and response to treatment. <i>Lupus</i> , 2021 , 30, 921-925	2.6	0
20	Catatonia in systemic lupus erythematosus: case based review. <i>Rheumatology International</i> , 2021 , 1	3.6	0
19	Laboratory and the Pediatric Rheumatologist 2017 , 107-119		
18	Impact of endogenous stress on albumin structure in systemic lupus erythematosus (SLE) patients. <i>International Journal of Biological Macromolecules</i> , 2020 , 151, 891-900	7.9	
17	Primary central nervous system lymphoma in rheumatoid arthritis. <i>Journal of Clinical Rheumatology</i> , 2008 , 14, 54-5	1.1	

16	Juvenile Reactive Arthritis and other Spondyloarthritides of Childhood: A 28-year Experience from India.. <i>Mediterranean Journal of Rheumatology</i> , 2021 , 32, 338-344	1.4
15	In response to comment on "Hip involvement in children with enthesitis-related arthritis (ERA) is associated with poor outcomes in adulthood" by Ferjani H L et al.. <i>Clinical Rheumatology</i> , 2022 , 1	3.9
14	Medical Council of India amended qualifications for Indian medical teachers: Well intended, yet half-hearted. <i>Indian Journal of Medical Ethics</i> , 2017 , -, 1-3	0.9
13	Outcome Measures in Pediatric Rheumatology 2017 , 139-155	
12	Clinical Sequencing Solves a Diagnostic Dilemma by Identifying a Novel Pathogenic Variant in <i>USB1</i> Gene Causing Poikiloderma with Neutropenia. <i>Indian Journal of Pediatrics</i> , 2021 , 88, 270-271	3
11	Special Editorial. <i>Indian Pediatrics</i> , 2018 , 55, 107-114	1.2
10	Cytokine production by peripheral blood mononuclear cells from patients with juvenile idiopathic arthritis. <i>Indian Pediatrics</i> , 2002 , 39, 739-42	1.2
9	Lymphotoxin-alpha: another (and better?) therapeutic target in autoimmune disease?. <i>The National Medical Journal of India</i> , 2009 , 22, 307-8	0.4
8	An unusual cause of hip pain. <i>The National Medical Journal of India</i> , 2014 , 27, 349	0.4
7	A Young Woman with Panniculitis and Cytopenia who Later Developed Coagulopathy. <i>Journal of the Association of Physicians of India</i> , 2016 , 64, 65-67	0.4
6	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease 2020 , 15, e0228359	
5	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease 2020 , 15, e0228359	
4	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease 2020 , 15, e0228359	
3	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease 2020 , 15, e0228359	
2	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease 2020 , 15, e0228359	
1	Immune responses to Mycobacterium tuberculosis membrane-associated antigens including alpha crystallin can potentially discriminate between latent infection and active tuberculosis disease 2020 , 15, e0228359	