

Shaul Schreiber

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3443560/shaul-schreiber-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

239 papers	7,050 citations	47 h-index	73 g-index
254 ext. papers	7,796 ext. citations	4 avg, IF	5.75 L-index

#	Paper	IF	Citations
239	Neural oscillations while remembering traumatic memories in post-traumatic stress disorder.. <i>Clinical Neurophysiology</i> , 2022 , 139, 58-68	4.3	
238	Fire Walk With Me: Posttraumatic Stress Disorder and Pyromania.. <i>Journal of Psychiatric Practice</i> , 2022 , 28, 234-239	1.3	
237	False-positive fentanyl screening kit results during treatment with long term injectable risperidone (Risperdal-Consta). <i>Psychiatry Research</i> , 2021 , 305, 114246	9.9	1
236	Pregabalin Misuse: Motives, Pattern, and Knowledge about Its Risks among Patients in Methadone Maintenance Treatment. <i>Journal of Psychoactive Drugs</i> , 2021 , 53, 238-246	3.6	0
235	Unexpected role of stress as a possible resilience mechanism upon mild traumatic brain injury (mTBI) in mice. <i>Molecular and Cellular Neurosciences</i> , 2021 , 111, 103586	4.8	1
234	Post-traumatic stress disorder due to sexual abuse and its relation to pain sensitivity among patients in methadone maintenance treatment. <i>Psychiatry Research</i> , 2021 , 298, 113828	9.9	0
233	A decrease in psychiatric consultations at the emergency room and inpatient wards of a large general hospital in Israel during the SARS-CoV-2 (COVID-19) pandemic. <i>General Hospital Psychiatry</i> , 2021 , 70, 145-146	5.6	3
232	The Effects of the 1 National COVID 19 Lockdown on Emergency Psychiatric Visit Trends in a Tertiary General Hospital in Israel. <i>Psychiatry Research</i> , 2021 , 300, 113903	9.9	5
231	Social isolation in mice: behavior, immunity, and tumor growth. <i>Stress</i> , 2021 , 24, 229-238	3	6
230	The Relation between Changes in Vitamin D and Vitamin B12 Levels, Body Mass Index and Outcome in Methadone Maintenance Treatment Patients. <i>Journal of Psychoactive Drugs</i> , 2021 , 53, 55-64	3.6	0
229	The Opioid Interactions of the Antipsychotic Medications Risperidone and Amisulpride in Mice and Their Potential Use in the Treatment of Other Non-Psychotic Medical Conditions. <i>Cellular and Molecular Neurobiology</i> , 2021 , 41, 1077-1084	4.6	0
228	Orally Administered Cinnamon Extract Attenuates Cognitive and Neuronal Deficits Following Traumatic Brain Injury. <i>Journal of Molecular Neuroscience</i> , 2021 , 71, 178-186	3.3	3
227	The prevalence of constipation and its relation to sweet taste preference among patients receiving methadone maintenance treatment. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108836	4.9	
226	Cannabis use is associated with lower retention in methadone maintenance treatment, but not among schizophrenic- and other chronically psychotic patients. <i>Journal of Addictive Diseases</i> , 2021 , 1-9	1.7	
225	Measuring Behavior in the Home Cage: Study Design, Applications, Challenges, and Perspectives. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 735387	3.5	6
224	No Significant Effects of Cellphone Electromagnetic Radiation on Mice Memory or Anxiety: Some Mixed Effects on Traumatic Brain Injured Mice. <i>Neurotrauma Reports</i> , 2021 , 2, 381-390	1.6	1
223	Ketogenic Diet as a potential treatment for traumatic brain injury in mice. <i>Scientific Reports</i> , 2021 , 11, 23559	4.9	1

222	Stress indices in methadone maintenance treatment - Cross sectional and follow up study. <i>Psychiatry Research</i> , 2020 , 291, 113218	9.9	2
221	Effect of mild blast-induced TBI on dendritic architecture of the cortex and hippocampus in the mouse. <i>Scientific Reports</i> , 2020 , 10, 2206	4.9	10
220	Repetitive Mild Traumatic Brain Injury and Transcription Factor Modulation. <i>Journal of Neurotrauma</i> , 2020 , 37, 1910-1917	5.4	5
219	Time-dependent cytokine and chemokine changes in mouse cerebral cortex following a mild traumatic brain injury. <i>ELife</i> , 2020 , 9,	8.9	11
218	Alterations in Network Connectivity after Traumatic Brain Injury in Mice. <i>Journal of Neurotrauma</i> , 2020 , 37, 2169-2179	5.4	3
217	Drug Abuse and Behavioral Transgressions during Methadone Maintenance Treatment (MMT) are Related to High Psychopathy Levels. <i>Substance Use and Misuse</i> , 2020 , 55, 460-468	2.2	
216	Motor Effects of Minimal Traumatic Brain Injury in Mice. <i>Journal of Molecular Neuroscience</i> , 2020 , 70, 365-377	3.3	5
215	Trazodone and mirtazapine: A possible opioid involvement in their use (at low dose) for sleep?. <i>Medical Hypotheses</i> , 2020 , 136, 109501	3.8	2
214	Different clinical phenotypes of persistent post-traumatic headache exhibit distinct sensory profiles. <i>Cephalalgia</i> , 2020 , 40, 675-688	6.1	13
213	Dendritic arbor complexity and spine density changes after repetitive mild traumatic brain injury and neuroprotective treatments. <i>Brain Research</i> , 2020 , 1746, 147019	3.7	6
212	Educational lectures enhance knowledge about the human immunodeficiency virus (HIV) and reduce risky behavior and fear among methadone maintenance treatment patients. <i>Substance Abuse</i> , 2020 , 41, 14-18	3.8	
211	Gait, balance, mobility and muscle strength in people with anxiety compared to healthy individuals. <i>Human Movement Science</i> , 2019 , 67, 102513	2.4	6
210	Outcome of Patients With High Depressive Symptoms on Admission to Methadone Maintenance Treatment. <i>Journal of Dual Diagnosis</i> , 2019 , 15, 281-290	2.4	3
209	Neuronal Hyperexcitability Following mTBI 2019 , 67-81		
208	Mild blast-related TBI in a mouse model alters amygdalar neurostructure and circuitry. <i>Experimental Neurology</i> , 2019 , 315, 9-14	5.7	11
207	Cannabis use during pregnancy: Are we at the verge of defining a "fetal cannabis spectrum disorder"?. <i>Medical Hypotheses</i> , 2019 , 124, 53-55	3.8	9
206	Thrombin as Key Mediator of Seizure Development Following Traumatic Brain Injury. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1532	5.6	10
205	(-)-Phenserine and the prevention of pre-programmed cell death and neuroinflammation in mild traumatic brain injury and Alzheimer's disease challenged mice. <i>Neurobiology of Disease</i> , 2019 , 130, 104528	7.5	22

204	Bone Anabolic Response in the Calvaria Following Mild Traumatic Brain Injury is Mediated by the Cannabinoid-1 Receptor. <i>Scientific Reports</i> , 2019 , 9, 16196	4.9	5
203	Neuroprotective Effects and Treatment Potential of Incretin Mimetics in a Murine Model of Mild Traumatic Brain Injury. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 356	5.7	14
202	Pharmacokinetics and efficacy of PT302, a sustained-release Exenatide formulation, in a murine model of mild traumatic brain injury. <i>Neurobiology of Disease</i> , 2019 , 124, 439-453	7.5	16
201	Repeated oral ketamine for out-patient treatment of resistant depression: randomised, double-blind, placebo-controlled, proof-of-concept study. <i>British Journal of Psychiatry</i> , 2019 , 214, 20-26	5.4	44
200	Functional effects of synthetic cannabinoids versus Δ^9 THC in mice on body temperature, nociceptive threshold, anxiety, cognition, locomotor/exploratory parameters and depression. <i>Addiction Biology</i> , 2019 , 24, 414-425	4.6	12
199	Similarities and changes between 15- and 24-year survival and retention rates of patients in a large medical-affiliated methadone maintenance treatment (MMT) center. <i>Drug and Alcohol Dependence</i> , 2018 , 185, 112-119	4.9	15
198	Repetitive Mild Closed Head Injury Alters Protein Expression and Dendritic Complexity in a Mouse Model. <i>Journal of Neurotrauma</i> , 2018 , 35, 139-148	5.4	9
197	Clinical utility of biomarkers of the hand in the diagnosis of schizophrenia. <i>Psychiatry Research</i> , 2018 , 260, 105-110	9.9	1
196	Mild Traumatic Brain Injuries and Object Recognition. <i>Handbook of Behavioral Neuroscience</i> , 2018 , 331-339	3.7	1
195	GM1 ganglioside prevents axonal regeneration inhibition and cognitive deficits in a mouse model of traumatic brain injury. <i>Scientific Reports</i> , 2018 , 8, 13340	4.9	14
194	Pregabalin misuse in methadone maintenance treatment patients in Israel: Prevalence and risk factors. <i>Drug and Alcohol Dependence</i> , 2018 , 189, 8-11	4.9	14
193	Interaction between methylphenidate, methadone and different antidepressant drugs on antinociception in mice, and possible clinical implications. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 300-307	3.8	6
192	Novel GLP-1R/GIPR co-agonist "twincretin" is neuroprotective in cell and rodent models of mild traumatic brain injury. <i>Experimental Neurology</i> , 2017 , 288, 176-186	5.7	27
191	Restoring GM1 ganglioside expression ameliorates axonal outgrowth inhibition and cognitive impairments induced by blast traumatic brain injury. <i>Scientific Reports</i> , 2017 , 7, 41269	4.9	26
190	Newborn birth-weight of pregnant women on methadone or buprenorphine maintenance treatment: A national contingency management approach trial. <i>American Journal on Addictions</i> , 2017 , 26, 167-175	3.7	6
189	The Invisibility of Mild Traumatic Brain Injury: Impaired Cognitive Performance as a Silent Symptom. <i>Journal of Neurotrauma</i> , 2017 , 34, 2518-2528	5.4	21
188	Naloxone exacerbates memory impairments and depressive-like behavior after mild traumatic brain injury (mTBI) in mice with upregulated opioid system activity. <i>Behavioural Brain Research</i> , 2017 , 326, 209-216	3.4	12
187	Repositioning drugs for traumatic brain injury - N-acetyl cysteine and Phenserine. <i>Journal of Biomedical Science</i> , 2017 , 24, 71	13.3	21

186	Exendin-4 attenuates blast traumatic brain injury induced cognitive impairments, losses of synaptophysin and in vitro TBI-induced hippocampal cellular degeneration. <i>Scientific Reports</i> , 2017 , 7, 3735	4.9	29
185	Immediate and delayed hyperbaric oxygen therapy as a neuroprotective treatment for traumatic brain injury in mice. <i>Molecular and Cellular Neurosciences</i> , 2017 , 83, 74-82	4.8	27
184	Blast traumatic brain injury-induced cognitive deficits are attenuated by preinjury or postinjury treatment with the glucagon-like peptide-1 receptor agonist, exendin-4. <i>Alzheimer's and Dementia</i> , 2016 , 12, 34-48	1.2	38
183	Neural correlates of attention bias in posttraumatic stress disorder. <i>Clinical Neurophysiology</i> , 2016 , 127, 3268-76	4.3	9
182	Risk factors for weight gain during methadone maintenance treatment. <i>Substance Abuse</i> , 2016 , 37, 613-618	6.18	27
181	Minimal Traumatic Brain Injury in Mice: Protease-Activated Receptor 1 and Thrombin-Related Changes. <i>Journal of Neurotrauma</i> , 2016 , 33, 1848-1854	5.4	22
180	Novel pharmaceutical treatments for minimal traumatic brain injury and evaluation of animal models and methodologies supporting their development. <i>Journal of Neuroscience Methods</i> , 2016 , 272, 69-76	3	15
179	Mild traumatic brain injury-induced hippocampal gene expressions: The identification of target cellular processes for drug development. <i>Journal of Neuroscience Methods</i> , 2016 , 272, 4-18	3	17
178	Biphalin protects against cognitive deficits in a mouse model of mild traumatic brain injury (mTBI). <i>Neuropharmacology</i> , 2016 , 101, 506-18	5.5	13
177	Responses of dural mast cells in concussive and blast models of mild traumatic brain injury in mice: Potential implications for post-traumatic headache. <i>Cephalalgia</i> , 2016 , 36, 915-23	6.1	31
176	Cognitive Impairments Induced by Concussive Mild Traumatic Brain Injury in Mouse Are Ameliorated by Treatment with Phenserine via Multiple Non-Cholinergic and Cholinergic Mechanisms. <i>PLoS ONE</i> , 2016 , 11, e0156493	3.7	31
175	Thioredoxin-Mimetic-Peptides Protect Cognitive Function after Mild Traumatic Brain Injury (mTBI). <i>PLoS ONE</i> , 2016 , 11, e0157064	3.7	17
174	Pomalidomide mitigates neuronal loss, neuroinflammation, and behavioral impairments induced by traumatic brain injury in rat. <i>Journal of Neuroinflammation</i> , 2016 , 13, 168	10.1	28
173	Anatomical and functional connectivity in the default mode network of post-traumatic stress disorder patients after civilian and military-related trauma. <i>Human Brain Mapping</i> , 2016 , 37, 589-99	5.9	37
172	Characteristics and outcome of methadone maintenance treatment (MMT) patients with depression. <i>European Psychiatry</i> , 2016 , 33, S311-S312	6	
171	ADHD risk alleles associated with opiate addiction: study of addicted parents and their children. <i>Pediatric Research</i> , 2016 , 80, 228-36	3.2	12
170	Sexual Abuse and its Relation to Chronic Pain among Women from a Methadone Maintenance Clinic versus a Sexual Abuse Treatment Center. <i>Journal of Psychoactive Drugs</i> , 2016 , 48, 279-87	3.6	6
169	The neuroprotective effect of salubrinal in a mouse model of traumatic brain injury. <i>NeuroMolecular Medicine</i> , 2015 , 17, 58-70	4.6	53

168	Differences in methylphenidate abuse rates among methadone maintenance treatment patients in two clinics. <i>Journal of Substance Abuse Treatment</i> , 2015 , 54, 44-9	4.2	16
167	Paradoxical Pain Perception in Posttraumatic Stress Disorder: The Unique Role of Anxiety and Dissociation. <i>Journal of Pain</i> , 2015 , 16, 961-70	5.2	43
166	Transiently lowering tumor necrosis factor- β synthesis ameliorates neuronal cell loss and cognitive impairments induced by minimal traumatic brain injury in mice. <i>Journal of Neuroinflammation</i> , 2015 , 12, 45	10.1	87
165	Ten Years of Abstinence in Former Opiate Addicts: Medication-Free Non-Patients Compared to Methadone Maintenance Patients. <i>Journal of Addictive Diseases</i> , 2015 , 34, 284-95	1.7	6
164	Liraglutide is neurotrophic and neuroprotective in neuronal cultures and mitigates mild traumatic brain injury in mice. <i>Journal of Neurochemistry</i> , 2015 , 135, 1203-1217	6	58
163	Experimental pain processing in individuals with cognitive impairment: current state of the science. <i>Pain</i> , 2015 , 156, 1396-1408	8	61
162	Thrombin regulation of synaptic transmission and plasticity: implications for health and disease. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 151	6.1	45
161	Deficient pain modulatory systems in patients with mild traumatic brain and chronic post-traumatic headache: implications for its mechanism. <i>Journal of Neurotrauma</i> , 2015 , 32, 28-37	5.4	67
160	Characteristics and outcome of minority group patients in methadone maintenance treatment. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 317-24	3.6	7
159	Trends in substance abuse and infectious disease over 20 years in a large methadone maintenance treatment (MMT) clinic in Israel. <i>Substance Abuse</i> , 2014 , 35, 226-9	3.8	6
158	Interaction of different antidepressants with acute and chronic methadone in mice, and possible clinical implications. <i>Journal of Molecular Neuroscience</i> , 2014 , 52, 598-604	3.3	3
157	Psychiatric comorbidity differences between women with history of childhood sexual abuse who are methadone-maintained former opiate addicts and non-addicts. <i>Psychiatry Research</i> , 2014 , 219, 191-7	9.9	9
156	Treatment of cannabis dependence using escitalopram in combination with cognitive-behavior therapy: a double-blind placebo-controlled study. <i>American Journal of Drug and Alcohol Abuse</i> , 2014 , 40, 16-22	3.7	38
155	Enriched environment improves the cognitive effects from traumatic brain injury in mice. <i>Behavioural Brain Research</i> , 2014 , 271, 59-64	3.4	13
154	QUANTITATIVE MORPHOLOGICAL AND MOLECULAR PATHOLOGY OF THE HUMAN THYMUS CORRELATE WITH INFANT CAUSE OF DEATH. <i>Technology and Innovation</i> , 2014 , 16, 55-62	0.7	
153	A study on the mechanism by which MDMA protects against dopaminergic dysfunction after minimal traumatic brain injury (mTBI) in mice. <i>Journal of Molecular Neuroscience</i> , 2014 , 54, 684-97	3.3	12
152	Achievement of take-home dose privileges is associated with better-perceived sleep and with cognitive status among methadone maintenance treatment patients. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 620-8	3.8	9
151	Impact of lifetime psychiatric diagnosis on long-term retention and survival of former opiate addicts in methadone maintenance treatment. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 629-35	3.8	7

150	Changes in the basal membrane of dorsal root ganglia Schwann cells explain the biphasic pattern of the peripheral neuropathy in streptozotocin-induced diabetic rats. <i>Journal of Molecular Neuroscience</i> , 2014 , 54, 704-13	3.3	6
149	The relationship between vulnerable attachment style, psychopathology, drug abuse, and retention in treatment among methadone maintenance treatment patients. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 325-33	3.6	7
148	Stroop task among patients with obsessive-compulsive disorder (OCD) and pathological gambling (PG) in methadone maintenance treatment (MMT). <i>CNS Spectrums</i> , 2014 , 19, 509-18	1.8	7
147	Treatment outcome unaffected by initiation of full weekend closure of methadone maintenance treatment clinic. <i>Journal of Addictive Diseases</i> , 2014 , 33, 77-82	1.7	
146	Are 2 weeks of "take-home" privileges beneficial for patients? Long-term outcome in a methadone maintenance treatment program?. <i>Journal of Addiction Medicine</i> , 2014 , 8, 170-5	3.8	1
145	Incretin mimetics as pharmacologic tools to elucidate and as a new drug strategy to treat traumatic brain injury. <i>Alzheimer's and Dementia</i> , 2014 , 10, S62-75	1.2	58
144	Reversal of trauma-induced amnesia in mice by a thrombin receptor antagonist. <i>Journal of Molecular Neuroscience</i> , 2014 , 53, 87-95	3.3	24
143	Benzodiazepine usage during 19.5 years in methadone maintenance treatment patients and its relation to long-term outcome. <i>Israel Journal of Psychiatry</i> , 2014 , 51, 285-8		1
142	Posttraumatic growth, posttraumatic stress symptoms and mental health among coronary heart disease survivors. <i>Journal of Clinical Psychology in Medical Settings</i> , 2013 , 20, 164-72	2	47
141	Cortisol response and desire to binge following psychological stress: comparison between obese subjects with and without binge eating disorder. <i>Psychiatry Research</i> , 2013 , 208, 156-61	9.9	63
140	Exendin-4 induced glucagon-like peptide-1 receptor activation reverses behavioral impairments of mild traumatic brain injury in mice. <i>Age</i> , 2013 , 35, 1621-36		65
139	Changes in mouse cognition and hippocampal gene expression observed in a mild physical- and blast-traumatic brain injury. <i>Neurobiology of Disease</i> , 2013 , 54, 1-11	7.5	69
138	Gangliosides and ceramides change in a mouse model of blast induced traumatic brain injury. <i>ACS Chemical Neuroscience</i> , 2013 , 4, 594-600	5.7	62
137	Exendin-4, a glucagon-like peptide-1 receptor agonist prevents mTBI-induced changes in hippocampus gene expression and memory deficits in mice. <i>Experimental Neurology</i> , 2013 , 239, 170-82	5.7	70
136	The use of dehydroepiandrosterone in the treatment of hypoactive sexual desire disorder: a report of gender differences. <i>European Neuropsychopharmacology</i> , 2013 , 23, 910-8	1.2	19
135	Response of QT interval in methadone maintenance treated patients to the rapid changes in heart rate provoked by brisk standing: comparison to healthy controls and patients with long QT syndrome. <i>Journal of Electrocardiology</i> , 2013 , 46, 519-23	1.4	2
134	Opiate-dependent patients on a waiting list for methadone maintenance treatment are at high risk for mortality until treatment entry. <i>Journal of Addiction Medicine</i> , 2013 , 7, 177-82	3.8	28
133	Carrying body and soul and embracing the one: Qigong group in a day-care psychiatric department. <i>Body, Movement and Dance in Psychotherapy</i> , 2013 , 8, 108-120	0.6	5

132	Cognitive impairments accompanying rodent mild traumatic brain injury involve p53-dependent neuronal cell death and are ameliorated by the tetrahydrobenzothiazole PFT- α . <i>PLoS ONE</i> , 2013 , 8, e79837	3.7	58
131	Psychological response and cortisol reactivity to in vitro fertilization treatment in women with a lifetime anxiety or unipolar mood disorder diagnosis. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 386-92	4.6	10
130	Trauma-Focused Early Intensive Cognitive Behavioral Intervention (TF-EICBI) in children and adolescent survivors of suicide bombing attacks (SBAs). A preliminary study. <i>American Journal of Disaster Medicine</i> , 2013 , 8, 227-34	0.6	3
129	Women's psychological profile and psychiatric diagnoses and the outcome of in vitro fertilization: is there an association?. <i>Archives of Women's Mental Health</i> , 2012 , 15, 353-9	5	13
128	The psychological profile and affective response of women diagnosed with unexplained infertility undergoing in vitro fertilization. <i>Archives of Women's Mental Health</i> , 2012 , 15, 403-11	5	12
127	The Effectiveness of Brief Versus Intermediate Duration Psychodynamic Psychotherapy in the Treatment of Adjustment Disorder. <i>Journal of Contemporary Psychotherapy</i> , 2012 , 42, 249-256	2.3	13
126	Attention deficit hyperactivity disorder and obsessive-compulsive disorder among former heroin addicts currently in methadone maintenance treatment. <i>Psychopathology</i> , 2012 , 45, 327-33	3.4	15
125	Psychiatric comorbidity of patients on methadone maintenance treatment with a history of sexual abuse. <i>European Neuropsychopharmacology</i> , 2012 , 22, 883-91	1.2	14
124	Issues in psychotherapeutic encounters of patients suspected of post-traumatic stress disorder malingering. <i>European Journal of Psychotherapy and Counselling</i> , 2012 , 14, 261-277	0.3	2
123	Long waiting period to enter methadone maintenance treatment: relation to patient characteristics and outcome. <i>European Addiction Research</i> , 2012 , 18, 149-52	4.6	11
122	Duration of methadone maintenance treatment during pregnancy and pregnancy outcome parameters in women with opiate addiction. <i>Journal of Addiction Medicine</i> , 2012 , 6, 18-23	3.8	21
121	The effect of sertraline add-on to brief dynamic psychotherapy for the treatment of postpartum depression: a randomized, double-blind, placebo-controlled study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 235-41	4.6	41
120	GnRH-agonist induced depressive and anxiety symptoms during in vitro fertilization-embryo transfer cycles. <i>Fertility and Sterility</i> , 2011 , 95, 307-9	4.8	20
119	F246 REDUCED PAIN MODULATION IN PATIENTS WITH CHRONIC POST TRAUMATIC HEADACHE. <i>European Journal of Pain Supplements</i> , 2011 , 5, 138-138		2
118	The differential effect of methadone dose and of chronic pain on pain perception of former heroin addicts receiving methadone maintenance treatment. <i>Journal of Pain</i> , 2011 , 12, 41-50	5.2	25
117	Tumor necrosis factor- β -synthesis inhibitor, 3,6-dithiothalidomide, reverses behavioral impairments induced by minimal traumatic brain injury in mice. <i>Journal of Neurochemistry</i> , 2011 , 118, 1032-42	6	81
116	PKC activator therapeutic for mild traumatic brain injury in mice. <i>Neurobiology of Disease</i> , 2011 , 41, 329-375	3.75	37
115	Gonadal steroids and affective symptoms during in vitro fertilization: implication for reproductive mood disorders. <i>Psychoneuroendocrinology</i> , 2011 , 36, 790-6	5	13

114	A mouse model of blast-induced mild traumatic brain injury. <i>Experimental Neurology</i> , 2011 , 232, 280-9	5.7	141
113	Methamphetamine potentiates behavioral and electrochemical responses after mild traumatic brain injury in mice. <i>Brain Research</i> , 2011 , 1368, 248-53	3.7	10
112	The intriguing effects of ecstasy (MDMA) on cognitive function in mice subjected to a minimal traumatic brain injury (mTBI). <i>Psychopharmacology</i> , 2011 , 214, 877-89	4.7	34
111	Quantitative somatosensory testing of subjects with Chronic Post Traumatic HeadacheResponse to the letter by Chua et al.. <i>European Journal of Pain</i> , 2011 , 15, 542-543	3.7	1
110	No change of sleep after 6 and 12 months of methadone maintenance treatment. <i>Journal of Addiction Medicine</i> , 2011 , 5, 141-7	3.8	31
109	Earning "take-home" privileges and long-term outcome in a methadone maintenance treatment program. <i>Journal of Addiction Medicine</i> , 2011 , 5, 92-8	3.8	19
108	Low risk for hepatitis C seroconversion in methadone maintenance treatment. <i>Journal of Addiction Medicine</i> , 2011 , 5, 214-20	3.8	13
107	Working in the Conflict-Free Sphere: Adaptation Group in Methadone Maintenance Treatment. <i>Journal of Groups in Addiction and Recovery</i> , 2011 , 6, 285-306		3
106	Stress conditioning in mice: alterations in immunity and tumor growth. <i>Stress</i> , 2011 , 14, 301-11	3	5
105	The influence of alcohol on behavioral recovery after mTBI in mice. <i>Journal of Neurotrauma</i> , 2010 , 27, 555-63	5.4	46
104	Injured civilian survivors of suicide bomb attacks: from partial PTSD to recovery or to traumatisation. Where is the turning point?. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 344-51	3.8	5
103	CNS infection in childhood does not confer risk for later schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2010 , 124, 231-5	3.6	16
102	15-Year survival and retention of patients in a general hospital-affiliated methadone maintenance treatment (MMT) center in Israel. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 141-8	4.9	85
101	Pathological gambling in methadone maintenance clinics where gambling is legal versus illegal. <i>American Journal of Orthopsychiatry</i> , 2010 , 80, 311-6	2.8	9
100	The intricate involvement of the Insulin-like growth factor receptor signaling in mild traumatic brain injury in mice. <i>Neurobiology of Disease</i> , 2010 , 38, 299-303	7.5	51
99	Quantitative somatosensory testing of subjects with chronic post-traumatic headache: implications on its mechanisms. <i>European Journal of Pain</i> , 2010 , 14, 924-31	3.7	45
98	Pathological gambling and obsessive compulsive disorder among methadone maintenance treatment patients. <i>Journal of Addictive Diseases</i> , 2009 , 28, 199-207	1.7	12
97	Sense of coherence as a stable predictor for methadone maintenance treatment (MMT) outcome. <i>Journal of Psychoactive Drugs</i> , 2009 , 41, 249-53	3.6	16

96	Closed head injury in a mouse model results in molecular changes indicating inflammatory responses. <i>Journal of Neurotrauma</i> , 2009 , 26, 1307-14	5.4	48
95	Minimal traumatic brain injury induce apoptotic cell death in mice. <i>Journal of Molecular Neuroscience</i> , 2009 , 37, 16-24	3.3	47
94	Association between terror attacks and suicide attempts. <i>Suicide and Life-Threatening Behavior</i> , 2009 , 39, 425-32	3.9	
93	Documented poor sleep among methadone-maintained patients is associated with chronic pain and benzodiazepine abuse, but not with methadone dose. <i>European Neuropsychopharmacology</i> , 2009 , 19, 581-8	1.2	45
92	The antinociceptive properties of reboxetine in acute pain. <i>European Neuropsychopharmacology</i> , 2009 , 19, 735-9	1.2	13
91	S.03.05 CNS infections during childhood and risk for schizophrenia: a historical-prospective study on 3,500 children hospitalised for CNS infections in childhood. <i>European Neuropsychopharmacology</i> , 2009 , 19, S180	1.2	
90	No NREM Phase 3-4 (Deep Sleep) Among Benzodiazepine Abuse Patients in Methadone Maintenance Treatment (MMT). <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
89	Association of OCD with a history of traumatic events among patients in methadone maintenance treatment. <i>CNS Spectrums</i> , 2009 , 14, 547-54	1.8	13
88	Long-lasting sleep patterns of adult patients with minor traumatic brain injury (mTBI) and non-mTBI subjects. <i>Sleep Medicine</i> , 2008 , 9, 481-7	4.6	94
87	Quantitative testing of pain perception in subjects with PTSD--implications for the mechanism of the coexistence between PTSD and chronic pain. <i>Pain</i> , 2008 , 138, 450-459	8	122
86	Association between improvement in depression, reduced benzodiazepine (BDZ) abuse, and increased psychotropic medication use in methadone maintenance treatment (MMT) patients. <i>Drug and Alcohol Dependence</i> , 2008 , 92, 79-85	4.9	30
85	Tricyclic antidepressants abuse, with or without benzodiazepines abuse, in former heroin addicts currently in methadone maintenance treatment (MMT). <i>European Neuropsychopharmacology</i> , 2008 , 18, 188-93	1.2	27
84	Psychotropic medication from an object relations theory perspective: an analysis of vignettes from group psychotherapy. <i>International Journal of Group Psychotherapy</i> , 2008 , 58, 303-26	0.5	4
83	Apoptotic and behavioral sequelae of mild brain trauma in mice. <i>Journal of Neuroscience Research</i> , 2007 , 85, 805-15	4.4	80
82	Melatonin for perceived sleep disturbances associated with benzodiazepine withdrawal among patients in methadone maintenance treatment: a double-blind randomized clinical trial. <i>Addiction</i> , 2007 , 102, 1947-53	4.6	30
81	Apoptotic changes in the cortex and hippocampus following minimal brain trauma in mice. <i>Brain Research</i> , 2007 , 1130, 197-205	3.7	79
80	Depression in methadone maintenance treatment patients: rate and risk factors. <i>Journal of Affective Disorders</i> , 2007 , 99, 213-20	6.6	98
79	Drug addiction from a psychodynamic perspective: methadone maintenance treatment (MMT) as transitional phenomena. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007 , 80, 311-25	3.5	17

78	New onset heightened interest or drive for gambling, shopping, eating or sexual activity in patients with Parkinson's disease: the role of dopamine agonist treatment and age at motor symptoms onset. <i>Journal of Psychopharmacology</i> , 2007 , 21, 501-6	4.6	136
77	Primary intervention for memory structuring and meaning acquisition (PIMSMA): Study of a mental health first-aid intervention in the ED with injured survivors of suicide bombing attacks. <i>American Journal of Disaster Medicine</i> , 2007 , 2, 307-320	0.6	6
76	Primary intervention for memory structuring and meaning acquisition (PIMSMA): study of a mental health first-aid intervention in the ED with injured survivors of suicide bombing attacks. <i>American Journal of Disaster Medicine</i> , 2007 , 2, 307-20	0.6	2
75	P.1.c.010 From selective to highly selective SSRIs: the antinociceptive properties of four serotonergic antidepressants. <i>European Neuropsychopharmacology</i> , 2006 , 16, S228-S229	1.2	
74	From selective to highly selective SSRIs: a comparison of the antinociceptive properties of fluoxetine, fluvoxamine, citalopram and escitalopram. <i>European Neuropsychopharmacology</i> , 2006 , 16, 464-8	1.2	33
73	Behavioral effects of opioid subtypes compared with benzodiazepines in the staircase paradigm. <i>Behavioural Brain Research</i> , 2006 , 170, 141-7	3.4	13
72	Variables associated with perceived sleep disorders in methadone maintenance treatment (MMT) patients. <i>Drug and Alcohol Dependence</i> , 2006 , 82, 103-10	4.9	102
71	Factors predicting retention in treatment: 10-year experience of a methadone maintenance treatment (MMT) clinic in Israel. <i>Drug and Alcohol Dependence</i> , 2006 , 82, 211-7	4.9	118
70	Morphine protects for head trauma induced cognitive deficits in mice. <i>Neuroscience Letters</i> , 2006 , 394, 239-42	3.3	28
69	Significantly higher methadone dose for methadone maintenance treatment (MMT) patients with chronic pain. <i>Pain</i> , 2005 , 113, 340-346	8	99
68	The effect of mianserin add-on, on the intensity of opioid withdrawal symptoms during detoxification program--a randomized, double blind, placebo controlled, prospective study. <i>Addictive Behaviors</i> , 2005 , 30, 1154-67	4.2	4
67	The antinociceptive effect of zolpidem and zopiclone in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 81, 417-23	3.9	15
66	Differential effects of topiramate in patients with traumatic brain injury and obesity--a case series. <i>Psychopharmacology</i> , 2005 , 179, 838-45	4.7	11
65	Past history of prolonged traumatization and present health-related quality-of-life: Holocaust survivors before and after open-heart surgery. <i>Stress and Health</i> , 2005 , 21, 61-72	3.7	5
64	Acetazolamide-enhanced neuroSPECT scan reveals functional impairment after minimal traumatic brain injury not otherwise discernible. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 132, 279-83	2.9	8
63	Hospital preparedness for possible nonconventional casualties: an Israeli experience. <i>General Hospital Psychiatry</i> , 2004 , 26, 359-66	5.6	11
62	Holocaust survivors coping with open heart surgery decades later: posttraumatic symptoms and quality of life. <i>General Hospital Psychiatry</i> , 2004 , 26, 443-52	5.6	16
61	Intranasal administration of NAP, a neuroprotective peptide, decreases anxiety-like behavior in aging mice in the elevated plus maze. <i>Neuroscience Letters</i> , 2004 , 361, 128-31	3.3	71

60	Increased hippocampal uptake of tumor necrosis factor alpha and behavioral changes in mice. <i>Experimental Brain Research</i> , 2003 , 149, 195-9	2.3	59
59	The antinociceptive effect of amisulpride in mice is mediated through opioid mechanisms. <i>European Journal of Pharmacology</i> , 2003 , 478, 155-9	5.3	29
58	The influence of electroconvulsive therapy on pain threshold and pain tolerance in major depression patients before, during and after treatment. <i>European Journal of Pain</i> , 2003 , 7, 419-24	3.7	16
57	A randomized controlled comparison of electroconvulsive therapy and repetitive transcranial magnetic stimulation in severe and resistant nonpsychotic major depression. <i>Biological Psychiatry</i> , 2003 , 53, 324-31	7.9	181
56	Closed-head minimal traumatic brain injury produces long-term cognitive deficits in mice. <i>Neuroscience</i> , 2003 , 118, 949-55	3.9	168
55	Mianserin and trazodone significantly attenuate the intensity of opioid withdrawal symptoms in mice. <i>Addiction Biology</i> , 2003 , 8, 107-14	4.6	6
54	Right prefrontal rTMS treatment for refractory auditory command hallucinations - a neuroSPECT assisted case study. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 116, 113-7	2.9	15
53	Relief of serotonin selective reuptake inhibitor induced sexual dysfunction with low-dose mianserin in patients with traumatic brain injury. <i>Psychopharmacology</i> , 2002 , 161, 404-7	4.7	14
52	Response to ECT in major depression: are there differences between unipolar and bipolar depression?. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 91-3	3.8	40
51	Transcranial magnetic stimulation in patients with bipolar depression: a double blind, controlled study. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 94-5	3.8	69
50	Magnetic motor threshold and response to TMS in major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 220-3	6.5	24
49	Venlafaxine and mirtazapine: different mechanisms of antidepressant action, common opioid-mediated antinociceptive effects--a possible opioid involvement in severe depression?. <i>Journal of Molecular Neuroscience</i> , 2002 , 18, 143-9	3.3	73
48	Three and six-month outcome following courses of either ECT or rTMS in a population of severely depressed individuals--preliminary report. <i>Biological Psychiatry</i> , 2002 , 51, 687-90	7.9	107
47	The antinociceptive effect of mirtazapine in mice is mediated through serotonergic, noradrenergic and opioid mechanisms. <i>Brain Research Bulletin</i> , 2002 , 58, 601-5	3.9	46
46	Lack of association between joint hyperlaxity and, I: panic disorder, and II: reactivity to carbon dioxide in healthy volunteers. <i>Human Psychopharmacology</i> , 2001 , 16, 189-192	2.3	6
45	Mice performance on the staircase test following acute ethanol administration. <i>Pharmacology Biochemistry and Behavior</i> , 2001 , 68, 491-5	3.9	6
44	Behavioral effects of agents active at the gamma-aminobutyric acid receptor complex in the staircase paradigm. <i>Brain Research</i> , 2001 , 901, 137-42	3.7	10
43	Transcranial magnetic stimulation-induced switch into mania: a report of two cases. <i>Biological Psychiatry</i> , 2001 , 49, 468-70	7.9	57

42	Magnetic and seizure thresholds before and after six electroconvulsive treatments. <i>Journal of ECT</i> , 2001 , 17, 195-7	2	9
41	Coadministration of melatonin and fluoxetine does not improve the 3-month outcome following ECT. <i>Journal of ECT</i> , 2001 , 17, 124-8	2	7
40	A randomized trial of fluoxetine versus amitriptyline in musculo-skeletal pain. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2001 , 38, 88-94		29
39	The effect of electroconvulsive therapy (ECT) on implicit memory: skill learning and perceptual priming in patients with major depression. <i>Neuropsychologia</i> , 2000 , 38, 1405-14	3.2	13
38	Repetitive transcranial magnetic stimulation is as effective as electroconvulsive therapy in the treatment of nondelusional major depressive disorder: an open study. <i>Biological Psychiatry</i> , 2000 , 47, 314-24	7.9	257
37	The antinociceptive effect of trazodone in mice is mediated through both mu-opioid and serotonergic mechanisms. <i>Behavioural Brain Research</i> , 2000 , 114, 51-6	3.4	30
36	Transcranial magnetic stimulation is effective in the treatment of relapse of depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2000 , 4, 223-6	2.4	11
35	P02.344 Repetitive transcranial magnetic stimulation is effective as the first time in the treatment of relapse of depression. <i>European Psychiatry</i> , 2000 , 15, 415s-415s	6	
34	An open trial of plant-source derived phosphatidylserine for treatment of age-related cognitive decline. <i>Israel Journal of Psychiatry and Related Sciences</i> , 2000 , 37, 302-7		21
33	Resolution of treatment-refractory depression with naltrexone augmentation of paroxetine--a case report. <i>Psychopharmacology</i> , 1999 , 143, 433-4	4.7	6
32	Pharmacological interaction of the calcium channel blockers verapamil and flunarizine with the opioid system. <i>Brain Research</i> , 1999 , 818, 187-95	3.7	18
31	Mouse strains differ in their sensitivity to alprazolam effect in the staircase test. <i>Brain Research</i> , 1999 , 839, 58-65	3.7	15
30	The atypical neuroleptics clozapine and olanzapine differ regarding their antinociceptive mechanisms and potency. <i>Pharmacology Biochemistry and Behavior</i> , 1999 , 64, 75-80	3.9	58
29	The antinociceptive effect of venlafaxine in mice is mediated through opioid and adrenergic mechanisms. <i>Neuroscience Letters</i> , 1999 , 273, 85-8	3.3	98
28	The antinociceptive effect of moclobemide in mice is mediated by noradrenergic pathways. <i>Neuroscience Letters</i> , 1998 , 253, 183-6	3.3	28
27	254. Effects of transcranial magnetic stimulation on severe depression. Similarities with ECT. <i>Biological Psychiatry</i> , 1998 , 43, S76	7.9	14
26	Interaction between the tetracyclic antidepressant mianserin HCl and opioid receptors. <i>European Neuropsychopharmacology</i> , 1998 , 8, 297-302	1.2	17
25	Beneficial effect of risperidone on sleep disturbance and psychosis following traumatic brain injury. <i>International Clinical Psychopharmacology</i> , 1998 , 13, 273-5	2.2	26

24	Interactions between different antidepressants and morphine alter gastrointestinal transit in mice. <i>Life Sciences</i> , 1997 , 61, PL109-13	6.8	3
23	Flunarizine analgesia is mediated by mu-opioid receptors. <i>Physiology and Behavior</i> , 1997 , 62, 1193-5	3.5	3
22	Augmentation of opioid induced antinociception by the atypical antipsychotic drug risperidone in mice. <i>Neuroscience Letters</i> , 1997 , 228, 25-8	3.3	30
21	Antinociceptive interaction between alprazolam and opioids. <i>Brain Research Bulletin</i> , 1997 , 42, 239-43	3.9	22
20	Pharmacological characterization of buprenorphine, a mixed agonist-antagonist with kappa 3 analgesia. <i>Brain Research</i> , 1997 , 744, 41-6	3.7	64
19	Effect of the pregnane-related GABA-active steroid alphaxalone on mice performance in the staircase test. <i>Brain Research</i> , 1997 , 765, 129-34	3.7	8
18	Risperidone-induced galactorrhea. <i>Psychopharmacology</i> , 1997 , 130, 300-1	4.7	6
17	Paroxetine for secondary stuttering: further interaction of serotonin and dopamine. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 465-7	1.8	12
16	"Failure to thrive" in elderly depressed patients: a new concept or a different name for an old problem?. <i>Israel Journal of Psychiatry and Related Sciences</i> , 1997 , 34, 108-14		3
15	Predictors of PTSD in injured trauma survivors: a prospective study. <i>American Journal of Psychiatry</i> , 1996 , 153, 219-25	11.9	470
14	Strain differences in mice antinociception: relationship between alprazolam and opioid receptor subtypes. <i>European Neuropsychopharmacology</i> , 1996 , 6, 201-5	1.2	11
13	The antinociceptive effect of fluvoxamine. <i>European Neuropsychopharmacology</i> , 1996 , 6, 281-4	1.2	59
12	Fluoxetine for blepharospasm: interaction of serotonin and dopamine. <i>Journal of Nervous and Mental Disease</i> , 1995 , 183, 719-21	1.8	9
11	Migration, traumatic bereavement and transcultural aspects of psychological healing: loss and grief of a refugee woman from Begameder county in Ethiopia. <i>The British Journal of Medical Psychology</i> , 1995 , 68 (Pt 2), 135-42		34
10	THE OPIOID PROPERTIES OF A TETRACYCLIC ANTIDEPRESSANT. <i>Analgesia (Elmsford, N Y)</i> , 1995 , 1, 707-710		3
9	Uncontrolled pain following physical injury as the core-trauma in post-traumatic stress disorder. <i>Pain</i> , 1993 , 54, 107-110	8	80
8	Post-traumatic stress disorder following medical events. <i>British Journal of Clinical Psychology</i> , 1993 , 32, 247-53	3.6	56
7	Early psychological responses to traumatic injury. <i>Journal of Traumatic Stress</i> , 1993 , 6, 441-450	3.8	33

6	Early psychological responses to traumatic injury 1993 , 6, 441		3
5	Physiologic responses to loud tones in Israeli patients with posttraumatic stress disorder. <i>Archives of General Psychiatry</i> , 1992 , 49, 870-5		176
4	Potentiation of opioid analgesia by the antidepressant nefazodone. <i>European Journal of Pharmacology</i> , 1992 , 211, 375-81	5.3	55
3	Comparison of naloxonazine and beta-funaltrexamine antagonism of mu 1 and mu 2 opioid actions. <i>Life Sciences</i> , 1991 , 48, 2005-11	6.8	50
2	Genetic influences in opioid analgesic sensitivity in mice. <i>Brain Research</i> , 1991 , 566, 295-8	3.7	67
1	Injured civilian survivors of suicide bomb attacks: From partial PTSD to recovery or to traumatisation. Where is the turning point?. <i>World Journal of Biological Psychiatry</i> , 1-8	3.8	3