

Cosimo De Nunzio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3444252/cosimo-de-nunzio-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

270
papers

5,191
citations

37
h-index

61
g-index

306
ext. papers

6,442
ext. citations

3.6
avg, IF

5.64
L-index

#	Paper	IF	Citations
270	Re: Giorgio Ivan Russo, Carmen Scandura, Marina Di Mauro, et al. Clinical Efficacy of Serenoa repens Versus Placebo Versus Alpha-blockers for the Treatment of Lower Urinary Tract Symptoms/Benign Prostatic Enlargement: A Systematic Review and Network Meta-analysis of Randomized Placebo-controlled Clinical Trials. <i>European Urology Focus</i> , 2021, 7, 894-898	5.1	1
269	Ultrasound prostate parameters as predictors of successful trial without catheter after acute urinary retention in patients ongoing medical treatment for benign prostatic hyperplasia: a prospective multicenter study. <i>Minerva Urology and Nephrology</i> , 2021, 73, 625-630	2.3	
268	Impairment of autophagy may represent the molecular mechanism behind the relationship between obesity and inflammation in patients with BPH and LUTS. <i>Minerva Urology and Nephrology</i> , 2021, 73, 631-637	2.3	0
267	Systematic review comparing Anterior vs Retzius-sparing robotic assisted radical prostatectomy: can the approach really make a difference?. <i>Minerva Urology and Nephrology</i> , 2021,	2.3	1
266	Phosphodiesterases 5 Inhibitors and Erectile Dysfunction Recovery after Pelvic Surgery: Future Perspectives for New Drugs and New Formulations. <i>Current Drug Targets</i> , 2021, 22, 31-37	3	2
265	Laparoscopic simple prostatectomy vs bipolar plasma enucleation of the prostate in large benign prostatic hyperplasia: a two-center 3-year comparison. <i>World Journal of Urology</i> , 2021, 39, 2613-2619	4	1
264	Assessing the Impact of the Absence of Detrusor Muscle in Ta Low-grade Urothelial Carcinoma of the Bladder on Recurrence-free Survival. <i>European Urology Focus</i> , 2021, 7, 1324-1331	5.1	4
263	Urinary and sexual function after treatment with temporary implantable nitinol device (iTind) in men with LUTS: 6-month interim results of the MT-06-study. <i>World Journal of Urology</i> , 2021, 39, 2037-2042	4	8
262	Detrusor overactivity and underactivity: implication for lower urinary tract symptoms related to benign prostate hyperplasia diagnosis and treatment. <i>Minerva Urology and Nephrology</i> , 2021, 73, 59-71	2.3	3
261	Laparoscopic simple prostatectomy: a large single-center prospective cohort study. <i>Minerva Urology and Nephrology</i> , 2021, 73, 107-113	2.3	3
260	Prostate specific membrane antigen positron emission tomography/computed tomography and staging high risk prostate cancer: a non-systematic review of high clinical impact literature. <i>Minerva Urology and Nephrology</i> , 2021, 73, 32-41	2.3	2
259	Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>European Urology</i> , 2021, 79, 492-504	10.2	9
258	Role of D-Mannose in the Prevention of Recurrent Uncomplicated Cystitis: State of the Art and Future Perspectives. <i>Antibiotics</i> , 2021, 10,	4.9	5
257	Urology practice during the COVID-19 vaccination campaign. <i>Urologia</i> , 2021, 88, 298-305	1.2	
256	Reply to Satoshi Funada, Takashi Yoshioka, and Yan Luo@ Letter to the Editor re: Cosimo De Nunzio, Benjamin Brucker, Thomas Bschleipfer, et al. Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>Eur Urol</i> 2021;79:492-504. <i>European Urology</i> , 2021, 79, 147-148	10.2	1
255	Development of a nomogram predicting the probability of stone free rate in patients with ureteral stones eligible for semi-rigid primary laser uretero-lithotripsy. <i>World Journal of Urology</i> , 2021, 39, 4267-4274	4.74	1
254	Immune checkpoint inhibitors for BCG-resistant NMIBC: the dawn of a new era. <i>Minerva Urology and Nephrology</i> , 2021, 73, 292-298	2.3	2

253	Adverse events related to radium-223 treatment: "real-life" data from the Eudra-Vigilance database. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 342-348	2.3	0
252	Re: Mini Percutaneous Nephrolithotomy Is a Noninferior Modality to Standard Percutaneous Nephrolithotomy for the Management of 20-40 mm Renal Calculi: A Multicenter Randomized Controlled Trial. <i>European Urology</i> , 2021 , 80, 114-115	10.2	
251	How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , 2021 , 39, 1445-1452	4	
250	Which Drug to Discontinue 3 Months After Combination Therapy of Tadalafil plus Tamsulosin for Men with Lower Urinary Tract Symptom and Erectile Dysfunction? Results of a Prospective Observational Trial. <i>European Urology Focus</i> , 2021 , 7, 432-439	5.1	2
249	Pharmacological treatment of persistent lower urinary tract symptoms after a transurethral resection of the prostate is predictive of a new surgical treatment: 10 years follow-up study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 722-727	2.3	2
248	Initial Experience and Evaluation of a Nomogram for Outcome Prediction in Management of Medium-sized (1-2 cm) Kidney Stones. <i>European Urology Focus</i> , 2021 ,	5.1	2
247	Alfuzosin for the medical treatment of benign prostatic hyperplasia and lower urinary tract symptoms: a systematic review of the literature and narrative synthesis. <i>Therapeutic Advances in Urology</i> , 2021 , 13, 1756287221993283	3.2	0
246	A preliminary study of micro-RNAs as minimally invasive biomarkers for the diagnosis of prostate cancer patients. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 79	12.8	9
245	The train has already left the station: analyzing the rise of PSMA PET/CT as new standard for staging high risk prostate cancer. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 401-402	2.3	3
244	Success factors for abdominal wall diversions, including ureterocutaneostomy. <i>Current Opinion in Urology</i> , 2021 , 31, 544-549	2.8	0
243	Enzalutamide in patients with castration-resistant prostate cancer: retrospective, multicenter, real life study. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 489-497	2.3	3
242	Transperineal Interstitial Laser Ablation of the Prostate, A Novel Option for Minimally Invasive Treatment of Benign Prostatic Obstruction. <i>European Urology</i> , 2021 , 80, 673-674	10.2	2
241	Rotterdam mobile phone app including MRI data for the prediction of prostate cancer: A multicenter external validation. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2640-2645	3.6	0
240	Validation of the COBRA nomogram for the prediction of cancer specific survival in patients treated with radical cystectomy for bladder cancer: An international wide cohort study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2646-2650	3.6	2
239	Mechanical and Ablative Minimally Invasive Techniques for Male LUTS due to Benign Prostatic Obstruction: A Systematic Review according to BPH-6 Evaluation. <i>Urologia Internationalis</i> , 2021 , 105, 858-868	1.9	2
238	Evaluation of Functional Outcomes and Quality of Life in Elderly Patients (>75 y.o.) Undergoing Minimally Invasive Radical Cystectomy with Single Stoma Ureterocutaneostomy vs. Bricker Intracorporeal Ileal Conduit Urinary Diversion.. <i>Journal of Clinical Medicine</i> , 2021 , 11,	5.1	1
237	Benchmarking PASADENA Consensus along the Learning Curve of Robotic Radical Cystectomy with Intracorporeal Neobladder: CUSUM Based Assessment.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
236	Impact of the COVID-19 pandemic on urological practice in emergency departments in Italy. <i>BJU International</i> , 2020 , 126, 245-247	5.6	18

235	Risk of Virus Contamination Through Surgical Smoke During Minimally Invasive Surgery: A Systematic Review of the Literature on a Neglected Issue Revived in the COVID-19 Pandemic Era. <i>European Urology Focus</i> , 2020 , 6, 1058-1069	5.1	20
234	Telehealth in Urology: A Systematic Review of the Literature. How Much Can Telemedicine Be Useful During and After the COVID-19 Pandemic?. <i>European Urology</i> , 2020 , 78, 786-811	10.2	77
233	Inflammation is a target of medical treatment for lower urinary tract symptoms associated with benign prostatic hyperplasia. <i>World Journal of Urology</i> , 2020 , 38, 2771-2779	4	16
232	The role of bladder wall thickness in the evaluation of detrusor underactivity: Development of a clinical nomogram. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1115-1123	2.3	7
231	Risk of SARS-CoV-2 Diffusion when Performing Minimally Invasive Surgery During the COVID-19 Pandemic. <i>European Urology</i> , 2020 , 78, e12-e13	10.2	14
230	The waiting time for prostate cancer treatment in Italy: analysis from the Pros-IT CNR study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 ,	4.4	1
229	Benign Prostatic Hyperplasia (BPH) 2020 , 341-355		0
228	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 766	2.5	
227	Complications and quality of life of ileal conduit, orthotopic neobladder and ureterocutaneostomy: systematic review of reports using the Clavien-Dindo Classification. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 408-419	4.4	2
226	Night shift workers refer higher urinary symptoms with an impairment quality of life: a single cohort study. <i>Minerva Urology and Nephrology</i> , 2020 ,	2.3	2
225	When should we use urodynamic testing? Recommendations of the Italian Society of Urodynamics (SIUD). Part 1 - Female population. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 58-65	4.4	8
224	When should we use urodynamic testing? Recommendations of the Italian Society of Urodynamics (SIUD). Part 2 - Male and neurological population. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 187-199	4.4	3
223	Epidemiology and unmet needs of bladder cancer in Italy: a critical review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 1-12	4.4	7
222	Role of prostate specific antigen and prostate specific antigen density as biomarkers for medical and surgical treatment response in men with lower urinary tract symptoms. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 135-143	4.4	2
221	Operative profile, safety and functional outcomes after GreenLight laser prostate surgery: results from a 12 months follow-up multicenter Italian cohort analyses. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 622-628	4.4	6
220	A systematic review of imaging-guided metastasis-directed therapy for oligorecurrent prostate cancer: revolution or devolution?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 279-291	4.4	4
219	Hyperbaric oxygen therapy reduces mortality in patients with Fournier® Gangrene. Results from a multi-institutional observational study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 223-228	4.4	8
218	The urothelium, the urinary microbioma and men LUTS: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 712-722	4.4	2

217	Systematic review of neoadjuvant therapy by immune checkpoint inhibitors before radical cystectomy: where do we stand?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 663-672	4.4	5
216	Urology practice during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 369-375	4.4	131
215	Clinical pathways for urology patients during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 376-383	4.4	60
214	Treatment of Voiding LUTS 2020 , 131-167		
213	The role of metabolic syndrome in high grade prostate cancer: development of a clinical nomogram. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 729-736	4.4	0
212	Adverse events related to abiraterone and enzalutamide treatment: analysis of the EudraVigilance database and meta-analysis of registrational phase III studies. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 199-206	6.2	5
211	External validation of Cormio nomogram for predicting all prostate cancers and clinically significant prostate cancers. <i>World Journal of Urology</i> , 2020 , 38, 2555-2561	4	4
210	Radical penectomy, a compromise for life: results from the PECAD study. <i>Translational Andrology and Urology</i> , 2020 , 9, 1306-1313	2.3	5
209	Robot-assisted retroperitoneal lymphadenectomy in patient with type I papillary renal cancer recurrence after 5 years of follow-up. <i>Journal of Surgical Case Reports</i> , 2020 , 2020, rjaa336	0.6	0
208	Trifecta Outcomes of Partial Nephrectomy in Patients Over 75 Years Old: Analysis of the RENal SURGery in Elderly (RESURGE) Group. <i>European Urology Focus</i> , 2020 , 6, 982-990	5.1	12
207	Partial versus radical nephrectomy in very elderly patients: a propensity score analysis of surgical, functional and oncologic outcomes (RESURGE project). <i>World Journal of Urology</i> , 2020 , 38, 151-158	4	13
206	GreenLight Photoselective Vaporization of the Prostate: One Laser for Different Prostate Sizes. <i>Journal of Endourology</i> , 2020 , 34, 54-62	2.7	8
205	Managing lines of therapy in castration-resistant prostate cancer: real-life snapshot from a multicenter cohort. <i>World Journal of Urology</i> , 2020 , 38, 1757-1764	4	3
204	Efficacy and safety of avanafil 200 mg versus sildenafil 100 mg in the treatment of erectile dysfunction after robot-assisted unilateral nerve-sparing prostatectomy: A prospective multicentre study. <i>Urologia</i> , 2020 , 87, 23-28	1.2	2
203	High-intensity focused ultrasound for prostate cancer. <i>Expert Review of Medical Devices</i> , 2020 , 17, 427-433	3.3	8
202	Multicenter Analysis of Postoperative Complications in Octogenarians After Radical Cystectomy and Ureterocutaneostomy: The Role of the Frailty Index. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 402-407	3.3	18
201	Metabolic syndrome and smoking are associated with persistence of nocturia after transurethral resection of the prostate. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1692-1699	2.3	5
200	Adherence to the EAU guidelines on Penile Cancer Treatment: European, multicentre, retrospective study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 921-926	4.9	11

199	Outcomes of Partial and Radical Nephrectomy in Octogenarians - A Multicenter International Study (Resurge). <i>Urology</i> , 2019 , 129, 139-145	1.6	5
198	A drug safety evaluation of abiraterone acetate in the treatment of prostate cancer. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 759-767	4.1	1
197	The EORTC quality of life questionnaire predicts early and long-term incontinence in patients treated with robotic assisted radical prostatectomy: Analysis of a large single center cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 1006-1013	2.8	4
196	Tadalafil 5 mg Alone or in Combination with Tamsulosin 0.4 mg for the Management of Men with Lower Urinary Tract Symptoms and Erectile Dysfunction: Results of a Prospective Observational Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
195	A systematic review and meta-analysis comparing the outcomes of open and robotic assisted radical cystectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 553-568	4.4	20
194	Possible role of 5-alpha reductase inhibitors in non-invasive bladder urothelial neoplasm: multicentre study. <i>Minerva Urologica and Nephrology</i> , 2019 ,	2.3	3
193	Ejaculation disorders in prostate surgery. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 549-550	4.4	4
192	External validation of Imamura nomogram as a tool to predict preoperatively laser semi-rigid ureterolithotripsy outcomes. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 531-536	4.4	2
191	Robotic pyelolithotomy for the treatment of large renal stones: a single-center experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 537-543	4.4	4
190	Smoking reduces PSA accuracy for detection of prostate cancer: results from an Italian cross-sectional study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 583-589	4.4	2
189	Variations of Nighttime and Daytime Bladder Capacity in Patients with Nocturia: Implication for Diagnosis and Treatment. <i>Journal of Urology</i> , 2019 , 201, 962-966	2.5	6
188	Retroperitoneoscopy in urology: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 9-16	4.4	7
187	Cytoreductive prostatectomy: what is the evidence? A systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 1-8	4.4	6
186	Efficacy and safety of artificial urinary sphincter (AUS): Results of a large multi-institutional cohort of patients with mid-term follow-up. <i>Neurourology and Urodynamics</i> , 2019 , 38, 710-718	2.3	26
185	Adherence to EAU guidelines on penile cancer translates into better outcomes: a multicenter international study. <i>World Journal of Urology</i> , 2019 , 37, 1649-1657	4	12
184	Mobile phone apps for the prediction of prostate cancer: External validation of the Coral and Rotterdam apps. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 471-476	3.6	10
183	Physical Activity as a Protective Factor for Lower Urinary Tract Symptoms in Male Patients: A Prospective Cohort Analysis. <i>Urology</i> , 2019 , 125, 163-168	1.6	5
182	Repeat prostate-specific antigen (PSA) test before prostate biopsy: a 20% decrease in PSA values is associated with a reduced risk of cancer and particularly of high-grade cancer. <i>BJU International</i> , 2018 , 122, 83-88	5.6	1

181	Alpha-1 adrenergic antagonists, 5-alpha reductase inhibitors, phosphodiesterase type 5 inhibitors, and phytotherapeutic compounds in men with lower urinary tract symptoms suggestive of benign prostatic obstruction: A systematic review and meta-analysis of urodynamic studies. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1865-1874	2.3	10
180	The new Epstein gleason score classification significantly reduces upgrading in prostate cancer patients. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 835-839	3.6	15
179	KAT3B-p300 and H3AcK18/H3AcK14 levels are prognostic markers for kidney ccRCC tumor aggressiveness and target of KAT inhibitor CPTH2. <i>Clinical Epigenetics</i> , 2018 , 10, 44	7.7	6
178	Standard vs. anatomical 180-W GreenLight laser photoselective vaporization of the prostate: a propensity score analysis. <i>World Journal of Urology</i> , 2018 , 36, 91-97	4	6
177	Obesity and kidney stone disease: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 393-400	4.4	36
176	An update on prostate biopsy in the era of magnetic resonance imaging. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 264-274	2.3	15
175	Patient centred care for the medical treatment of lower urinary tract symptoms in patients with benign prostatic obstruction: a key point to improve patients care - a systematic review. <i>BMC Urology</i> , 2018 , 18, 62	2.2	11
174	Clinical Implications for the Early Treatment of Benign Prostatic Enlargement (BPE): a Systematic Review. <i>Current Urology Reports</i> , 2018 , 19, 70	2.9	5
173	Progressive bladder remodeling due to bladder outlet obstruction: a systematic review of morphological and molecular evidences in humans. <i>BMC Urology</i> , 2018 , 18, 15	2.2	60
172	Innovations in imaging modalities for recurrent and metastatic prostate cancer: a systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 347-360	4.4	16
171	Abiraterone in chemotherapy-naive patients with metastatic castration-resistant prostate cancer: a systematic review of real-life studies. <i>Therapeutic Advances in Urology</i> , 2018 , 10, 305-315	3.2	11
170	Metabolic syndrome increases the risk of upgrading and upstaging in patients with prostate cancer on biopsy: a radical prostatectomy multicenter cohort study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 438-445	6.2	6
169	External validation of Chun, PCPT, ERSPC, Kawakami, and Karakiewicz nomograms in the prediction of prostate cancer: A single center cohort-study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 364.e1-364.e7	2.8	9
168	Cigarette smoking is not associated with prostate cancer diagnosis and aggressiveness: a cross sectional Italian study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 598-605	4.4	8
167	Moderate-to-high cardiovascular risk is associated with increased lower urinary tract storage symptoms in patients with benign prostatic enlargement. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 340-346	2.3	3
166	A larger detrusor wall thickness increases the risk of non muscle invasive bladder cancer recurrence and progression: result from a multicenter observational study. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 310-318	2.3	4
165	Metabolic syndrome and smoking are associated with an increased risk of nocturia in male patients with benign prostatic enlargement. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 287-292	6.2	12
164	New insight in penile cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 559-569	4.4	11

163	Intraprostatic injections for lower urinary tract symptoms/benign prostatic enlargement treatment. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 570-578	4.4	8
162	Young Academic Urologists Benign prostatic obstruction nomogram predicts clinical outcome in patients treated with transurethral resection of prostate: an Italian cohort study. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 211-217	2.3	10
161	Comparison Between Thulium Laser Vaporization and GreenLight Laser Photoselective Vaporization of the Prostate in Real-Life Setting: Propensity Score Analysis. <i>Urology</i> , 2018 , 121, 147-152	1.6	10
160	Erectile Dysfunction and Lower Urinary Tract Symptoms. <i>Current Urology Reports</i> , 2018 , 19, 61	2.9	7
159	Bladder stone management: an update. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 53-65	2.3	5
158	Castration-resistance prostate cancer: what is in the pipeline?. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 22-41	2.3	13
157	Re: A Narrative Review of Patient-reported Outcomes in Overactive Bladder: What is the Way of the Future?. <i>European Urology</i> , 2017 , 71, 496	10.2	1
156	Dutasteride add-on therapy reduces detrusor mass in patients with benign prostatic enlargement not satisfied with alpha-adrenergic antagonist monotherapy: A single center prospective study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 2096-2100	2.3	2
155	Metabolic Syndrome Does Not Increase the Risk of Ejaculatory Dysfunction in Patients With Lower Urinary Tract Symptoms and Benign Prostatic Enlargement: An Italian Single-center Cohort Study. <i>Urology</i> , 2017 , 105, 85-90	1.6	5
154	Abiraterone Acetate for Treatment of Metastatic Castration-resistant Prostate Cancer in Chemotherapy-naive Patients: An Italian Analysis of Patients Satisfaction. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 520-525	3.3	7
153	Benign prostatic enlargement can be influenced by metabolic profile: results of a multicenter prospective study. <i>BMC Urology</i> , 2017 , 17, 22	2.2	19
152	Clinical significance of intravesical prostatic protrusion in the management of benign prostatic enlargement: a systematic review and critical analysis of current evidence. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 548-555	2.3	6
151	Basic methods for the assessment of health-related quality of life in uro-oncological patients. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 409-420	2.3	5
150	Is early benign prostatic hyperplasia (BPH) treatment worthwhile?. <i>Urologia</i> , 2017 , 84, 142-147	1.2	2
149	Safety and efficacy of abiraterone acetate in chemotherapy-naive patients with metastatic castration-resistant prostate cancer: an Italian multicenter "real life" study. <i>BMC Cancer</i> , 2017 , 17, 753	4.8	18
148	Development and validation of the Italian version of the Intermittent Self-Catheterization Questionnaire. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 384-390	2.3	3
147	Presence and severity of lower urinary tract symptoms are inversely correlated with the risk of prostate cancer on prostate biopsy. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 486-492	2.3	5
146	Green light vaporization of the prostate: is it an adult technique?. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 109-118	2.3	10

145	Can Long-term LUTS/BPH Pharmacological Treatment Alter the Outcomes of Surgical Intervention?. <i>Current Urology Reports</i> , 2017 , 18, 72	2.9	8
144	The role of flower pollen extract in managing patients affected by chronic prostatitis/chronic pelvic pain syndrome: a comprehensive analysis of all published clinical trials. <i>BMC Urology</i> , 2017 , 17, 32	2.2	12
143	Detrusor overactivity increases bladder wall thickness in male patients: A urodynamic multicenter cohort study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1616-1621	2.3	6
142	Erectile Dysfunction and Lower Urinary Tract Symptoms. <i>European Urology Focus</i> , 2017 , 3, 352-363	5.1	41
141	Non-invasive ultrasound measurements in male patients with LUTS and benign prostatic obstruction: implication for diagnosis and treatment. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 220-233	2.3	6
140	New treatment strategies for benign prostatic hyperplasia in the frail elderly population: a systematic review. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 119-132	2.3	5
139	The influence of the medical treatment of LUTS on benign prostatic hyperplasia surgery: do we operate too late?. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 242-252	2.3	10
138	Autophagy deactivation is associated with severe prostatic inflammation in patients with lower urinary tract symptoms and benign prostatic hyperplasia. <i>Oncotarget</i> , 2017 , 8, 50904-50910	3.3	11
137	Functional Ultrasound: Assessment of the Weight and Thickness of the Detrusor 2017 , 441-449		
136	Metabolic abnormalities linked to an increased cardiovascular risk are associated with high-grade prostate cancer: a single biopsy cohort analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 35-9	6.2	9
135	New medical treatments for lower urinary tract symptoms due to benign prostatic hyperplasia and future perspectives. <i>BMC Urology</i> , 2016 , 16, 58	2.2	13
134	Metabolic syndrome diagnosis and widespread high grade prostatic intraepithelial neoplasia significantly increase prostate cancer risk: results from a multicenter biopsy study. <i>BMC Cancer</i> , 2016 , 16, 59	4.8	10
133	A novel stepwise micro-TESE approach in non obstructive azoospermia. <i>BMC Urology</i> , 2016 , 16, 20	2.2	26
132	Tamsulosin or Silodosin Adjuvant Treatment Is Ineffective in Improving Shockwave Lithotripsy Outcome: A Short-Term Follow-Up Randomized, Placebo-Controlled Study. <i>Journal of Endourology</i> , 2016 , 30, 817-21	2.7	8
131	The diagnosis of benign prostatic obstruction: Development of a clinical nomogram. <i>Neurourology and Urodynamics</i> , 2016 , 35, 235-40	2.3	13
130	Systematic Review and Individual Patient Data Meta-analysis of Randomized Trials Comparing a Single Immediate Instillation of Chemotherapy After Transurethral Resection with Transurethral Resection Alone in Patients with Stage pTa-pT1 Urothelial Carcinoma of the Bladder: Which Patients Benefit from the Instillation?. <i>European Urology</i> , 2016 , 69, 231-44	10.2	184
129	Combination therapies for improved management of lower urinary tract symptoms/benign prostatic hyperplasia. <i>Drugs of Today</i> , 2016 , 52, 501-517	2.5	9
128	Role of cigarette smoking in urological malignancies and clinical interventions for smoking cessation. <i>Central European Journal of Urology</i> , 2016 , 69, 366-369	0.9	6

127	Urological infections due to multidrug-resistant bacteria: what we need to know?. <i>Urologia</i> , 2016 , 83, 21-6	1.2	2
126	Metabolic syndrome is associated with advanced prostate cancer in patients treated with radical retropubic prostatectomy: results from a multicentre prospective study. <i>BMC Cancer</i> , 2016 , 16, 407	4.8	17
125	Re: Marcus G. Cumberbatch, Matteo Rota, James W.F. Catto, Carlo La Vecchia. The Role of Tobacco Smoke in Bladder and Kidney Carcinogenesis: A Comparison of Exposures and Meta-analysis of Incidence and Mortality Risks. <i>Eur Urol</i> 2016;70:458-66: Smoking Cessation and Urology: A New Domain for Prevention and Treatment. <i>European Urology</i> , 2016 , 70, e102-e103	10.2	3
124	Inflammatory mediators in the development and progression of benign prostatic hyperplasia. <i>Nature Reviews Urology</i> , 2016 , 13, 613-26	5.5	109
123	Male Lower Urinary Tract Symptoms and Cardiovascular Events: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 788-796	10.2	52
122	Measurement of post-void residual urine. <i>Neurourology and Urodynamics</i> , 2016 , 35, 55-7	2.3	53
121	The Impact of Central Obesity on Storage Luts and Urinary Incontinence After Prostatic Surgery. <i>Current Urology Reports</i> , 2016 , 17, 61	2.9	13
120	Physical activity as a risk factor for prostate cancer diagnosis: a prospective biopsy cohort analysis. <i>BJU International</i> , 2016 , 117, E29-35	5.6	29
119	Words of wisdom. Re: Association between metabolic syndrome and severity of lower urinary tract symptoms: an observational study in a 4666 European men cohort. <i>European Urology</i> , 2015 , 67, 973-4	10.2	0
118	Re: Christian Gratzke, Alexander Bachmann, Aurelien Descazeaud, et al. EAU Guidelines on the Assessment of Non-neurogenic Male Lower Urinary Tract Symptoms Including Benign Prostatic Obstruction. <i>Eur Urol</i> 2015;67:1099-109. <i>European Urology</i> , 2015 , 68, e15	10.2	1
117	Tolterodine in the Treatment of Male LUTS. <i>Current Urology Reports</i> , 2015 , 16, 60	2.9	3
116	Patients With Prostatic Inflammation Undergoing Transurethral Prostatic Resection Have a Larger Early Improvement of Storage Symptoms. <i>Urology</i> , 2015 , 86, 359-65	1.6	15
115	Editorial comment for Pastore et al. <i>Journal of Endourology</i> , 2015 , 29, 420-1	2.7	
114	Two-sided dorsal plus ventral oral graft bulbar urethroplasty: long-term results and predictive factors. <i>Urology</i> , 2015 , 85, 942-7	1.6	17
113	Evaluation of the prognostic significance of perirenal fat invasion and tumor size in patients with pT1-pT3a localized renal cell carcinoma in a comprehensive multicenter study of the CORONA project. Can we improve prognostic discrimination for patients with stage pT3a tumors?. <i>European Urology</i> , 2015 , 67, 943-51	10.2	37
112	Can daily intake of aspirin and/or statins influence the behavior of non-muscle invasive bladder cancer? A retrospective study on a cohort of patients undergoing transurethral bladder resection. <i>BMC Cancer</i> , 2015 , 15, 120	4.8	18
111	The Diagnosis of Benign Prostatic Obstruction: Validation of the Young Academic Urologist Clinical Nomogram. <i>Urology</i> , 2015 , 86, 1032-6	1.6	10
110	Smoking and Prostate Cancer: A Systematic Review. <i>European Urology Focus</i> , 2015 , 1, 28-38	5.1	26

109	Reply: To PMID 26194291. <i>Urology</i> , 2015 , 86, 366-7	1.6	
108	Association between metabolic syndrome, obesity, diabetes mellitus and oncological outcomes of bladder cancer: a systematic review. <i>International Journal of Urology</i> , 2015 , 22, 22-32	2.3	44
107	Metabolic syndrome and benign prostatic enlargement: a systematic review and meta-analysis. <i>BJU International</i> , 2015 , 115, 24-31	5.6	141
106	Patient adherence on pharmacological therapy for benign prostatic hyperplasia (BPH)-associated lower urinary tract symptoms (LUTS) is different: is combination therapy better than monotherapy?. <i>BMC Urology</i> , 2015 , 15, 96	2.2	36
105	Editorial Comment from Dr Presicce et al. to Emerging links between non-neurogenic lower urinary tract symptoms secondary to benign prostatic obstruction, metabolic syndrome and its components: A systematic review. <i>International Journal of Urology</i> , 2015 , 22, 992	2.3	
104	Benign prostatic hyperplasia in 2014: Innovations in medical and surgical treatment. <i>Nature Reviews Urology</i> , 2015 , 12, 76-8	5.5	4
103	Central obesity is predictive of persistent storage lower urinary tract symptoms (LUTS) after surgery for benign prostatic enlargement: results of a multicentre prospective study. <i>BJU International</i> , 2015 , 116, 271-7	5.6	28
102	Drug adherence and clinical outcomes for patients under pharmacological therapy for lower urinary tract symptoms related to benign prostatic hyperplasia: population-based cohort study. <i>European Urology</i> , 2015 , 68, 418-25	10.2	100
101	Current Pharmacological Treatment for Male LUTS due to BPH: Dutasteride or Finasteride?. <i>Current Drug Targets</i> , 2015 , 16, 1165-71	3	22
100	The Current Indications and the Benefits of Combining a β -Agonist with an Anticholinergic for the Treatment of OAB. <i>Current Drug Targets</i> , 2015 , 16, 1198-206	3	10
99	Transrectal-ultrasound prostatic biopsy preparation: rectal enema vs. mechanical bowel preparation. <i>Central European Journal of Urology</i> , 2015 , 68, 223-8	0.9	8
98	The management of overactive bladder: percutaneous tibial nerve stimulation, sacral nerve stimulation, or botulinum toxin?. <i>Current Opinion in Urology</i> , 2015 , 25, 305-10	2.8	23
97	Do young patients with renal cell carcinoma feature a distinct outcome after surgery? A comparative analysis of patient age based on the multinational CORONA database. <i>Journal of Urology</i> , 2014 , 191, 310-5	2.5	19
96	Metabolic syndrome and lower urinary tract symptoms in patients with benign prostatic enlargement: a possible link to storage symptoms. <i>Urology</i> , 2014 , 84, 1181-7	1.6	40
95	Results of a comparative study analyzing octogenarians with renal cell carcinoma in a competing risk analysis with patients in the seventh decade of life. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1252-8	2.8	7
94	Wide-neck renal artery aneurysm: parenchymal sparing endovascular treatment with a new device. <i>BMC Urology</i> , 2014 , 14, 42	2.2	7
93	Modern extraction techniques and their impact on the pharmacological profile of <i>Serenoa repens</i> extracts for the treatment of lower urinary tract symptoms. <i>BMC Urology</i> , 2014 , 14, 63	2.2	41
92	Serum levels of chromogranin A are not predictive of high-grade, poorly differentiated prostate cancer: results from an Italian biopsy cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 80-4	2.8	9

91	Metabolic syndrome, obesity, and radical cystectomy complications: a clavier classification system-based analysis. <i>Clinical Genitourinary Cancer</i> , 2014 , 12, 384-93	3.3	14
90	Words of wisdom. Re: Comparative efficacy and safety of medical treatments for the management of overactive bladder: a systematic literature review and mixed treatment comparison. <i>European Urology</i> , 2014 , 65, 1220-1	10.2	
89	Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 16-22	2	7
88	Tolterodine extended release in the treatment of male OAB/storage LUTS: a systematic review. <i>BMC Urology</i> , 2014 , 14, 84	2.2	13
87	Quality of Life and Sexual Health in the Aging of PCa Survivors. <i>International Journal of Endocrinology</i> , 2014 , 2014, 470592	2.7	10
86	Low prostate concentration of lycopene is associated with development of prostate cancer in patients with high-grade prostatic intraepithelial neoplasia. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 1433-40	6.3	29
85	Scrotal extratesticular schwannoma: a case report and review of the literature. <i>BMC Urology</i> , 2014 , 14, 32	2.2	5
84	Pure intracorporeal laparoscopic radical cystectomy with orthotopic "U" shaped ileal neobladder. <i>BMC Urology</i> , 2014 , 14, 89	2.2	7
83	External validation of nomogram predicting the probability of specimen-confined disease (pT2-3a, RONO) in patients undergoing radical prostatectomy and pelvic lymph node dissection. <i>Urologia Internationalis</i> , 2014 , 93, 262-8	1.9	6
82	Patients with metabolic syndrome and widespread high grade prostatic intraepithelial neoplasia are at a higher risk factor of prostate cancer on re-biopsy: a prospective single cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 28.e27-31	2.8	6
81	Transurethral resection of the bladder (TURB): analysis of complications using a modified Clavier system in an Italian real life cohort. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 90-5	3.6	33
80	Serum levels of 17- β -estradiol are not predictive of prostate cancer diagnosis and aggressiveness: results from an Italian biopsy cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 35.e9-13	2.8	1
79	Role of abdominal obesity for functional outcomes and complications in men treated with radical prostatectomy for prostate cancer: results of the Multicenter Italian Report on Radical Prostatectomy (MIRROR) study. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 138-45	1.6	13
78	The impact of obesity on the predictive accuracy of PSA in men undergoing prostate biopsy. <i>World Journal of Urology</i> , 2014 , 32, 323-8	4	14
77	Assessing LUTS/BPO: What Is the Evidence? 2014 , 33-53		1
76	Systematic review of combination drug therapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , 2013 , 64, 228-43	10.2	67
75	Contemporary urethral stricture characteristics in the developed world. <i>Urology</i> , 2013 , 81, 191-6	1.6	95
74	The Role of Inflammation in the Progression of Benign Prostatic Hyperplasia. <i>Current Bladder Dysfunction Reports</i> , 2013 , 8, 142-149	0.4	10

73	Gender differences in clinicopathological features and survival in surgically treated patients with renal cell carcinoma: an analysis of the multicenter CORONA database. <i>World Journal of Urology</i> , 2013 , 31, 1073-80	4	28
72	When to perform bone scan in patients with newly diagnosed prostate cancer: external validation of a novel risk stratification tool. <i>World Journal of Urology</i> , 2013 , 31, 365-9	4	11
71	Contemporary monopolar and bipolar transurethral resection of the prostate: prospective assessment of complications using the Clavien system. <i>International Urology and Nephrology</i> , 2013 , 45, 951-9	2.3	18
70	Prostate cancer: Diabetes and prostate cancer--an open debate. <i>Nature Reviews Urology</i> , 2013 , 10, 12-4	5.5	11
69	Abdominal obesity as risk factor for prostate cancer diagnosis and high grade disease: a prospective multicenter Italian cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 997-1002	2.8	43
68	The impact of ventral oral graft bulbar urethroplasty on sexual life. <i>Urology</i> , 2013 , 81, 891-8	1.6	34
67	Percutaneous Tibial Nerve Stimulation (PTNS) efficacy in the treatment of lower urinary tract dysfunctions: a systematic review. <i>BMC Urology</i> , 2013 , 13, 61	2.2	100
66	Features associated with recurrence beyond 5 years after nephrectomy and nephron-sparing surgery for renal cell carcinoma: development and internal validation of a risk model (PRELANE score) to predict late recurrence based on a large multicenter database (CORONA/SATURN Project). <i>European Urology</i> , 2013 , 64, 472-7	10.2	61
65	Real-time magnetic resonance-guided high-intensity focused ultrasound focal therapy for localised prostate cancer: preliminary experience. <i>European Urology</i> , 2013 , 63, 395-8	10.2	101
64	Prognostic effect of sarcomatoid dedifferentiation in patients with surgically treated renal cell carcinoma: a matched-pair analysis. <i>Clinical Genitourinary Cancer</i> , 2013 , 11, 465-70	3.3	9
63	Analysis of radical cystectomy and urinary diversion complications with the Clavien classification system in an Italian real life cohort. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 792-8	3.6	58
62	Transrectal contrast-enhanced ultrasonography, transrectal ultrasonography and retrograde cystography for the detection of vesicourethral anastomosis leakage after radical retropubic prostatectomy: a prospective comparative evaluation. <i>Urologia Internationalis</i> , 2013 , 90, 316-20	1.9	1
61	Toll-like receptors in prostate infection and cancer between bench and bedside. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 713-22	5.6	22
60	Metabolic syndrome and lower urinary tract symptoms: the role of inflammation. <i>Prostate Cancer and Prostatic Diseases</i> , 2013 , 16, 101-6	6.2	108
59	The use of oxybutynin in patients treated by means of botulinum neurotoxin A for neurogenic detrusor overactivity: an observational study. <i>Spinal Cord</i> , 2013 , 51, 637-41	2.7	4
58	Time to recurrence is a significant predictor of cancer-specific survival after recurrence in patients with recurrent renal cell carcinoma--results from a comprehensive multi-centre database (CORONA/SATURN-Project). <i>BJU International</i> , 2013 , 112, 909-16	5.6	52
57	Assessing the accuracy and generalizability of the preoperative and postoperative Karakiewicz nomograms for renal cell carcinoma: results from a multicentre European and US study. <i>BJU International</i> , 2013 , 112, 578-84	5.6	14
56	Fat boosts, while androgen receptor activation counteracts, BPH-associated prostate inflammation. <i>Prostate</i> , 2013 , 73, 789-800	4.2	90

55	Needle biopsy size and pathological Gleason Score diagnosis: No evidence for a link. <i>Canadian Urological Association Journal</i> , 2013 , 7, E567-71	1.2	2
54	Widespread high grade prostatic intraepithelial neoplasia on biopsy predicts the risk of prostate cancer: a 12 months analysis after three consecutive prostate biopsies. <i>Archivio Italiano Di Urologia Andrologia</i> , 2013 , 85, 59-64	1.6	4
53	Serum levels of sex hormone binding globulin (SHBG) are not predictive of prostate cancer diagnosis and aggressiveness: results from an Italian biopsy cohort. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013 , 39, 793-9	2	4
52	The correlation between metabolic syndrome and prostatic diseases. <i>European Urology</i> , 2012 , 61, 560-70	10.2	242
51	Plication corporoplasty versus Nesbit operation for the correction of congenital penile curvature. A long-term follow-up. <i>International Urology and Nephrology</i> , 2012 , 44, 55-60	2.3	23
50	Long-term results of small intestinal submucosa graft in bulbar urethral reconstruction. <i>Urology</i> , 2012 , 79, 695-701	1.6	51
49	Greater percent-free testosterone is associated with high-grade prostate cancer in men undergoing prostate biopsy. <i>Urology</i> , 2012 , 80, 162-7	1.6	16
48	Salvage laparoscopic radical prostatectomy following high-intensity focused ultrasound for treatment of prostate cancer. <i>Urology</i> , 2012 , 80, 130-3	1.6	11
47	Versatility of the ventral approach in bulbar urethroplasty using dorsal, ventral or dorsal plus ventral oral grafts. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012 , 10, 118-24	1.7	7
46	Reporting quality of abstracts presented at the European Association of Urology meeting: a critical assessment. <i>Journal of Urology</i> , 2012 , 188, 1883-6	2.5	14
45	The treatment of lower urinary tract symptoms in patients with multiple sclerosis: a systematic review. <i>Current Urology Reports</i> , 2012 , 13, 335-42	2.9	27
44	What determines whether a patient with LUTS seeks treatment? ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 365-9	2.3	22
43	Prostate biopsy quality is independent of needle size: a randomized single-center prospective study. <i>Urologia Internationalis</i> , 2012 , 89, 57-60	1.9	11
42	Morphological evaluation of the male external urethral sphincter complex by transrectal ultrasound: feasibility study and potential clinical applications. <i>Urologia Internationalis</i> , 2012 , 89, 275-82	1.9	16
41	Pure small cell carcinoma of the prostate: A rare tumor. <i>Indian Journal of Urology</i> , 2012 , 28, 89-91	0.8	3
40	Critical review of laparoendoscopic single-site surgery versus multiport laparoscopy in urology. <i>Archivos Espanoles De Urologia</i> , 2012 , 65, 348-56	0.4	2
39	The uncertain relationship between obesity and prostate cancer: an Italian biopsy cohort analysis. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 1025-9	3.6	20
38	The controversial relationship between benign prostatic hyperplasia and prostate cancer: the role of inflammation. <i>European Urology</i> , 2011 , 60, 106-17	10.2	279

37	Words of wisdom. Re: Safety and feasibility of the prostatic urethral lift: a novel, minimally invasive treatment for lower urinary tract symptoms (LUTS) secondary to benign prostatic hyperplasia (BPH). <i>European Urology</i> , 2011 , 60, 1120-1	10.2	4
36	Extraperitoneal radical cystectomy and ureterocutaneostomy in octogenarians. <i>International Urology and Nephrology</i> , 2011 , 43, 663-7	2.3	16
35	Long-term experience with early single mitomycin C instillations in patients with low-risk non-muscle-invasive bladder cancer: prospective, single-centre randomised trial. <i>World Journal of Urology</i> , 2011 , 29, 517-21	4	28
34	Metabolic syndrome is associated with high grade Gleason score when prostate cancer is diagnosed on biopsy. <i>Prostate</i> , 2011 , 71, 1492-8	4.2	51
33	Ultrasound imaging of the pelvic floor: where are we going?. <i>Neurourology and Urodynamics</i> , 2011 , 30, 729-34	2.3	10
32	The influence of ejaculation and abstinence on urinary flow rates. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1571-5	2.3	4
31	Prostate cancer does not influence androgen levels: a radical prostatectomy cohort study. <i>Urologia Internationalis</i> , 2011 , 86, 161-6	1.9	1
30	Predictive value of digital rectal examination for prostate cancer detection is modified by obesity. <i>Prostate Cancer and Prostatic Diseases</i> , 2011 , 14, 346-53	6.2	24
29	Position: prone or supine is the issue of percutaneous nephrolithotomy. <i>Journal of Endourology</i> , 2010 , 24, 931-8	2.7	48
28	Photoselective prostatic vaporization for bladder outlet obstruction: 12-month evaluation of storage and voiding symptoms. <i>Journal of Urology</i> , 2010 , 183, 1098-103	2.5	18
27	A rare case of serous papillary cystadenocarcinoma of the testis. <i>Journal of Andrology</i> , 2010 , 31, 434-6		8
26	Reduction of prostate-specific antigen after tamsulosin treatment in patients with elevated prostate-specific antigen and lower urinary tract symptoms associated with low incidence of prostate cancer at biopsy. <i>Urology</i> , 2010 , 76, 436-41	1.6	8
25	Ultrasound assessment of intravesical prostatic protrusion and detrusor wall thickness--new standards for noninvasive bladder outlet obstruction diagnosis?. <i>Journal of Urology</i> , 2010 , 183, 2270-4	2.5	75
24	Granzyme B is expressed in urothelial carcinoma and promotes cancer cell invasion. <i>International Journal of Cancer</i> , 2010 , 127, 1283-94	7.5	35
23	Bladder weight and detrusor thickness as parameters of progression of benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2010 , 20, 37-42	2.8	15
22	Cardiovascular toxicity following sunitinib therapy in metastatic renal cell carcinoma: a multicenter analysis. <i>Annals of Oncology</i> , 2009 , 20, 1535-1542	10.3	155
21	Open to debate. The motion: PDE5 inhibitors are a promising therapy for benign prostatic hyperplasia. <i>European Urology</i> , 2009 , 56, 878-80	10.2	2
20	The number of cores positive for high grade prostatic intraepithelial neoplasia on initial biopsy is associated with prostate cancer on second biopsy. <i>Journal of Urology</i> , 2009 , 181, 1069-74; discussion 1074-5	2.5	38

19	Bipolar transurethral resection of prostate: clinical and urodynamic evaluation. <i>Urology</i> , 2008 , 71, 252-5	1.6	42
18	The electromagnetic detection of prostatic cancer: evaluation of diagnostic accuracy. <i>Urology</i> , 2008 , 72, 340-4	1.6	13
17	Re: Iori et al.: Bipolar transurethral resection of the prostate: clinical and urodynamic evaluation. (<i>Urology</i> 2008;71:252-255). <i>Urology</i> , 2008 , 72, 1188-9	1.6	1
16	Finasteride for prostatic disease: an updated and comprehensive review. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2008 , 4, 1561-8	5.5	11
15	Editorial comment on: the relationship between objective frequency-volume chart data and the I-PSS in men with lower urinary tract symptoms. <i>European Urology</i> , 2007 , 52, 818	10.2	
14	Transurethral needle ablation of the prostate. <i>Current Opinion in Urology</i> , 2007 , 17, 7-11	2.8	3
13	The Current Role of Open Surgery in BPH. <i>EAU-EBU Update Series</i> , 2006 , 4, 191-201		50
12	Effect of once-daily alfuzosin on urinary symptoms and flow rate in benign prostatic hyperplasia: a 24-hour home-uoflowmetry evaluation. <i>Clinical Drug Investigation</i> , 2005 , 25, 359-65	3.2	2
11	Local anesthesia reduces pain associated with transrectal prostatic biopsy. A prospective randomized study. <i>Urologia Internationalis</i> , 2005 , 74, 209-13	1.9	37
10	Re: See W, Iversen P, Wirth M, McLeod D, Garside L, Morris T. Immediate treatment with bicalutamide 150 mg as adjuvant therapy significantly reduces the risk of PSA progression in early prostatic cancer. <i>Eur Urol</i> 2003;44:512-8. <i>European Urology</i> , 2004 , 45, 674; author reply 674-5	10.2	1
9	Comparison of Peripherally Acting Substance for Treatment of Detrusor Overactivity: What is New; What is in the Pipeline?. <i>EAU Update Series</i> , 2004 , 2, 161-169		10
8	Clinical and pressure-flow changes after long-term treatment with alfuzosin SR. <i>Urologia Internationalis</i> , 2003 , 71, 31-6	1.9	7
7	Re: Knutson T, Pettersson S, Dahlstrand C. The use of biodegradable PGA stents to judge the risk of post-TURP incontinence in patients with combined bladder outlet obstruction and overactive bladder. <i>Eur Urol</i> 2002;42:262-7. <i>European Urology</i> , 2003 , 43, 202; author reply 203-4	10.2	
6	Genetic instability in superficial bladder cancer and adjacent mucosa: an interphase cytogenetic study. <i>Human Pathology</i> , 2003 , 34, 214-21	3.7	28
5	The Evolution of Detrusor Overactivity After Watchful Waiting, Medical Therapy and Surgery in Patients with Bladder Outlet Obstruction. <i>Journal of Urology</i> , 2003 , 169, 535-539	2.5	87
4	The evolution of detrusor overactivity after watchful waiting, medical therapy and surgery in patients with bladder outlet obstruction. <i>Journal of Urology</i> , 2003 , 169, 535-9	2.5	27
3	Long-term maintenance bacille Calmette-Guérin therapy in high-grade superficial bladder cancer. <i>Urology</i> , 2002 , 59, 414-8	1.6	19
2	Superficial bladder tumors in patients under 40 years of age: clinical, prognostic and cytogenetic aspects. <i>Urologia Internationalis</i> , 2001 , 67, 224-7	1.9	11

- 1 Role of 5-aminolevulinic acid in the diagnosis and treatment of superficial bladder cancer: improvement in diagnostic sensitivity. *Urology*, **2001**, 57, 1059-62 1.6 31