Keith D Hill

List of Publications by Citations

Source: https://exaly.com/author-pdf/3444494/keith-d-hill-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 51 9,375 344 h-index g-index citations papers 10,806 6.31 358 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
344	Fear of falling revisited. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996 , 77, 1025-9	2.8	338
343	A New Test of Dynamic Standing Balance for Stroke Patients: Reliability, Validity and Comparison with Healthy Elderly. <i>Physiotherapy Canada Physiotherapie Canada</i> , 1996 , 48, 257-262	0.8	302
342	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2012 , 12, CD005465	5.2	246
341	Interventions for preventing falls in older people in nursing care facilities and hospitals. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD005465		213
340	Falls among healthy, community-dwelling, older women: a prospective study of frequency, circumstances, consequences and prediction accuracy. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 41-8	2.3	207
339	Effectiveness of targeted falls prevention programme in subacute hospital setting: randomised controlled trial. <i>BMJ, The</i> , 2004 , 328, 676	5.9	198
338	Balance score and a history of falls in hospital predict recurrent falls in the 6 months following stroke rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1583-9	2.8	179
337	Falls after stroke. <i>International Journal of Stroke</i> , 2012 , 7, 482-90	6.3	174
336	Balance and mobility outcomes for stroke patients: a comprehensive audit. <i>Australian Journal of Physiotherapy</i> , 1997 , 43, 173-180		163
335	Falls and injury prevention should be part of every stroke rehabilitation plan. <i>Clinical Rehabilitation</i> , 2005 , 19, 441-51	3.3	137
334	Patient education to prevent falls among older hospital inpatients: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2011 , 171, 516-24		132
333	Foot and ankle strength, range of motion, posture, and deformity are associated with balance and functional ability in older adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 68-75	2.8	126
332	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2018 , 9, CD005465	5.2	126
331	What works in falls prevention after stroke?: a systematic review and meta-analysis. <i>Stroke</i> , 2010 , 41, 1715-22	6.7	118
330	Basic aspects of inhibitors to factors VIII and IX and the influence of non-genetic risk factors. <i>Haemophilia</i> , 2006 , 12 Suppl 6, 8-13; discussion 13-4	3.3	118
329	The reliability and predictive accuracy of the falls risk for older people in the community assessment (FROP-Com) tool. <i>Age and Ageing</i> , 2008 , 37, 634-9	3	116
328	Feasibility, safety and preliminary evidence of the effectiveness of a home-based exercise programme for older people with Alzheimer's disease: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2013 , 27, 427-38	3.3	109

(2006-2011)

327	Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. <i>BMJ, The</i> , 2011 , 342, d3411	5.9	105
326	Design-related bias in hospital fall risk screening tool predictive accuracy evaluations: systematic review and meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 664-72	6.4	105
325	Effectiveness of exercise programs to reduce falls in older people with dementia living in the community: a systematic review and meta-analysis. <i>Clinical Interventions in Aging</i> , 2015 , 10, 421-34	4	102
324	Effects of a targeted multimodal exercise program incorporating high-speed power training on falls and fracture risk factors in older adults: a community-based randomized controlled trial. Journal of Bone and Mineral Research, 2014 , 29, 182-91	6.3	99
323	Measuring falls events in acute hospitals-a comparison of three reporting methods to identify missing data in the hospital reporting system. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1347-	5 26	95
322	Development of the Falls Risk for Older People in the Community (FROP-Com) screening tool. <i>Age and Ageing</i> , 2009 , 38, 40-6	3	91
321	Reliability and validity of a dual-task force platform assessment of balance performance: effect of age, balance impairment, and cognitive task. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 157-62	5.6	84
320	Psychotropic drug-induced falls in older people: a review of interventions aimed at reducing the problem. <i>Drugs and Aging</i> , 2012 , 29, 15-30	4.7	83
319	Falls and fractures in patients chronically treated with antiepileptic drugs. <i>Neurology</i> , 2012 , 79, 145-51	6.5	82
318	Retest Reliability of the Temporal and Distance Characteristics of Hemiplegic Gait Using a Footswitch System. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994 , 75, 577-583	2.8	80
317	A randomized controlled study investigating static and dynamic balance in older adults after training with Pilates. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 43-9	2.8	77
316	Systematic and random error in repeated measurements of temporal and distance parameters of gait after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997 , 78, 725-9	2.8	77
315	Falls in the acute hospital settingimpact on resource utilisation. <i>Australian Health Review</i> , 2007 , 31, 471-7	1.8	75
314	Predisposing factors for occasional and multiple falls in older Australians who live at home. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 153-9		73
313	A randomized trial comparing digital video disc with written delivery of falls prevention education for older patients in hospital. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1458-63	5.6	72
312	Balance and mobility dysfunction and falls risk in older people with mild to moderate Alzheimer disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2012 , 91, 12-23	2.6	71
311	The extra resource burden of in-hospital falls: a cost of falls study. <i>Medical Journal of Australia</i> , 2015 , 203, 367	4	70
310	Falls risk and functional decline in older fallers discharged directly from emergency departments. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 1090-5	6.4	69

309	Falls after discharge from hospital: is there a gap between older peoples' knowledge about falls prevention strategies and the research evidence?. <i>Gerontologist, The</i> , 2011 , 51, 653-62	5	68
308	Factors associated with older patients' engagement in exercise after hospital discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1395-403	2.8	67
307	Selection for inpatient rehabilitation after acute stroke: a systematic review of the literature. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 2057-70	2.8	67
306	Feasibility and outcomes of a home-based exercise program on improving balance and gait stability in women with lower-limb osteoarthritis or rheumatoid arthritis: a pilot study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 106-14	2.8	66
305	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, h6781	5.9	65
304	Individualized home-based exercise programs for older people to reduce falls and improve physical performance: A systematic review and meta-analysis. <i>Maturitas</i> , 2015 , 82, 72-84	5	65
303	Impact of the severity of distance and near-vision impairment on depression and vision-specific quality of life in older people living in residential care 2009 , 50, 4103-9		65
302	Stride dynamics, gait variability and prospective falls risk in active community dwelling older women. <i>Gait and Posture</i> , 2011 , 33, 251-5	2.6	63
301	Music and metronome cues produce different effects on gait spatiotemporal measures but not gait variability in healthy older adults. <i>Gait and Posture</i> , 2013 , 37, 219-22	2.6	61
300	Effectiveness of falls clinics: an evaluation of outcomes and client adherence to recommended interventions. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 600-8	5.6	59
299	Falls incidence and factors associated with falling in older, community-dwelling, chronic stroke survivors (> 1 year after stroke) and matched controls. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 74-81	4.8	59
298	Motivators and Barriers for Older People Participating in Resistance Training: A Systematic Review. Journal of Aging and Physical Activity, 2017 , 25, 311-324	1.6	58
297	Effects of a multifactorial falls prevention program for people with stroke returning home after rehabilitation: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1648-55	2.8	56
296	Are rehabilitation and/or care co-ordination interventions delivered in the community effective in reducing depression, facilitating participation and improving quality of life after stroke?. <i>Disability and Rehabilitation</i> , 2011 , 33, 1501-20	2.4	55
295	Effects of resistance- and flexibility-exercise interventions on balance and related measures in older adults. <i>Journal of Aging and Physical Activity</i> , 2009 , 17, 444-54	1.6	55
294	Physical activity recommendations for older Australians. <i>Australasian Journal on Ageing</i> , 2010 , 29, 81-7	1.5	51
293	Effectiveness of a targeted exercise intervention in reversing older people's mild balance dysfunction: a randomized controlled trial. <i>Physical Therapy</i> , 2012 , 92, 24-37	3.3	51
292	Retest reliability of balance and mobility measurements in people with mild to moderate Alzheimer's disease. <i>International Psychogeriatrics</i> , 2011 , 23, 1152-9	3.4	49

(2011-2011)

291	Evaluation of the sustained effect of inpatient falls prevention education and predictors of falls after hospital dischargefollow-up to a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 1001-12	6.4	49	
290	The long-term benefits of a multi-component exercise intervention to balance and mobility in healthy older adults. <i>Archives of Gerontology and Geriatrics</i> , 2011 , 52, 211-6	4	47	
289	Relationship between age and measures of balance, strength and gait: linear and non-linear analyses. <i>Clinical Science</i> , 2008 , 114, 719-27	6.5	47	
288	Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. <i>BMC Medicine</i> , 2013 , 11, 135	11.4	46	
287	Balance dysfunction in adults with haemophilia. <i>Haemophilia</i> , 2010 , 16, 606-14	3.3	46	
286	A randomized controlled trial of a multifactorial falls prevention intervention for older fallers presenting to emergency departments. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 2265-74	5.6	45	
285	Low cost and batteryless sensor-enabled radio frequency identification tag based approaches to identify patient bed entry and exit posture transitions. <i>Gait and Posture</i> , 2014 , 39, 118-23	2.6	44	
284	Rhythmic auditory cueing to improve walking in patients with neurological conditions other than Parkinson's diseasewhat is the evidence?. <i>Disability and Rehabilitation</i> , 2013 , 35, 164-76	2.4	44	
283	"Better for others than for me": a belief that should shape our efforts to promote participation in falls prevention strategies. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 136-44	4	43	
282	Four-item fall risk screening tool for subacute and residential aged care: The first step in fall prevention. <i>Australasian Journal on Ageing</i> , 2009 , 28, 139-43	1.5	43	
281	Exploring the feasibility of a community-based strength training program for older people with depressive symptoms and its impact on depressive symptoms. <i>BMC Geriatrics</i> , 2006 , 6, 18	4.1	43	
280	Factors influencing commencement and adherence to a home-based balance exercise program for reducing risk of falls: perceptions of people with Alzheimer's disease and their caregivers. <i>International Psychogeriatrics</i> , 2012 , 24, 1172-82	3.4	42	
279	Physical and psychological outcomes of a supported physical activity program for older carers. Journal of Aging and Physical Activity, 2007 , 15, 257-71	1.6	42	
278	A pilot study of falls risk and vestibular dysfunction in older fallers presenting to hospital emergency departments. <i>Disability and Rehabilitation</i> , 2005 , 27, 499-506	2.4	42	
277	Patient education to prevent falls in subacute care. Clinical Rehabilitation, 2006, 20, 970-9	3.3	40	
276	The association between physical activity and social isolation in community-dwelling older adults. <i>Aging and Mental Health</i> , 2018 , 22, 175-182	3.5	39	
275	Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. <i>Journal of Sports Sciences</i> , 2018 , 36, 666-678	3.6	38	
274	Adding value to the STRATIFY falls risk assessment in acute hospitals. <i>Journal of Advanced Nursing</i> , 2011 , 67, 450-7	3.1	38	

273	Assessment and management of falls in older people. Internal Medicine Journal, 2004, 34, 557-64	1.6	38
272	Risk Factors for Falls in People With a Lower Limb Amputation: A Systematic Review. <i>PM and R</i> , 2017 , 9, 170-180.e1	2.2	37
271	A longitudinal study of change in falls risk and balance and mobility in healthy older people and people with Alzheimer disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013 , 92, 676-	8 2 .6	37
270	Additional exercise for older subacute hospital inpatients to prevent falls: benefits and barriers to implementation and evaluation. <i>Clinical Rehabilitation</i> , 2007 , 21, 742-53	3.3	37
269	Changes in balance and locomotion measures during rehabilitation following stroke. <i>Physiotherapy Research International</i> , 1998 , 3, 109-22	1.8	36
268	Balance impairment in chronic antiepileptic drug users: a twin and sibling study. <i>Epilepsia</i> , 2010 , 51, 280	D- 8 .4	35
267	A new instrument for targeting falls prevention interventions was accurate and clinically applicable in a hospital setting. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 168-75	5.7	35
266	Sequence Learning with Passive RFID Sensors for Real-Time Bed-Egress Recognition in Older People. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017 , 21, 917-929	7.2	34
265	Responsiveness of 2 scales to evaluate lateropulsion or pusher syndrome recovery after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 149-55	2.8	34
264	Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. <i>BMC Geriatrics</i> , 2018 , 18, 103	4.1	33
263	Gait variability in younger and older adult women is altered by overground walking protocol. <i>Age and Ageing</i> , 2009 , 38, 745-8	3	33
262	Relationship between change in balance and self-reported handicap after vestibular rehabilitation therapy. <i>Physiotherapy Research International</i> , 2001 , 6, 251-63	1.8	32
261	Effectiveness of a balance training home exercise programme for adults with haemophilia: a pilot study. <i>Haemophilia</i> , 2010 , 16, 162-9	3.3	31
260	Effects of a 12-Month Supervised, Community-Based, Multimodal Exercise Program Followed by a 6-Month Research-to-Practice Transition on Bone Mineral Density, Trabecular Microarchitecture, and Physical Function in Older Adults: A Randomized Controlled Trial. <i>Journal of Bone and Mineral</i>	6.3	31
259	An individually-tailored multifactorial intervention program for older fallers in a middle-income developing country: Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>BMC Geriatrics</i> , 2014 , 14, 78	4.1	30
258	Physical activity in caregivers: What are the psychological benefits?. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 204-10	4	30
257	Outcomes for family carers of a nurse-delivered hospital discharge intervention for older people (the Further Enabling Care at Home Program): Single blind randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2016 , 64, 32-41	5.8	30
256	What works in falls prevention in Asia: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Geriatrics</i> , 2018 , 18, 3	4.1	28

255	The reliability of spatiotemporal gait data for young and older women during continuous overground walking. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 2360-5	2.8	28
254	Osteo-cise: strong bones for life: protocol for a community-based randomised controlled trial of a multi-modal exercise and osteoporosis education program for older adults at risk of falls and fractures. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 78	2.8	27
253	Rowland Universal Dementia Assessment Scale, Mini-Mental State Examination and General Practitioner Assessment of Cognition in a multicultural cohort of community-dwelling older persons with early dementia. <i>Australian Psychologist</i> , 2009 , 44, 40-53	1.7	26
252	Falls Clinics in Australia: a survey of current practice, and recommendations for future development. <i>Australian Health Review</i> , 2001 , 24, 163-74	1.8	26
251	The validity of the Rowland Universal Dementia Assessment Scale (RUDAS) in a multicultural cohort of community-dwelling older persons with early dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2009 , 23, 124-9	2.5	25
250	Can balance exercise programmes improve balance and related physical performance measures in people with dementia? A systematic review. <i>European Review of Aging and Physical Activity</i> , 2010 , 7, 13-	2 5 5	25
249	Measurement properties of the Health Literacy Questionnaire (HLQ) among older adults who present to the emergency department after a fall: a Rasch analysis. <i>BMC Health Services Research</i> , 2017 , 17, 605	2.9	24
248	Effect of rhythmic auditory cueing on gait in people with Alzheimer disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 718-24	2.8	24
247	A Novel Exercise Initiative for Seniors to Improve Balance and Physical Function. <i>Journal of Aging and Health</i> , 2017 , 29, 1424-1443	2.6	24
246	Exercise interventions for the improvement of falls-related outcomes among older adults with diabetes mellitus: A systematic review and meta-analyses. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 631-645	3.2	24
245	A protocol for evidence-based targeting and evaluation of statewide strategies for preventing falls among community-dwelling older people in Victoria, Australia. <i>Injury Prevention</i> , 2011 , 17, e3	3.2	24
244	Effectiveness of balance training exercise in people with mild to moderate severity Alzheimer's disease: protocol for a randomised trial. <i>BMC Geriatrics</i> , 2009 , 9, 29	4.1	24
243	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 89	4.1	23
242	Identifying motivators and barriers to older community-dwelling people participating in resistance training: A cross-sectional study. <i>Journal of Sports Sciences</i> , 2017 , 35, 1523-1532	3.6	23
241	Selection for inpatient rehabilitation after severe stroke: what factors influence rehabilitation assessor decision-making?. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 24-31	3.4	23
240	A battery-less and wireless wearable sensor system for identifying bed and chair exits in a pilot trial in hospitalized older people. <i>PLoS ONE</i> , 2017 , 12, e0185670	3.7	22
239	Falls prevention in community care: 10 years on. Clinical Interventions in Aging, 2018, 13, 261-269	4	22
238	Changing practice in residential aged care using participatory methods. <i>Education for Health:</i> Change in Learning and Practice, 2003 , 16, 22-31	0.4	22

237	Cost per fall: a potentially misleading indicator of burden of disease in health and residential care settings. <i>Journal of Evaluation in Clinical Practice</i> , 2013 , 19, 153-61	2.5	21
236	From rehabilitation to recovery: protocol for a randomised controlled trial evaluating a goal-based intervention to reduce depression and facilitate participation post-stroke. <i>BMC Neurology</i> , 2011 , 11, 73	3.1	21
235	Fear of falling in older fallers presenting at emergency departments. <i>Journal of Advanced Nursing</i> , 2010 , 66, 1769-79	3.1	21
234	Evaluation of the effect of patient education on rates of falls in older hospital patients: description of a randomised controlled trial. <i>BMC Geriatrics</i> , 2009 , 9, 14	4.1	21
233	Balance and falls risk in women with lower limb osteoarthritis or rheumatoid arthritis. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2013 , 4, 22-28		20
232	Factors Predicting Falls and Mobility Outcomes in Patients With Stroke Returning Home After Rehabilitation Who Are at Risk of Falling. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 2433	3 ⁻²⁸ 441	20
231	Why do seniors leave resistance training programs?. Clinical Interventions in Aging, 2017, 12, 585-592	4	20
230	Serum [25(OH)D] status, ankle strength and activity show seasonal variation in older adults: relevance for winter falls in higher latitudes. <i>Age and Ageing</i> , 2013 , 42, 181-5	3	20
229	The impact of care recipient falls on caregivers. Australian Health Review, 2013, 37, 152-7	1.8	20
228	Getting Grounded Gracefully: effectiveness and acceptability of Feldenkrais in improving balance. <i>Journal of Aging and Physical Activity</i> , 2009 , 17, 57-76	1.6	20
227	A snapshot of the prevalence of physical activity amongst older, community dwelling people in Victoria, Australia: patterns across the 'young-old' and 'old-old'. <i>BMC Geriatrics</i> , 2007 , 7, 4	4.1	20
226	A pilot study of falls, fear of falling, activity levels and fall prevention actions in older people with polio. <i>Aging Clinical and Experimental Research</i> , 2004 , 16, 126-31	4.8	20
225	"We are all one together": peer educators' views about falls prevention education for community-dwelling older adultsa qualitative study. <i>BMC Geriatrics</i> , 2015 , 15, 28	4.1	19
224	Dysmobility syndrome: current perspectives. <i>Clinical Interventions in Aging</i> , 2017 , 12, 145-152	4	19
223	Outdoor physical activity for older people-the senior exercise park: Current research, challenges and future directions. <i>Health Promotion Journal of Australia</i> , 2018 , 29, 353-359	1.7	19
222	Outcomes from the implementation of a facility-specific evidence-based falls prevention intervention program in residential aged care. <i>Geriatric Nursing</i> , 2012 , 33, 41-50	2.1	19
221	Validation of the de Morton Mobility Index (DEMMI) with older community care recipients. <i>Australasian Journal on Ageing</i> , 2011 , 30, 220-5	1.5	19
220	Older peopleslexperience of accessing emergency care. <i>Australasian Emergency Nursing Journal</i> , 2010 , 13, 61-69		19

(2016-2006)

219	Genetic and environmental influences on variation in balance performance among female twin pairs aged 21-82 years. <i>American Journal of Epidemiology</i> , 2006 , 164, 246-56	3.8	19	
218	Falls: a comparison of trends in community, hospital and mortality data in older Australians. <i>Aging Clinical and Experimental Research</i> , 2002 , 14, 18-27	4.8	19	
217	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e100280	7 ^{11.6}	18	
216	Barriers and enablers to the implementation of the 6-PACK falls prevention program: A pre-implementation study in hospitals participating in a cluster randomised controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0171932	3.7	18	
215	Effect of Modified Otago Exercises on Postural Balance, Fear of Falling, and Fall Risk in Older Fallers With Knee Osteoarthritis and Impaired Gait and Balance: A Secondary Analysis. <i>PM and R</i> , 2018 , 10, 254-262	2.2	18	
214	The effects of a concurrent motor task on walking in Alzheimer's disease. <i>Gait and Posture</i> , 2014 , 39, 291-6	2.6	18	
213	The 6-PACK programme to decrease fall-related injuries in acute hospitals: protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2011 , 17, e5	3.2	18	
212	Measuring toe clearance using a wireless inertial sensing device 2008,		18	
211	The influence of otolith dysfunction on the clinical presentation of people with a peripheral vestibular disorder. <i>Physical Therapy</i> , 2007 , 87, 143-52	3.3	18	
210	Pre-operative predictors of post-operative falls in people undergoing total hip and knee replacement surgery: a prospective study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017 , 137, 1025	- 1 033	17	
209	Impact of tai-chi on falls among preclinically disabled older people. A randomized controlled trial. Journal of the American Medical Directors Association, 2015 , 16, 420-6	5.9	17	
208	Effectiveness of dual-task functional power training for preventing falls in older people: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2015 , 16, 120	2.8	17	
207	Supplementary motor area-primary motor cortex facilitation in younger but not older adults. <i>Neurobiology of Aging</i> , 2018 , 64, 85-91	5.6	17	
206	What factors influence community-dwelling older people's intent to undertake multifactorial fall prevention programs?. <i>Clinical Interventions in Aging</i> , 2014 , 9, 2045-53	4	17	
205	Postural Stability in Older Adults With Alzheimer Disease. <i>Physical Therapy</i> , 2017 , 97, 290-309	3.3	17	
204	Translating Falls Prevention Knowledge to Community-Dwelling Older PLWD: A Mixed-Method Systematic Review. <i>Gerontologist, The</i> , 2015 , 55, 560-74	5	16	
203	Bone Mineral Changes in Epilepsy Patients During Initial Years of Antiepileptic Drug Therapy. Journal of Clinical Densitometry, 2016 , 19, 450-456	3.5	16	
202	First Year After Stroke: An Integrated Approach Focusing on Participation Goals Aiming to Reduce Depressive Symptoms. <i>Stroke</i> , 2016 , 47, 2820-2827	6.7	16	

201	Exercise interveNtion outdoor proJect in the cOmmunitY for older people - the ENJOY Senior Exercise Park project translation research protocol. <i>BMC Public Health</i> , 2019 , 19, 933	4.1	16
200	How older adults would like falls prevention information delivered: fresh insights from a World Caffforum. <i>Ageing and Society</i> , 2017 , 37, 1179-1196	1.7	16
199	What factors influence older adults to discuss falls with their health-care providers?. <i>Health Expectations</i> , 2015 , 18, 1593-609	3.7	16
198	Stand up and be counted: measuring time spent upright after hip fracture and comparison with community dwelling older people. <i>Physiotherapy</i> , 2005 , 91, 215-222	3	16
197	Hemodynamic Responses to Low-Load Blood Flow Restriction and Unrestricted High-Load Resistance Exercise in Older Women. <i>Frontiers in Physiology</i> , 2018 , 9, 1324	4.6	16
196	Implementing person-environment approaches to prevent falls: a qualitative inquiry in applying the Westmead approach to occupational therapy home visits. <i>Australian Occupational Therapy Journal</i> , 2014 , 61, 325-34	1.7	15
195	Build better bones with exercise: protocol for a feasibility study of a multicenter randomized controlled trial of 12 months of home exercise in women with a vertebral fracture. <i>Physical Therapy</i> , 2014 , 94, 1337-52	3.3	15
194	High-speed resistance training and balance training for people with knee osteoarthritis to reduce falls risk: study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2017 , 18, 384	2.8	15
193	Impact of tai chi on impairment, functional limitation, and disability among preclinically disabled older people: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1400-7	2.8	15
192	Local adaptation and evaluation of a falls risk prevention approach in acute hospitals. <i>International Journal for Quality in Health Care</i> , 2011 , 23, 134-41	1.9	15
191	Safety and feasibility of high speed resistance training with and without balance exercises for knee osteoarthritis: A pilot randomised controlled trial. <i>Physical Therapy in Sport</i> , 2018 , 34, 154-163	3	15
190	Individually-tailored multifactorial intervention to reduce falls in the Malaysian Falls Assessment and Intervention Trial (MyFAIT): A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0199219	3.7	15
189	Beyond the 'tick and flick': facilitating best practice falls prevention through an action research approach. <i>Journal of Clinical Nursing</i> , 2012 , 21, 1896-905	3.2	14
188	Reproducibility of gait variability measures in people with Alzheimer's disease. <i>Gait and Posture</i> , 2013 , 38, 507-10	2.6	14
187	Feasibility, acceptability, and effectiveness of an electronic sensor bed/chair alarm in reducing falls in patients with cognitive impairment in a subacute ward. <i>Journal of Nursing Care Quality</i> , 2014 , 29, 253	3- 6 2 ⁷	14
186	Predictors of adherence to a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMC Geriatrics</i> , 2011 , 11, 51	4.1	14
185	Fall prevention in Australia: policies and activities. <i>Clinics in Geriatric Medicine</i> , 2010 , 26, 733-49	3.8	14
184	Reducing staff isolation and developing evidence-informed practice in the aged care environment through an action research approach to falls prevention. <i>Advances in Nursing Science</i> , 2012 , 35, 3-13	2.1	14

(2012-2012)

183	Towards falls prevention: a wearable wireless and battery-less sensing and automatic identification tag for real time monitoring of human movements. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society Annual</i>	0.9	14
182	International Conference, 2012 , 2012, 6402-5 A protocol for an individualised, facilitated and sustainable approach to implementing current evidence in preventing falls in residential aged care facilities. <i>BMC Geriatrics</i> , 2010 , 10, 8	4.1	14
181	Retest reliability of dynamic balance during standing in older people after surgical treatment of hip fracture. <i>Physiotherapy Research International</i> , 2003 , 8, 93-100	1.8	14
180	Older Adults Perceptions of a Novel Outdoor Exercise Initiative: A Qualitative Analysis 2018 , 8, 61-78		14
179	Exercise interveNtion outdoor proJect in the cOmmunitY for older people - results from the ENJOY Seniors Exercise Park project translation research in the community. <i>BMC Geriatrics</i> , 2020 , 20, 446	4.1	14
178	Can peer education improve beliefs, knowledge, motivation and intention to engage in falls prevention amongst community-dwelling older adults?. <i>European Journal of Ageing</i> , 2017 , 14, 243-255	3.6	13
177	A novel dynamic exercise initiative for older people to improve health and well-being: study protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2015 , 15, 68	4.1	13
176	Comparison of two fall risk assessment tools (FRATs) targeting falls prevention in sub-acute care. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 653-9	4	13
175	Development and initial testing of the Person-Centred Health Care for Older Adults Survey. <i>International Psychogeriatrics</i> , 2013 , 25, 1065-76	3.4	13
174	The FLASSH study: protocol for a randomised controlled trial evaluating falls prevention after stroke and two sub-studies. <i>BMC Neurology</i> , 2009 , 9, 14	3.1	13
173	The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. <i>Trials</i> , 2010 , 11, 120	2.8	13
172	Rural carers online: a feasibility study. Australian Journal of Rural Health, 2008, 16, 221-5	1.3	13
171	Activities-specific and Balance Confidence (ABC) Scale. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 197		13
170	Interventions for preventing falls in older people in residential care facilities and hospitals 2005,		13
169	INVESTIGATING COMMUNITY PERSPECTIVES ON FALLS PREVENTION INFORMATION SEEKING AND DELIVERY: OLDER PERSON PERCEPTIONS REGARDING PREFERENCES FOR FALLS PREVENTION EDUCATION USING A WORLD CAFE APPROACH. <i>Journal of Community Psychology</i> , 2016 , 44, 937-944	2.2	13
168	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. <i>Injury Prevention</i> , 2019 , 25, 557-564	3.2	12
167	Accessing inpatient rehabilitation after acute severe stroke: age, mobility, prestroke function and hospital unit are associated with discharge to inpatient rehabilitation. <i>International Journal of Rehabilitation Research</i> , 2012 , 35, 323-9	1.8	12
166	Framework for preventing falls in acute hospitals using passive sensor enabled radio frequency identification technology. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference,	0.9	12

165	Additional structured physical activity does not improve walking in older people (>60years) undergoing inpatient rehabilitation: a randomised trial. <i>Journal of Physiotherapy</i> , 2018 , 64, 237-244	2.9	12
164	Vitamin D and parathyroid hormone are associated with gait instability and poor balance performance in mid-age to older aged women. <i>Gait and Posture</i> , 2018 , 59, 71-75	2.6	11
163	"Are Your Clients Having Fun?" The Implications of Respondents' Preferences for the Delivery of Group Exercise Programs for Falls Prevention. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 129-38	1.6	11
162	Feasibility and acceptability of a volunteer-mediated diversional therapy program for older patients with cognitive impairment. <i>Geriatric Nursing</i> , 2014 , 35, 300-5	2.1	11
161	What Are the Characteristics of Home Exercise Programs That Older Adults Prefer?: A Cross-Sectional Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015 , 94, 508-21	2.6	11
160	Recurrent events counted in evaluations of predictive accuracy. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 1155-61	5.7	11
159	Tai Chi in Australia: acceptable and effective approach to improve balance and mobility in older people?. <i>Australasian Journal on Ageing</i> , 2005 , 24, 9-13	1.5	11
158	Factors associated with depression in older carers. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 294-301	3.9	11
157	Effect of Learning to Use a Mobility Aid on Gait and Cognitive Demands in People with Mild to Moderate Alzheimer's Disease: Part II - 4-Wheeled Walker. <i>Journal of Alzheimerls Disease</i> , 2019 , 71, S115	5 - 5-124	10
156	Caregivers' experiences of a home support program after the hospital discharge of an older family member: a qualitative analysis. <i>BMC Health Services Research</i> , 2019 , 19, 220	2.9	10
155	Weight and fat distribution in patients taking valproate: a valproate-discordant gender-matched twin and sibling pair study. <i>Epilepsia</i> , 2014 , 55, 1551-7	6.4	10
154	Balance dysfunction and falls in people with lower limb arthritis: factors contributing to risk and effectiveness of exercise interventions. <i>European Review of Aging and Physical Activity</i> , 2012 , 9, 17-25	6.5	10
153	The Association between Seasonal Variation in Vitamin D, Postural Sway, and Falls Risk: An Observational Cohort Study. <i>Journal of Aging Research</i> , 2013 , 2013, 751310	2.3	10
152	Functional prediction post-stroke. <i>Australian Journal of Physiotherapy</i> , 1993 , 39, 281-9		10
151	Older Chinese Australians? Understanding of Falls and Falls Prevention: Exploring Their Needs for Information. <i>Australian Journal of Primary Health</i> , 2008 , 14, 36	1.4	10
150	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 655-665	6.4	10
149	Hospital postdischarge intervention trialled with family caregivers of older people in Western Australia: potential translation into practice. <i>BMJ Open</i> , 2018 , 8, e022747	3	10
148	Trial feasibility and process evaluation of a motivationally-embellished group peer led walking intervention in retirement villages using the RE-AIM framework: the residents in action trial (RiAT). Health Psychology and Behavioral Medicine, 2019 , 7, 202-233	2.2	9

147	Physical activity programs for older people in the community receiving home care services: systematic review and meta-analysis. <i>Clinical Interventions in Aging</i> , 2019 , 14, 1045-1064	4	9
146	Strategies on fall prevention for older people living in the community: A report from a round-table meeting in IAGG 2013. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2015 , 6, 39-44		9
145	The adverse mental health of carers: Does the patient diagnosis play a role?. <i>Maturitas</i> , 2015 , 82, 134-8	5	9
144	Depressive symptoms and adverse outcomes from hospitalization in older adults: secondary outcomes of a trial of falls prevention education. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 60, 96-10	2 ⁴	9
143	Falls in older people receiving in-home informal care across Victoria: influence on care recipients and caregivers. <i>Australasian Journal on Ageing</i> , 2012 , 31, 6-12	1.5	9
142	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9
141	Mild Joint Symptoms Are Associated with Lower Risk of Falls than Asymptomatic Individuals with Radiological Evidence of Osteoarthritis. <i>PLoS ONE</i> , 2015 , 10, e0141368	3.7	9
140	The 6-PACK programme to decrease falls and fall-related injuries in acute hospitals: protocol for an economic evaluation alongside a cluster randomised controlled trial. <i>Injury Prevention</i> , 2012 , 18, e2	3.2	9
139	In-hospital falls and fall-related injuries: a protocol for a cost of fall study. <i>Injury Prevention</i> , 2013 , 19, 363	3.2	9
138	The state of physical environments in Australian residential aged care facilities. <i>Australian Health Review</i> , 2011 , 35, 412-7	1.8	9
137	Screening for pre-clinical disability in different residential settings. <i>BMC Geriatrics</i> , 2010 , 10, 52	4.1	9
136	The Effects of Home Exercise in Older Women With Vertebral Fractures: A Pilot Randomized Controlled Trial. <i>Physical Therapy</i> , 2020 , 100, 662-676	3.3	9
135	Development of an implementation plan for the 6-PACK falls prevention programme as part of a randomised controlled trial: protocol for a series of preimplementation studies. <i>Injury Prevention</i> , 2016 , 22, 446-452	3.2	9
134	Older people and nature: the benefits of outdoors, parks and nature in light of COVID-19 and beyond- where to from here?. <i>International Journal of Environmental Health Research</i> , 2021 , 1-8	3.6	9
133	Guidance about age-friendly outdoor exercise equipment and associated strategies to maximise usability for older people. <i>Health Promotion Journal of Australia</i> , 2021 , 32, 475-482	1.7	9
132	Comprehensive clinical sitting balance measures for individuals following stroke: a systematic review on the methodological quality. <i>Disability and Rehabilitation</i> , 2018 , 40, 616-630	2.4	8
131	Key Factors Influencing Implementation of Falls Prevention Exercise Programs in the Community. Journal of Aging and Physical Activity, 2016 , 24, 45-52	1.6	8
130	Reducing serious fall-related injuries in acute hospitals: are low-low beds a critical success factor?. <i>Journal of Advanced Nursing</i> , 2013 , 69, 112-21	3.1	8

129	Attitudes to aging in older carers - do they have a role in their well-being?. <i>International Psychogeriatrics</i> , 2015 , 27, 1893-901	3.4	8
128	Living Longer Living Stronger[]a community-delivered strength training program improving function and quality of life. <i>Australasian Journal on Ageing</i> , 2014 , 33, 22-5	1.5	8
127	Home based exercise to improve turning and mobility performance among community dwelling older adults: protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 100	4.1	8
126	Does otolith organ dysfunction influence outcomes after a customized program of vestibular rehabilitation?. <i>Journal of Neurologic Physical Therapy</i> , 2010 , 34, 70-5	4.1	8
125	Does English proficiency impact on health outcomes for inpatients undergoing stroke rehabilitation?. <i>Disability and Rehabilitation</i> , 2016 , 38, 1350-8	2.4	8
124	Bed Moves, Ward Environment, Staff Perspectives and Falls for Older People with High Falls Risk in an Acute Hospital: A Mixed Methods Study. <i>Clinical Interventions in Aging</i> , 2019 , 14, 2223-2237	4	8
123	Effectiveness of an Ambient Intelligent Geriatric Management system (AmbIGeM) to prevent falls in older people in hospitals: protocol for the AmbIGeM stepped wedge pragmatic trial. <i>Injury Prevention</i> , 2019 , 25, 157-165	3.2	8
122	Physical activity for older Australians with mild cognitive impairment or subjective cognitive decline - A narrative review to support guideline development. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 913-920	4.4	8
121	The impact of nurse and care staff education on the functional ability and quality of life of people living with dementia in aged care: A systematic review. <i>Nurse Education Today</i> , 2018 , 67, 27-45	3.7	7
120	Falls risk assessment outcomes and factors associated with falls for older Indigenous Australians. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 553-558	2.3	7
119	Avoiding anchoring bias by moving beyond 'mechanical falls' in geriatric emergency medicine. <i>EMA - Emergency Medicine Australasia</i> , 2018 , 30, 843-850	1.5	7
118	Protocol for the residents in action pilot cluster randomised controlled trial (RiAT): evaluating a behaviour change intervention to promote walking, reduce sitting and improve mental health in physically inactive older adults in retirement villages. <i>BMJ Open</i> , 2017 , 7, e015543	3	7
117	The effect of limited English proficiency on falls risk and falls prevention after stroke. <i>Age and Ageing</i> , 2012 , 41, 104-7	3	7
116	Hip protector use amongst older hospital inpatients: compliance and functional consequences. <i>Age and Ageing</i> , 2006 , 35, 520-3	3	7
115	Falls prevention within the Australian general practice data model: methodology, information model, and terminology issues. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2003 , 10, 425-32	8.6	7
114	Acceptability of the 6-PACK falls prevention program: A pre-implementation study in hospitals participating in a cluster randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0172005	3.7	7
113	A mixed methods process evaluation of a person-centred falls prevention program. <i>BMC Health Services Research</i> , 2019 , 19, 906	2.9	7
112	Strategies and challenges associated with recruiting retirement village communities and residents into a group exercise intervention. <i>BMC Medical Research Methodology</i> , 2018 , 18, 173	4.7	7

(2015-2019)

111	Poor Treatment Outcomes Following Repositioning Maneuvers in Younger and Older Adults With Benign Paroxysmal Positional Vertigo: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 224.e1-224.e23	5.9	6
110	Evaluating the effects of increasing physical activity to optimize rehabilitation outcomes in hospitalized older adults (MOVE Trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 13	2.8	6
109	Identifying clusters of falls-related hospital admissions to inform population targets for prioritising falls prevention programmes. <i>Injury Prevention</i> , 2015 , 21, 254-9	3.2	6
108	Effect of dual-tasking on walking and cognitive demands in adults with Alzheimer's dementia experienced in using a 4-wheeled walker. <i>Gait and Posture</i> , 2020 , 77, 164-170	2.6	6
107	Assessment of functional health literacy in Brazilian carers of older people. <i>Dementia E Neuropsychologia</i> , 2019 , 13, 180-186	2.1	6
106	Are osteoporotic vertebral fractures or forward head posture associated with performance-based measures of balance and mobility?. <i>Archives of Osteoporosis</i> , 2019 , 14, 67	2.9	6
105	Older people's perceptions of a multifaceted podiatric medical intervention to prevent falls. Journal of the American Podiatric Medical Association, 2013 , 103, 457-64	1	6
104	Improving mood through physical activity for carers and care recipients (IMPACCT): protocol for a randomised trial. <i>Journal of Physiotherapy</i> , 2013 , 59, 125; discussion 125	2.9	6
103	Changes in balance function with chronic antiepileptic drug therapy: A twin and sibling study. <i>Epilepsia</i> , 2015 , 56, 1714-22	6.4	6
102	The Impact of Mass Media Campaigns on Physical Activity Participation on a Global Scale: Lessons Learned From the COVID-19 Pandemic. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 857-858	2.5	6
101	Assistive Technology Provider Experiences during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
100	Access to Assistive Technology during the COVID-19 Global Pandemic: Voices of Users and Families. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
99	We only treat what it occurs to us to assess: the importance of knowledge-based assessment 2005 , 15	-48	6
98	Effectiveness of Individualized Home-Based Exercise on Turning and Balance Performance Among Adults Older than 50 yrs: A Randomized Controlled Trial. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016 , 95, 355-65	2.6	6
97	Encouraging older people to engage in resistance training: a multi-stakeholder perspective. <i>Ageing and Society</i> , 2019 , 39, 1806-1825	1.7	6
96	A Typology of Factors Influencing Seniors' Participation in Strength Training in Gyms and Fitness Centers. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 492-498	1.6	6
95	Can community care workers deliver a falls prevention exercise program? A feasibility study. <i>Clinical Interventions in Aging</i> , 2018 , 13, 485-495	4	6
94	Randomized controlled trial of the effect of additional functional exercise during slow-stream rehabilitation in a regional center. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 831-6	2.8	5

93	Executive function as a mediating factor between visual acuity and postural stability in cognitively healthy adults and adults with Alzheimer's dementia. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 89, 104078	4	5
92	Enhancing Adoption of a Home-Based Exercise Program for Mild Balance Dysfunction: A Qualitative Study. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 53-60	1.6	5
91	Falls in people prior to undergoing total hip or total knee replacement surgery: Frequency and associated factors. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016 , 7, 146-152		5
90	Development and validation of a questionnaire assessing discrepancy between patients' pre-surgery expectations and abilities and post-surgical outcomes following knee replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 3359-3368	5.5	5
89	Implementation fidelity of a nurse-led falls prevention program in acute hospitals during the 6-PACK trial. <i>BMC Health Services Research</i> , 2017 , 17, 383	2.9	5
88	Perceptions of Group-Based Walks and Strategies to Inform the Development of an Intervention in Retirement Villages: Perspectives of Residents and Village Managers. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 261-268	1.6	5
87	Investigation of older adults' participation in exercises following completion of a state-wide survey targeting evidence-based falls prevention strategies. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 256-63	1.6	5
86	The discrepancy between patient expectations and actual outcome reduces at the first 6 months following total knee replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 2042-2050	5.5	5
85	The Modified Otago Exercises Prevent Grip Strength Deterioration Among Older Fallers in the Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, 123-129	3.2	5
84	Are interventions effective in improving the ability of older adults to rise from the floor independently? A mixed method systematic review. <i>Disability and Rehabilitation</i> , 2020 , 42, 743-753	2.4	5
83	Falls, falls prevention and the role of physiotherapy and exercise: perceptions and interpretations of Italian-born and Australian-born older persons living in Australia. <i>Journal of Cross-Cultural Gerontology</i> , 2015 , 30, 233-49	2	4
82	Protocol for a randomised controlled trial of an outreach support program for family carers of older people discharged from hospital. <i>BMC Geriatrics</i> , 2015 , 15, 70	4.1	4
81	A simplified 10-step Tai-chi programme to enable people with dementia to improve their motor performance: a feasibility study. <i>Clinical Rehabilitation</i> , 2018 , 32, 1609-1623	3.3	4
80	Design and development of a theory-informed peer-led falls prevention education programme to translate evidence into practice: a systematic approach. <i>International Journal of Health Promotion and Education</i> , 2018 , 56, 195-210	0.8	4
79	Balance concerns in the elderly: Real or imaginary?. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011 , 2, 109-115		4
78	Telephone and face-to-face interviews generate similar falls circumstances information from community-dwelling adults with stroke. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 295-6	2.3	4
77	Falls efficacy and fear of falling in stroke: issues with measurement and interpretation. <i>Disability and Rehabilitation</i> , 2012 , 34, 704; author reply 705	2.4	4
76	Prevalence and variability in use of physical and chemical restraints in residential aged care facilities: A systematic review and meta-analysis. <i>International Journal of Nursing Studies</i> , 2021 , 117, 10	3856	4

75	The ENJOY Project: Usage and Factors to Support Adherence and Physical Activity Participation. Translational Journal of the American College of Sports Medicine, 2021 , 6, 1-6	1.1	4
74	Is Ankle Plantar Flexor Strength Associated With Balance and Walking Speed in Healthy People? A Systematic Review and Meta-Analysis. <i>Physical Therapy</i> , 2021 , 101,	3.3	4
73	RESPOND: a programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for an economic evaluation. <i>Injury Prevention</i> , 2017 , 23, 124-130	3.2	3
72	Validity of the Falls Risk for Older People in the Community (FROP-Com) tool to predict falls and fall injuries for older people presenting to the emergency department after falling. <i>European Journal of Ageing</i> , 2019 , 16, 377-386	3.6	3
71	Does action follow intention with participation in home and group-based falls prevention exercise programs? An exploratory, prospective, observational study. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 64, 151-61	4	3
70	Implementation of evidence-based falls prevention in clinical services for high-risk clients. <i>Journal of Evaluation in Clinical Practice</i> , 2014 , 20, 255-9	2.5	3
69	Commentary to: Balance-specific training embedded within a pulmonary rehabilitation program may reduce falls risk in people with COPD. <i>Journal of Physiotherapy</i> , 2014 , 60, 111	2.9	3
68	Exercise for Mild Balance Dysfunction: Research into Practice. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 588-96	1.6	3
67	Additional physiotherapy during acute care reduces falls in the first 12 months after hip fracture. <i>Journal of Physiotherapy</i> , 2010 , 56, 201	2.9	3
66	Measuring lateropulsion following stroke: a feasibility study using Wii Balance Board technology. <i>New Zealand Journal of Physiotherapy</i> , 2018 , 46, 36-42	1.4	3
65	Measurement properties of self-report instruments to assess health literacy in older adults: a systematic review. <i>Disability and Rehabilitation</i> , 2020 , 1-17	2.4	3
64	Challenges and lessons learnt from the ENJOY project: recommendations for future collaborative research implementation framework with local governments for improving the environment to promote physical activity for older people. <i>BMC Public Health</i> , 2021 , 21, 1192	4.1	3
63	Exploring physical activity changes and experiences of older adults living in retirement villages during a pandemic. <i>Australasian Journal on Ageing</i> , 2021 ,	1.5	3
62	Effectiveness of the Wearable Sensor based Ambient Intelligent Geriatric Management System (AmbIGeM) in Preventing Falls in Older People in Hospitals. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	3
61	"": Insights on the Uptake of Falls Prevention Strategies from People with Dementia and Their Caregivers. <i>Frontiers in Public Health</i> , 2016 , 4, 244	6	3
60	Are the Recommended Physical Activity Guidelines Practical and Realistic for Older People With Complex Medical Issues?. <i>Journal of Geriatric Physical Therapy</i> , 2021 , 44, 2-8	3.2	3
59	The experiences of people with Alzheimer's dementia and their caregivers in acquiring and using a mobility aid: a qualitative study. <i>Disability and Rehabilitation</i> , 2021 , 43, 3331-3338	2.4	2
58	Community Peer-Led Falls Prevention Presentations: What Do the Experts Suggest?. <i>Journal of Primary Prevention</i> , 2018 , 39, 81-98	2.1	2

57	Benefits of Vitamin D supplementation in older people living in nursing care facilities. <i>Age and Ageing</i> , 2019 , 48, 761-762	3	2
56	Podiatric involvement in multidisciplinary falls-prevention clinics in Australia. <i>Journal of the American Podiatric Medical Association</i> , 2007 , 97, 377-84	1	2
55	Difficulties encountered in hospital falls prevention research. <i>Age and Ageing</i> , 2005 , 34, 311; author reply 311-2	3	2
54	A Falls Intervention Database: Describing and Evaluating Falls Prevention Programs Nationally. <i>Australasian Journal on Ageing</i> , 1999 , 18, 167-173	1.5	2
53	Definition and Measurement of Physical and Chemical Restraint in Long-Term Care: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
52	Inclusive Decision Making for Falls Prevention: A Discussion Tool for Use With People With Dementia and Their Caregivers. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 711-718	1.6	2
51	Fear of falling: a hidden burden with or without a history of falls. Evidence-based Nursing, 2019, 22, 21	0.3	2
50	Falls prevention for people with dementia: a knowledge translation intervention. <i>Dementia</i> , 2020 , 19, 2267-2293	3	2
49	Community care staff attitudes towards delivering a falls prevention exercise intervention to community care clients. <i>Health and Social Care in the Community</i> , 2021 , 29, 416-424	2.6	2
48	Longitudinal changes in physical activity levels and fear of falling after hip fracture. <i>Physiotherapy Research International</i> , 2021 , 26, e1884	1.8	2
47	Effectiveness of gait aid prescription for improving spatiotemporal gait parameters and associated outcomes in community-dwelling older people: a systematic review. <i>Disability and Rehabilitation</i> , 2021 , 1-16	2.4	2
46	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation ('My Therapy'): protocol for a mixed-methods process evaluation. <i>BMC Health Services Research</i> , 2021 , 21, 810	2.9	2
45	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation ('My Therapy'): protocol for a stepped-wedge cluster randomised trial. <i>BMC Health Services Research</i> , 2021 , 21, 811	2.9	2
44	Does cultural and linguistic diversity affect health-related outcomes for people with stroke at discharge from hospital?. <i>Disability and Rehabilitation</i> , 2017 , 39, 736-745	2.4	1
43	Effects of an Individualized Exercise Program Plus Behavioral Change Enhancement Strategies for Managing Fatigue in Older People Who Are Frail: Protocol for a Cluster Randomized Controlled Trial. <i>Physical Therapy</i> , 2019 , 99, 1616-1627	3.3	1
42	Exploring the association between number, severity, location of fracture, and occiput-to-wall distance. <i>Archives of Osteoporosis</i> , 2019 , 14, 27	2.9	1
41	Exercise for Falls Prevention: Decision-making among Australian-born and Italian-born Older People. <i>Activities, Adaptation and Aging,</i> 2018 , 42, 261-277	0.7	1
40	Predictors of long-term function in older community-dwelling people who have presented to an emergency department after a fall: a cohort study. <i>Australasian Journal on Ageing</i> , 2015 , 34, 47-52	1.5	1

39	A comment on the debate surrounding single- and multifactorial falls prevention interventions. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1708-9	5.6	1
38	Balance exercises in arthritis need to be targeted to the individual. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 224; author reply 225		1
37	Effect of cognitive task complexity on dual task postural stability: a systematic review and meta-analysis <i>Experimental Brain Research</i> , 2022 , 240, 703	2.3	1
36	Current physiotherapy practice on delivering treatments for older people with dementia in Indonesia: A cross-sectional study. <i>Physiotherapy Research International</i> , 2021 , 27, e1931	1.8	1
35	Do Peers Increase Older Adults' Participation in Strength Training? Pilot Randomized Trial. <i>Journal of Aging and Physical Activity</i> , 2020 , 1-9	1.6	1
34	Evaluating the provision of Further Enabling Care at Home (FECH+) for informal caregivers of older adults discharged home from hospital: protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e046600	3	1
33	Developing networks between residential aged care facilities as a result of engagement in a falls prevention project: an action research study. <i>Contemporary Nurse</i> , 2016 , 52, 163-75	1.5	1
32	Development and pilot testing of the "focus on the person" form: Supporting care transitions for people with dementia. <i>Dementia</i> , 2019 , 18, 2018-2035	3	1
31	Score Distributions of the Balance Outcome Measure for Elder Rehabilitation (BOOMER) in Community-Dwelling Older Adults With Vertebral Fracture. <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, E87-E93	3.2	1
30	Factors associated with improved walking in older people during hospital rehabilitation: secondary analysis of a randomized controlled trial. <i>BMC Geriatrics</i> , 2021 , 21, 90	4.1	1
29	Testing the reliability of the Health Literacy Questionnaire with carers of older adults receiving hospital care. <i>Australasian Journal on Ageing</i> , 2021 , 40, 213-217	1.5	1
28	Effectiveness of Outdoor Exercise Parks on Health Outcomes in Older Adults-A Mixed-Methods Systematic Review and Meta-Analysis. <i>Journal of Aging and Physical Activity</i> , 2020 , 29, 695-707	1.6	1
27	Assessment of ankle plantar flexor neuromuscular properties: A reliability study. <i>Journal of Electromyography and Kinesiology</i> , 2021 , 61, 102603	2.5	1
26	A survey of nurses, physiotherapists and occupational therapists in mobility care and gait aid use for hospital patients with dementia <i>Geriatric Nursing</i> , 2022 , 44, 221-228	2.1	1
25	Balance on the Brain: a randomised controlled trial evaluating the effect of a multimodal exercise programme on physical performance, falls, quality of life and cognition for people with mild cognitive impairment-study protocol <i>BMJ Open</i> , 2022 , 12, e054725	3	1
24	The cost-effectiveness of a telephone-based intervention to support caregivers of older people discharged from hospital. <i>BMC Geriatrics</i> , 2019 , 19, 68	4.1	O
23	Sharing knowledge of falls prevention for people with dementia: insights for community care practice. <i>Australian Journal of Primary Health</i> , 2017 , 23, 464-470	1.4	О
22	Post-fall reporting in aged acute inpatient mental health units: an 18-month observational cohort study. <i>International Psychogeriatrics</i> , 2017 , 29, 2007-2016	3.4	O

21	The Four Square Step Test is a useful mobility tool for discriminating older persons with frailty syndrome <i>Experimental Gerontology</i> , 2022 , 161, 111699	4.5	0
20	Test-retest reliability of the Health Literacy Questionnaire (HLQ-Br) in Brazilian carers of older people. <i>Revista Da Associd</i> o <i>Mdica Brasileira</i> , 2021 , 67, 500-504	1.4	O
19	The association between trunk muscle endurance, balance and falls self-efficacy in women with osteoporotic vertebral fractures: an exploratory analysis from a pilot randomized controlled trial. <i>Disability and Rehabilitation</i> , 2021 , 43, 2268-2274	2.4	О
18	106 Responding to the First Fall to Prevent the Second: Successful RCT in Reducing Falls using a Person Centred Approach for Older Fallers Presenting to Emergency Departments. <i>Age and Ageing</i> , 2019 , 48, iv18-iv27	3	O
17	Rasch analysis of the Burke Lateropulsion Scale (BLS). <i>Topics in Stroke Rehabilitation</i> , 2021 , 28, 268-275	2.6	0
16	Standing weight-bearing asymmetry in adults with lateropulsion following stroke. <i>Gait and Posture</i> , 2021 , 90, 427-433	2.6	O
15	Protocol for Functional Assessment of Adults and Older Adults after Hospitalization for COVID-19. <i>Clinics</i> , 2021 , 76, e3030	2.3	O
14	Patient Acceptability of a Novel Technological Solution (Ambient Intelligent Geriatric Management System) to Prevent Falls in Geriatric and General Medicine Wards: A Mixed-Methods Study Gerontology, 2022, 1-11	5.5	O
13	Does the addition of two exercise-focussed home visits to usual care improve outcomes for patients with balance impairments? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 377-	387	
12	Vestibular dysfunction 2009 , 139-152		
12	Vestibular dysfunction 2009, 139-152 Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011, 14, 3-4	0.3	
	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based</i>	0.3	
11	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4	0.3	
11	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4 Physical activity and falls prevention 2004 , 247-266 Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. Journal of		
11 10 9	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4 Physical activity and falls prevention 2004 , 247-266 Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. Journal of Clinical Nursing 13, 479-485. <i>Journal of Clinical Nursing</i> , 2005 , 14, 126-8; discussion 129 INCLUDING EXERCISE SELF-MANAGEMENT AS PART OF INPATIENT REHABILITATION IS FEASIBLE, SAFE AND EFFECTIVE FOR PATIENTS WITH COGNITIVE IMPAIRMENT <i>Journal of Rehabilitation</i>	3.2	
11 10 9 8	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4 Physical activity and falls prevention 2004 , 247-266 Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. Journal of Clinical Nursing 13, 479-485. <i>Journal of Clinical Nursing</i> , 2005 , 14, 126-8; discussion 129 INCLUDING EXERCISE SELF-MANAGEMENT AS PART OF INPATIENT REHABILITATION IS FEASIBLE, SAFE AND EFFECTIVE FOR PATIENTS WITH COGNITIVE IMPAIRMENT <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2022 , 5, 1000076 Prevalence, Circumstances, and Risk Factors of Falls Among Community Dwelling Members of	3.2	
11 10 9 8	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4 Physical activity and falls prevention 2004 , 247-266 Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. Journal of Clinical Nursing 13, 479-485. <i>Journal of Clinical Nursing</i> , 2005 , 14, 126-8; discussion 129 INCLUDING EXERCISE SELF-MANAGEMENT AS PART OF INPATIENT REHABILITATION IS FEASIBLE, SAFE AND EFFECTIVE FOR PATIENTS WITH COGNITIVE IMPAIRMENT <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2022 , 5, 1000076 Prevalence, Circumstances, and Risk Factors of Falls Among Community Dwelling Members of University of the Third Age <i>Frontiers in Public Health</i> , 2021 , 9, 610504	3.2	

LIST OF PUBLICATIONS

2022, 8, 66

3 Exercise can provide multiple health benefits for carers. *International Psychogeriatrics*, **2021**, 33, 319-321_{3.4}

Home modifications: important for fall injury prevention for MBri in New Zealand. Lancet Public Health, The, 2021, 6, e621-e622

Exercise interveNtion outdoor proJect in the cOmmunitY-ENJOY program for independence in dementia: a feasibility pilot randomised controlled trial study protocol.. Pilot and Feasibility Studies, 1.9