

Keith D Hill

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3444494/keith-d-hill-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

344
papers

9,375
citations

51
h-index

82
g-index

358
ext. papers

10,806
ext. citations

3.1
avg, IF

6.31
L-index

#	Paper	IF	Citations
344	Effect of cognitive task complexity on dual task postural stability: a systematic review and meta-analysis.. <i>Experimental Brain Research</i> , 2022 , 240, 703	2.3	1
343	INCLUDING EXERCISE SELF-MANAGEMENT AS PART OF INPATIENT REHABILITATION IS FEASIBLE, SAFE AND EFFECTIVE FOR PATIENTS WITH COGNITIVE IMPAIRMENT.. <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2022 , 5, 1000076	0.2	
342	The Four Square Step Test is a useful mobility tool for discriminating older persons with frailty syndrome.. <i>Experimental Gerontology</i> , 2022 , 161, 111699	4.5	0
341	Exercise intervenTion outdoor proJect in the cOmmunitY-ENJOY program for independence in dementia: a feasibility pilot randomised controlled trial study protocol.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 66	1.9	
340	A survey of nurses, physiotherapists and occupational therapists in mobility care and gait aid use for hospital patients with dementia.. <i>Geriatric Nursing</i> , 2022 , 44, 221-228	2.1	1
339	Balance on the Brain: a randomised controlled trial evaluating the effect of a multimodal exercise programme on physical performance, falls, quality of life and cognition for people with mild cognitive impairment-study protocol.. <i>BMJ Open</i> , 2022 , 12, e054725	3	1
338	Patient Acceptability of a Novel Technological Solution (Ambient Intelligent Geriatric Management System) to Prevent Falls in Geriatric and General Medicine Wards: A Mixed-Methods Study.. <i>Gerontology</i> , 2022 , 1-11	5.5	0
337	The experiences of people with Alzheimer's dementia and their caregivers in acquiring and using a mobility aid: a qualitative study. <i>Disability and Rehabilitation</i> , 2021 , 43, 3331-3338	2.4	2
336	Current physiotherapy practice on delivering treatments for older people with dementia in Indonesia: A cross-sectional study. <i>Physiotherapy Research International</i> , 2021 , 27, e1931	1.8	1
335	Prevalence, Circumstances, and Risk Factors of Falls Among Community Dwelling Members of University of the Third Age.. <i>Frontiers in Public Health</i> , 2021 , 9, 610504	6	
334	Assistive Technology Provider Experiences during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
333	Access to Assistive Technology during the COVID-19 Global Pandemic: Voices of Users and Families. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
332	Definition and Measurement of Physical and Chemical Restraint in Long-Term Care: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
331	Exercise can provide multiple health benefits for carers. <i>International Psychogeriatrics</i> , 2021 , 33, 319-321	3.4	
330	Test-retest reliability of the Health Literacy Questionnaire (HLQ-Br) in Brazilian carers of older people. <i>Revista Da Associação Médica Brasileira</i> , 2021 , 67, 500-504	1.4	0
329	Challenges and lessons learnt from the ENJOY project: recommendations for future collaborative research implementation framework with local governments for improving the environment to promote physical activity for older people. <i>BMC Public Health</i> , 2021 , 21, 1192	4.1	3
328	Exploring physical activity changes and experiences of older adults living in retirement villages during a pandemic. <i>Australasian Journal on Ageing</i> , 2021 ,	1.5	3

327	Evaluating the provision of Further Enabling Care at Home (FECH+) for informal caregivers of older adults discharged home from hospital: protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e046600	3	1
326	Effectiveness of the Wearable Sensor based Ambient Intelligent Geriatric Management System (AmbIGeM) in Preventing Falls in Older People in Hospitals. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	3
325	The association between trunk muscle endurance, balance and falls self-efficacy in women with osteoporotic vertebral fractures: an exploratory analysis from a pilot randomized controlled trial. <i>Disability and Rehabilitation</i> , 2021 , 43, 2268-2274	2.4	0
324	Community care staff attitudes towards delivering a falls prevention exercise intervention to community care clients. <i>Health and Social Care in the Community</i> , 2021 , 29, 416-424	2.6	2
323	Longitudinal changes in physical activity levels and fear of falling after hip fracture. <i>Physiotherapy Research International</i> , 2021 , 26, e1884	1.8	2
322	Prevalence and variability in use of physical and chemical restraints in residential aged care facilities: A systematic review and meta-analysis. <i>International Journal of Nursing Studies</i> , 2021 , 117, 103856	5.8	4
321	Rasch analysis of the Burke Lateropulsion Scale (BLS). <i>Topics in Stroke Rehabilitation</i> , 2021 , 28, 268-275	2.6	0
320	Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 655-665	6.4	10
319	Factors associated with improved walking in older people during hospital rehabilitation: secondary analysis of a randomized controlled trial. <i>BMC Geriatrics</i> , 2021 , 21, 90	4.1	1
318	Testing the reliability of the Health Literacy Questionnaire with carers of older adults receiving hospital care. <i>Australasian Journal on Ageing</i> , 2021 , 40, 213-217	1.5	1
317	The ENJOY Project: Usage and Factors to Support Adherence and Physical Activity Participation. <i>Translational Journal of the American College of Sports Medicine</i> , 2021 , 6, 1-6	1.1	4
316	Is Ankle Plantar Flexor Strength Associated With Balance and Walking Speed in Healthy People? A Systematic Review and Meta-Analysis. <i>Physical Therapy</i> , 2021 , 101,	3.3	4
315	Older people and nature: the benefits of outdoors, parks and nature in light of COVID-19 and beyond- where to from here?. <i>International Journal of Environmental Health Research</i> , 2021 , 1-8	3.6	9
314	Effectiveness of gait aid prescription for improving spatiotemporal gait parameters and associated outcomes in community-dwelling older people: a systematic review. <i>Disability and Rehabilitation</i> , 2021 , 1-16	2.4	2
313	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation ('My Therapy'): protocol for a mixed-methods process evaluation. <i>BMC Health Services Research</i> , 2021 , 21, 810	2.9	2
312	Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation ('My Therapy'): protocol for a stepped-wedge cluster randomised trial. <i>BMC Health Services Research</i> , 2021 , 21, 811	2.9	2
311	Home modifications: important for fall injury prevention for Māori in New Zealand. <i>Lancet Public Health</i> , 2021 , 6, e621-e622	22.4	
310	Standing weight-bearing asymmetry in adults with lateropulsion following stroke. <i>Gait and Posture</i> , 2021 , 90, 427-433	2.6	0

309	Assessment of ankle plantar flexor neuromuscular properties: A reliability study. <i>Journal of Electromyography and Kinesiology</i> , 2021 , 61, 102603	2.5	1
308	Protocol for Functional Assessment of Adults and Older Adults after Hospitalization for COVID-19. <i>Clinics</i> , 2021 , 76, e3030	2.3	0
307	Are the Recommended Physical Activity Guidelines Practical and Realistic for Older People With Complex Medical Issues?. <i>Journal of Geriatric Physical Therapy</i> , 2021 , 44, 2-8	3.2	3
306	Guidance about age-friendly outdoor exercise equipment and associated strategies to maximise usability for older people. <i>Health Promotion Journal of Australia</i> , 2021 , 32, 475-482	1.7	9
305	Effect of dual-tasking on walking and cognitive demands in adults with Alzheimer's dementia experienced in using a 4-wheeled walker. <i>Gait and Posture</i> , 2020 , 77, 164-170	2.6	6
304	Executive function as a mediating factor between visual acuity and postural stability in cognitively healthy adults and adults with Alzheimer's dementia. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 89, 104078	4	5
303	The Impact of Mass Media Campaigns on Physical Activity Participation on a Global Scale: Lessons Learned From the COVID-19 Pandemic. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 857-858	2.5	6
302	Do Peers Increase Older Adults' Participation in Strength Training? Pilot Randomized Trial. <i>Journal of Aging and Physical Activity</i> , 2020 , 1-9	1.6	1
301	Effects of a 12-Month Supervised, Community-Based, Multimodal Exercise Program Followed by a 6-Month Research-to-Practice Transition on Bone Mineral Density, Trabecular Microarchitecture, and Physical Function in Older Adults: A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 419-429	6.3	31
300	The Effects of Home Exercise in Older Women With Vertebral Fractures: A Pilot Randomized Controlled Trial. <i>Physical Therapy</i> , 2020 , 100, 662-676	3.3	9
299	Measurement properties of self-report instruments to assess health literacy in older adults: a systematic review. <i>Disability and Rehabilitation</i> , 2020 , 1-17	2.4	3
298	Exercise interveNtion outdoor proJect in the cOmmunitY for older people - results from the ENJOY Seniors Exercise Park project translation research in the community. <i>BMC Geriatrics</i> , 2020 , 20, 446	4.1	14
297	Evaluating a Novel Multifactorial Falls Prevention Activity Programme for Community-Dwelling Older People After Stroke: A Mixed-Method Feasibility Study. <i>Clinical Interventions in Aging</i> , 2020 , 15, 1099-1112	4	
296	Are interventions effective in improving the ability of older adults to rise from the floor independently? A mixed method systematic review. <i>Disability and Rehabilitation</i> , 2020 , 42, 743-753	2.4	5
295	Falls prevention for people with dementia: a knowledge translation intervention. <i>Dementia</i> , 2020 , 19, 2267-2293	3	2
294	Physical activity for older Australians with mild cognitive impairment or subjective cognitive decline - A narrative review to support guideline development. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 913-920	4.4	8
293	Effectiveness of Outdoor Exercise Parks on Health Outcomes in Older Adults-A Mixed-Methods Systematic Review and Meta-Analysis. <i>Journal of Aging and Physical Activity</i> , 2020 , 29, 695-707	1.6	1
292	Trial feasibility and process evaluation of a motivationally-embellished group peer led walking intervention in retirement villages using the RE-AIM framework: the residents in action trial (RiAT). <i>Health Psychology and Behavioral Medicine</i> , 2019 , 7, 202-233	2.2	9

291	Effects of an Individualized Exercise Program Plus Behavioral Change Enhancement Strategies for Managing Fatigue in Older People Who Are Frail: Protocol for a Cluster Randomized Controlled Trial. <i>Physical Therapy</i> , 2019 , 99, 1616-1627	3.3	1
290	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. <i>Injury Prevention</i> , 2019 , 25, 557-564	3.2	12
289	Poor Treatment Outcomes Following Repositioning Maneuvers in Younger and Older Adults With Benign Paroxysmal Positional Vertigo: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 224.e1-224.e23	5.9	6
288	Physical activity programs for older people in the community receiving home care services: systematic review and meta-analysis. <i>Clinical Interventions in Aging</i> , 2019 , 14, 1045-1064	4	9
287	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002807	11.6	18
286	Effect of Learning to Use a Mobility Aid on Gait and Cognitive Demands in People with Mild to Moderate Alzheimer's Disease: Part II - 4-Wheeled Walker. <i>Journal of Alzheimer's Disease</i> , 2019 , 71, S115-S124	4.3	10
285	Exploring the association between number, severity, location of fracture, and occiput-to-wall distance. <i>Archives of Osteoporosis</i> , 2019 , 14, 27	2.9	1
284	The cost-effectiveness of a telephone-based intervention to support caregivers of older people discharged from hospital. <i>BMC Geriatrics</i> , 2019 , 19, 68	4.1	0
283	Caregivers' experiences of a home support program after the hospital discharge of an older family member: a qualitative analysis. <i>BMC Health Services Research</i> , 2019 , 19, 220	2.9	10
282	Validity of the Falls Risk for Older People in the Community (FROP-Com) tool to predict falls and fall injuries for older people presenting to the emergency department after falling. <i>European Journal of Ageing</i> , 2019 , 16, 377-386	3.6	3
281	Exercise intervention outdoor project in the cOmmunity for older people - the ENJOY Senior Exercise Park project translation research protocol. <i>BMC Public Health</i> , 2019 , 19, 933	4.1	16
280	Assessment of functional health literacy in Brazilian carers of older people. <i>Dementia & Neuropsychologia</i> , 2019 , 13, 180-186	2.1	6
279	Benefits of Vitamin D supplementation in older people living in nursing care facilities. <i>Age and Ageing</i> , 2019 , 48, 761-762	3	2
278	Are osteoporotic vertebral fractures or forward head posture associated with performance-based measures of balance and mobility?. <i>Archives of Osteoporosis</i> , 2019 , 14, 67	2.9	6
277	Inclusive Decision Making for Falls Prevention: A Discussion Tool for Use With People With Dementia and Their Caregivers. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 711-718	1.6	2
276	A mixed methods process evaluation of a person-centred falls prevention program. <i>BMC Health Services Research</i> , 2019 , 19, 906	2.9	7
275	Bed Moves, Ward Environment, Staff Perspectives and Falls for Older People with High Falls Risk in an Acute Hospital: A Mixed Methods Study. <i>Clinical Interventions in Aging</i> , 2019 , 14, 2223-2237	4	8
274	106 Responding to the First Fall to Prevent the Second: Successful RCT in Reducing Falls using a Person Centred Approach for Older Fallers Presenting to Emergency Departments. <i>Age and Ageing</i> , 2019 , 48, iv18-iv27	3	0

273	Fear of falling: a hidden burden with or without a history of falls. <i>Evidence-based Nursing</i> , 2019 , 22, 21	0.3	2
272	The discrepancy between patient expectations and actual outcome reduces at the first 6 months following total knee replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 2042-2050	5.5	5
271	Effectiveness of an Ambient Intelligent Geriatric Management system (AmbIGeM) to prevent falls in older people in hospitals: protocol for the AmbIGeM stepped wedge pragmatic trial. <i>Injury Prevention</i> , 2019 , 25, 157-165	3.2	8
270	Development and pilot testing of the "focus on the person" form: Supporting care transitions for people with dementia. <i>Dementia</i> , 2019 , 18, 2018-2035	3	1
269	Score Distributions of the Balance Outcome Measure for Elder Rehabilitation (BOOMER) in Community-Dwelling Older Adults With Vertebral Fracture. <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, E87-E93	3.2	1
268	The Modified Otago Exercises Prevent Grip Strength Deterioration Among Older Fallers in the Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, 123-129	3.2	5
267	Encouraging older people to engage in resistance training: a multi-stakeholder perspective. <i>Ageing and Society</i> , 2019 , 39, 1806-1825	1.7	6
266	Outdoor physical activity for older people-the senior exercise park: Current research, challenges and future directions. <i>Health Promotion Journal of Australia</i> , 2018 , 29, 353-359	1.7	19
265	Community Peer-Led Falls Prevention Presentations: What Do the Experts Suggest?. <i>Journal of Primary Prevention</i> , 2018 , 39, 81-98	2.1	2
264	Supplementary motor area-primary motor cortex facilitation in younger but not older adults. <i>Neurobiology of Aging</i> , 2018 , 64, 85-91	5.6	17
263	The impact of nurse and care staff education on the functional ability and quality of life of people living with dementia in aged care: A systematic review. <i>Nurse Education Today</i> , 2018 , 67, 27-45	3.7	7
262	The association between physical activity and social isolation in community-dwelling older adults. <i>Ageing and Mental Health</i> , 2018 , 22, 175-182	3.5	39
261	Comprehensive clinical sitting balance measures for individuals following stroke: a systematic review on the methodological quality. <i>Disability and Rehabilitation</i> , 2018 , 40, 616-630	2.4	8
260	Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. <i>Journal of Sports Sciences</i> , 2018 , 36, 666-678	3.6	38
259	Does the addition of two exercise-focussed home visits to usual care improve outcomes for patients with balance impairments? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 377-387	3.3	33
258	Vitamin D and parathyroid hormone are associated with gait instability and poor balance performance in mid-age to older aged women. <i>Gait and Posture</i> , 2018 , 59, 71-75	2.6	11
257	Effect of Modified Otago Exercises on Postural Balance, Fear of Falling, and Fall Risk in Older Fallers With Knee Osteoarthritis and Impaired Gait and Balance: A Secondary Analysis. <i>PM and R</i> , 2018 , 10, 254-262	2.2	18
256	Falls prevention in community care: 10 years on. <i>Clinical Interventions in Aging</i> , 2018 , 13, 261-269	4	22

255	A simplified 10-step Tai-chi programme to enable people with dementia to improve their motor performance: a feasibility study. <i>Clinical Rehabilitation</i> , 2018 , 32, 1609-1623	3.3	4
254	Design and development of a theory-informed peer-led falls prevention education programme to translate evidence into practice: a systematic approach. <i>International Journal of Health Promotion and Education</i> , 2018 , 56, 195-210	0.8	4
253	What works in falls prevention in Asia: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Geriatrics</i> , 2018 , 18, 3	4.1	28
252	Exercise for Falls Prevention: Decision-making among Australian-born and Italian-born Older People. <i>Activities, Adaptation and Aging</i> , 2018 , 42, 261-277	0.7	1
251	Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. <i>BMC Geriatrics</i> , 2018 , 18, 103	4.1	33
250	Avoiding anchoring bias by moving beyond 'mechanical falls' in geriatric emergency medicine. <i>EMA - Emergency Medicine Australasia</i> , 2018 , 30, 843-850	1.5	7
249	Measuring lateropulsion following stroke: a feasibility study using Wii Balance Board technology. <i>New Zealand Journal of Physiotherapy</i> , 2018 , 46, 36-42	1.4	3
248	Older Adults' Perceptions of a Novel Outdoor Exercise Initiative: A Qualitative Analysis 2018 , 8, 61-78		14
247	A Typology of Factors Influencing Seniors' Participation in Strength Training in Gyms and Fitness Centers. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 492-498	1.6	6
246	Strategies and challenges associated with recruiting retirement village communities and residents into a group exercise intervention. <i>BMC Medical Research Methodology</i> , 2018 , 18, 173	4.7	7
245	Hospital postdischarge intervention trialled with family caregivers of older people in Western Australia: potential translation into practice. <i>BMJ Open</i> , 2018 , 8, e022747	3	10
244	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2018 , 9, CD005465	5.2	126
243	Additional structured physical activity does not improve walking in older people (>60years) undergoing inpatient rehabilitation: a randomised trial. <i>Journal of Physiotherapy</i> , 2018 , 64, 237-244	2.9	12
242	Safety and feasibility of high speed resistance training with and without balance exercises for knee osteoarthritis: A pilot randomised controlled trial. <i>Physical Therapy in Sport</i> , 2018 , 34, 154-163	3	15
241	Hemodynamic Responses to Low-Load Blood Flow Restriction and Unrestricted High-Load Resistance Exercise in Older Women. <i>Frontiers in Physiology</i> , 2018 , 9, 1324	4.6	16
240	Individually-tailored multifactorial intervention to reduce falls in the Malaysian Falls Assessment and Intervention Trial (MyFAIT): A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0199219	3.7	15
239	Can community care workers deliver a falls prevention exercise program? A feasibility study. <i>Clinical Interventions in Aging</i> , 2018 , 13, 485-495	4	6
238	Sequence Learning with Passive RFID Sensors for Real-Time Bed-Egress Recognition in Older People. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017 , 21, 917-929	7.2	34

237	Does cultural and linguistic diversity affect health-related outcomes for people with stroke at discharge from hospital?. <i>Disability and Rehabilitation</i> , 2017 , 39, 736-745	2.4	1
236	Can peer education improve beliefs, knowledge, motivation and intention to engage in falls prevention amongst community-dwelling older adults?. <i>European Journal of Ageing</i> , 2017 , 14, 243-255	3.6	13
235	Pre-operative predictors of post-operative falls in people undergoing total hip and knee replacement surgery: a prospective study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017 , 137, 1025-1033	3.6	17
234	RESPOND: a programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for an economic evaluation. <i>Injury Prevention</i> , 2017 , 23, 124-130	3.2	3
233	Dysmobility syndrome: current perspectives. <i>Clinical Interventions in Aging</i> , 2017 , 12, 145-152	4	19
232	Barriers and enablers to the implementation of the 6-PACK falls prevention program: A pre-implementation study in hospitals participating in a cluster randomised controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0171932	3.7	18
231	A battery-less and wireless wearable sensor system for identifying bed and chair exits in a pilot trial in hospitalized older people. <i>PLoS ONE</i> , 2017 , 12, e0185670	3.7	22
230	Measurement properties of the Health Literacy Questionnaire (HLQ) among older adults who present to the emergency department after a fall: a Rasch analysis. <i>BMC Health Services Research</i> , 2017 , 17, 605	2.9	24
229	Sharing knowledge of falls prevention for people with dementia: insights for community care practice. <i>Australian Journal of Primary Health</i> , 2017 , 23, 464-470	1.4	0
228	How older adults would like falls prevention information delivered: fresh insights from a World Cafforum. <i>Ageing and Society</i> , 2017 , 37, 1179-1196	1.7	16
227	Post-fall reporting in aged acute inpatient mental health units: an 18-month observational cohort study. <i>International Psychogeriatrics</i> , 2017 , 29, 2007-2016	3.4	0
226	Protocol for the residents in action pilot cluster randomised controlled trial (RiAT): evaluating a behaviour change intervention to promote walking, reduce sitting and improve mental health in physically inactive older adults in retirement villages. <i>BMJ Open</i> , 2017 , 7, e015543	3	7
225	Factors Predicting Falls and Mobility Outcomes in Patients With Stroke Returning Home After Rehabilitation Who Are at Risk of Falling. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 2433-2441	2.8	20
224	Implementation fidelity of a nurse-led falls prevention program in acute hospitals during the 6-PACK trial. <i>BMC Health Services Research</i> , 2017 , 17, 383	2.9	5
223	Perceptions of Group-Based Walks and Strategies to Inform the Development of an Intervention in Retirement Villages: Perspectives of Residents and Village Managers. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 261-268	1.6	5
222	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9
221	Risk Factors for Falls in People With a Lower Limb Amputation: A Systematic Review. <i>PM and R</i> , 2017 , 9, 170-180.e1	2.2	37
220	Identifying motivators and barriers to older community-dwelling people participating in resistance training: A cross-sectional study. <i>Journal of Sports Sciences</i> , 2017 , 35, 1523-1532	3.6	23

219	A Novel Exercise Initiative for Seniors to Improve Balance and Physical Function. <i>Journal of Aging and Health</i> , 2017 , 29, 1424-1443	2.6	24
218	Exercise interventions for the improvement of falls-related outcomes among older adults with diabetes mellitus: A systematic review and meta-analyses. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 631-645	3.2	24
217	Motivators and Barriers for Older People Participating in Resistance Training: A Systematic Review. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 311-324	1.6	58
216	High-speed resistance training and balance training for people with knee osteoarthritis to reduce falls risk: study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2017 , 18, 384	2.8	15
215	Why do seniors leave resistance training programs?. <i>Clinical Interventions in Aging</i> , 2017 , 12, 585-592	4	20
214	Acceptability of the 6-PACK falls prevention program: A pre-implementation study in hospitals participating in a cluster randomized controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0172005	3.7	7
213	Postural Stability in Older Adults With Alzheimer Disease. <i>Physical Therapy</i> , 2017 , 97, 290-309	3.3	17
212	Bone Mineral Changes in Epilepsy Patients During Initial Years of Antiepileptic Drug Therapy. <i>Journal of Clinical Densitometry</i> , 2016 , 19, 450-456	3.5	16
211	Falls risk assessment outcomes and factors associated with falls for older Indigenous Australians. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 553-558	2.3	7
210	"Are Your Clients Having Fun?" The Implications of Respondents' Preferences for the Delivery of Group Exercise Programs for Falls Prevention. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 129-38	1.6	11
209	Enhancing Adoption of a Home-Based Exercise Program for Mild Balance Dysfunction: A Qualitative Study. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 53-60	1.6	5
208	Key Factors Influencing Implementation of Falls Prevention Exercise Programs in the Community. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 45-52	1.6	8
207	First Year After Stroke: An Integrated Approach Focusing on Participation Goals Aiming to Reduce Depressive Symptoms. <i>Stroke</i> , 2016 , 47, 2820-2827	6.7	16
206	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, h6781	5.9	65
205	Falls in people prior to undergoing total hip or total knee replacement surgery: Frequency and associated factors. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016 , 7, 146-152		5
204	Development and validation of a questionnaire assessing discrepancy between patients' pre-surgery expectations and abilities and post-surgical outcomes following knee replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 3359-3368	5.5	5
203	Does action follow intention with participation in home and group-based falls prevention exercise programs? An exploratory, prospective, observational study. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 64, 151-61	4	3
202	"": Insights on the Uptake of Falls Prevention Strategies from People with Dementia and Their Caregivers. <i>Frontiers in Public Health</i> , 2016 , 4, 244	6	3

201	Factors associated with depression in older carers. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 294-301	3.9	11
200	Development of an implementation plan for the 6-PACK falls prevention programme as part of a randomised controlled trial: protocol for a series of preimplementation studies. <i>Injury Prevention</i> , 2016 , 22, 446-452	3.2	9
199	INVESTIGATING COMMUNITY PERSPECTIVES ON FALLS PREVENTION INFORMATION SEEKING AND DELIVERY: OLDER PERSON PERCEPTIONS REGARDING PREFERENCES FOR FALLS PREVENTION EDUCATION USING A WORLD CAFE APPROACH. <i>Journal of Community Psychology</i> , 2016 , 44, 937-944	2.2	13
198	Effectiveness of Individualized Home-Based Exercise on Turning and Balance Performance Among Adults Older than 50 yrs: A Randomized Controlled Trial. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016 , 95, 355-65	2.6	6
197	Developing networks between residential aged care facilities as a result of engagement in a falls prevention project: an action research study. <i>Contemporary Nurse</i> , 2016 , 52, 163-75	1.5	1
196	Outcomes for family carers of a nurse-delivered hospital discharge intervention for older people (the Further Enabling Care at Home Program): Single blind randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2016 , 64, 32-41	5.8	30
195	Does English proficiency impact on health outcomes for inpatients undergoing stroke rehabilitation?. <i>Disability and Rehabilitation</i> , 2016 , 38, 1350-8	2.4	8
194	Strategies on fall prevention for older people living in the community: A report from a round-table meeting in IAGG 2013. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2015 , 6, 39-44		9
193	The adverse mental health of carers: Does the patient diagnosis play a role?. <i>Maturitas</i> , 2015 , 82, 134-8	5	9
192	Falls, falls prevention and the role of physiotherapy and exercise: perceptions and interpretations of Italian-born and Australian-born older persons living in Australia. <i>Journal of Cross-Cultural Gerontology</i> , 2015 , 30, 233-49	2	4
191	Randomized controlled trial of the effect of additional functional exercise during slow-stream rehabilitation in a regional center. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 831-6	2.8	5
190	Impact of tai-chi on falls among preclinically disabled older people. A randomized controlled trial. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 420-6	5.9	17
189	"We are all one together": peer educators' views about falls prevention education for community-dwelling older adults--a qualitative study. <i>BMC Geriatrics</i> , 2015 , 15, 28	4.1	19
188	Evaluating the effects of increasing physical activity to optimize rehabilitation outcomes in hospitalized older adults (MOVE Trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 13	2.8	6
187	Effectiveness of dual-task functional power training for preventing falls in older people: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2015 , 16, 120	2.8	17
186	Identifying clusters of falls-related hospital admissions to inform population targets for prioritising falls prevention programmes. <i>Injury Prevention</i> , 2015 , 21, 254-9	3.2	6
185	Protocol for a randomised controlled trial of an outreach support program for family carers of older people discharged from hospital. <i>BMC Geriatrics</i> , 2015 , 15, 70	4.1	4
184	A novel dynamic exercise initiative for older people to improve health and well-being: study protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2015 , 15, 68	4.1	13

183	Translating Falls Prevention Knowledge to Community-Dwelling Older PLWD: A Mixed-Method Systematic Review. <i>Gerontologist, The</i> , 2015 , 55, 560-74	5	16
182	Depressive symptoms and adverse outcomes from hospitalization in older adults: secondary outcomes of a trial of falls prevention education. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 60, 96-102 ⁴		9
181	What factors influence older adults to discuss falls with their health-care providers?. <i>Health Expectations</i> , 2015 , 18, 1593-609	3.7	16
180	Investigation of older adults' participation in exercises following completion of a state-wide survey targeting evidence-based falls prevention strategies. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 256-63	1.6	5
179	Exercise for Mild Balance Dysfunction: Research into Practice. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 588-96	1.6	3
178	Attitudes to aging in older carers - do they have a role in their well-being?. <i>International Psychogeriatrics</i> , 2015 , 27, 1893-901	3.4	8
177	Predictors of long-term function in older community-dwelling people who have presented to an emergency department after a fall: a cohort study. <i>Australasian Journal on Ageing</i> , 2015 , 34, 47-52	1.5	1
176	Changes in balance function with chronic antiepileptic drug therapy: A twin and sibling study. <i>Epilepsia</i> , 2015 , 56, 1714-22	6.4	6
175	What Are the Characteristics of Home Exercise Programs That Older Adults Prefer?: A Cross-Sectional Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015 , 94, 508-21	2.6	11
174	The extra resource burden of in-hospital falls: a cost of falls study. <i>Medical Journal of Australia</i> , 2015 , 203, 367	4	70
173	Mild Joint Symptoms Are Associated with Lower Risk of Falls than Asymptomatic Individuals with Radiological Evidence of Osteoarthritis. <i>PLoS ONE</i> , 2015 , 10, e0141368	3.7	9
172	Individualized home-based exercise programs for older people to reduce falls and improve physical performance: A systematic review and meta-analysis. <i>Maturitas</i> , 2015 , 82, 72-84	5	65
171	Effectiveness of exercise programs to reduce falls in older people with dementia living in the community: a systematic review and meta-analysis. <i>Clinical Interventions in Aging</i> , 2015 , 10, 421-34	4	102
170	Effects of a targeted multimodal exercise program incorporating high-speed power training on falls and fracture risk factors in older adults: a community-based randomized controlled trial. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 182-91	6.3	99
169	Implementation of evidence-based falls prevention in clinical services for high-risk clients. <i>Journal of Evaluation in Clinical Practice</i> , 2014 , 20, 255-9	2.5	3
168	Implementing person-environment approaches to prevent falls: a qualitative inquiry in applying the Westmead approach to occupational therapy home visits. <i>Australian Occupational Therapy Journal</i> , 2014 , 61, 325-34	1.7	15
167	Weight and fat distribution in patients taking valproate: a valproate-discordant gender-matched twin and sibling pair study. <i>Epilepsia</i> , 2014 , 55, 1551-7	6.4	10
166	Build better bones with exercise: protocol for a feasibility study of a multicenter randomized controlled trial of 12 months of home exercise in women with a vertebral fracture. <i>Physical Therapy</i> , 2014 , 94, 1337-52	3.3	15

165	An individually-tailored multifactorial intervention program for older fallers in a middle-income developing country: Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>BMC Geriatrics</i> , 2014 , 14, 78	4.1	30
164	Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 89	4.1	23
163	Physical activity in caregivers: What are the psychological benefits?. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 204-10	4	30
162	Low cost and batteryless sensor-enabled radio frequency identification tag based approaches to identify patient bed entry and exit posture transitions. <i>Gait and Posture</i> , 2014 , 39, 118-23	2.6	44
161	Feasibility and acceptability of a volunteer-mediated diversionary therapy program for older patients with cognitive impairment. <i>Geriatric Nursing</i> , 2014 , 35, 300-5	2.1	11
160	Commentary to: Balance-specific training embedded within a pulmonary rehabilitation program may reduce falls risk in people with COPD. <i>Journal of Physiotherapy</i> , 2014 , 60, 111	2.9	3
159	What factors influence community-dwelling older people's intent to undertake multifactorial fall prevention programs?. <i>Clinical Interventions in Aging</i> , 2014 , 9, 2045-53	4	17
158	Living Longer Living Stronger—a community-delivered strength training program improving function and quality of life. <i>Australasian Journal on Ageing</i> , 2014 , 33, 22-5	1.5	8
157	Home based exercise to improve turning and mobility performance among community dwelling older adults: protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2014 , 14, 100	4.1	8
156	Feasibility, acceptability, and effectiveness of an electronic sensor bed/chair alarm in reducing falls in patients with cognitive impairment in a subacute ward. <i>Journal of Nursing Care Quality</i> , 2014 , 29, 253-62	1.7	14
155	"Better for others than for me": a belief that should shape our efforts to promote participation in falls prevention strategies. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 136-44	4	43
154	The effects of a concurrent motor task on walking in Alzheimer's disease. <i>Gait and Posture</i> , 2014 , 39, 291-6	2.6	18
153	Cost per fall: a potentially misleading indicator of burden of disease in health and residential care settings. <i>Journal of Evaluation in Clinical Practice</i> , 2013 , 19, 153-61	2.5	21
152	Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. <i>BMC Medicine</i> , 2013 , 11, 135	11.4	46
151	Older people's perceptions of a multifaceted podiatric medical intervention to prevent falls. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 457-64	1	6
150	Rhythmic auditory cueing to improve walking in patients with neurological conditions other than Parkinson's disease--what is the evidence?. <i>Disability and Rehabilitation</i> , 2013 , 35, 164-76	2.4	44
149	Balance and falls risk in women with lower limb osteoarthritis or rheumatoid arthritis. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2013 , 4, 22-28		20
148	Reproducibility of gait variability measures in people with Alzheimer's disease. <i>Gait and Posture</i> , 2013 , 38, 507-10	2.6	14

147	Music and metronome cues produce different effects on gait spatiotemporal measures but not gait variability in healthy older adults. <i>Gait and Posture</i> , 2013 , 37, 219-22	2.6	61
146	Improving mood through physical activity for carers and care recipients (IMPACCT): protocol for a randomised trial. <i>Journal of Physiotherapy</i> , 2013 , 59, 125; discussion 125	2.9	6
145	Effect of rhythmic auditory cueing on gait in people with Alzheimer disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 718-24	2.8	24
144	Reducing serious fall-related injuries in acute hospitals: are low-low beds a critical success factor?. <i>Journal of Advanced Nursing</i> , 2013 , 69, 112-21	3.1	8
143	Serum [25(OH)D] status, ankle strength and activity show seasonal variation in older adults: relevance for winter falls in higher latitudes. <i>Age and Ageing</i> , 2013 , 42, 181-5	3	20
142	A longitudinal study of change in falls risk and balance and mobility in healthy older people and people with Alzheimer disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013 , 92, 676-85	2.6	37
141	In-hospital falls and fall-related injuries: a protocol for a cost of fall study. <i>Injury Prevention</i> , 2013 , 19, 363	3.2	9
140	The Association between Seasonal Variation in Vitamin D, Postural Sway, and Falls Risk: An Observational Cohort Study. <i>Journal of Aging Research</i> , 2013 , 2013, 751310	2.3	10
139	Feasibility, safety and preliminary evidence of the effectiveness of a home-based exercise programme for older people with Alzheimer's disease: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2013 , 27, 427-38	3.3	109
138	Development and initial testing of the Person-Centred Health Care for Older Adults Survey. <i>International Psychogeriatrics</i> , 2013 , 25, 1065-76	3.4	13
137	The impact of care recipient falls on caregivers. <i>Australian Health Review</i> , 2013 , 37, 152-7	1.8	20
136	Selection for inpatient rehabilitation after severe stroke: what factors influence rehabilitation assessor decision-making?. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 24-31	3.4	23
135	Beyond the 'tick and flick': facilitating best practice falls prevention through an action research approach. <i>Journal of Clinical Nursing</i> , 2012 , 21, 1896-905	3.2	14
134	Falls in older people receiving in-home informal care across Victoria: influence on care recipients and caregivers. <i>Australasian Journal on Ageing</i> , 2012 , 31, 6-12	1.5	9
133	Falls after stroke. <i>International Journal of Stroke</i> , 2012 , 7, 482-90	6.3	174
132	Comparison of two fall risk assessment tools (FRATs) targeting falls prevention in sub-acute care. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 653-9	4	13
131	The 6-PACK programme to decrease falls and fall-related injuries in acute hospitals: protocol for an economic evaluation alongside a cluster randomised controlled trial. <i>Injury Prevention</i> , 2012 , 18, e2	3.2	9
130	Responsiveness of 2 scales to evaluate lateropulsion or pusher syndrome recovery after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 149-55	2.8	34

129	A randomized controlled study investigating static and dynamic balance in older adults after training with Pilates. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 43-9	2.8	77
128	Impact of tai chi on impairment, functional limitation, and disability among preclinically disabled older people: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1400-7	2.8	15
127	Osteo-cise: strong bones for life: protocol for a community-based randomised controlled trial of a multi-modal exercise and osteoporosis education program for older adults at risk of falls and fractures. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 78	2.8	27
126	Effects of a multifactorial falls prevention program for people with stroke returning home after rehabilitation: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1648-55	2.8	56
125	Psychotropic drug-induced falls in older people: a review of interventions aimed at reducing the problem. <i>Drugs and Aging</i> , 2012 , 29, 15-30	4.7	83
124	Interventions for preventing falls in older people in care facilities and hospitals. <i>The Cochrane Library</i> , 2012 , 12, CD005465	5.2	246
123	Balance dysfunction and falls in people with lower limb arthritis: factors contributing to risk and effectiveness of exercise interventions. <i>European Review of Aging and Physical Activity</i> , 2012 , 9, 17-25	6.5	10
122	Outcomes from the implementation of a facility-specific evidence-based falls prevention intervention program in residential aged care. <i>Geriatric Nursing</i> , 2012 , 33, 41-50	2.1	19
121	Falls efficacy and fear of falling in stroke: issues with measurement and interpretation. <i>Disability and Rehabilitation</i> , 2012 , 34, 704; author reply 705	2.4	4
120	Reducing staff isolation and developing evidence-informed practice in the aged care environment through an action research approach to falls prevention. <i>Advances in Nursing Science</i> , 2012 , 35, 3-13	2.1	14
119	Assessing inpatient rehabilitation after acute severe stroke: age, mobility, prestroke function and hospital unit are associated with discharge to inpatient rehabilitation. <i>International Journal of Rehabilitation Research</i> , 2012 , 35, 323-9	1.8	12
118	Falls and fractures in patients chronically treated with antiepileptic drugs. <i>Neurology</i> , 2012 , 79, 145-51	6.5	82
117	Framework for preventing falls in acute hospitals using passive sensor enabled radio frequency identification technology. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2012 , 2012, 5059-62	0.9	12
116	Towards falls prevention: a wearable wireless and battery-less sensing and automatic identification tag for real time monitoring of human movements. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2012 , 2012, 6402-5	0.9	14
115	Effectiveness of a targeted exercise intervention in reversing older people's mild balance dysfunction: a randomized controlled trial. <i>Physical Therapy</i> , 2012 , 92, 24-37	3.3	51
114	The effect of limited English proficiency on falls risk and falls prevention after stroke. <i>Age and Ageing</i> , 2012 , 41, 104-7	3	7
113	Balance and mobility dysfunction and falls risk in older people with mild to moderate Alzheimer disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2012 , 91, 12-23	2.6	71
112	Factors influencing commencement and adherence to a home-based balance exercise program for reducing risk of falls: perceptions of people with Alzheimer's disease and their caregivers. <i>International Psychogeriatrics</i> , 2012 , 24, 1172-82	3.4	42

111	Balance concerns in the elderly: Real or imaginary?. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011 , 2, 109-115		4
110	Foot and ankle strength, range of motion, posture, and deformity are associated with balance and functional ability in older adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 68-75	2.8	126
109	Factors associated with older patients' engagement in exercise after hospital discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 1395-403	2.8	67
108	Selection for inpatient rehabilitation after acute stroke: a systematic review of the literature. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 2057-70	2.8	67
107	Stride dynamics, gait variability and prospective falls risk in active community dwelling older women. <i>Gait and Posture</i> , 2011 , 33, 251-5	2.6	63
106	Local adaptation and evaluation of a falls risk prevention approach in acute hospitals. <i>International Journal for Quality in Health Care</i> , 2011 , 23, 134-41	1.9	15
105	Retest reliability of balance and mobility measurements in people with mild to moderate Alzheimer's disease. <i>International Psychogeriatrics</i> , 2011 , 23, 1152-9	3.4	49
104	A protocol for evidence-based targeting and evaluation of statewide strategies for preventing falls among community-dwelling older people in Victoria, Australia. <i>Injury Prevention</i> , 2011 , 17, e3	3.2	24
103	Adding value to the STRATIFY falls risk assessment in acute hospitals. <i>Journal of Advanced Nursing</i> , 2011 , 67, 450-7	3.1	38
102	Validation of the de Morton Mobility Index (DEMMI) with older community care recipients. <i>Australasian Journal on Ageing</i> , 2011 , 30, 220-5	1.5	19
101	Predictors of adherence to a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMC Geriatrics</i> , 2011 , 11, 51	4.1	14
100	From rehabilitation to recovery: protocol for a randomised controlled trial evaluating a goal-based intervention to reduce depression and facilitate participation post-stroke. <i>BMC Neurology</i> , 2011 , 11, 73	3.1	21
99	The 6-PACK programme to decrease fall-related injuries in acute hospitals: protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2011 , 17, e5	3.2	18
98	Are rehabilitation and/or care co-ordination interventions delivered in the community effective in reducing depression, facilitating participation and improving quality of life after stroke?. <i>Disability and Rehabilitation</i> , 2011 , 33, 1501-20	2.4	55
97	Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. <i>BMJ, The</i> , 2011 , 342, d3411	5.9	105
96	The long-term benefits of a multi-component exercise intervention to balance and mobility in healthy older adults. <i>Archives of Gerontology and Geriatrics</i> , 2011 , 52, 211-6	4	47
95	Evaluation of the sustained effect of inpatient falls prevention education and predictors of falls after hospital discharge--follow-up to a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 1001-12	6.4	49
94	The state of physical environments in Australian residential aged care facilities. <i>Australian Health Review</i> , 2011 , 35, 412-7	1.8	9

93	Falls after discharge from hospital: is there a gap between older peoples' knowledge about falls prevention strategies and the research evidence?. <i>Gerontologist, The</i> , 2011 , 51, 653-62	5	68
92	Patient education to prevent falls among older hospital inpatients: a randomized controlled trial. <i>Archives of Internal Medicine</i> , 2011 , 171, 516-24		132
91	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4	0.3	
90	Mental status deficits are identified in 34% of patients who fall while in hospital. <i>Evidence-based Nursing</i> , 2011 , 14, 3-4	0.3	
89	Effectiveness of a balance training home exercise programme for adults with haemophilia: a pilot study. <i>Haemophilia</i> , 2010 , 16, 162-9	3.3	31
88	Balance dysfunction in adults with haemophilia. <i>Haemophilia</i> , 2010 , 16, 606-14	3.3	46
87	Fear of falling in older fallers presenting at emergency departments. <i>Journal of Advanced Nursing</i> , 2010 , 66, 1769-79	3.1	21
86	Does otolith organ dysfunction influence outcomes after a customized program of vestibular rehabilitation?. <i>Journal of Neurologic Physical Therapy</i> , 2010 , 34, 70-5	4.1	8
85	What works in falls prevention after stroke?: a systematic review and meta-analysis. <i>Stroke</i> , 2010 , 41, 1715-22	6.7	118
84	Fall prevention in Australia: policies and activities. <i>Clinics in Geriatric Medicine</i> , 2010 , 26, 733-49	3.8	14
83	Interventions for preventing falls in older people in nursing care facilities and hospitals. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD005465		213
82	Feasibility and outcomes of a home-based exercise program on improving balance and gait stability in women with lower-limb osteoarthritis or rheumatoid arthritis: a pilot study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 106-14	2.8	66
81	Additional physiotherapy during acute care reduces falls in the first 12 months after hip fracture. <i>Journal of Physiotherapy</i> , 2010 , 56, 201	2.9	3
80	Physical activity recommendations for older Australians. <i>Australasian Journal on Ageing</i> , 2010 , 29, 81-7	1.5	51
79	Older peoples' experience of accessing emergency care. <i>Australasian Emergency Nursing Journal</i> , 2010 , 13, 61-69		19
78	Can balance exercise programmes improve balance and related physical performance measures in people with dementia? A systematic review. <i>European Review of Aging and Physical Activity</i> , 2010 , 7, 13-25	6.5	25
77	Screening for pre-clinical disability in different residential settings. <i>BMC Geriatrics</i> , 2010 , 10, 52	4.1	9
76	A protocol for an individualised, facilitated and sustainable approach to implementing current evidence in preventing falls in residential aged care facilities. <i>BMC Geriatrics</i> , 2010 , 10, 8	4.1	14

75	The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. <i>Trials</i> , 2010 , 11, 120	2.8	13
74	Balance impairment in chronic antiepileptic drug users: a twin and sibling study. <i>Epilepsia</i> , 2010 , 51, 280-8.	4.4	35
73	Measuring falls events in acute hospitals-a comparison of three reporting methods to identify missing data in the hospital reporting system. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1347-52	5.6	95
72	A randomized controlled trial of a multifactorial falls prevention intervention for older fallers presenting to emergency departments. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 2265-74	5.6	45
71	Impact of the severity of distance and near-vision impairment on depression and vision-specific quality of life in older people living in residential care 2009 , 50, 4103-9		65
70	Vestibular dysfunction 2009 , 139-152		
69	Gait variability in younger and older adult women is altered by overground walking protocol. <i>Age and Ageing</i> , 2009 , 38, 745-8	3	33
68	The FLASSH study: protocol for a randomised controlled trial evaluating falls prevention after stroke and two sub-studies. <i>BMC Neurology</i> , 2009 , 9, 14	3.1	13
67	Evaluation of the effect of patient education on rates of falls in older hospital patients: description of a randomised controlled trial. <i>BMC Geriatrics</i> , 2009 , 9, 14	4.1	21
66	Effectiveness of balance training exercise in people with mild to moderate severity Alzheimer's disease: protocol for a randomised trial. <i>BMC Geriatrics</i> , 2009 , 9, 29	4.1	24
65	Four-item fall risk screening tool for subacute and residential aged care: The first step in fall prevention. <i>Australasian Journal on Ageing</i> , 2009 , 28, 139-43	1.5	43
64	Telephone and face-to-face interviews generate similar falls circumstances information from community-dwelling adults with stroke. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 295-6	2.3	4
63	A randomized trial comparing digital video disc with written delivery of falls prevention education for older patients in hospital. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1458-63	5.6	72
62	A comment on the debate surrounding single- and multifactorial falls prevention interventions. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1708-9	5.6	1
61	Rowland Universal Dementia Assessment Scale, Mini-Mental State Examination and General Practitioner Assessment of Cognition in a multicultural cohort of community-dwelling older persons with early dementia. <i>Australian Psychologist</i> , 2009 , 44, 40-53	1.7	26
60	Balance exercises in arthritis need to be targeted to the individual. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 224; author reply 225		1
59	The validity of the Rowland Universal Dementia Assessment Scale (RUDAS) in a multicultural cohort of community-dwelling older persons with early dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2009 , 23, 124-9	2.5	25
58	Effects of resistance- and flexibility-exercise interventions on balance and related measures in older adults. <i>Journal of Aging and Physical Activity</i> , 2009 , 17, 444-54	1.6	55

57	Getting Grounded Gracefully: effectiveness and acceptability of Feldenkrais in improving balance. <i>Journal of Aging and Physical Activity</i> , 2009 , 17, 57-76	1.6	20
56	Development of the Falls Risk for Older People in the Community (FROP-Com) screening tool. <i>Age and Ageing</i> , 2009 , 38, 40-6	3	91
55	Effectiveness of falls clinics: an evaluation of outcomes and client adherence to recommended interventions. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 600-8	5.6	59
54	Rural carers online: a feasibility study. <i>Australian Journal of Rural Health</i> , 2008 , 16, 221-5	1.3	13
53	Measuring toe clearance using a wireless inertial sensing device 2008 ,		18
52	The reliability of spatiotemporal gait data for young and older women during continuous overground walking. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 2360-5	2.8	28
51	The reliability and predictive accuracy of the falls risk for older people in the community assessment (FROP-Com) tool. <i>Age and Ageing</i> , 2008 , 37, 634-9	3	116
50	Relationship between age and measures of balance, strength and gait: linear and non-linear analyses. <i>Clinical Science</i> , 2008 , 114, 719-27	6.5	47
49	Older Chinese Australians? Understanding of Falls and Falls Prevention: Exploring Their Needs for Information. <i>Australian Journal of Primary Health</i> , 2008 , 14, 36	1.4	10
48	Falls in the acute hospital setting--impact on resource utilisation. <i>Australian Health Review</i> , 2007 , 31, 471-7	1.8	75
47	A snapshot of the prevalence of physical activity amongst older, community dwelling people in Victoria, Australia: patterns across the 'young-old' and 'old-old'. <i>BMC Geriatrics</i> , 2007 , 7, 4	4.1	20
46	Additional exercise for older subacute hospital inpatients to prevent falls: benefits and barriers to implementation and evaluation. <i>Clinical Rehabilitation</i> , 2007 , 21, 742-53	3.3	37
45	Podiatric involvement in multidisciplinary falls-prevention clinics in Australia. <i>Journal of the American Podiatric Medical Association</i> , 2007 , 97, 377-84	1	2
44	The influence of otolith dysfunction on the clinical presentation of people with a peripheral vestibular disorder. <i>Physical Therapy</i> , 2007 , 87, 143-52	3.3	18
43	Physical and psychological outcomes of a supported physical activity program for older carers. <i>Journal of Aging and Physical Activity</i> , 2007 , 15, 257-71	1.6	42
42	Design-related bias in hospital fall risk screening tool predictive accuracy evaluations: systematic review and meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 664-72	6.4	105
41	Hip protector use amongst older hospital inpatients: compliance and functional consequences. <i>Age and Ageing</i> , 2006 , 35, 520-3	3	7
40	Genetic and environmental influences on variation in balance performance among female twin pairs aged 21-82 years. <i>American Journal of Epidemiology</i> , 2006 , 164, 246-56	3.8	19

39	Patient education to prevent falls in subacute care. <i>Clinical Rehabilitation</i> , 2006 , 20, 970-9	3.3	40
38	Balance score and a history of falls in hospital predict recurrent falls in the 6 months following stroke rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1583-9	2.8	179
37	A new instrument for targeting falls prevention interventions was accurate and clinically applicable in a hospital setting. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 168-75	5.7	35
36	Recurrent events counted in evaluations of predictive accuracy. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 1155-61	5.7	11
35	Falls risk and functional decline in older fallers discharged directly from emergency departments. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 1090-5	6.4	69
34	Exploring the feasibility of a community-based strength training program for older people with depressive symptoms and its impact on depressive symptoms. <i>BMC Geriatrics</i> , 2006 , 6, 18	4.1	43
33	Basic aspects of inhibitors to factors VIII and IX and the influence of non-genetic risk factors. <i>Haemophilia</i> , 2006 , 12 Suppl 6, 8-13; discussion 13-4	3.3	118
32	Activities-specific and Balance Confidence (ABC) Scale. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 197		13
31	Falls incidence and factors associated with falling in older, community-dwelling, chronic stroke survivors (> 1 year after stroke) and matched controls. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 74-81	4.8	59
30	Interventions for preventing falls in older people in residential care facilities and hospitals 2005 ,		13
29	Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. <i>Journal of Clinical Nursing</i> 13, 479-485. <i>Journal of Clinical Nursing</i> , 2005 , 14, 126-8; discussion 129	3.2	
28	Tai Chi in Australia: acceptable and effective approach to improve balance and mobility in older people?. <i>Australasian Journal on Ageing</i> , 2005 , 24, 9-13	1.5	11
27	Stand up and be counted: measuring time spent upright after hip fracture and comparison with community dwelling older people. <i>Physiotherapy</i> , 2005 , 91, 215-222	3	16
26	Difficulties encountered in hospital falls prevention research. <i>Age and Ageing</i> , 2005 , 34, 311; author reply 311-2	3	2
25	Falls and injury prevention should be part of every stroke rehabilitation plan. <i>Clinical Rehabilitation</i> , 2005 , 19, 441-51	3.3	137
24	A pilot study of falls risk and vestibular dysfunction in older fallers presenting to hospital emergency departments. <i>Disability and Rehabilitation</i> , 2005 , 27, 499-506	2.4	42
23	We only treat what it occurs to us to assess: the importance of knowledge-based assessment 2005 , 15-48		6
22	Physical activity and falls prevention 2004 , 247-266		

21	Effectiveness of targeted falls prevention programme in subacute hospital setting: randomised controlled trial. <i>BMJ, The</i> , 2004 , 328, 676	5.9	198
20	Assessment and management of falls in older people. <i>Internal Medicine Journal</i> , 2004 , 34, 557-64	1.6	38
19	A pilot study of falls, fear of falling, activity levels and fall prevention actions in older people with polio. <i>Aging Clinical and Experimental Research</i> , 2004 , 16, 126-31	4.8	20
18	Predisposing factors for occasional and multiple falls in older Australians who live at home. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 153-9		73
17	Falls prevention within the Australian general practice data model: methodology, information model, and terminology issues. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2003 , 10, 425-32	8.6	7
16	Retest reliability of dynamic balance during standing in older people after surgical treatment of hip fracture. <i>Physiotherapy Research International</i> , 2003 , 8, 93-100	1.8	14
15	Changing practice in residential aged care using participatory methods. <i>Education for Health: Change in Learning and Practice</i> , 2003 , 16, 22-31	0.4	22
14	Reliability and validity of a dual-task force platform assessment of balance performance: effect of age, balance impairment, and cognitive task. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 157-62	5.6	84
13	Falls: a comparison of trends in community, hospital and mortality data in older Australians. <i>Aging Clinical and Experimental Research</i> , 2002 , 14, 18-27	4.8	19
12	Relationship between change in balance and self-reported handicap after vestibular rehabilitation therapy. <i>Physiotherapy Research International</i> , 2001 , 6, 251-63	1.8	32
11	Falls Clinics in Australia: a survey of current practice, and recommendations for future development. <i>Australian Health Review</i> , 2001 , 24, 163-74	1.8	26
10	Falls among healthy, community-dwelling, older women: a prospective study of frequency, circumstances, consequences and prediction accuracy. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 41-8	2.3	207
9	A Falls Intervention Database: Describing and Evaluating Falls Prevention Programs Nationally. <i>Australasian Journal on Ageing</i> , 1999 , 18, 167-173	1.5	2
8	Changes in balance and locomotion measures during rehabilitation following stroke. <i>Physiotherapy Research International</i> , 1998 , 3, 109-22	1.8	36
7	Balance and mobility outcomes for stroke patients: a comprehensive audit. <i>Australian Journal of Physiotherapy</i> , 1997 , 43, 173-180		163
6	Systematic and random error in repeated measurements of temporal and distance parameters of gait after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997 , 78, 725-9	2.8	77
5	Fear of falling revisited. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996 , 77, 1025-9	2.8	338
4	A New Test of Dynamic Standing Balance for Stroke Patients: Reliability, Validity and Comparison with Healthy Elderly. <i>Physiotherapy Canada Physiotherapie Canada</i> , 1996 , 48, 257-262	0.8	302

3	Retest Reliability of the Temporal and Distance Characteristics of Hemiplegic Gait Using a Footswitch System. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994 , 75, 577-583	2.8	80
2	Functional prediction post-stroke. <i>Australian Journal of Physiotherapy</i> , 1993 , 39, 281-9		10
1	Balance Disorders and Falls in Epilepsy216-223		