

Keith D Hill

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3444494/publications.pdf>

Version: 2024-02-01

352
papers

12,471
citations

26567

56
h-index

43802

91
g-index

358
all docs

358
docs citations

358
times ranked

11311
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Interventions for preventing falls in older people in care facilities and hospitals. The Cochrane Library, 2012, 12, CD005465. | 1.5 | 422 |
| 2 | Fear of falling revisited. Archives of Physical Medicine and Rehabilitation, 1996, 77, 1025-1029. | 0.5 | 408 |
| 3 | A New Test of Dynamic Standing Balance for Stroke Patients: Reliability, Validity and Comparison with Healthy Elderly. Physiotherapy Canada Physiotherapie Canada, 1996, 48, 257-262. | 0.3 | 346 |
| 4 | Interventions for preventing falls in older people in nursing care facilities and hospitals. , 2010, , CD005465. | | 290 |
| 5 | Falls among healthy, community-dwelling, older women: a prospective study of frequency, circumstances, consequences and prediction accuracy. Australian and New Zealand Journal of Public Health, 1999, 23, 41-48. | 0.8 | 249 |
| 6 | Falls after Stroke. International Journal of Stroke, 2012, 7, 482-490. | 2.9 | 244 |
| 7 | Interventions for preventing falls in older people in care facilities and hospitals. The Cochrane Library, 2020, 2020, CD005465. | 1.5 | 243 |
| 8 | Effectiveness of targeted falls prevention programme in subacute hospital setting: randomised controlled trial. BMJ: British Medical Journal, 2004, 328, 676. | 2.4 | 239 |
| 9 | Balance Score and a History of Falls in Hospital Predict Recurrent Falls in the 6 Months Following Stroke Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1583-1589. | 0.5 | 205 |
| 10 | Balance and mobility outcomes for stroke patients: a comprehensive audit. Australian Journal of Physiotherapy, 1997, 43, 173-180. | 0.9 | 194 |
| 11 | Falls and injury prevention should be part of every stroke rehabilitation plan. Clinical Rehabilitation, 2005, 19, 441-451. | 1.0 | 166 |
| 12 | Foot and Ankle Strength, Range of Motion, Posture, and Deformity Are Associated With Balance and Functional Ability in Older Adults. Archives of Physical Medicine and Rehabilitation, 2011, 92, 68-75. | 0.5 | 164 |
| 13 | Patient Education to Prevent Falls Among Older Hospital Inpatients. Archives of Internal Medicine, 2011, 171, 516-24. | 4.3 | 162 |
| 14 | The reliability and predictive accuracy of the falls risk for older people in the community assessment (FROP-Com) tool. Age and Ageing, 2008, 37, 634-639. | 0.7 | 145 |
| 15 | What Works in Falls Prevention After Stroke?. Stroke, 2010, 41, 1715-1722. | 1.0 | 137 |
| 16 | Effectiveness of exercise programs to reduce falls in older people with dementia living in the community: a systematic review and meta-analysis. Clinical Interventions in Aging, 2015, 10, 421. | 1.3 | 135 |
| 17 | Design-Related Bias in Hospital Fall Risk Screening Tool Predictive Accuracy Evaluations: Systematic Review and Meta-Analysis. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 664-672. | 1.7 | 132 |
| 18 | Basic aspects of inhibitors to factors VIII and IX and the influence of non-genetic risk factors. Haemophilia, 2006, 12, 8-14. | 1.0 | 129 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Feasibility, safety and preliminary evidence of the effectiveness of a home-based exercise programme for older people with Alzheimer's disease: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2013, 27, 427-438. | 1.0 | 127 |
| 20 | Effects of a Targeted Multimodal Exercise Program Incorporating High-Speed Power Training on Falls and Fracture Risk Factors in Older Adults: A Community-Based Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 182-191. | 3.1 | 127 |
| 21 | The extra resource burden of in-hospital falls: a cost of falls study. <i>Medical Journal of Australia</i> , 2015, 203, 367-367. | 0.8 | 127 |
| 22 | Measuring Falls Events in Acute Hospitals—A Comparison of Three Reporting Methods to Identify Missing Data in the Hospital Reporting System. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1347-1352. | 1.3 | 118 |
| 23 | Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d3411-d3411. | 2.4 | 117 |
| 24 | Development of the Falls Risk for Older People in the Community (FROP-Com) screening tool. <i>Age and Ageing</i> , 2008, 38, 40-46. | 0.7 | 108 |
| 25 | Reliability and Validity of a Dual-Task Force Platform Assessment of Balance Performance: Effect of Age, Balance Impairment, and Cognitive Task. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 157-162. | 1.3 | 99 |
| 26 | Psychotropic Drug-Induced Falls in Older People. <i>Drugs and Aging</i> , 2012, 29, 15-30. | 1.3 | 99 |
| 27 | A Randomized Controlled Study Investigating Static and Dynamic Balance in Older Adults After Training With Pilates. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 43-49. | 0.5 | 98 |
| 28 | 6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ, The</i> , 2016, 352, h6781. | 3.0 | 94 |
| 29 | Motivators and Barriers for Older People Participating in Resistance Training: A Systematic Review. <i>Journal of Aging and Physical Activity</i> , 2017, 25, 311-324. | 0.5 | 94 |
| 30 | A Randomized Trial Comparing Digital Video Disc with Written Delivery of Falls Prevention Education for Older Patients in Hospital. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1458-1463. | 1.3 | 93 |
| 31 | Retest Reliability of the Temporal and Distance Characteristics of Hemiplegic Gait Using a Footswitch System. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994, 75, 577-583. | 0.5 | 93 |
| 32 | Impact of the Severity of Distance and Near-Vision Impairment on Depression and Vision-Specific Quality of Life in Older People Living in Residential Care. , 2009, 50, 4103. | | 92 |
| 33 | Balance and Mobility Dysfunction and Falls Risk in Older People with Mild to Moderate Alzheimer Disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2012, 91, 12-23. | 0.7 | 91 |
| 34 | Individualized home-based exercise programs for older people to reduce falls and improve physical performance: A systematic review and meta-analysis. <i>Maturitas</i> , 2015, 82, 72-84. | 1.0 | 91 |
| 35 | Falls and fractures in patients chronically treated with antiepileptic drugs. <i>Neurology</i> , 2012, 79, 145-151. | 1.5 | 90 |
| 36 | Falls in the acute hospital setting — impact on resource utilisation. <i>Australian Health Review</i> , 2007, 31, 471. | 0.5 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Systematic and random error in repeated measurements of temporal and distance parameters of gait after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 725-729. | 0.5 | 85 |
| 38 | Factors Associated With Older Patients' Engagement in Exercise After Hospital Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1395-1403. | 0.5 | 83 |
| 39 | Selection for Inpatient Rehabilitation After Acute Stroke: A Systematic Review of the Literature. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 2057-2070. | 0.5 | 83 |
| 40 | Falls After Discharge From Hospital: Is There a Gap Between Older Peoples' Knowledge About Falls Prevention Strategies and the Research Evidence?. <i>Gerontologist</i> , The, 2011, 51, 653-662. | 2.3 | 83 |
| 41 | Predisposing factors for occasional and multiple falls in older Australians who live at home. <i>Australian Journal of Physiotherapy</i> , 2004, 50, 153-159. | 0.9 | 81 |
| 42 | Falls Risk and Functional Decline in Older Fallers Discharged Directly From Emergency Departments. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 1090-1095. | 1.7 | 79 |
| 43 | Stride dynamics, gait variability and prospective falls risk in active community dwelling older women. <i>Gait and Posture</i> , 2011, 33, 251-255. | 0.6 | 78 |
| 44 | Music and metronome cues produce different effects on gait spatiotemporal measures but not gait variability in healthy older adults. <i>Gait and Posture</i> , 2013, 37, 219-222. | 0.6 | 78 |
| 45 | Falls incidence and factors associated with falling in older, community-dwelling, chronic stroke survivors (>1 year after stroke) and matched controls. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 74-81. | 1.4 | 77 |
| 46 | Effects of Resistance- and Flexibility-Exercise Interventions on Balance and Related Measures in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2009, 17, 444-454. | 0.5 | 76 |
| 47 | Feasibility and Outcomes of a Home-Based Exercise Program on Improving Balance and Gait Stability in Women With Lower-Limb Osteoarthritis or Rheumatoid Arthritis: A Pilot Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 106-114. | 0.5 | 76 |
| 48 | The association between physical activity and social isolation in community-dwelling older adults. <i>Aging and Mental Health</i> , 2018, 22, 175-182. | 1.5 | 73 |
| 49 | Effectiveness of Falls Clinics: An Evaluation of Outcomes and Client Adherence to Recommended Interventions. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 600-608. | 1.3 | 71 |
| 50 | Effectiveness of a Targeted Exercise Intervention in Reversing Older People's Mild Balance Dysfunction: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2012, 92, 24-37. | 1.1 | 71 |
| 51 | Effects of a Multifactorial Falls Prevention Program for People With Stroke Returning Home After Rehabilitation: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1648-1655. | 0.5 | 70 |
| 52 | Risk Factors for Falls in People With a Lower Limb Amputation: A Systematic Review. <i>PM and R</i> , 2017, 9, 170. | 0.9 | 67 |
| 53 | Physical activity recommendations for older Australians. <i>Australasian Journal on Ageing</i> , 2010, 29, 81-87. | 0.4 | 64 |
| 54 | Four-item fall risk screening tool for subacute and residential aged care: The first step in fall prevention. <i>Australasian Journal on Ageing</i> , 2009, 28, 139-143. | 0.4 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Are rehabilitation and/or care co-ordination interventions delivered in the community effective in reducing depression, facilitating participation and improving quality of life after stroke?. <i>Disability and Rehabilitation</i> , 2011, 33, 1501-1520. | 0.9 | 63 |
| 56 | The long-term benefits of a multi-component exercise intervention to balance and mobility in healthy older adults. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, 211-216. | 1.4 | 63 |
| 57 | Retest reliability of balance and mobility measurements in people with mild to moderate Alzheimer's disease. <i>International Psychogeriatrics</i> , 2011, 23, 1152-1159. | 0.6 | 61 |
| 58 | Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. <i>Journal of Sports Sciences</i> , 2018, 36, 666-678. | 1.0 | 60 |
| 59 | Evaluation of the Sustained Effect of Inpatient Falls Prevention Education and Predictors of Falls After Hospital Discharge—Follow-up to a Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 1001-1012. | 1.7 | 58 |
| 60 | Relationship between age and measures of balance, strength and gait: linear and non-linear analyses. <i>Clinical Science</i> , 2008, 114, 719-727. | 1.8 | 57 |
| 61 | Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. <i>BMC Medicine</i> , 2013, 11, 135. | 2.3 | 56 |
| 62 | Rhythmic auditory cueing to improve walking in patients with neurological conditions other than Parkinson's disease – what is the evidence?. <i>Disability and Rehabilitation</i> , 2013, 35, 164-176. | 0.9 | 55 |
| 63 | Effects of a 12-Month Supervised, Community-Based, Multimodal Exercise Program Followed by a 6-Month Research-to-Practice Transition on Bone Mineral Density, Trabecular Microarchitecture, and Physical Function in Older Adults: A Randomized Controlled Trial. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 419-429. | 3.1 | 55 |
| 64 | “Better for others than for me”: A belief that should shape our efforts to promote participation in falls prevention strategies. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 136-144. | 1.4 | 54 |
| 65 | Exploring the feasibility of a community-based strength training program for older people with depressive symptoms and its impact on depressive symptoms. <i>BMC Geriatrics</i> , 2006, 6, 18. | 1.1 | 53 |
| 66 | Balance dysfunction in adults with haemophilia. <i>Haemophilia</i> , 2010, 16, 606-614. | 1.0 | 53 |
| 67 | A pilot study of falls risk and vestibular dysfunction in older fallers presenting to hospital Emergency Departments. <i>Disability and Rehabilitation</i> , 2005, 27, 499-506. | 0.9 | 51 |
| 68 | Physical and Psychological Outcomes of a Supported Physical Activity Program for Older Carers. <i>Journal of Aging and Physical Activity</i> , 2007, 15, 257-271. | 0.5 | 51 |
| 69 | Sequence Learning with Passive RFID Sensors for Real-Time Bed-Egress Recognition in Older People. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 917-929. | 3.9 | 51 |
| 70 | Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. <i>BMC Geriatrics</i> , 2018, 18, 103. | 1.1 | 51 |
| 71 | Patient education to prevent falls in subacute care. <i>Clinical Rehabilitation</i> , 2006, 20, 970-979. | 1.0 | 50 |
| 72 | Factors influencing commencement and adherence to a home-based balance exercise program for reducing risk of falls: perceptions of people with Alzheimer's disease and their caregivers. <i>International Psychogeriatrics</i> , 2012, 24, 1172-1182. | 0.6 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | What works in falls prevention in Asia: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Geriatrics</i> , 2018, 18, 3. | 1.1 | 50 |
| 74 | A Randomized Controlled Trial of a Multifactorial Falls Prevention Intervention for Older Fallers Presenting to Emergency Departments. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 2265-2274. | 1.3 | 49 |
| 75 | Low cost and batteryless sensor-enabled radio frequency identification tag based approaches to identify patient bed entry and exit posture transitions. <i>Gait and Posture</i> , 2014, 39, 118-123. | 0.6 | 49 |
| 76 | Adding value to the STRATIFY falls risk assessment in acute hospitals. <i>Journal of Advanced Nursing</i> , 2011, 67, 450-457. | 1.5 | 48 |
| 77 | Assessment and management of falls in older people. <i>Internal Medicine Journal</i> , 2004, 34, 557-564. | 0.5 | 47 |
| 78 | Changes in balance and locomotion measures during rehabilitation following stroke. <i>Physiotherapy Research International</i> , 1998, 3, 109-122. | 0.7 | 46 |
| 79 | Physical activity in caregivers: What are the psychological benefits?. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 204-210. | 1.4 | 46 |
| 80 | A Longitudinal Study of Change in Falls Risk and Balance and Mobility in Healthy Older People and People with Alzheimer Disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 676-685. | 0.7 | 44 |
| 81 | Responsiveness of 2 Scales to Evaluate Lateropulsion or Pusher Syndrome Recovery After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 149-155. | 0.5 | 43 |
| 82 | Gait variability in younger and older adult women is altered by overground walking protocol. <i>Age and Ageing</i> , 2009, 38, 745-748. | 0.7 | 42 |
| 83 | Balance impairment in chronic antiepileptic drug users: A twin and sibling study. <i>Epilepsia</i> , 2010, 51, 280-288. | 2.6 | 42 |
| 84 | Measurement properties of the Health Literacy Questionnaire (HLQ) among older adults who present to the emergency department after a fall: a Rasch analysis. <i>BMC Health Services Research</i> , 2017, 17, 605. | 0.9 | 42 |
| 85 | Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002807. | 3.9 | 42 |
| 86 | Relationship between change in balance and self-reported handicap after vestibular rehabilitation therapy. <i>Physiotherapy Research International</i> , 2001, 6, 251-263. | 0.7 | 40 |
| 87 | A new instrument for targeting falls prevention interventions was accurate and clinically applicable in a hospital setting. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 168-175. | 2.4 | 40 |
| 88 | Additional exercise for older subacute hospital inpatients to prevent falls: benefits and barriers to implementation and evaluation. <i>Clinical Rehabilitation</i> , 2007, 21, 742-753. | 1.0 | 39 |
| 89 | Effect of Modified Otago Exercises on Postural Balance, Fear of Falling, and Fall Risk in Older Fallers With Knee Osteoarthritis and Impaired Gait and Balance: A Secondary Analysis. <i>PM and R</i> , 2018, 10, 254-262. | 0.9 | 38 |
| 90 | Effectiveness of a balance training home exercise programme for adults with haemophilia: a pilot study. <i>Haemophilia</i> , 2010, 16, 162-169. | 1.0 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Outcomes for family carers of a nurse-delivered hospital discharge intervention for older people (the Further Enabling Care at Home Program): Single blind randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2016, 64, 32-41. | 2.5 | 37 |
| 92 | Selection for inpatient rehabilitation after severe stroke: What factors influence rehabilitation assessor decision-making?. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 24-31. | 0.8 | 36 |
| 93 | A Novel Exercise Initiative for Seniors to Improve Balance and Physical Function. <i>Journal of Aging and Health</i> , 2017, 29, 1424-1443. | 0.9 | 36 |
| 94 | Osteo-cise: Strong Bones for Life: Protocol for a community-based randomised controlled trial of a multi-modal exercise and osteoporosis education program for older adults at risk of falls and fractures. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 78. | 0.8 | 35 |
| 95 | Older people and nature: the benefits of outdoors, parks and nature in light of COVID-19 and beyondâ€“ where to from here?. <i>International Journal of Environmental Health Research</i> , 2022, 32, 1329-1336. | 1.3 | 35 |
| 96 | Can balance exercise programmes improve balance and related physical performance measures in people with dementia? A systematic review. <i>European Review of Aging and Physical Activity</i> , 2010, 7, 13-25. | 1.3 | 34 |
| 97 | Rowland Universal Dementia Assessment Scale, Mini-Mental State Examination and General Practitioner Assessment of Cognition in a multicultural cohort of community-dwelling older persons with early dementia. <i>Australian Psychologist</i> , 2009, 44, 40-53. | 0.9 | 33 |
| 98 | Exercise interventions for the improvement of falls-related outcomes among older adults with diabetes mellitus: A systematic review and meta-analyses. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 631-645. | 1.2 | 33 |
| 99 | Why do seniors leave resistance training programs?. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 585-592. | 1.3 | 33 |
| 100 | The Reliability of Spatiotemporal Gait Data for Young and Older Women During Continuous Overground Walking. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 2360-2365. | 0.5 | 32 |
| 101 | Impact of Tai-Chi on Falls Among Preclinically Disabled Older People. A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 420-426. | 1.2 | 32 |
| 102 | Identifying motivators and barriers to older community-dwelling people participating in resistance training: A cross-sectional study. <i>Journal of Sports Sciences</i> , 2017, 35, 1523-1532. | 1.0 | 32 |
| 103 | Safety and feasibility of high speed resistance training with and without balance exercises for knee osteoarthritis: A pilot randomised controlled trial. <i>Physical Therapy in Sport</i> , 2018, 34, 154-163. | 0.8 | 31 |
| 104 | Falls prevention in community care: 10 years on. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 261-269. | 1.3 | 31 |
| 105 | Falls Clinics in Australia: a survey of current practice, and recommendations for future development. <i>Australian Health Review</i> , 2001, 24, 163. | 0.5 | 30 |
| 106 | Effectiveness of balance training exercise in people with mild to moderate severity Alzheimer's disease: protocol for a randomised trial. <i>BMC Geriatrics</i> , 2009, 9, 29. | 1.1 | 30 |
| 107 | An individually-tailored multifactorial intervention program for older fallers in a middle-income developing country: Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>BMC Geriatrics</i> , 2014, 14, 78. | 1.1 | 30 |
| 108 | Factors Predicting Falls and Mobility Outcomes in Patients With Stroke Returning Home After Rehabilitation Who Are at Risk of Falling. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 2433-2441. | 0.5 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A battery-less and wireless wearable sensor system for identifying bed and chair exits in a pilot trial in hospitalized older people. <i>PLoS ONE</i> , 2017, 12, e0185670. | 1.1 | 30 |
| 110 | Exercise intervention outdoor project in the community for older people – results from the ENJOY Seniors Exercise Park project translation research in the community. <i>BMC Geriatrics</i> , 2020, 20, 446. | 1.1 | 30 |
| 111 | The Validity of the Rowland Universal Dementia Assessment Scale (RUDAS) in a Multicultural Cohort of Community-dwelling Older Persons With Early Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2009, 23, 124-129. | 0.6 | 29 |
| 112 | Effect of Rhythmic Auditory Cueing on Gait in People With Alzheimer Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 718-724. | 0.5 | 29 |
| 113 | A protocol for evidence-based targeting and evaluation of statewide strategies for preventing falls among community-dwelling older people in Victoria, Australia. <i>Injury Prevention</i> , 2011, 17, e3-e3. | 1.2 | 28 |
| 114 | Outcomes from the Implementation of a Facility-Specific Evidence-Based Falls Prevention Intervention Program in Residential Aged Care. <i>Geriatric Nursing</i> , 2012, 33, 41-50. | 0.9 | 28 |
| 115 | Serum [25(OH)D] status, ankle strength and activity show seasonal variation in older adults: relevance for winter falls in higher latitudes. <i>Age and Ageing</i> , 2013, 42, 181-185. | 0.7 | 28 |
| 116 | Supplementary motor area – primary motor cortex facilitation in younger but not older adults. <i>Neurobiology of Aging</i> , 2018, 64, 85-91. | 1.5 | 28 |
| 117 | Hemodynamic Responses to Low-Load Blood Flow Restriction and Unrestricted High-Load Resistance Exercise in Older Women. <i>Frontiers in Physiology</i> , 2018, 9, 1324. | 1.3 | 28 |
| 118 | Barriers and enablers to the implementation of the 6-PACK falls prevention program: A pre-implementation study in hospitals participating in a cluster randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0171932. | 1.1 | 27 |
| 119 | Postural Stability in Older Adults With Alzheimer Disease. <i>Physical Therapy</i> , 2017, 97, 290-309. | 1.1 | 27 |
| 120 | Older peoples' experience of accessing emergency care. <i>Australasian Emergency Nursing Journal</i> , 2010, 13, 61-69. | 1.9 | 26 |
| 121 | Validation of the de Morton Mobility Index (DEMMI) with older community care recipients. <i>Australasian Journal on Ageing</i> , 2011, 30, 220-225. | 0.4 | 26 |
| 122 | The impact of care recipient falls on caregivers. <i>Australian Health Review</i> , 2013, 37, 152. | 0.5 | 26 |
| 123 | Pre-operative predictors of post-operative falls in people undergoing total hip and knee replacement surgery: a prospective study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 1025-1033. | 1.3 | 26 |
| 124 | Dysmobility syndrome: current perspectives. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 145-152. | 1.3 | 26 |
| 125 | Outdoor physical activity for older people – the senior exercise park: Current research, challenges and future directions. <i>Health Promotion Journal of Australia</i> , 2018, 29, 353-359. | 0.6 | 26 |
| 126 | Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. <i>Injury Prevention</i> , 2019, 25, 557-564. | 1.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Falls: A comparison of trends in community, hospital and mortality data in older Australians. <i>Aging Clinical and Experimental Research</i> , 2002, 14, 18-27. | 1.4 | 24 |
| 128 | A pilot study of falls, fear of falling, activity levels and fall prevention actions in older people with polio. <i>Aging Clinical and Experimental Research</i> , 2004, 16, 126-131. | 1.4 | 24 |
| 129 | A snapshot of the prevalence of physical activity amongst older, community dwelling people in Victoria, Australia: patterns across the 'young-old' and 'old-old'. <i>BMC Geriatrics</i> , 2007, 7, 4. | 1.1 | 24 |
| 130 | Getting Grounded Gracefully: Effectiveness and Acceptability of Feldenkrais in Improving Balance. <i>Journal of Aging and Physical Activity</i> , 2009, 17, 57-76. | 0.5 | 24 |
| 131 | Fear of falling in older fallers presenting at emergency departments. <i>Journal of Advanced Nursing</i> , 2010, 66, 1769-1779. | 1.5 | 24 |
| 132 | Balance and falls risk in women with lower limb osteoarthritis or rheumatoid arthritis. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2013, 4, 22-28. | 0.7 | 24 |
| 133 | Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. <i>BMC Geriatrics</i> , 2014, 14, 89. | 1.1 | 24 |
| 134 | High-speed resistance training and balance training for people with knee osteoarthritis to reduce falls risk: study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2017, 18, 384. | 0.7 | 24 |
| 135 | Changing Practice in Residential Aged Care Using Participatory Methods. <i>Education for Health: Change in Learning and Practice</i> , 2003, 16, 22-31. | 0.1 | 24 |
| 136 | Genetic and Environmental Influences on Variation in Balance Performance among Female Twin Pairs Aged 21-82 Years. <i>American Journal of Epidemiology</i> , 2006, 164, 246-256. | 1.6 | 23 |
| 137 | From rehabilitation to recovery: protocol for a randomised controlled trial evaluating a goal-based intervention to reduce depression and facilitate participation post-stroke. <i>BMC Neurology</i> , 2011, 11, 73. | 0.8 | 23 |
| 138 | Impact of Tai Chi on Impairment, Functional Limitation, and Disability Among Preclinically Disabled Older People: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1400-1407. | 0.5 | 23 |
| 139 | Measuring toe clearance using a wireless inertial sensing device. , 2008, , . | | 22 |
| 140 | Evaluation of the effect of patient education on rates of falls in older hospital patients: Description of a randomised controlled trial. <i>BMC Geriatrics</i> , 2009, 9, 14. | 1.1 | 22 |
| 141 | Cost per fall: a potentially misleading indicator of burden of disease in health and residential care settings. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 153-161. | 0.9 | 22 |
| 142 | Reproducibility of gait variability measures in people with Alzheimer's disease. <i>Gait and Posture</i> , 2013, 38, 507-510. | 0.6 | 22 |
| 143 | What factors influence community-dwelling older people's intent to undertake multifactorial fall prevention programs?. <i>Clinical Interventions in Aging</i> , 2014, 9, 2045. | 1.3 | 22 |
| 144 | Caregivers' experiences of a home support program after the hospital discharge of an older family member: a qualitative analysis. <i>BMC Health Services Research</i> , 2019, 19, 220. | 0.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Retest reliability of dynamic balance during standing in older people after surgical treatment of hip fracture. <i>Physiotherapy Research International</i> , 2003, 8, 93-100. | 0.7 | 21 |
| 146 | The 6-PACK programme to decrease fall-related injuries in acute hospitals: protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2011, 17, e5-e5. | 1.2 | 21 |
| 147 | The effects of a concurrent motor task on walking in Alzheimer's disease. <i>Gait and Posture</i> , 2014, 39, 291-296. | 0.6 | 21 |
| 148 | Build Better Bones With Exercise: Protocol for a Feasibility Study of a Multicenter Randomized Controlled Trial of 12 Months of Home Exercise in Women With a Vertebral Fracture. <i>Physical Therapy</i> , 2014, 94, 1337-1352. | 1.1 | 21 |
| 149 | “We are all one together”: peer educators’ views about falls prevention education for community-dwelling older adults - a qualitative study. <i>BMC Geriatrics</i> , 2015, 15, 28. | 1.1 | 21 |
| 150 | Effectiveness of dual-task functional power training for preventing falls in older people: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2015, 16, 120. | 0.7 | 21 |
| 151 | First Year After Stroke. <i>Stroke</i> , 2016, 47, 2820-2827. | 1.0 | 21 |
| 152 | Can peer education improve beliefs, knowledge, motivation and intention to engage in falls prevention amongst community-dwelling older adults?. <i>European Journal of Ageing</i> , 2017, 14, 243-255. | 1.2 | 21 |
| 153 | Individually-tailored multifactorial intervention to reduce falls in the Malaysian Falls Assessment and Intervention Trial (MyFAIT): A randomized controlled trial. <i>PLoS ONE</i> , 2018, 13, e0199219. | 1.1 | 21 |
| 154 | Towards falls prevention: A wearable wireless and battery-less sensing and automatic identification tag for real time monitoring of human movements. , 2012, 2012, 6402-5. | | 20 |
| 155 | Feasibility, Acceptability, and Effectiveness of an Electronic Sensor Bed/Chair Alarm in Reducing Falls in Patients With Cognitive Impairment in a Subacute Ward. <i>Journal of Nursing Care Quality</i> , 2014, 29, 253-262. | 0.5 | 20 |
| 156 | Translating Falls Prevention Knowledge to Community-Dwelling Older PLWD: A Mixed-Method Systematic Review. <i>Gerontologist</i> , The, 2015, 55, 560-574. | 2.3 | 20 |
| 157 | Exercise interveNtion outdoor project in the cOmmunitY for older people “ the ENJOY Senior Exercise Park project translation research protocol. <i>BMC Public Health</i> , 2019, 19, 933. | 1.2 | 20 |
| 158 | Physical activity for older Australians with mild cognitive impairment or subjective cognitive decline “ A narrative review to support guideline development. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 913-920. | 0.6 | 20 |
| 159 | Tailored Exercise and Home Hazard Reduction Program for Fall Prevention in Older People With Cognitive Impairment: The i-FOCIS Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 655-665. | 1.7 | 20 |
| 160 | Don't lose sight of the importance of the individual in effective falls prevention interventions. <i>BMC Geriatrics</i> , 2009, 9, 13. | 1.1 | 19 |
| 161 | Local adaptation and evaluation of a falls risk prevention approach in acute hospitals. <i>International Journal for Quality in Health Care</i> , 2011, 23, 134-141. | 0.9 | 19 |
| 162 | Implementing person-environment approaches to prevent falls: A qualitative inquiry in applying the Westmead approach to occupational therapy home visits. <i>Australian Occupational Therapy Journal</i> , 2014, 61, 325-334. | 0.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Bone Mineral Changes in Epilepsy Patients During Initial Years of Antiepileptic Drug Therapy. <i>Journal of Clinical Densitometry</i> , 2016, 19, 450-456. | 0.5 | 19 |
| 164 | <p>Physical activity programs for older people in the community receiving home care services: systematic review and meta-analysis</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1045-1064. | 1.3 | 19 |
| 165 | Prevalence and variability in use of physical and chemical restraints in residential aged care facilities: A systematic review and meta-analysis. <i>International Journal of Nursing Studies</i> , 2021, 117, 103856. | 2.5 | 19 |
| 166 | Stand up and be counted: measuring time spent upright after hip fracture and comparison with community dwelling older people. <i>Physiotherapy</i> , 2005, 91, 215-222. | 0.2 | 18 |
| 167 | The Influence of Otolith Dysfunction on the Clinical Presentation of People With a Peripheral Vestibular Disorder. <i>Physical Therapy</i> , 2007, 87, 143-152. | 1.1 | 18 |
| 168 | Rural carers online: A feasibility study. <i>Australian Journal of Rural Health</i> , 2008, 16, 221-225. | 0.7 | 18 |
| 169 | Accessing inpatient rehabilitation after acute severe stroke. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 323-329. | 0.7 | 18 |
| 170 | Factors associated with depression in older carers. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 294-301. | 1.3 | 18 |
| 171 | How older adults would like falls prevention information delivered: fresh insights from a World Caf  forum. <i>Ageing and Society</i> , 2017, 37, 1179-1196. | 1.2 | 18 |
| 172 | The Effects of Home Exercise in Older Women With Vertebral Fractures: A Pilot Randomized Controlled Trial. <i>Physical Therapy</i> , 2020, 100, 662-676. | 1.1 | 18 |
| 173 | Older Adults ™ Perceptions of a Novel Outdoor Exercise Initiative: A Qualitative Analysis. <i>The Journal of Aging and Social Change</i> , 2018, 8, 61-78. | 0.1 | 18 |
| 174 | Access to Assistive Technology during the COVID-19 Global Pandemic: Voices of Users and Families. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11273. | 1.2 | 18 |
| 175 | The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. <i>Trials</i> , 2010, 11, 120. | 0.7 | 17 |
| 176 | Fall Prevention in Australia: Policies and Activities. <i>Clinics in Geriatric Medicine</i> , 2010, 26, 733-749. | 1.0 | 17 |
| 177 | Predictors of adherence to a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMC Geriatrics</i> , 2011, 11, 51. | 1.1 | 17 |
| 178 | What factors influence older adults to discuss falls with their health care providers?. <i>Health Expectations</i> , 2015, 18, 1593-1609. | 1.1 | 17 |
| 179 | Trial feasibility and process evaluation of a motivationally-embellished group peer led walking intervention in retirement villages using the RE-AIM framework: the residents in action trial (RiAT). <i>Health Psychology and Behavioral Medicine</i> , 2019, 7, 202-233. | 0.8 | 17 |
| 180 | Definition and Measurement of Physical and Chemical Restraint in Long-Term Care: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3639. | 1.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Assistive Technology Provider Experiences during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10477. | 1.2 | 17 |
| 182 | Balance dysfunction and falls in people with lower limb arthritis: factors contributing to risk and effectiveness of exercise interventions. <i>European Review of Aging and Physical Activity</i> , 2012, 9, 17-25. | 1.3 | 16 |
| 183 | Feasibility and acceptability of a volunteer-mediated diversional therapy program for older patients with cognitive impairment. <i>Geriatric Nursing</i> , 2014, 35, 300-305. | 0.9 | 16 |
| 184 | What Are the Characteristics of Home Exercise Programs That Older Adults Prefer?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, 508-521. | 0.7 | 16 |
| 185 | A novel dynamic exercise initiative for older people to improve health and well-being: study protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 68. | 1.1 | 16 |
| 186 | The impact of nurse and care staff education on the functional ability and quality of life of people living with dementia in aged care: A systematic review. <i>Nurse Education Today</i> , 2018, 67, 27-45. | 1.4 | 16 |
| 187 | Assessment of functional health literacy in Brazilian carers of older people. <i>Dementia E Neuropsychologia</i> , 2019, 13, 180-186. | 0.3 | 16 |
| 188 | Effectiveness of an Ambient Intelligent Geriatric Management system (AmbiGeM) to prevent falls in older people in hospitals: protocol for the AmbiGeM stepped wedge pragmatic trial. <i>Injury Prevention</i> , 2019, 25, 157-165. | 1.2 | 16 |
| 189 | A protocol for an individualised, facilitated and sustainable approach to implementing current evidence in preventing falls in residential aged care facilities. <i>BMC Geriatrics</i> , 2010, 10, 8. | 1.1 | 15 |
| 190 | Reducing Staff Isolation and Developing Evidence-Informed Practice in the Aged Care Environment Through an Action Research Approach to Falls Prevention. <i>Advances in Nursing Science</i> , 2012, 35, 3-13. | 0.6 | 15 |
| 191 | Comparison of two fall risk assessment tools (FRATs) targeting falls prevention in sub-acute care. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 653-659. | 1.4 | 15 |
| 192 | Beyond the "tick and flick": facilitating best practice falls prevention through an action research approach. <i>Journal of Clinical Nursing</i> , 2012, 21, 1896-1905. | 1.4 | 15 |
| 193 | The Association between Seasonal Variation in Vitamin D, Postural Sway, and Falls Risk: An Observational Cohort Study. <i>Journal of Aging Research</i> , 2013, 2013, 1-6. | 0.4 | 15 |
| 194 | Development and initial testing of the Person-Centred Health Care for Older Adults Survey. <i>International Psychogeriatrics</i> , 2013, 25, 1065-1076. | 0.6 | 15 |
| 195 | INVESTIGATING COMMUNITY PERSPECTIVES ON FALLS PREVENTION INFORMATION SEEKING AND DELIVERY: OLDER PERSON PERCEPTIONS REGARDING PREFERENCES FOR FALLS PREVENTION EDUCATION USING A WORLD CAFE APPROACH. <i>Journal of Community Psychology</i> , 2016, 44, 937-944. | 1.0 | 15 |
| 196 | Falls in people prior to undergoing total hip or total knee replacement surgery: Frequency and associated factors. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 146-152. | 0.7 | 15 |
| 197 | Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 65-69. | 1.2 | 15 |
| 198 | Vitamin D and parathyroid hormone are associated with gait instability and poor balance performance in mid-age to older aged women. <i>Gait and Posture</i> , 2018, 59, 71-75. | 0.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Hospital postdischarge intervention trialled with family caregivers of older people in Western Australia: potential translation into practice. <i>BMJ Open</i> , 2018, 8, e022747. | 0.8 | 15 |
| 200 | Poor Treatment Outcomes Following Repositioning Maneuvers in Younger and Older Adults With Benign Paroxysmal Positional Vertigo: A Systematic Review and Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 224.e1-224.e23. | 1.2 | 15 |
| 201 | The Modified Otago Exercises Prevent Grip Strength Deterioration Among Older Fallers in the Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, 123-129. | 0.6 | 15 |
| 202 | Guidance about age-friendly outdoor exercise equipment and associated strategies to maximise usability for older people. <i>Health Promotion Journal of Australia</i> , 2021, 32, 475-482. | 0.6 | 15 |
| 203 | Activities-specific and Balance Confidence (ABC) Scale. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 197. | 0.9 | 14 |
| 204 | The FLASSH study: protocol for a randomised controlled trial evaluating falls prevention after stroke and two sub-studies. <i>BMC Neurology</i> , 2009, 9, 14. | 0.8 | 14 |
| 205 | Screening for pre-clinical disability in different residential settings. <i>BMC Geriatrics</i> , 2010, 10, 52. | 1.1 | 14 |
| 206 | Strategies on fall prevention for older people living in the community: A report from a round-table meeting in IAGG 2013. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2015, 6, 39-44. | 0.7 | 14 |
| 207 | “Are Your Clients Having Fun?” The Implications of Respondents’ Preferences for the Delivery of Group Exercise Programs for Falls Prevention. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 129-138. | 0.5 | 14 |
| 208 | Additional structured physical activity does not improve walking in older people (> 60 years) undergoing inpatient rehabilitation: a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 237-244. | 0.7 | 14 |
| 209 | Effect of Learning to Use a Mobility Aid on Gait and Cognitive Demands in People with Mild to Moderate Alzheimer’s Disease: Part II “4-Wheeled Walker”. <i>Journal of Alzheimer’s Disease</i> , 2019, 71, S115-S124. | 1.2 | 14 |
| 210 | Framework for preventing falls in acute hospitals using passive sensor enabled radio frequency identification technology. , 2012, 2012, 5858-62. | | 13 |
| 211 | Mild Joint Symptoms Are Associated with Lower Risk of Falls than Asymptomatic Individuals with Radiological Evidence of Osteoarthritis. <i>PLoS ONE</i> , 2015, 10, e0141368. | 1.1 | 13 |
| 212 | Avoiding anchoring bias by moving beyond “mechanical falls” in geriatric emergency medicine. <i>EMA - Emergency Medicine Australasia</i> , 2018, 30, 843-850. | 0.5 | 13 |
| 213 | Bed Moves, Ward Environment, Staff Perspectives and Falls for Older People with High Falls Risk in an Acute Hospital: A Mixed Methods Study. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 2223-2237. | 1.3 | 13 |
| 214 | Falls Prevention within the Australian General Practice Data Model: Methodology, Information Model, and Terminology Issues. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2003, 10, 425-432. | 2.2 | 12 |
| 215 | Tai Chi in Australia: acceptable and effective approach to improve balance and mobility in older people?. <i>Australasian Journal on Ageing</i> , 2005, 24, 9-13. | 0.4 | 12 |
| 216 | The state of physical environments in Australian residential aged care facilities. <i>Australian Health Review</i> , 2011, 35, 412. | 0.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Falls in older people receiving in-home informal care across Victoria: Influence on care recipients and caregivers. <i>Australasian Journal on Ageing</i> , 2012, 31, 6-12. | 0.4 | 12 |
| 218 | The adverse mental health of carers: Does the patient diagnosis play a role?. <i>Maturitas</i> , 2015, 82, 134-138. | 1.0 | 12 |
| 219 | Comprehensive clinical sitting balance measures for individuals following stroke: a systematic review on the methodological quality. <i>Disability and Rehabilitation</i> , 2018, 40, 616-630. | 0.9 | 12 |
| 220 | Is Ankle Plantar Flexor Strength Associated With Balance and Walking Speed in Healthy People? A Systematic Review and Meta-Analysis. <i>Physical Therapy</i> , 2021, 101, . | 1.1 | 12 |
| 221 | Recurrent events counted in evaluations of predictive accuracy. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1155-1161. | 2.4 | 11 |
| 222 | Weight and fat distribution in patients taking valproate: A valproate-discordant gender-matched twin and sibling pair study. <i>Epilepsia</i> , 2014, 55, 1551-1557. | 2.6 | 11 |
| 223 | Attitudes to aging in older carers – do they have a role in their well-being?. <i>International Psychogeriatrics</i> , 2015, 27, 1893-1901. | 0.6 | 11 |
| 224 | Depressive symptoms and adverse outcomes from hospitalization in older adults: Secondary outcomes of a trial of falls prevention education. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 96-102. | 1.4 | 11 |
| 225 | Development of an implementation plan for the 6-PACK falls prevention programme as part of a randomised controlled trial: protocol for a series of preimplementation studies. <i>Injury Prevention</i> , 2016, 22, 446-452. | 1.2 | 11 |
| 226 | Effectiveness of Individualized Home-Based Exercise on Turning and Balance Performance Among Adults Older than 50 yrs. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 355-365. | 0.7 | 11 |
| 227 | A mixed methods process evaluation of a person-centred falls prevention program. <i>BMC Health Services Research</i> , 2019, 19, 906. | 0.9 | 11 |
| 228 | Encouraging older people to engage in resistance training: a multi-stakeholder perspective. <i>Ageing and Society</i> , 2019, 39, 1806-1825. | 1.2 | 11 |
| 229 | Effect of dual-tasking on walking and cognitive demands in adults with Alzheimer's dementia experienced in using a 4-wheeled walker. <i>Gait and Posture</i> , 2020, 77, 164-170. | 0.6 | 11 |
| 230 | Effect of cognitive task complexity on dual task postural stability: a systematic review and meta-analysis. <i>Experimental Brain Research</i> , 2022, 240, 703-731. | 0.7 | 11 |
| 231 | Functional prediction post-stroke. <i>Australian Journal of Physiotherapy</i> , 1993, 39, 281-289. | 0.9 | 10 |
| 232 | Living longer living stronger: A community-delivered strength training program improving function and quality of life. <i>Australasian Journal on Ageing</i> , 2014, 33, 22-25. | 0.4 | 10 |
| 233 | Home based exercise to improve turning and mobility performance among community dwelling older adults: protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2014, 14, 100. | 1.1 | 10 |
| 234 | Key Factors Influencing Implementation of Falls Prevention Exercise Programs in the Community. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 45-52. | 0.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Implementation fidelity of a nurse-led falls prevention program in acute hospitals during the 6-PACK trial. BMC Health Services Research, 2017, 17, 383. | 0.9 | 10 |
| 236 | Can community care workers deliver a falls prevention exercise program? A feasibility study. Clinical Interventions in Aging, 2018, Volume 13, 485-495. | 1.3 | 10 |
| 237 | Are interventions effective in improving the ability of older adults to rise from the floor independently? A mixed method systematic review. Disability and Rehabilitation, 2020, 42, 743-753. | 0.9 | 10 |
| 238 | Older Chinese Australians? Understanding of Falls and Falls Prevention: Exploring Their Needs for Information. Australian Journal of Primary Health, 2008, 14, 36. | 0.4 | 10 |
| 239 | Acceptability of the 6-PACK falls prevention program: A pre-implementation study in hospitals participating in a cluster randomized controlled trial. PLoS ONE, 2017, 12, e0172005. | 1.1 | 10 |
| 240 | Does Otolith Organ Dysfunction Influence Outcomes After a Customized Program of Vestibular Rehabilitation?. Journal of Neurologic Physical Therapy, 2010, 34, 70-75. | 0.7 | 9 |
| 241 | The 6-PACK programme to decrease falls and fall-related injuries in acute hospitals: protocol for an economic evaluation alongside a cluster randomised controlled trial. Injury Prevention, 2012, 18, e2-e2. | 1.2 | 9 |
| 242 | Older People's Perceptions of a Multifaceted Podiatric Medical Intervention to Prevent Falls. Journal of the American Podiatric Medical Association, 2013, 103, 457-464. | 0.2 | 9 |
| 243 | Reducing serious fall-related injuries in acute hospitals: are low beds a critical success factor?. Journal of Advanced Nursing, 2013, 69, 112-121. | 1.5 | 9 |
| 244 | In-hospital falls and fall-related injuries: a protocol for a cost of fall study. Injury Prevention, 2013, 19, 363-363. | 1.2 | 9 |
| 245 | Changes in balance function with chronic antiepileptic drug therapy: A twin and sibling study. Epilepsia, 2015, 56, 1714-1722. | 2.6 | 9 |
| 246 | Identifying clusters of falls-related hospital admissions to inform population targets for prioritising falls prevention programmes. Injury Prevention, 2015, 21, 254-259. | 1.2 | 9 |
| 247 | “The Right Way at the Right Time”: Insights on the Uptake of Falls Prevention Strategies from People with Dementia and Their Caregivers. Frontiers in Public Health, 2016, 4, 244. | 1.3 | 9 |
| 248 | Does English proficiency impact on health outcomes for inpatients undergoing stroke rehabilitation?. Disability and Rehabilitation, 2016, 38, 1350-1358. | 0.9 | 9 |
| 249 | A Typology of Factors Influencing Seniors' Participation in Strength Training in Gyms and Fitness Centers. Journal of Aging and Physical Activity, 2018, 26, 492-498. | 0.5 | 9 |
| 250 | Are osteoporotic vertebral fractures or forward head posture associated with performance-based measures of balance and mobility?. Archives of Osteoporosis, 2019, 14, 67. | 1.0 | 9 |
| 251 | Effectiveness of the Wearable Sensor-based Ambient Intelligent Geriatric Management (AmbiGeM) System in Preventing Falls in Older People in Hospitals. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 155-163. | 1.7 | 9 |
| 252 | Are the Recommended Physical Activity Guidelines Practical and Realistic for Older People With Complex Medical Issues?. Journal of Geriatric Physical Therapy, 2021, 44, 2-8. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | The effect of limited English proficiency on falls risk and falls prevention after stroke. <i>Age and Ageing</i> , 2012, 41, 104-107. | 0.7 | 8 |
| 254 | Falls risk assessment outcomes and factors associated with falls for older Indigenous Australians. <i>Australian and New Zealand Journal of Public Health</i> , 2016, 40, 553-558. | 0.8 | 8 |
| 255 | Strategies and challenges associated with recruiting retirement village communities and residents into a group exercise intervention. <i>BMC Medical Research Methodology</i> , 2018, 18, 173. | 1.4 | 8 |
| 256 | A simplified 10-step Tai-chi programme to enable people with dementia to improve their motor performance: a feasibility study. <i>Clinical Rehabilitation</i> , 2018, 32, 1609-1623. | 1.0 | 8 |
| 257 | Inclusive Decision Making for Falls Prevention: A Discussion Tool for Use With People With Dementia and Their Caregivers. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 711-718. | 0.5 | 8 |
| 258 | The discrepancy between patient expectations and actual outcome reduces at the first 6 months following total knee replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2042-2050. | 2.3 | 8 |
| 259 | Measurement properties of self-report instruments to assess health literacy in older adults: a systematic review. <i>Disability and Rehabilitation</i> , 2020, , 1-17. | 0.9 | 8 |
| 260 | Executive function as a mediating factor between visual acuity and postural stability in cognitively healthy adults and adults with Alzheimer's dementia. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104078. | 1.4 | 8 |
| 261 | Exploring physical activity changes and experiences of older adults living in retirement villages during a pandemic. <i>Australasian Journal on Ageing</i> , 2022, 41, . | 0.4 | 8 |
| 262 | We only treat what it occurs to us to assess: the importance of knowledge-based assessment. , 2005, , 15-48. | | 8 |
| 263 | The Impact of Mass Media Campaigns on Physical Activity Participation on a Global Scale: Lessons Learned From the COVID-19 Pandemic. <i>Journal of Physical Activity and Health</i> , 2020, 17, 857-858. | 1.0 | 8 |
| 264 | Hip protector use amongst older hospital inpatients: compliance and functional consequences. <i>Age and Ageing</i> , 2006, 35, 520-523. | 0.7 | 7 |
| 265 | Protocol for the residents in action pilot cluster randomised controlled trial (RIAT): evaluating a behaviour change intervention to promote walking, reduce sitting and improve mental health in physically inactive older adults in retirement villages. <i>BMJ Open</i> , 2017, 7, e015543. | 0.8 | 7 |
| 266 | Perceptions of Group-Based Walks and Strategies to Inform the Development of an Intervention in Retirement Villages: Perspectives of Residents and Village Managers. <i>Journal of Aging and Physical Activity</i> , 2017, 25, 261-268. | 0.5 | 7 |
| 267 | Falls prevention for people with dementia: a knowledge translation intervention. <i>Dementia</i> , 2020, 19, 2267-2293. | 1.0 | 7 |
| 268 | The experiences of people with Alzheimer's dementia and their caregivers in acquiring and using a mobility aid: a qualitative study. <i>Disability and Rehabilitation</i> , 2021, 43, 3331-3338. | 0.9 | 7 |
| 269 | Connecting and reconnecting to a community, with a sense of belonging – Exploring Aboriginal Elders' perspectives of engaging in a physical activity program. <i>Health Promotion Journal of Australia</i> , 2022, 33, 138-149. | 0.6 | 7 |
| 270 | Falls efficacy and fear of falling in stroke: issues with measurement and interpretation. <i>Disability and Rehabilitation</i> , 2012, 34, 704-704. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Improving mood through physical activity for carers and care recipients (IMPACCT): protocol for a randomised trial. <i>Journal of Physiotherapy</i> , 2013, 59, 125. | 0.7 | 6 |
| 272 | Investigation of Older Adults'™ Participation in Exercises Following Completion of a State-wide Survey Targeting Evidence-based Falls Prevention Strategies. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 256-263. | 0.5 | 6 |
| 273 | Evaluating the effects of increasing physical activity to optimize rehabilitation outcomes in hospitalized older adults (MOVE Trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 13. | 0.7 | 6 |
| 274 | Design and development of a theory-informed peer-led falls prevention education programme to translate evidence into practice: a systematic approach. <i>International Journal of Health Promotion and Education</i> , 2018, 56, 195-210. | 0.4 | 6 |
| 275 | Validity of the Falls Risk for Older People in the Community (FROP-Com) tool to predict falls and fall injuries for older people presenting to the emergency department after falling. <i>European Journal of Ageing</i> , 2019, 16, 377-386. | 1.2 | 6 |
| 276 | Fear of falling: a hidden burden with or without a history of falls. <i>Evidence-based Nursing</i> , 2019, 22, 21-21. | 0.1 | 6 |
| 277 | Longitudinal changes in physical activity levels and fear of falling after hip fracture. <i>Physiotherapy Research International</i> , 2021, 26, e1884. | 0.7 | 6 |
| 278 | The ENJOY Project: Usage and Factors to Support Adherence and Physical Activity Participation. <i>Translational Journal of the American College of Sports Medicine</i> , 2021, 6, 1-6. | 0.3 | 6 |
| 279 | Effectiveness of Outdoor Exercise Parks on Health Outcomes in Older Adults'™ A Mixed-Methods Systematic Review and Meta-Analysis. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 695-707. | 0.5 | 6 |
| 280 | Effectiveness of gait aid prescription for improving spatiotemporal gait parameters and associated outcomes in community-dwelling older people: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 6139-6154. | 0.9 | 6 |
| 281 | Balance concerns in the elderly: Real or imaginary?. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011, 2, 109-115. | 0.7 | 5 |
| 282 | Falls, Falls Prevention and the Role of Physiotherapy and Exercise: Perceptions and Interpretations of Italian-Born and Australian-Born Older Persons Living in Australia. <i>Journal of Cross-Cultural Gerontology</i> , 2015, 30, 233-249. | 0.5 | 5 |
| 283 | Randomized Controlled Trial of the Effect of Additional Functional Exercise During Slow-Stream Rehabilitation in a Regional Center. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 831-836. | 0.5 | 5 |
| 284 | Enhancing Adoption of a Home-Based Exercise Program for Mild Balance Dysfunction: A Qualitative Study. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 53-60. | 0.5 | 5 |
| 285 | Development and validation of a questionnaire assessing discrepancy between patients'™ pre-surgery expectations and abilities and post-surgical outcomes following knee replacement surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3359-3368. | 2.3 | 5 |
| 286 | Challenges and lessons learnt from the ENJOY project: recommendations for future collaborative research implementation framework with local governments for improving the environment to promote physical activity for older people. <i>BMC Public Health</i> , 2021, 21, 1192. | 1.2 | 5 |
| 287 | Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation (â€™My Therapyâ€™): protocol for a mixed-methods process evaluation. <i>BMC Health Services Research</i> , 2021, 21, 810. | 0.9 | 5 |
| 288 | Self-managed occupational therapy and physiotherapy for adults receiving inpatient rehabilitation (â€™My Therapyâ€™): protocol for a stepped-wedge cluster randomised trial. <i>BMC Health Services Research</i> , 2021, 21, 811. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Standing weight-bearing asymmetry in adults with lateropulsion following stroke. <i>Gait and Posture</i> , 2021, 90, 427-433. | 0.6 | 5 |
| 290 | Protocol for Functional Assessment of Adults and Older Adults after Hospitalization for COVID-19. <i>Clinics</i> , 2021, 76, e3030. | 0.6 | 5 |
| 291 | Telephone and face-to-face interviews generate similar falls circumstances information from community-dwelling adults with stroke. <i>Australian and New Zealand Journal of Public Health</i> , 2009, 33, 295-296. | 0.8 | 4 |
| 292 | Implementation of evidence-based falls prevention in clinical services for high-risk clients. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 255-259. | 0.9 | 4 |
| 293 | Exercise for Mild Balance Dysfunction: Research into Practice. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 588-596. | 0.5 | 4 |
| 294 | Protocol for a randomised controlled trial of an outreach support program for family carers of older people discharged from hospital. <i>BMC Geriatrics</i> , 2015, 15, 70. | 1.1 | 4 |
| 295 | Does action follow intention with participation in home and group-based falls prevention exercise programs? An exploratory, prospective, observational study. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 151-161. | 1.4 | 4 |
| 296 | Benefits of Vitamin D supplementation in older people living in nursing care facilities. <i>Age and Ageing</i> , 2019, 48, 761-762. | 0.7 | 4 |
| 297 | The cost-effectiveness of a telephone-based intervention to support caregivers of older people discharged from hospital. <i>BMC Geriatrics</i> , 2019, 19, 68. | 1.1 | 4 |
| 298 | The Differential Effect of First-Time Single-Point Cane Use between Healthy Young and Older Adults. <i>PM and R</i> , 2021, , . | 0.9 | 4 |
| 299 | Prevalence, Circumstances, and Risk Factors of Falls Among Community Dwelling Members of University of the Third Age. <i>Frontiers in Public Health</i> , 2021, 9, 610504. | 1.3 | 4 |
| 300 | A survey of nurses, physiotherapists and occupational therapists in mobility care and gait aid use for hospital patients with dementia. <i>Geriatric Nursing</i> , 2022, 44, 221-228. | 0.9 | 4 |
| 301 | Healthy ageing through participation in community situated activities: A scoping review of assessment instruments to support occupational therapy practice. <i>Australian Occupational Therapy Journal</i> , 2022, 69, 493-509. | 0.6 | 4 |
| 302 | Balance on the Brain: a randomised controlled trial evaluating the effect of a multimodal exercise programme on physical performance, falls, quality of life and cognition for people with mild cognitive impairment” study protocol. <i>BMJ Open</i> , 2022, 12, e054725. | 0.8 | 4 |
| 303 | Podiatric Involvement in Multidisciplinary Falls-Prevention Clinics in Australia. <i>Journal of the American Podiatric Medical Association</i> , 2007, 97, 377-384. | 0.2 | 3 |
| 304 | Additional physiotherapy during acute care reduces falls in the first 12 months after hip fracture. <i>Journal of Physiotherapy</i> , 2010, 56, 201. | 0.7 | 3 |
| 305 | Commentary to: Balance-specific training embedded within a pulmonary rehabilitation program may reduce falls risk in people with COPD. <i>Journal of Physiotherapy</i> , 2014, 60, 111. | 0.7 | 3 |
| 306 | Predictors of long-term function in older community-dwelling people who have presented to an emergency department after a fall: A cohort study. <i>Australasian Journal on Ageing</i> , 2015, 34, 47-52. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Does cultural and linguistic diversity affect health-related outcomes for people with stroke at discharge from hospital?. <i>Disability and Rehabilitation</i> , 2017, 39, 736-745. | 0.9 | 3 |
| 308 | RESPOND: a programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for an economic evaluation. <i>Injury Prevention</i> , 2017, 23, 124-130. | 1.2 | 3 |
| 309 | Post-fall reporting in aged acute inpatient mental health units: an 18-month observational cohort study. <i>International Psychogeriatrics</i> , 2017, 29, 2007-2016. | 0.6 | 3 |
| 310 | Community Peer-Led Falls Prevention Presentations: What Do the Experts Suggest?. <i>Journal of Primary Prevention</i> , 2018, 39, 81-98. | 0.8 | 3 |
| 311 | Effects of an Individualized Exercise Program Plus Behavioral Change Enhancement Strategies for Managing Fatigue in Older People Who Are Frail: Protocol for a Cluster Randomized Controlled Trial. <i>Physical Therapy</i> , 2019, 99, 1616-1627. | 1.1 | 3 |
| 312 | Community care staff attitudes towards delivering a falls prevention exercise intervention to community care clients. <i>Health and Social Care in the Community</i> , 2021, 29, 416-424. | 0.7 | 3 |
| 313 | Factors associated with improved walking in older people during hospital rehabilitation: secondary analysis of a randomized controlled trial. <i>BMC Geriatrics</i> , 2021, 21, 90. | 1.1 | 3 |
| 314 | The effect of first-time 4-wheeled walker use on the gait of younger and older adults. <i>PM and R</i> , 2021, , . | 0.9 | 3 |
| 315 | Assessment of ankle plantar flexor neuromuscular properties: A reliability study. <i>Journal of Electromyography and Kinesiology</i> , 2021, 61, 102603. | 0.7 | 3 |
| 316 | Measuring lateropulsion following stroke: a feasibility study using Wii Balance Board technology. <i>New Zealand Journal of Physiotherapy</i> , 2018, 46, 36-42. | 0.0 | 3 |
| 317 | The Four Square Step Test is a useful mobility tool for discriminating older persons with frailty syndrome. <i>Experimental Gerontology</i> , 2022, 161, 111699. | 1.2 | 3 |
| 318 | Adherence to Exercise Programs in Community-Dwelling Older Adults Postdischarge for Hip Fracture: A Systematic Review and Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1827-1838.e2. | 0.5 | 3 |
| 319 | A Falls Intervention Database: Describing and Evaluating Falls Prevention Programs Nationally. <i>Australasian Journal on Ageing</i> , 1999, 18, 167-173. | 0.4 | 2 |
| 320 | Difficulties encountered in hospital falls prevention research. <i>Age and Ageing</i> , 2005, 34, 311-311. | 0.7 | 2 |
| 321 | Sharing knowledge of falls prevention for people with dementia: insights for community care practice. <i>Australian Journal of Primary Health</i> , 2017, 23, 464. | 0.4 | 2 |
| 322 | The association between trunk muscle endurance, balance and falls self-efficacy in women with osteoporotic vertebral fractures: an exploratory analysis from a pilot randomized controlled trial. <i>Disability and Rehabilitation</i> , 2021, 43, 1-7. | 0.9 | 2 |
| 323 | Development and pilot testing of the "focus on the person" form: Supporting care transitions for people with dementia. <i>Dementia</i> , 2019, 18, 2018-2035. | 1.0 | 2 |
| 324 | Score Distributions of the Balance Outcome Measure for Elder Rehabilitation (BOOMER) in Community-Dwelling Older Adults With Vertebral Fracture. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E87-E93. | 0.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Rasch analysis of the Burke Lateropulsion Scale (BLS). <i>Topics in Stroke Rehabilitation</i> , 2021, 28, 268-275. | 1.0 | 2 |
| 326 | Testing the reliability of the Health Literacy Questionnaire with carers of older adults receiving hospital care. <i>Australasian Journal on Ageing</i> , 2021, 40, 213-217. | 0.4 | 2 |
| 327 | Evaluating the provision of Further Enabling Care at Home (FECH+) for informal caregivers of older adults discharged home from hospital: protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e046600. | 0.8 | 2 |
| 328 | Reliability and Validity of a Modified Version of the Community Balance and Mobility Scale (CBMS-Home) for Use in Home Assessment. <i>Physical Therapy</i> , 2021, 101, . | 1.1 | 2 |
| 329 | Current physiotherapy practice on delivering treatments for older people with dementia in Indonesia: A cross-sectional study. <i>Physiotherapy Research International</i> , 2022, 27, e1931. | 0.7 | 2 |
| 330 | Exercise interveNtion outdoor project in the cOmmunitYâ€”ENJOY program for independence in dementia: a feasibility pilot randomised controlled trial study protocol. <i>Pilot and Feasibility Studies</i> , 2022, 8, 66. | 0.5 | 2 |
| 331 | Patient Acceptability of a Novel Technological Solution (Ambient Intelligent Geriatric Management) Tj ETQq1 1 0.784314 rgBT /Overl <i>Gerontology</i> , 2022, 68, 1070-1080. | 1.4 | 2 |
| 332 | The ENJOY MAP for HEALTH: Exercise interveNtion outdoor project in the cOmmunitY for older peopleâ€”More Active People for HEALTHier communities: a study protocol. <i>BMC Public Health</i> , 2022, 22, . | 1.2 | 2 |
| 333 | A Comment on the Debate Surrounding Single- and Multifactorial Falls Prevention Interventions. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1708-1709. | 1.3 | 1 |
| 334 | Balance exercises in arthritis need to be targeted to the individual. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 224. | 0.9 | 1 |
| 335 | Developing networks between residential aged care facilities as a result of engagement in a falls prevention project: an action research study. <i>Contemporary Nurse</i> , 2016, 52, 163-175. | 0.4 | 1 |
| 336 | Exercise for Falls Prevention: Decision-making among Australian-born and Italian-born Older People. <i>Activities, Adaptation and Aging</i> , 2018, 42, 261-277. | 1.7 | 1 |
| 337 | Exploring the association between number, severity, location of fracture, and occiput-to-wall distance. <i>Archives of Osteoporosis</i> , 2019, 14, 27. | 1.0 | 1 |
| 338 | 106 Responding to the First Fall to Prevent the Second: Successful RCT in Reducing Falls using a Person Centred Approach for Older Fallers Presenting to Emergency Departments. <i>Age and Ageing</i> , 2019, 48, iv18-iv27. | 0.7 | 1 |
| 339 | Exercise can provide multiple health benefits for carers. <i>International Psychogeriatrics</i> , 2021, 33, 319-321. | 0.6 | 1 |
| 340 | Test-retest reliability of the Health Literacy Questionnaire (HLQ-Br) in Brazilian carers of older people. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2021, 67, 500-504. | 0.3 | 1 |
| 341 | Gait aid use for people with and without dementia: A comparison of practice between health and non-health professionals among Australian community care staff. <i>Health and Social Care in the Community</i> , 2022, 30, . | 0.7 | 1 |
| 342 | Who Should Get Personal Alarms? The Development of Instruments for the Assessment of Need. <i>Australian Journal of Primary Health</i> , 2001, 7, 54. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Do Peers Increase Older Adults's Participation in Strength Training? Pilot Randomized Trial. Journal of Aging and Physical Activity, 2020, 28, 714-722. | 0.5 | 1 |
| 344 | Including exercise self-management as part of inpatient rehabilitation is feasible, safe and effective for patients with cognitive impairment. Journal of Rehabilitation Medicine Clinical Communications, 2022, 5, jrmcc00076. | 0.6 | 1 |
| 345 | Physical activity and falls prevention. , 2004, , 247-266. | | 0 |
| 346 | Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. Journal of Clinical Nursing, 2005, 14, 126-128. | 1.4 | 0 |
| 347 | Vestibular dysfunction. , 2009, , 139-152. | | 0 |
| 348 | Mental status deficits are identified in 34% of patients who fall while in hospital. Evidence-based Nursing, 2011, 14, 3-4. | 0.1 | 0 |
| 349 | Does the addition of two exercise-focussed home visits to usual care improve outcomes for patients with balance impairments? A randomized controlled trial. Clinical Rehabilitation, 2018, 32, 377-387. | 1.0 | 0 |
| 350 | <p>Evaluating a Novel Multifactorial Falls Prevention Activity Programme for Community-Dwelling Older People After Stroke: A Mixed-Method Feasibility Study</p>. Clinical Interventions in Aging, 2020, Volume 15, 1099-1112. | 1.3 | 0 |
| 351 | Home modifications: important for fall injury prevention for Māori in New Zealand. Lancet Public Health, The, 2021, 6, e621-e622. | 4.7 | 0 |
| 352 | Mental status deficits are identified in 34% of patients who fall while in hospital. Evidence-based Nursing, 2010, 14, 3-4. | 0.1 | 0 |