Domitilia Matias

List of Publications by Citations

Source: https://exaly.com/author-pdf/3444870/domitilia-matias-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38 438 10 19 h-index g-index citations papers 2.9 3.07 39 513 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
38	The reproductive cycle of white clam Spisula solida (L.) (Mollusca: Bivalvia): Implications for aquaculture and wild stock management. <i>Aquaculture</i> , 2008 , 281, 43-48	4.4	45
37	Effect of geographic origin, temperature and timing of broodstock collection on conditioning, spawning success and larval viability of Ruditapes decussatus (Linn[1758). <i>Aquaculture International</i> , 2009 , 17, 257-271	2.6	42
36	Oocyte and embryo quality in Crassostrea gigas (Portuguese strain) during a spawning period in Algarve, South Portugal. <i>Aquatic Living Resources</i> , 1999 , 12, 327-333	1.5	41
35	Biochemical compounds dynamics during larval development of the carpet-shell clam Ruditapes decussatus (Linnaeus, 1758): effects of mono-specific diets and starvation. <i>Helgoland Marine Research</i> , 2011 , 65, 369-379	1.8	34
34	Spawning of Hexaplex (Trunculariopsis) trunculus (Gastropoda: Muricidae) in the laboratory: description of spawning behaviour, egg masses, embryonic development, hatchling and juvenile growth rates. <i>Invertebrate Reproduction and Development</i> , 2004 , 46, 125-138	0.7	33
33	The reproductive cycle of the European clam Ruditapes decussatus (L., 1758) in two Portuguese populations: Implications for management and aquaculture programs. <i>Aquaculture</i> , 2013 , 406-407, 52-6	5 1 -4	26
32	Growth variation in bivalves: New insights into growth, physiology and somatic aneuploidy in the carpet shell Ruditapes decussatus. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 406, 46-53	2.1	16
31	Reproductive activity and biochemical composition of the pullet carpet shell Venerupis senegalensis (Gmelin, 1791) (Mollusca: Bivalvia) from Ria de Aveiro (northwestern coast of Portugal). <i>Scientia Marina</i> , 2010 , 75, 217-226	1.8	16
30	A microarray-based analysis of gametogenesis in two Portuguese populations of the European clam Ruditapes decussatus. <i>PLoS ONE</i> , 2014 , 9, e92202	3.7	13
29	Broodstock conditioning of the Portuguese oyster (Crassostrea angulata, Lamarck, 1819): influence of different diets. <i>Aquaculture Research</i> , 2017 , 48, 3859-3878	1.9	11
28	First study in cryopreserved Crassostrea angulata sperm. <i>General and Comparative Endocrinology</i> , 2017 , 245, 108-115	3	10
27	Environmental impact of razor clam harvesting using salt in Ria Formosa lagoon (Southern Portugal) and subsequent recovery of associated benthic communities. <i>Aquatic Conservation:</i> Marine and Freshwater Ecosystems, 2009 , 19, 542-553	2.6	10
26	Rebuilding viable spawner patches of the overfished Spisula solida (Mollusca: Bivalvia): a preliminary contribution to fishery sustainability. <i>ICES Journal of Marine Science</i> , 2008 , 65, 60-64	2.7	10
25	Bycatch and discard survival rate in a small-scale bivalve dredge fishery along the Algarve coast (southern Portugal). <i>Scientia Marina</i> , 2018 , 82, 75	1.8	9
24	Reproductive effort of the European clam Ruditapes decussatus (Linnaeus, 1758): influence of different diets and temperatures. <i>Invertebrate Reproduction and Development</i> , 2016 , 60, 49-58	0.7	8
23	Evidence of non-random chromosome loss in bivalves: Differential chromosomal susceptibility in aneuploid metaphases of Crassostrea angulata (Ostreidae) and Ruditapes decussatus (Veneridae). <i>Aquaculture</i> , 2012 , 344-349, 239-241	4.4	8
22	Genetic diversity of two Portuguese populations of the pullet carpet shell Venerupis senegalensis, based on RAPD markers: contribution to a sustainable restocking program. <i>Helgoland Marine Research</i> , 2010 , 64, 289-295	1.8	8

(2016-2016)

21	New species in aquaculture: are the striped venus clam Chamelea gallina (Linnaeus, 1758) and the surf clam Spisula solida (Linnaeus 1758) potential candidates for diversification in shellfish aquaculture?. <i>Aquaculture Research</i> , 2016 , 47, 1327-1340	1.9	8
20	A microarray-based analysis of oocyte quality in the European clam Ruditapes decussatus. <i>Aquaculture</i> , 2015 , 446, 17-24	4.4	7
19	The effect of density in larval rearing of the pullet carpet shell Venerupis corrugata (Gmelin, 1791) in a recirculating aquaculture system. <i>Aquaculture Research</i> , 2016 , 47, 1055-1066	1.9	7
18	Changes of paralytic shellfish toxins in gills and digestive glands of the cockle Cerastoderma edule under post-bloom natural conditions. <i>Chemosphere</i> , 2016 , 149, 351-7	8.4	7
17	Biochemical and energy dynamics throughout the reproductive cycle of the striped venus Chamelea gallina (Mollusca, Bivalvia). <i>Invertebrate Reproduction and Development</i> , 2014 , 58, 284-293	0.7	7
16	Genetic analysis of two Portuguese populations of Ruditapes decussatus by RAPD profiling. <i>Helgoland Marine Research</i> , 2011 , 65, 361-367	1.8	7
15	Supernumerary chromosomes on Southern European populations of the cockle Cerastoderma edule: Consequence of environmental pollution?. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 79, 152-156	2.9	7
14	Larval hatching and development of the wedge shell (Donax trunculus L.) under increased CO2 in southern Portugal. <i>Regional Environmental Change</i> , 2016 , 16, 855-864	4.3	6
13	Combined effect of temperature and nutritional regime on the elimination of the lipophilic toxin okadaic acid in the naturally contaminated wedge shell Donax trunculus. <i>Chemosphere</i> , 2018 , 190, 166-	1 ⁸ 3 ⁴	6
12	The influence of different microalgal diets on European clam (Ruditapes decussatus, Linnaeus, 1758) larvae culture performances. <i>Aquaculture Research</i> , 2015 , 46, 2527-2543	1.9	5
11	Comparative study on cellular and molecular responses in oyster sperm revealed different susceptibilities to cryopreservation. <i>Aquaculture</i> , 2019 , 498, 223-229	4.4	5
10	Elemental composition and bioaccessibility of farmed oysters () fed different ratios of dietary seaweed and microalgae during broodstock conditioning. <i>Food Science and Nutrition</i> , 2019 , 7, 2495-250	4 ^{3.2}	4
9	Insights into molecular features of Venerupis decussata oocytes: a microarray-based study. <i>PLoS ONE</i> , 2014 , 9, e113925	3.7	4
8	Viability of dietary substitution of live microalgae with dry in broodstock conditioning of the Pacific oyster (). <i>Biology Open</i> , 2018 , 7,	2.2	4
7	Fatty Acid Profile of Pacific Oyster, Crassostrea gigas, Fed Different Ratios of Dietary Seaweed and Microalgae during Broodstock Conditioning. <i>Lipids</i> , 2019 , 54, 531-542	1.6	3
6	Enhanced trace element concentrations in tissues of the clam Ruditapes decussatus transplanted to areas influenced by human activities (Ria Formosa, Portugal). <i>Scientia Marina</i> , 2017 , 81, 229	1.8	3
5	Recirculation nursery systems for bivalves. <i>Aquaculture International</i> , 2016 , 24, 827-842	2.6	3
4	Relationships between broodstock condition, oocyte quality, and 24 h D-larval survival during the spawning season of the pullet carpet shell Venerupis corrugata (Gmelin, 1791). <i>Invertebrate Reproduction and Development</i> , 2016 , 60, 271-280	0.7	2

Reproductive cycle of the European clam Ruditapes decussatus from **B**idos Lagoon, Leiria, Portugal. *Invertebrate Reproduction and Development*, **2018**, 62, 179-190

0.7 1

Nutrients and clam contamination by Escherichia coli in a meso-tidal coastal lagoon: Seasonal variation in counter cycle to external sources. *Marine Pollution Bulletin*, **2015**, 96, 188-96

6.7 1

Effect of Trehalose and Sucrose in Post-thaw Quality of Sperm.. Frontiers in Physiology, **2021**, 12, 749735₄.6