

Jose Vassallo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3445207/jose-vassallo-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

204
papers

3,805
citations

28
h-index

53
g-index

218
ext. papers

4,289
ext. citations

3.3
avg, IF

4.85
L-index

#	Paper	IF	Citations
204	Evaluation of PD-L1 and tumor infiltrating lymphocytes in paired pretreatment biopsies and post neoadjuvant chemotherapy surgical specimens of breast carcinoma. <i>Scientific Reports</i> , 2021 , 11, 22478	4.9	1
203	Single nucleotide variants in immune-response genes and the tumor microenvironment composition predict progression of mantle cell lymphoma. <i>BMC Cancer</i> , 2021 , 21, 209	4.8	
202	Outcomes and prognostic factors in angioimmunoblastic T-cell lymphoma: final report from the international T-cell Project. <i>Blood</i> , 2021 , 138, 213-220	2.2	7
201	Angiogenesis-Related genetic variants alter clinical features and prognosis of diffuse large B-cell lymphoma patients. <i>Tumor Biology</i> , 2021 , 43, 129-140	2.9	0
200	The immune landscape of the microenvironment of thyroid cancer is closely related to differentiation status. <i>Cancer Cell International</i> , 2021 , 21, 387	6.4	3
199	Clinical utility of the immunohistochemical co-expression of p53 and MDM2 in thyroid follicular lesions. <i>Annals of Diagnostic Pathology</i> , 2021 , 53, 151766	2.2	
198	ROR β may Influence the Microenvironment of Thyroid Cancer Predicting Favorable Prognosis. <i>Scientific Reports</i> , 2020 , 10, 4142	4.9	2
197	Intracellular hyaluronic acid-binding protein 4 (HABP4): a candidate tumor suppressor in colorectal cancer. <i>Oncotarget</i> , 2020 , 11, 4325-4337	3.3	1
196	Digital analysis of hormonal immunostaining in pituitary adenomas classified according to WHO 2017 criteria and correlation with preoperative laboratory findings. <i>Neurosurgical Focus</i> , 2020 , 48, E12	4.2	1
195	An integrative microenvironment approach for follicular lymphoma: roles of inflammatory cell subsets and immune-response polymorphisms on disease clinical course. <i>Oncotarget</i> , 2020 , 11, 3153-3173	3.3	1
194	Single-nucleotide variants in TGFB1, TGFBR2, IL17A, and IL17F immune response genes contribute to follicular lymphoma susceptibility and aggressiveness. <i>Blood Cancer Journal</i> , 2020 , 10, 97	7	1
193	Exploring Collagen Parameters in Pure Special Types of Invasive Breast Cancer. <i>Scientific Reports</i> , 2019 , 9, 7715	4.9	12
192	Primary diffuse large B-cell lymphoma of the mandible. <i>Autopsy and Case Reports</i> , 2019 , 9, e2019109	0.6	1
191	Targeting the polarization of tumor-associated macrophages and modulating mir-155 expression might be a new approach to treat diffuse large B-cell lymphoma of the elderly. <i>Cancer Immunology, Immunotherapy</i> , 2019 , 68, 269-282	7.4	17
190	Antitumor activities of Quercetin and Green Tea in xenografts of human leukemia HL60 cells. <i>Scientific Reports</i> , 2018 , 8, 3459	4.9	47
189	Characteristics of follicular and mantle cell lymphoma in Brazil: prognostic impact of clinical parameters and treatment conditions in two hospitals. <i>Hematology, Transfusion and Cell Therapy</i> , 2018 , 40, 343-353	1.6	1
188	Collagen analysis by second-harmonic generation microscopy predicts outcome of luminal breast cancer. <i>Tumor Biology</i> , 2018 , 40, 1010428318770953	2.9	23

187	Frequency of EBV associated classical Hodgkin lymphoma decreases over a 54-year period in a Brazilian population. <i>Scientific Reports</i> , 2018 , 8, 1849	4.9	5
186	Response to cytotoxic chemotherapy and overall survival in non-small cell lung cancer patients with positive or negative ERCC1 expression. <i>Jornal Brasileiro De Pneumologia</i> , 2018 , 44, 245-246	1.1	1
185	Magnetic resonance imaging of the fetal brain at 3 Tesla: Preliminary experience from a single series. <i>Medicine (United States)</i> , 2018 , 97, e12602	1.8	9
184	Pitfalls and major issues in the histologic diagnosis of peripheral T-cell lymphomas: results of the central review of 573 cases from the T-Cell Project, an international, cooperative study. <i>Hematological Oncology</i> , 2017 , 35, 630-636	1.3	16
183	Polymorphisms in key regulator genes of the intrinsic apoptosis pathway in risk and clinical presentation of diffuse large B-cell lymphoma. <i>Hematological Oncology</i> , 2017 , 35, 911-913	1.3	
182	Epidermal growth factor receptor as an adverse survival predictor in squamous cell carcinoma of the penis. <i>Human Pathology</i> , 2017 , 61, 97-104	3.7	12
181	Expression of unusual immunohistochemical markers in mucinous breast carcinoma. <i>Acta Histochemica</i> , 2017 , 119, 327-336	2	4
180	Inflammatory pseudotumor-like follicular dendritic cell tumor: an underdiagnosed neoplasia. <i>Applied Cancer Research</i> , 2017 , 37,	1.6	4
179	Immune Escape Mechanism is Impaired in the Microenvironment of Thyroid Lymph Node Metastasis. <i>Endocrine Pathology</i> , 2017 , 28, 369-372	4.2	7
178	VEGF gene polymorphisms and outcome of epithelial ovarian cancer patients. <i>Future Oncology</i> , 2017 , 13, 409-414	3.6	5
177	Association of BAX G(-248)A and BCL2 C(-717)A polymorphisms with outcome in diffuse large B-cell lymphoma patients. <i>British Journal of Haematology</i> , 2017 , 177, 650-654	4.5	3
176	Interleukin 10 expression is related to aggressiveness and poor prognosis of patients with thyroid cancer. <i>Cancer Immunology, Immunotherapy</i> , 2017 , 66, 141-148	7.4	18
175	A minimally invasive approach to spleen histopathology in dogs: A new method for follow-up studies of spleen changes in the course of <i>Leishmania infantum</i> infection. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 48, 87-92	2.6	5
174	Cyclooxygenase-2 (COX2) and p53 protein expression are interdependent in breast cancer but not associated with clinico-pathological surrogate subtypes, tumor aggressiveness and patient survival. <i>Acta Histochemica</i> , 2016 , 118, 176-82	2	6
173	Prognostic significance of PD-L1 and PD-L2 in breast cancer. <i>Human Pathology</i> , 2016 , 47, 78-84	3.7	154
172	Primary meningeal melanocytoma mimicking a nonfunctioning pituitary adenoma 2016 , 35, 158-61		5
171	TOP2A copy number and TOP2A expression in uterine benign smooth muscle tumours and leiomyosarcoma. <i>Journal of Clinical Pathology</i> , 2016 , 69, 884-9	3.9	6
170	Concomitant essential thrombocythemia with JAK2 V617F mutation in a patient with chronic myeloid leukemia with major molecular response with imatinib and long-term follow-up. <i>Oncology Letters</i> , 2016 , 12, 485-487	2.6	8

169	Statement of Retraction. Loss-of-Function Mutation in Toll-Like Receptor 4 Prevents Diet-Induced Obesity and Insulin Resistance. <i>Diabetes</i> 2007;56:1986-1998. DOI: 10.2337/db06-1595. <i>Diabetes</i> , 2016 , 65, 1126-7	0.9	2
168	Expression of Mcl-1 and Ki-67 in Papillary Thyroid Carcinomas. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2016 , 124, 209-14	2.3	9
167	Acquired thrombotic thrombocytopenic purpura due to antibody-mediated ADAMTS13 deficiency precipitated by a localized Castleman disease: a case report. <i>Platelets</i> , 2015 , 26, 263-6	3.6	2
166	Dural lymphoma mimicking subdural haematoma on computerized tomography. <i>British Journal of Haematology</i> , 2015 , 169, 156	4.5	4
165	Increased metabolic activity detected by FLIM in human breast cancer cells with desmoplastic reaction: a pilot study 2015 ,		1
164	CD8+ tumour-infiltrating lymphocytes and COX2 expression may predict relapse in differentiated thyroid cancer. <i>Clinical Endocrinology</i> , 2015 , 83, 246-53	3.4	32
163	Decreased expression of stem cell markers by simvastatin in 7,12-dimethylbenz(a)anthracene (DMBA)-induced breast cancer. <i>Toxicologic Pathology</i> , 2015 , 43, 400-10	2.1	12
162	Abnormal Hedgehog pathway in myelodysplastic syndrome and its impact on patients Outcome. <i>Haematologica</i> , 2015 , 100, e491-3	6.6	10
161	Pathologic and immunohistochemical characterization of tumoral inflammatory cell infiltrate in invasive penile squamous cell carcinomas: Fox-P3 expression is an independent predictor of recurrence. <i>Tumor Biology</i> , 2015 , 36, 2509-16	2.9	18
160	Immunohistochemical assessment of PTEN in vulvar cancer: best practices for tissue staining, evaluation, and clinical association. <i>Methods</i> , 2015 , 77-78, 20-4	4.6	25
159	Collagen Fibers Structure Detected By Second-Harmonic Generation Microscopy: A Potential Prognostic Marker for High-Risk Nodular Sclerosis. <i>Blood</i> , 2015 , 126, 5000-5000	2.2	
158	Sepsis in Patients with Febrile Neutropenia: A Clinical and Autopsy-Based Study. <i>Blood</i> , 2015 , 126, 4622-4622		1
157	Training in molecular pathology during residency: the experience of a Brazilian hospital. <i>Journal of Clinical Pathology</i> , 2014 , 67, 647-8	3.9	1
156	Familial systemic mastocytosis with germline KIT K509I mutation is sensitive to treatment with imatinib, dasatinib and PKC412. <i>Leukemia Research</i> , 2014 , 38, 1245-51	2.7	38
155	Multitarget effects of quercetin in leukemia. <i>Cancer Prevention Research</i> , 2014 , 7, 1240-50	3.2	36
154	Associations of VEGF and VEGFR2 polymorphisms with increased risk and aggressiveness of multiple myeloma. <i>Annals of Hematology</i> , 2014 , 93, 1363-9	3	10
153	EGFR activating mutations and their association with response to platinum-doublet chemotherapy in Brazilian non-small cell lung cancer patients. <i>Targeted Oncology</i> , 2014 , 9, 389-94	5	3
152	Analysis of the contribution of immunologically-detectable HER2, steroid receptors and of the "triple-negative" tumor status to disease-free and overall survival of women with epithelial ovarian cancer. <i>Acta Histochemica</i> , 2014 , 116, 440-7	2	20

151	CD8+ TIL recruitment may revert the association of MAGE A3 with aggressive features in thyroid tumors. <i>Journal of Immunology Research</i> , 2014 , 2014, 921864	4.5	5
150	Immunohistochemical expression of estrogen and progesterone receptors in endometrial polyps: A comparison between benign and malignant polyps in postmenopausal patients. <i>Oncology Letters</i> , 2014 , 7, 1944-1950	2.6	5
149	Best practice for PTEN gene and protein assessment in anatomic pathology. <i>Acta Histochemica</i> , 2014 , 116, 25-31	2	12
148	A microRNA signature profile in EBV+ diffuse large B-cell lymphoma of the elderly. <i>Oncotarget</i> , 2014 , 5, 11813-26	3.3	28
147	Intracranial primary dural diffuse large B-cell lymphoma successfully treated with chemotherapy. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 456-60		9
146	Polymorphism BCL2 c(-717)a and prognosis in diffuse large B-cell lymphoma patients.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 8573-8573	2.2	
145	VEGF 2578 c>a, a Functional Angiogenic Polymorphism, Is Associated with Aggressiveness and Clinical Outcome of Follicular Lymphoma. <i>Blood</i> , 2014 , 124, 3022-3022	2.2	
144	Association of Bax and Bcl-2 polymorphisms in Aggressiveness and Prognosis of Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2014 , 124, 3017-3017	2.2	
143	Chromatin changes in papillary thyroid carcinomas may predict patient outcome. <i>Cellular Oncology (Dordrecht)</i> , 2013 , 36, 259-64	7.2	2
142	Reactive tonsillar enlargement showing strong 18F-FDG uptake during the follow-up of follicular lymphoma. <i>Head and Neck Pathology</i> , 2013 , 7, 258-62	3.3	7
141	Aluminum concentrations in central and peripheral areas of malignant breast lesions do not differ from those in normal breast tissues. <i>BMC Cancer</i> , 2013 , 13, 104	4.8	8
140	Prognostication of OCT4 isoform expression in prostate cancer. <i>Tumor Biology</i> , 2013 , 34, 2665-73	2.9	30
139	Cell cycle suppressor proteins are not related to HPV status or clinical outcome in patients with vulvar carcinoma. <i>Tumor Biology</i> , 2013 , 34, 3713-20	2.9	7
138	Tissue aluminum concentration does not affect the genomic stability of ERBB2, C-MYC, and CCND1 genes in breast cancer. <i>Biological Trace Element Research</i> , 2013 , 154, 345-51	4.5	5
137	Clinical utility of KAP-1 expression in thyroid lesions. <i>Endocrine Pathology</i> , 2013 , 24, 77-82	4.2	10
136	Expression of peroxiredoxins I and IV in multiple myeloma: association with immunoglobulin accumulation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 47-55	5.1	14
135	Differentiated thyroid carcinomas may elude the immune system by B7H1 upregulation. <i>Endocrine-Related Cancer</i> , 2013 , 20, 103-10	5.7	55
134	HER2 expression in Brazilian patients with estrogen and progesterone receptor-negative breast carcinoma. <i>Acta Histochemica</i> , 2013 , 115, 120-7	2	3

133	Assessment of the estrogen and progesterone endometrial receptors Bcl-2 and Ki-67 after menopause. <i>Evidence Based Women S Health Journal</i> , 2013 , 3, 54-57		
132	Characterization of sociodemographic and clinicopathological features in Brazilian patients with vulvar squamous cell carcinoma. <i>Gynecologic and Obstetric Investigation</i> , 2013 , 75, 53-60	2.5	15
131	High-risk human papillomaviruses in two different primary tumors in the same patient. <i>International Journal of Urology</i> , 2013 , 20, 1046-8	2.3	
130	Comment on: EGFR mutational status in Brazilian patients with penile carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2013 , 17, 857-9	6.4	2
129	Survival of women with ovarian carcinomas and borderline tumors is not affected by estrogen and progesterone receptor status. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 167-76	4	6
128	Matrix metalloproteinase-9 expression by Hodgkin-Reed-Sternberg cells is associated with reduced overall survival in young adult patients with classical Hodgkin lymphoma. <i>PLoS ONE</i> , 2013 , 8, e74793	3.7	3
127	P53 and expression of immunological markers may identify early stage thyroid tumors. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 846584		11
126	Hedgehog Pathway Is Deregulated In Myelodysplastic Syndrome Progenitor Bone Marrow Cells. <i>Blood</i> , 2013 , 122, 1533-1533	2.2	4
125	Micro-RNA Expression Profile Reveals MiR-222 As a Potential Biomarker For EBV-Positive Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2013 , 122, 4269-4269	2.2	1
124	Familial Mastocytosis: Identification Of KIT K509I Mutation and Its In Vitro Sensitivity To Imatinib, Dasatinib and PKC412. <i>Blood</i> , 2013 , 122, 5267-5267	2.2	2
123	Overexpression of ANXA1 in penile carcinomas positive for high-risk HPVs. <i>PLoS ONE</i> , 2013 , 8, e53260	3.7	17
122	Primary myelofibrosis: risk stratification by IPSS identifies patients with poor clinical outcome. <i>Clinics</i> , 2013 , 68, 339-43	2.3	7
121	Quercetin Induces Autophagy, Apoptosis and Cell Cycle Arrest In P39 Cells. <i>Blood</i> , 2013 , 122, 5042-5042	2.2	
120	Green Tea In Acute Myeloid Leukemia. <i>Blood</i> , 2013 , 122, 5032-5032	2.2	
119	MGMT and PTEN as potential prognostic markers in breast cancer. <i>Experimental and Molecular Pathology</i> , 2012 , 92, 20-6	4.4	16
118	Prognostication of soft tissue sarcomas based on chromosome 17q gene and protein status: evaluation of TOP2A, HER-2/neu, and survivin. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1790-9	3.1	5
117	Modulation of gut microbiota by antibiotics improves insulin signalling in high-fat fed mice. <i>Diabetologia</i> , 2012 , 55, 2823-2834	10.3	219
116	A clinical, pathologic, and molecular study of p53 and murine double minute 2 in penile carcinogenesis and its relation to prognosis. <i>Human Pathology</i> , 2012 , 43, 481-8	3.7	16

115	A pituitary adenoma secreting follicle-stimulating hormone with ovarian hyperstimulation: treatment using a gonadotropin-releasing hormone antagonist. <i>Fertility and Sterility</i> , 2012 , 97, 231-4	4.8	17
114	Infiltration of a mixture of immune cells may be related to good prognosis in patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2012 , 77, 918-25	3.4	84
113	Marginal zone lymphoma of mucosa-associated lymphoid tissue with prominent plasma cell differentiation affecting the palatine tonsil: histopathological and immunohistochemical analysis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012 , 113, 526-32	2	7
112	Expression of cyclooxygenase-2 (COX-2) and p53 in neighboring invasive and in situ components of breast tumors. <i>Acta Histochemica</i> , 2012 , 114, 226-31	2	5
111	Reappraisal of immunohistochemical profiling of special histological types of breast carcinomas: a study of 121 cases of eight different subtypes. <i>Journal of Clinical Pathology</i> , 2012 , 65, 1066-71	3.9	15
110	Infiltration of a mixture of different immune cells may be related to molecular profile of differentiated thyroid cancer. <i>Endocrine-Related Cancer</i> , 2012 , 19, L31-6	5.7	20
109	Evaluation of reliability of FISH versus brightfield dual-probe in situ hybridization (BDISH) for frontline assessment of HER2 status in breast cancer samples in a community setting: influence of poor tissue preservation. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1489-96	6.7	15
108	Image compression impact on quantitative angiogenesis analysis of ovarian epithelial neoplasms. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2012 , 20, 91-5	1.9	4
107	Orbital lymphoma mimicking ophthalmopathy in a patient with GravesO <i>American Journal of the Medical Sciences</i> , 2012 , 344, 418-21	2.2	8
106	Low CXCL13 expression, splenic lymphoid tissue atrophy and germinal center disruption in severe canine visceral leishmaniasis. <i>PLoS ONE</i> , 2012 , 7, e29103	3.7	30
105	Philadelphia-negative chronic myeloproliferative neoplasms. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2012 , 34, 140-9		9
104	Foxp3 expression is associated with aggressiveness in differentiated thyroid carcinomas. <i>Clinics</i> , 2012 , 67, 483-8	2.3	40
103	Mature autologous dendritic cell vaccines in advanced non-small cell lung cancer: a phase I pilot study. <i>Journal of Experimental and Clinical Cancer Research</i> , 2011 , 30, 65	12.8	33
102	Evaluation of O6-methylguanine-DNA methyltransferase by immunohistochemistry: best clinical and research practices. <i>Pathology Research and Practice</i> , 2011 , 207, 492-7	3.4	5
101	Interleukin-10 but not interleukin-18 may be associated with the immune response against well-differentiated thyroid cancer. <i>Clinics</i> , 2011 , 66, 1203-8	2.3	11
100	Classificaçã dos tumores hematopoïicos e linfoides de acordo com a OMS: padronizaçã da nomenclatura em lïngua portuguesa, 4ª ediçã. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2011 , 47, 643-648	2.3	2
99	Penile carcinoma: risk factors and molecular alterations. <i>Scientific World Journal, The</i> , 2011 , 11, 269-82	2.2	31
98	Prognostic significance of GRP78 expression patterns in breast cancer patients receiving adjuvant chemotherapy. <i>International Journal of Biological Markers</i> , 2011 , 26, 188-96	2.8	7

97	Use of sodium iodide symporter expression in differentiated thyroid carcinomas. <i>Clinical Endocrinology</i> , 2011 , 75, 247-54	3.4	21
96	Role of ultrasound, clinical and scintigraphic parameters to predict malignancy in thyroid nodule. <i>Head & Neck Oncology</i> , 2011 , 3, 17		24
95	Value of repeat ultrasound-guided fine-needle aspiration in thyroid nodule with a first benign cytologic result: impact of ultrasound to predict malignancy. <i>Endocrine</i> , 2011 , 40, 290-6	4	19
94	Value of ultrasound and cytological classification system to predict the malignancy of thyroid nodules with indeterminate cytology. <i>Endocrine Pathology</i> , 2011 , 22, 66-73	4.2	20
93	Immunohistochemical analysis of vascular density and area in colorectal carcinoma using different markers and comparison with clinicopathologic prognostic factors. <i>Tumor Biology</i> , 2011 , 32, 527-34	2.9	12
92	Clinical and pathological implications of concurrent autoimmune thyroid disorders and papillary thyroid cancer. <i>Journal of Thyroid Research</i> , 2011 , 2011, 387062	2.6	27
91	EBV-associated polymorphic posttransplant lymphoproliferative disorder presenting as gingival ulcers. <i>International Journal of Surgical Pathology</i> , 2011 , 19, 241-6	1.2	14
90	Early changes in contractility indices and fibrosis in two minimally invasive congestive heart failure models. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 368-75	3	2
89	Subcutaneous angiogenesis in patients undergoing plastic surgery procedures after weight-reducing gastroplasty: a reason for increased bleeding during intra- and postoperative periods?. <i>European Journal of Plastic Surgery</i> , 2010 , 33, 341-348	0.6	2
88	Immunoexpression of Survivin in non-neoplastic lymphoid tissues and malignant lymphomas using a new monoclonal antibody reactive on paraffin sections. <i>Journal of Hematopathology</i> , 2010 , 3, 3-9	0.4	3
87	The GSTT1 polymorphism of the glutathione S-transferase system in the intratumoral microvessel density of breast cancer patients. <i>Tumor Biology</i> , 2010 , 31, 489-93	2.9	3
86	Muc-1 expression may help characterize thyroid nodules but does not predict patients outcome. <i>Endocrine Pathology</i> , 2010 , 21, 242-9	4.2	18
85	Primary Bone Lymphoma and BCL6. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 144-144	1.9	
84	Cytomegalovirus frequency in neonatal intrahepatic cholestasis determined by serology, histology, immunohistochemistry and PCR. <i>World Journal of Gastroenterology</i> , 2009 , 15, 3411-6	5.6	11
83	Correlation between thymidylate synthase protein expression and gene polymorphism with clinicopathological parameters in colorectal carcinoma. <i>International Journal of Surgical Pathology</i> , 2009 , 17, 181-6	1.2	3
82	Cutaneous Metastasis From a Classic Papillary Thyroid Cancer With Positive Immunohistochemical Staining for Sodium Iodide Symporter but No Response to Radioiodine Therapy 2009 , 19, 214-217		
81	Immunostaining with D2-40 improves evaluation of lymphovascular invasion, but may not predict sentinel lymph node status in early breast cancer. <i>BMC Cancer</i> , 2009 , 9, 109	4.8	8
80	Role of immunoexpression of nitric oxide synthases by Hodgkin and Reed-Sternberg cells on apoptosis deregulation and on clinical outcome of classical Hodgkin lymphoma. <i>Molecular and Cellular Biochemistry</i> , 2009 , 321, 95-102	4.2	16

79	Glial fibrillary acidic protein in tumor types with cartilaginous differentiation. <i>Modern Pathology</i> , 2009 , 22, 1321-7	9.8	13
78	Digital slides: present status of a tool for consultation, teaching, and quality control in pathology. <i>Pathology Research and Practice</i> , 2009 , 205, 735-41	3.4	69
77	Biotin-free systems provide stronger immunohistochemical signal in oestrogen receptor evaluation of breast cancer. <i>Journal of Clinical Pathology</i> , 2009 , 62, 699-704	3.9	8
76	EGFR tyrosine kinase inhibitor (PD153035) improves glucose tolerance and insulin action in high-fat diet-fed mice. <i>Diabetes</i> , 2009 , 58, 2910-9	0.9	51
75	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009 , 24, 238-244	2.8	
74	Immunoarchitectural characterization of a human skin model reconstructed in vitro. <i>Sao Paulo Medical Journal</i> , 2009 , 127, 28-33	1.6	8
73	Síndromes mielodisplásicas e mielodisplásicas/mieloproliferativas. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2009 , 31, 267-272		3
72	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009 , 24, 238-44	2.8	1
71	Use of p63 and CD10 in the differential diagnosis of papillary neoplasms of the breast. <i>Breast Journal</i> , 2008 , 14, 68-75	1.2	8
70	Expression of p16 and cervical infection with high-risk human papillomavirus are not related to p53 activity in cervical intraepithelial neoplasia. <i>International Journal of Gynecological Cancer</i> , 2008 , 18, 1060-4 ⁵	3.5	5
69	Inflammation and structural changes of splenic lymphoid tissue in visceral leishmaniasis: a study on naturally infected dogs. <i>Parasite Immunology</i> , 2008 , 30, 515-24	2.2	46
68	Histological and cytological heterogeneity of bone marrow in Philadelphia-positive chronic myelogenous leukaemia at diagnosis. <i>British Journal of Haematology</i> , 2008 , 67, 45-49	4.5	1
67	Characterization of cells recovered from the xenotransplanted NG97 human-derived glioma cell line subcultured in a long-term in vitro. <i>BMC Cancer</i> , 2008 , 8, 291	4.8	8
66	Primary diffuse large B-cell lymphoma of bone displays preferential rearrangements of the c-MYC or BCL2 gene. <i>American Journal of Clinical Pathology</i> , 2008 , 129, 723-6	1.9	21
65	CD20 expression by Hodgkin-Reed-Sternberg cells in classical Hodgkin lymphoma is related to reduced overall survival in young adult patients. <i>Leukemia and Lymphoma</i> , 2008 , 49, 2198-202	1.9	9
64	Concomitant detection of hematological neoplasm and carcinoma: report on seven cases. <i>Sao Paulo Medical Journal</i> , 2008 , 126, 245-7	1.6	1
63	Diagnostic value of combining immunostaining for CD3 and nuclear morphometry in mycosis fungoides. <i>Journal of Clinical Pathology</i> , 2008 , 61, 209-12	3.9	7
62	Loss-of-function mutation in Toll-like receptor 4 prevents diet-induced obesity and insulin resistance. <i>Diabetes</i> , 2007 , 56, 1986-98	0.9	673

61	L-glutamine supplementation induces insulin resistance in adipose tissue and improves insulin signalling in liver and muscle of rats with diet-induced obesity. <i>Diabetologia</i> , 2007 , 50, 1949-1959	10.3	54
60	CD5-positive diffuse large B cell lymphoma arising from a CD5-positive follicular lymphoma. <i>Journal of Clinical Pathology</i> , 2007 , 60, 573-5	3.9	7
59	"In situ" detection of human cytomegalovirus infection of bone marrow in a patient previously treated for B-prolymphocytic leukaemia. <i>Journal of Clinical Pathology</i> , 2007 , 60, 839-40	3.9	2
58	Expression of cyclooxygenase-2 (COX-2) and Ki67 as related to disease severity and HPV detection in squamous lesions of the cervix. <i>Gynecologic Oncology</i> , 2006 , 102, 537-41	4.9	31
57	"In situ-like" mantle cell lymphoma: a report of two cases. <i>Journal of Clinical Pathology</i> , 2006 , 59, 995-6	3.9	47
56	The expression of the hormone receptors in the endometrium and endometrial polyps in postmenopausal women and its relationship to body mass index. <i>Maturitas</i> , 2006 , 53, 114-8	5	11
55	Langerhans cell histiocytosis and its relationship with Epstein-Barr virus. <i>Human Pathology</i> , 2006 , 37, 1508-9; author reply 1509-11	3.7	9
54	Detection of herpesvirus type 8 (HHV8) in children's tonsils and adenoids by immunohistochemistry and in situ hybridization. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 65-72	1.7	26
53	Is there a relationship between the detection of human herpesvirus 8 and Epstein-Barr virus in Waldeyer's ring tissues?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 1923-7	1.7	5
52	Model for human skin reconstructed in vitro composed of associated dermis and epidermis. <i>Sao Paulo Medical Journal</i> , 2006 , 124, 71-6	1.6	28
51	Diagnosis of mycosis fungoides: a comparative immunohistochemical study of T-cell markers using a novel anti-CD7 antibody. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006 , 14, 291-5	1.9	8
50	p63 and CD10: reliable markers in discriminating benign sclerosing lesions from tubular carcinoma of the breast?. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006 , 14, 71-7	1.9	11
49	ALK-positive anaplastic large cell lymphoma mimicking nodular sclerosing Hodgkin's lymphoma: report of 10 cases. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 223-9	6.7	64
48	An inherited mutation leading to production of only the short isoform of GATA-1 is associated with impaired erythropoiesis. <i>Nature Genetics</i> , 2006 , 38, 807-12	36.3	146
47	High expression of FMNL1 protein in T non-Hodgkin's lymphomas. <i>Leukemia Research</i> , 2006 , 30, 735-8	2.7	24
46	Search for Herpesvirus 1 and 2 by in situ hybridization in tonsils and adenoids. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2005 , 69, 345-9	1.7	8
45	CD34 as a marker for evaluating angiogenesis in cervical cancer. <i>Pathology Research and Practice</i> , 2005 , 201, 313-8	3.4	41
44	Clustering and anticipation for nodular lymphocyte predominance Hodgkin lymphoma within a French Basque kindred. <i>British Journal of Haematology</i> , 2005 , 130, 648-9	4.5	12

43	CD4+ T cells downregulate Bcl-2 in germinal centers. <i>Journal of Clinical Immunology</i> , 2005 , 25, 224-9	5.7	5
42	Immunophenotypic and ultrastructural validation of a new human glioblastoma cell line. <i>Cellular and Molecular Neurobiology</i> , 2005 , 25, 929-41	4.6	12
41	Morphological characterization of a human glioma cell line. <i>Cancer Cell International</i> , 2005 , 5, 13	6.4	22
40	Immunohistochemistry in diagnostic veterinary pathology: a critical review. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2005 , 41, 263	2.3	5
39	Histological classification of 1,025 cases of Hodgkin's lymphoma from the State of São Paulo, Brazil. <i>Sao Paulo Medical Journal</i> , 2005 , 123, 134-6	1.6	11
38	Adrenocortical tumors in Brazilian children: immunohistochemical markers and prognostic factors. <i>Archives of Pathology and Laboratory Medicine</i> , 2005 , 129, 1127-31	5	32
37	Reassessment of diagnostic criteria in cutaneous lymphocytic infiltrates. <i>Sao Paulo Medical Journal</i> , 2004 , 122, 161-5	1.6	9
36	Papillomas and carcinomas of the choroid plexus: histological and immunohistochemical studies and comparison with normal fetal choroid plexus. <i>Arquivos De Neuro-Psiquiatria</i> , 2004 , 62, 600-7	1.6	24
35	Canine lymphomas: a morphological and immunohistochemical study of 55 cases, with observations on p53 immunoreexpression. <i>Journal of Comparative Pathology</i> , 2004 , 131, 207-13	1	42
34	Quantification of angiogenesis in cervical cancer: a comparison among three endothelial cell markers. <i>Gynecologic Oncology</i> , 2004 , 93, 121-4	4.9	27
33	Nódulos linfóides medulares. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2003 , 25, 81		
32	The prognostic relevance of apoptosis-related proteins in classical Hodgkin's lymphomas. <i>Leukemia and Lymphoma</i> , 2003 , 44, 483-8	1.9	19
31	P53 expression as a predictor of recurrence in cervical squamous cell carcinoma. <i>International Journal of Gynecological Cancer</i> , 2002 , 12, 299-303	3.5	13
30	Bone marrow lymphoid aggregates in myelodysplastic syndromes: incidence, immunomorphological characteristics and correlation with clinical features and survival. <i>Leukemia Research</i> , 2002 , 26, 525-30; discussion 531	2.7	12
29	Apoptosis-regulating proteins and prognosis in diffuse large B cell non-Hodgkin's lymphomas. <i>Acta Haematologica</i> , 2002 , 107, 29-34	2.7	17
28	Detection of Epstein-Barr virus and subsets of lymphoid cells in adenoid tissue of children under 2 years of age. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2002 , 66, 223-6	1.7	15
27	Histiocytic necrotizing lymphadenitis (Kikuchi lymphadenitis) in an HIV-positive patient. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2002 , 44, 265-8	2.2	7
26	Further remarks on the expression of CD20 in classical Hodgkin's lymphomas. <i>Haematologica</i> , 2002 , 87, ELT17	6.6	5

25	p53, Mdm2, and c-Myc overexpression is associated with a poor prognosis in aggressive non-Hodgkin's lymphomas. <i>American Journal of Hematology</i> , 2001 , 67, 84-92	7.1	38
24	Apoptotic cells in a peripheral blood smear in the context of EBV infection. <i>American Journal of Hematology</i> , 2001 , 67, 148-9	7.1	2
23	Antithyroid drugs inhibit in vivo HLA-DR expression in thyroid follicular cells in Graves' disease. <i>Thyroid</i> , 2001 , 11, 575-80	6.2	26
22	Detection of Epstein-Barr virus in tonsillar tissue of children and the relationship with recurrent tonsillitis. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2001 , 58, 9-15	1.7	48
21	Multiple lymphoid nodules in bone marrow biopsy in immunocompetent patient with cytomegalovirus infection: an immunohistochemical analysis. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2001 , 34, 365-8	1.5	6
20	Detection of human papillomavirus in laryngeal squamous dysplasia and carcinoma. An in situ hybridization and signal amplification study. <i>Acta Oto-Laryngologica</i> , 2000 , 120, 540-4	1.6	16
19	Osteolytic lesions as a presenting sign of acute myeloid leukemia. <i>Haematologia</i> , 2000 , 30, 325-31		8
18	High risk HPV and p53 protein expression in cervical intraepithelial neoplasia. <i>International Journal of Gynecology and Obstetrics</i> , 2000 , 71, 45-8	4	12
17	Diagnosis of hepatitis C virus in Brazilian blood donors using a reverse transcriptase nested polymerase chain reaction: comparison with enzyme immunoassay and recombinant protein immunoblot assay. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2000 , 42, 263-7	2.2	11
16	Autoimmune and non-autoimmune thyroid diseases have different patterns of cellular HLA class II expression. <i>Sao Paulo Medical Journal</i> , 1999 , 117, 161-4	1.6	2
15	Evidence of integrity of the follicular basement membrane in Hashimoto's thyroiditis. <i>Pathology International</i> , 1999 , 49, 1119-21	1.8	
14	Bone marrow findings in systemic lupus erythematosus patients with peripheral cytopenias. <i>Clinical Rheumatology</i> , 1998 , 17, 219-22	3.9	62
13	The value of PCNA and AgNOR staining in endoscopic biopsies of gastric mucosa. <i>Pathology Research and Practice</i> , 1998 , 194, 33-9	3.4	15
12	Immunohistochemical study of basement membrane collagen IV in uterine cervix carcinoma. <i>Sao Paulo Medical Journal</i> , 1998 , 116, 1846-51	1.6	3
11	Hemophagocytic syndrome: pitfalls in its diagnosis. <i>Sao Paulo Medical Journal</i> , 1997 , 115, 1548-52	1.6	4
10	Childhood Hodgkin's disease in Campinas, Brazil. <i>Medical and Pediatric Oncology</i> , 1996 , 26, 90-4		11
9	Endocervical tubal metaplasia and adenocarcinoma in situ: role of immunohistochemistry for carcinoembryonic antigen and vimentin in differential diagnosis. <i>Histopathology</i> , 1996 , 28, 549-50	7.3	27
8	Histiocytic necrotizing lymphadenitis in Brazil: report of a case and review of the literature. <i>Pathology International</i> , 1994 , 44, 548-50	1.8	2

7	Granulocytic sarcoma of the larynx preceding chronic myeloid leukemia. <i>Pathology Research and Practice</i> , 1993 , 189, 1084-6; discussion 1086-9	3-4	9
6	Acute Megakaryoblastic Leukemia: Importance of Bone Marrow Biopsy in Diagnosis. <i>Leukemia and Lymphoma</i> , 1991 , 4, 75-9	1-9	2
5	Biological characterization of human bone tumors. X. The proliferation behavior of macrophages as compared to fibroblastic cells in malignant fibrous histiocytoma and giant cell tumor of bone. <i>Journal of Cancer Research and Clinical Oncology</i> , 1987 , 113, 559-62	4-9	17
4	Flow cytometric DNA analysis of malignant lymphomas with primary bone manifestation. <i>Journal of Cancer Research and Clinical Oncology</i> , 1987 , 113, 249-52	4-9	7
3	Histological and cytological heterogeneity of bone marrow in Philadelphia-positive chronic myelogenous leukaemia at diagnosis. <i>British Journal of Haematology</i> , 1987 , 67, 45-9	4-5	20
2	Congenital focal glomerular lesions in only one monozygotic twin related to a probable twin transfusion syndrome. <i>Histopathology</i> , 1986 , 10, 991-4	7-3	7
1	Biological characterization of human bone tumors. VIII. Expression of HLA-DR antigens in bone tumors and tumor-like lesions. <i>Journal of Cancer Research and Clinical Oncology</i> , 1986 , 112, 144-50	4-9	1