

Ann Marie Hirt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3445482/ann-marie-hirt-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

4,394
citations

38
h-index

54
g-index

169
ext. papers

4,845
ext. citations

4.4
avg, IF

5.35
L-index

#	Paper	IF	Citations
163	First Search for Dyons with the Full MoEDAL Trapping Detector in 13 TeV pp Collisions. <i>Physical Review Letters</i> , 2021 , 126, 071801	7.4	5
162	Estimating the Relative Concentration of Superparamagnetic and Stable Single Domain Particles in Geological, Biological, and Synthetic Materials. <i>Frontiers in Earth Science</i> , 2021 , 8,	3.5	1
161	Investigation of the magnetic susceptibility properties of fresh and fixed mouse heart, liver, skeletal muscle and brain tissue. <i>Physica Medica</i> , 2021 , 88, 37-44	2.7	2
160	Tough metal-ceramic composites with multifunctional nacre-like architecture. <i>Scientific Reports</i> , 2021 , 11, 1621	4.9	3
159	Magnetic cilia carpets with programmable metachronal waves. <i>Nature Communications</i> , 2020 , 11, 2637	17.4	74
158	Response of remanent magnetization to deformation in geological processes using 3D-printed structures. <i>Earth and Planetary Science Letters</i> , 2020 , 539, 116241	5.3	0
157	Simple and fast evaluation of relaxation parameters of magnetic nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2020 , 499, 166176	2.8	9
156	Beyond the second-order magnetic anisotropy tensor: higher-order components due to oriented magnetite exsolutions in pyroxenes, and implications for palaeomagnetic and structural interpretations. <i>Geophysical Journal International</i> , 2020 , 223, 915-933	2.6	3
155	Magnetic Monopole Search with the Full MoEDAL Trapping Detector in 13 TeV pp Collisions Interpreted in Photon-Fusion and Drell-Yan Production. <i>Physical Review Letters</i> , 2019 , 123, 021802	7.4	23
154	Triassic stretching directions in Iberia and North Africa inferred from magnetic fabrics. <i>Terra Nova</i> , 2019 , 31, 465-478	3	4
153	Tunable Wood by Reversible Interlocking and Bioinspired Mechanical Gradients. <i>Advanced Science</i> , 2019 , 6, 1802190	13.6	42
152	Quantitative comparison of microfabric and magnetic fabric in black shales from the Appalachian plateau (western Pennsylvania, U.S.A.). <i>Tectonophysics</i> , 2019 , 765, 161-171	3.1	7
151	Numerical unmixing of weakly and strongly magnetic minerals: examples with synthetic mixtures of magnetite and hematite. <i>Geophysical Journal International</i> , 2019 , 217, 280-287	2.6	8
150	Shaping Magnetite with Poly-L-arginine and pH: From Small Single Crystals to Large Mesocrystals. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 5514-5518	6.4	5
149	Mineralization-Inspired Synthesis of Magnetic Zeolitic Imidazole Framework Composites. <i>Angewandte Chemie</i> , 2019 , 131, 13684-13689	3.6	2
148	Mineralization-Inspired Synthesis of Magnetic Zeolitic Imidazole Framework Composites. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 13550-13555	16.4	18
147	Phase Transformation of Superparamagnetic Iron Oxide Nanoparticles via Thermal Annealing: Implications for Hyperthermia Applications. <i>ACS Applied Nano Materials</i> , 2019 , 2, 4462-4470	5.6	8

146	Preferred orientation of ferromagnetic phases in rock-forming minerals: insights from magnetic anisotropy of single crystals. <i>Canadian Journal of Earth Sciences</i> , 2019 , 56, 994-1001	1.5	1
145	Heating behavior of magnetic iron oxide nanoparticles at clinically relevant concentration. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 474, 637-642	2.8	14
144	New tephrostratigraphic data from Lake Emakat (northern Tanzania): Implications for the eruptive history of the Oldoinyo Lengai volcano. <i>Journal of African Earth Sciences</i> , 2018 , 147, 374-382	2.2	4
143	Global cooling and enhanced Eocene Asian mid-latitude interior aridity. <i>Nature Communications</i> , 2018 , 9, 3026	17.4	25
142	Reduced Magnetic Coupling in Ultrasmall Iron Oxide T MRI Contrast Agents.. <i>ACS Applied Bio Materials</i> , 2018 , 1, 783-791	4.1	8
141	Coercivity Determines Magnetic Particle Heating. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1800287	10.1	11
140	Interpreting magnetic fabrics in amphibole-bearing rocks. <i>Tectonophysics</i> , 2018 , 722, 566-576	3.1	17
139	Search for magnetic monopoles with the MoEDAL forward trapping detector in 2.11 fb ⁻¹ of 13 TeV proton-proton collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 510-516	4.2	24
138	Search for Magnetic Monopoles with the MoEDAL Forward Trapping Detector in 13 TeV Proton-Proton Collisions at the LHC. <i>Physical Review Letters</i> , 2017 , 118, 061801	7.4	38
137	Single crystalline superstructured stable single domain magnetite nanoparticles. <i>Scientific Reports</i> , 2017 , 7, 45484	4.9	34
136	Hybrid magnetic iron oxide nanoparticles with tunable field-directed self-assembly. <i>Nanoscale</i> , 2017 , 9, 14405-14413	7.7	18
135	Investigating distribution patterns of airborne magnetic grains trapped in tree barks in Milan, Italy: insights for pollution mitigation strategies. <i>Geophysical Journal International</i> , 2017 , 210, 989-1000	2.6	4
134	Dynamic and biocompatible thermo-responsive magnetic hydrogels that respond to an alternating magnetic field. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 427, 212-219	2.8	20
133	Enhanced Methods to Estimate the Efficiency of Magnetic Nanoparticles in Imaging. <i>Molecules</i> , 2017 , 22,	4.8	7
132	Green and facile approach for enhancing the inherent magnetic properties of carbon nanotubes for water treatment applications. <i>PLoS ONE</i> , 2017 , 12, e0180636	3.7	19
131	The Lake Natron Footprint Tuff (northern Tanzania): volcanic source, depositional processes and age constraints from field relations. <i>Journal of Quaternary Science</i> , 2016 , 31, 526-537	2.3	8
130	Magnetic and geochemical signatures of flood layers in a lake system. <i>Geochemistry, Geophysics, Geosystems</i> , 2016 , 17, 4236-4253	3.6	12
129	A lock-in-based method to examine the thermal signatures of magnetic nanoparticles in the liquid, solid and aggregated states. <i>Nanoscale</i> , 2016 , 8, 13321-32	7.7	18

128	Highly scalable production of uniformly-coated superparamagnetic nanoparticles for triggered drug release from alginate hydrogels. <i>RSC Advances</i> , 2016 , 6, 21503-21510	3.7	16
127	Anisotropy of magnetic susceptibility in alkali feldspar and plagioclase. <i>Geophysical Journal International</i> , 2016 , 205, 479-489	2.6	16
126	Determining the timing of formation of the Rawil Depression in the Helvetic Alps by palaeomagnetic and structural methods. <i>Geological Society Special Publication</i> , 2016 , 425, 145-168	1.7	8
125	Evidence of Late Cretaceous oroclinal bending in north-central Anatolia: palaeomagnetic results from Mesozoic and Cenozoic rocks along the EmirnkarErzincan Suture Zone. <i>Geological Society Special Publication</i> , 2016 , 425, 189-212	1.7	8
124	Magnetic Measurements and Characterization 2016 , 347-370		0
123	Silica-Coated Nonstoichiometric Nano Zn-Ferrites for Magnetic Resonance Imaging and Hyperthermia Treatment. <i>Advanced Healthcare Materials</i> , 2016 , 5, 2698-2706	10.1	20
122	Anisotropic magnetic particles in a magnetic field. <i>Soft Matter</i> , 2016 , 12, 8755-8767	3.6	17
121	Evidence for the Permo-Triassic transtensional rifting in the Iberian Range (NE Spain) according to magnetic fabrics results. <i>Tectonophysics</i> , 2015 , 651-652, 216-231	3.1	12
120	Holocene archeointensities from mid European ceramics, slags, burned sediments and cherts. <i>Physics of the Earth and Planetary Interiors</i> , 2015 , 241, 21-36	2.3	15
119	Origin of magnetic fabrics in ultramafic rocks. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015 , 82, 012098	0.4	5
118	Magnetic anisotropy in natural amphibole crystals. <i>American Mineralogist</i> , 2015 , 100, 1940-1951	2.9	18
117	Evidence of Atlantic Multidecadal Oscillation in the magnetic properties of Alpine lakes during the last 2500 years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015 , 440, 47-52	2.9	5
116	Experimental mixtures of superparamagnetic and single-domain magnetite with respect to Day-Dunlop plots. <i>Geochemistry, Geophysics, Geosystems</i> , 2015 , 16, 1739-1752	3.6	16
115	Magnetic anisotropy in clinopyroxene and orthopyroxene single crystals. <i>Journal of Geophysical Research: Solid Earth</i> , 2015 , 120, 1431-1451	3.6	20
114	Effect of size, composition, and morphology on magnetic performance: First-order reversal curves evaluation of iron oxide nanoparticles. <i>Journal of Applied Physics</i> , 2014 , 115, 044314	2.5	21
113	Advanced multiresponsive comploids: from design to possible applications. <i>Nanoscale</i> , 2014 , 6, 8726-35	7.7	17
112	Distinguishing magnetic particle size of iron oxide nanoparticles with first-order reversal curves. <i>Journal of Applied Physics</i> , 2014 , 116, 124304	2.5	39
111	Anisotropy of magnetic susceptibility in natural olivine single crystals. <i>Geochemistry, Geophysics, Geosystems</i> , 2014 , 15, 3051-3065	3.6	17

110	New directional archeomagnetic data of burned cave sediments from Switzerland and geomagnetic field variations in Central Europe. <i>Geophysical Journal International</i> , 2014 , 198, 1208-1221	2.6	19
109	Hybrid wood materials with magnetic anisotropy dictated by the hierarchical cell structure. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 9760-7	9.5	76
108	Forward propagation of the Zagros Simply Folded Belt constrained from magnetostratigraphy of growth strata. <i>Tectonics</i> , 2014 , 33, 1534-1551	4.3	30
107	Evidence for non-coaxiality of ferrimagnetic and paramagnetic fabrics, developed during magma flow and cooling in a thick mafic dyke. <i>Tectonophysics</i> , 2014 , 629, 155-164	3.1	14
106	Magnetic study of a late Alpine dike crosscutting the regional foliation. <i>Tectonophysics</i> , 2014 , 629, 250-259	3.5	2
105	Understanding the Mesozoic kinematic evolution in the Cameros basin (Iberian Range, NE Spain) from magnetic subfabrics and mesostructures. <i>Journal of Structural Geology</i> , 2014 , 66, 84-101	3	20
104	Linking site formation processes to magnetic properties. Rock- and archeomagnetic analysis of the combustion levels at Riparo Gaban (Italy). <i>Journal of Archaeological Science</i> , 2014 , 41, 836-855	2.9	21
103	Gas-phase synthesis of magnetic metal/polymer nanocomposites. <i>Nanotechnology</i> , 2014 , 25, 505602	3.4	16
102	Keeping Nanoparticles Fully Functional: Long-Term Storage and Alteration of Magnetite. <i>ChemPlusChem</i> , 2014 , 79, 1225-1233	2.8	23
101	Light-Controlled Actuation, Transduction, and Modulation of Magnetic Strength in Polymer Nanocomposites. <i>Advanced Functional Materials</i> , 2014 , 24, 3179-3186	15.6	25
100	Low-temperature magnetic anisotropy in micas and chlorite. <i>Tectonophysics</i> , 2014 , 629, 63-74	3.1	27
99	Preparation and characterization of functional silica hybrid magnetic nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2014 , 362, 72-79	2.8	50
98	Observed periodicities and the spectrum of field variations in Holocene magnetic records. <i>Earth and Planetary Science Letters</i> , 2013 , 379, 88-94	5.3	11
97	Nanomagnet-based removal of lead and digoxin from living rats. <i>Nanoscale</i> , 2013 , 5, 8718-23	7.7	37
96	Strain-induced macroscopic magnetic anisotropy from smectic liquid-crystalline elastomer-maghemite nanoparticle hybrid nanocomposites. <i>Nanoscale</i> , 2013 , 5, 5539-48	7.7	17
95	Seismic anisotropy in the Morcles nappe shear zone: Implications for seismic imaging of crustal scale shear zones. <i>Tectonophysics</i> , 2013 , 603, 162-178	3.1	17
94	A method for improving the measurement of low-field magnetic susceptibility anisotropy in weak samples. <i>Journal of Applied Geophysics</i> , 2013 , 88, 122-130	1.7	17
93	Liquid-crystalline elastomer-nanoparticle hybrids with reversible switch of magnetic memory. <i>Advanced Materials</i> , 2013 , 25, 1787-91	24	61

92	Search for magnetic monopoles in polar volcanic rocks. <i>Physical Review Letters</i> , 2013 , 110, 121803	7.4	10
91	Quantitative Recovery of Magnetic Nanoparticles from Flowing Blood: Trace Analysis and the Role of Magnetization. <i>Advanced Functional Materials</i> , 2013 , 23, 4888-4896	15.6	21
90	Formation of magnetite nanoparticles at low temperature: from superparamagnetic to stable single domain particles. <i>PLoS ONE</i> , 2013 , 8, e57070	3.7	90
89	Thermal Energy Dissipation by SiO ₂ -Coated Plasmonic-Superparamagnetic Nanoparticles in Alternating Magnetic Fields. <i>Chemistry of Materials</i> , 2013 , 25, 4603-4612	9.6	17
88	Paramagnetic metamorphic mineral assemblages controlling AMS in low-grade deformed metasediments and the implications with respect to the use of AMS as a strain marker. <i>Journal of the Geological Society</i> , 2013 , 170, 263-280	2.7	11
87	Evidence of Early Cretaceous remagnetization in the Crimean Peninsula: a palaeomagnetic study from Mesozoic rocks in the Crimean and Western Pontides, conjugate margins of the Western Black Sea. <i>Geophysical Journal International</i> , 2013 , 195, 821-843	2.6	7
86	Decoupling of paramagnetic and ferrimagnetic AMS development during the experimental chemical compaction of illite shale powder. <i>Geophysical Journal International</i> , 2013 , 192, 975-985	2.6	4
85	Evidence for weak ferromagnetic moment within the basal plane of hematite natural crystals at low temperature. <i>Geochemistry, Geophysics, Geosystems</i> , 2013 , 14, 4444-4457	3.6	10
84	Internal flow structures in columnar jointed basalt from Hrepphlaug, Iceland: II. Magnetic anisotropy and rock magnetic properties. <i>Bulletin of Volcanology</i> , 2012 , 74, 1667-1681	2.4	17
83	Development of a magnetometer-based search strategy for stopped monopoles at the Large Hadron Collider. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	19
82	Spline analysis of Holocene sediment magnetic records: Uncertainty estimates for field modeling. <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a		26
81	From magnetotactic bacteria to hollow spirilla-shaped silica containing a magnetic chain. <i>RSC Advances</i> , 2012 , 2, 8007	3.7	2
80	Unraveling magnetic fabrics. <i>International Journal of Earth Sciences</i> , 2012 , 101, 613-624	2.2	19
79	Magnetic fabric development in a highly anisotropic magnetite-bearing ductile shear zone (Seve Nappe Complex, Scandinavian Caledonides). <i>International Journal of Earth Sciences</i> , 2012 , 101, 671-692	2.2	19
78	Susceptibility variations of multiple origins of loess from the Ily Basin (NW China). <i>Science Bulletin</i> , 2012 , 57, 1844-1855		21
77	Biocompatible Hybrid Plasmonic-Magnetic Nanoparticles for Bioimaging. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1416, 54		
76	Application of differential effective medium, magnetic pore fabric analysis, and X-ray microtomography to calculate elastic properties of porous and anisotropic rock aggregates. <i>Journal of Geophysical Research</i> , 2011 , 116,		9
75	Combined use of magnetometry and spectroscopy for identifying magnetofossils in sediments. <i>Geochemistry, Geophysics, Geosystems</i> , 2011 , 12, n/a-n/a	3.6	32

74	Hybrid, silica-coated, Janus-like plasmonic-magnetic nanoparticles. <i>Chemistry of Materials</i> , 2011 , 23, 1985-1992	14.0	10
73	The ammonium content in the Malayer igneous and metamorphic rocks (Sanandaj-Sirjan Zone, Western Iran). <i>Geologica Carpathica</i> , 2011 , 62, 171-180	1.4	4
72	Magnetic anisotropy reveals Neogene tectonic overprint in highly strained carbonate mylonites from the Morcles nappe, Switzerland. <i>Journal of Structural Geology</i> , 2011 , 33, 1010-1022	3	15
71	Melt migration in basalt columns driven by crystallization-induced pressure gradients. <i>Nature Communications</i> , 2011 , 2, 299	17.4	27
70	Morphology, structure and magnetic properties of cobalt-nickel films obtained from acidic electrolytes containing glycine. <i>Electrochimica Acta</i> , 2011 , 56, 1399-1408	6.7	83
69	Magnetic properties of silica coated spindle-type hematite particles. <i>Journal of Physics Condensed Matter</i> , 2011 , 23, 065102	1.8	26
68	Experimental Study of the Magnetic Signature of Basal-Plane Anisotropy in Hematite 2011 , 311-320		8
67	Magnetic susceptibility as a tool to study deformed calcite with variable impurity content. <i>Geochemistry, Geophysics, Geosystems</i> , 2010 , 11, n/a-n/a	3.6	13
66	Elastic properties of anisotropic synthetic calcite-muscovite aggregates. <i>Journal of Geophysical Research</i> , 2010 , 115,		8
65	Thick dyke emplacement and internal flow: A structural and magnetic fabric study of the deep-seated dolerite dyke of Foug Zguid (southern Morocco). <i>Journal of Geophysical Research</i> , 2010 , 115,		25
64	Morphology and orientational behavior of silica-coated spindle-type hematite particles in a magnetic field probed by small-angle X-ray scattering. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 4763-934	3.4	34
63	Southward migration of arc magmatism during latest Cretaceous associated with slab steepening, East Pontides, N Turkey: New paleomagnetic data from the Amasya region. <i>Physics of the Earth and Planetary Interiors</i> , 2010 , 182, 18-29	2.3	33
62	Quantitative correlation of texture and magnetic anisotropy of compacted calcite-muscovite aggregates. <i>Journal of Structural Geology</i> , 2009 , 31, 1062-1073	3	26
61	Composition and properties of the iron hydroxides-cemented lenses in Estonian sandstone of Middle Devonian age. <i>Studia Geophysica Et Geodaetica</i> , 2009 , 53, 111-131	0.7	3
60	Magnetic fabrics of the Morcles Nappe complex. <i>Tectonophysics</i> , 2009 , 466, 89-100	3.1	15
59	The magnetic fabric in undeformed clays: AMS and neutron texture analyses from the Rif Chain (Morocco). <i>Tectonophysics</i> , 2009 , 466, 79-88	3.1	40
58	Differences between magnetic and mineral fabrics in low-grade, cleaved siliciclastic pelites: A case study from the Anglo-Brabant Deformation Belt (Belgium). <i>Tectonophysics</i> , 2009 , 466, 32-46	3.1	24
57	A refined biomonitoring study of airborne particulate matter pollution in Rome, with magnetic measurements on Quercus ilex tree leaves. <i>Geophysical Journal International</i> , 2008 , 173, 127-141	2.6	58

56	Fabrication of synthetic calcite-huscovite rocks with variable texture [An analogue to cataclastic fabrics?]. <i>Tectonophysics</i> , 2008 , 449, 105-119	3.1	9
55	Modeling assembled-MEMS microrobots for wireless magnetic control 2008 ,		17
54	Modeling magnetic torque and force for controlled manipulation of soft-magnetic bodies 2007 ,		4
53	On leaf magnetic homogeneity in particulate matter biomonitoring studies. <i>Geophysical Research Letters</i> , 2007 , 34,	4.9	16
52	Separation of diamagnetic and paramagnetic anisotropy by high-field, low-temperature torque measurements. <i>Geophysical Journal International</i> , 2007 , 168, 40-47	2.6	40
51	Magnetic anisotropy of carbonate minerals at room temperature and 77 K. <i>American Mineralogist</i> , 2007 , 92, 1673-1684	2.9	27
50	Modeling Magnetic Torque and Force for Controlled Manipulation of Soft-Magnetic Bodies 2007 , 23, 1247-1252		213
49	Modeling the magnetic behavior of horse spleen ferritin with a two-phase core structure. <i>Journal of Applied Physics</i> , 2006 , 99, 123906	2.5	30
48	A mixture of ferritin and magnetite nanoparticles mimics the magnetic properties of human brain tissue. <i>Physical Review B</i> , 2006 , 73,	3.3	39
47	Anomalous magnetic properties of brain tissue at low temperature: The 50 K anomaly. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a		5
46	Magnetic iron compounds in the human brain: a comparison of tumour and hippocampal tissue. <i>Journal of the Royal Society Interface</i> , 2006 , 3, 833-41	4.1	53
45	Magnetic fabric variations in Mesozoic black shales, Northern Siberia, Russia: Possible paleomagnetic implications. <i>Tectonophysics</i> , 2006 , 418, 145-162	3.1	17
44	Magnetic anisotropy of calcite at room-temperature. <i>Tectonophysics</i> , 2006 , 418, 63-73	3.1	44
43	Crystallographic-magnetic correlations in single-crystal haemo-ilmenite: new evidence for lamellar magnetism. <i>Geophysical Journal International</i> , 2006 , 165, 17-31	2.6	27
42	The origin of tectonic lineation in extensional basins: Combined neutron texture and magnetic analyses on undeformed clays. <i>Earth and Planetary Science Letters</i> , 2005 , 235, 62-78	5.3	83
41	Mathematical simulations of anisotropy of magnetic susceptibility on composite fabrics. <i>Journal of Geophysical Research</i> , 2005 , 110,		15
40	Low temperature magnetic analysis in the identification of iron compounds from human brain tumour tissue. <i>Journal of Physics: Conference Series</i> , 2005 , 17, 61-64	0.3	6
39	Lamellar magnetism: effects of interface versus exchange interactions of nanoscale exsolutions in the ilmenite-hematite system. <i>Journal of Physics: Conference Series</i> , 2005 , 17, 154-167	0.3	15

38	Characterization of iron compounds in tumour tissue from temporal lobe epilepsy patients using low temperature magnetic methods. <i>BioMetals</i> , 2005 , 18, 191-7	3.4	13
37	Development of magnetic fabrics during hydrothermal alteration in the Soultz-sous-Forêts granite from the EPS-1 borehole, Upper Rhine Graben. <i>Geological Society Special Publication</i> , 2004 , 238, 509-526 ^{1.7}	1.7	18
36	Magnetic and mineral fabric development in the Ordovician Martinsburg Formation in the Central Appalachian Fold and Thrust Belt, Pennsylvania. <i>Geological Society Special Publication</i> , 2004 , 238, 109-126 ^{1.7}	1.7	12
35	Phyllosilicate preferred orientation as a control of magnetic fabric: evidence from neutron texture goniometry and low and high-field magnetic anisotropy (SE Rhenohercynian Zone of Bohemian Massif). <i>Geological Society Special Publication</i> , 2004 , 238, 361-380	1.7	21
34	A method for the separation of paramagnetic, ferrimagnetic and haematite magnetic subfabrics using high-field torque magnetometry. <i>Geophysical Journal International</i> , 2004 , 157, 117-127	2.6	52
33	An AMS, structural and paleomagnetic study of quaternary deformation in eastern Sicily. <i>Journal of Structural Geology</i> , 2004 , 26, 29-46	3	56
32	Multidisciplinary applications of nanoscale magnetic behavior, particulates, and structures. <i>Eos</i> , 2004 , 85, 555	1.5	
31	The origin of tectonic fabrics in undeformed clays: The early stages of deformation in extensional sedimentary basins. <i>Geophysical Research Letters</i> , 2004 , 31, n/a-n/a	4.9	43
30	Mineral magnetic record of Holocene environmental changes in Sggestalsee, Switzerland. <i>Journal of Paleolimnology</i> , 2003 , 30, 321-331	2.1	14
29	The anisotropy of magnetic susceptibility in biotite, muscovite and chlorite single crystals. <i>Tectonophysics</i> , 2003 , 367, 13-28	3.1	109
28	Low-temperature magnetic properties of lepidocrocite. <i>Journal of Geophysical Research</i> , 2002 , 107, EPM 5-1-EPM 5-9		28
27	A record of Holocene climate in the mineral magnetic record of Alpine lakes: Sggestalsee and Hinterburgsee. <i>Earth and Planetary Science Letters</i> , 2001 , 188, 29-44	5.3	11
26	Separation of ferrimagnetic and paramagnetic anisotropies using a high-field torsion magnetometer. <i>Tectonophysics</i> , 2001 , 337, 209-221	3.1	79
25	Magnetic fabric and deformation in the Navia-Alto Sil slate belt, northwestern Spain. <i>Tectonophysics</i> , 2000 , 320, 1-16	3.1	30
24	Paleomagnetic evidence for a Neogene two-phase counterclockwise tectonic rotation in the Northern Apennines (Italy). <i>Tectonophysics</i> , 2000 , 326, 241-253	3.1	35
23	Low-temperature magnetic behavior of ferrihydrite. <i>Journal of Geophysical Research</i> , 2000 , 105, 8297-8303		27
22	Mineral-magnetic record of Late Quaternary climatic changes in a high Alpine lake. <i>Earth and Planetary Science Letters</i> , 1999 , 170, 49-59	5.3	30
21	Magnetic anisotropy, rock fabrics and finite strain in deformed sediments of SW Sardinia (Italy). <i>Tectonophysics</i> , 1999 , 307, 51-74	3.1	101

20	Magnetic and sequence stratigraphy of redeposited Upper Cretaceous limestones in the Montagna della Maiella, Abruzzi, Italy. <i>Earth and Planetary Science Letters</i> , 1997 , 150, 79-93	5.3	17
19	The age and timing of folding in the central Appalachians from paleomagnetic results. <i>Bulletin of the Geological Society of America</i> , 1996 , 108, 815-829	3.9	70
18	Correlation between magnetic anisotropy and fabric for Devonian shales on the Appalachian Plateau. <i>Tectonophysics</i> , 1995 , 247, 121-132	3.1	57
17	The magnetic anisotropy of rocks. <i>Earth-Science Reviews</i> , 1994 , 36, 138-140	10.2	
16	Paleomagnetic considerations of the development of the Pennsylvania salient in the central Appalachians. <i>Tectonophysics</i> , 1994 , 231, 237-255	3.1	30
15	Thermal generation of ferromagnetic minerals from iron-enriched smectites. <i>Geophysical Journal International</i> , 1993 , 115, 1161-1168	2.6	59
14	Correlation of strain and the anisotropy of magnetic susceptibility in the Onaping Formation: evidence for a near-circular origin of the Sudbury Basin. <i>Tectonophysics</i> , 1993 , 225, 231-254	3.1	58
13	Paleomagnetic results in support of a model for the origin of the Asturian arc. <i>Tectonophysics</i> , 1992 , 213, 321-339	3.1	39
12	Thermal alteration of the magnetic mineralogy in ferruginous rocks. <i>Journal of Geophysical Research</i> , 1991 , 96, 9947		64
11	Inverse magnetic fabric in deformed limestones of the Morcles Nappe, Switzerland. <i>Geophysical Research Letters</i> , 1989 , 16, 1383-1386	4.9	56
10	A review of palaeomagnetic and magnetic anisotropy results from the Alps. <i>Geological Society Special Publication</i> , 1989 , 45, 399-420	1.7	12
9	Paleomagnetism of the Umbrian-Marches orogenic belt. <i>Tectonophysics</i> , 1988 , 146, 91-103	3.1	42
8	The correlation of magnetic anisotropy with strain in the Chelmsford Formation of the Sudbury Basin, Ontario. <i>Tectonophysics</i> , 1988 , 145, 177-189	3.1	54
7	Strain studies of cleavage development in the Chelmsford Formation, Sudbury Basin, Ontario. <i>Tectonophysics</i> , 1988 , 145, 191-211	3.1	16
6	Anisotropy of magnetic susceptibility in the Scaglia Rossa pelagic limestone. <i>Earth and Planetary Science Letters</i> , 1987 , 82, 349-356	5.3	53
5	Paleomagnetism in Arcuate Mountain Belts. <i>Developments in Geotectonics</i> , 1986 , 21, 141-158		24
4	Effects of tectonic deformation on the remanent magnetization of rocks. <i>Tectonics</i> , 1986 , 5, 713-722	4.3	54
3	A paleomagnetic study of tectonically deformed red beds of the Lower Glarus Nappe Complex, eastern Switzerland. <i>Tectonics</i> , 1986 , 5, 723-731	4.3	41

- | | | | |
|---|--|-----|----|
| 2 | Finite strain patterns and their significance in Permian rocks of the Alpes Maritimes (France).
<i>Journal of Structural Geology</i> , 1984 , 6, 339-368 | 3 | 44 |
| 1 | Effect of progressive deformation on remanent magnetization of permian redbeds from the alpes
maritimes (France). <i>Tectonophysics</i> , 1983 , 98, 59-85 | 3.1 | 98 |