## Laura Carbonell-Rozas

## List of Publications by Citations

Source: https://exaly.com/author-pdf/3445653/laura-carbonell-rozas-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8 41 4 6 g-index

11 69 4.3 2.05 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
8	A high-throughput UHPLC method for the analysis of 5-nitroimidazole residues in milk based on salting-out assisted liquid-liquid extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2017</b> , 1068-1069, 125-130	3.2	11
7	Screening of extraction properties of nanofibers in a sequential injection analysis system using a 3D printed device. <i>Talanta</i> , <b>2019</b> , 197, 517-521	6.2	7
6	Micellar electrokinetic chromatography as efficient alternative for the multiresidue determination of seven neonicotinoids and 6-chloronicotinic acid in environmental samples. <i>Analytical and Bioanalytical Chemistry</i> , <b>2020</b> , 412, 6231-6240	4.4	7
5	A natural deep eutectic solvent as a novel dispersive solvent in dispersive liquid-liquid microextraction based on solidification of floating organic droplet for the determination of pesticide residues. <i>Analytical and Bioanalytical Chemistry</i> , <b>2021</b> , 413, 6413-6424	4.4	7
4	Capillary liquid chromatography as an effective method for the determination of seven neonicotinoid residues in honey samples. <i>Journal of Separation Science</i> , <b>2020</b> , 43, 3847-3855	3.4	3
3	Sweeping-micellar electrokinetic chromatography with tandem mass spectrometry as an alternative methodology to determine neonicotinoid and boscalid residues in pollen and honeybee samples <i>Journal of Chromatography A</i> , <b>2022</b> , 1672, 463023	4.5	2
2	Occurrence of Ergot Alkaloids in Barley and Wheat from Algeria. <i>Toxins</i> , <b>2021</b> , 13,	4.9	1
1	A novel approach based on capillary liquid chromatography for the simultaneous determination of neonicotinoid residues in cereal samples. <i>Microchemical Journal</i> , <b>2021</b> , 161, 105756	4.8	1