

Yuan Chang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3445682/yuan-chang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

24,751
citations

49
h-index

103
g-index

103
ext. papers

26,928
ext. citations

13.8
avg, IF

6.63
L-index

#	Paper	IF	Citations
101	Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma. <i>Science</i> , 1994 , 266, 1865-9	33.3	4854
100	<i>Helicobacter pylori</i> infection and the risk of gastric carcinoma. <i>New England Journal of Medicine</i> , 1991 , 325, 1127-31	59.2	3284
99	Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS-related body-cavity-based lymphomas. <i>New England Journal of Medicine</i> , 1995 , 332, 1186-91	59.2	2446
98	Clonal integration of a polyomavirus in human Merkel cell carcinoma. <i>Science</i> , 2008 , 319, 1096-100	33.3	2279
97	Detection of herpesvirus-like DNA sequences in Kaposi's sarcoma in patients with and those without HIV infection. <i>New England Journal of Medicine</i> , 1995 , 332, 1181-5	59.2	1015
96	Kaposi's sarcoma. <i>New England Journal of Medicine</i> , 2000 , 342, 1027-38	59.2	794
95	KSHV antibodies among Americans, Italians and Ugandans with and without Kaposi's sarcoma. <i>Nature Medicine</i> , 1996 , 2, 925-8	50.5	715
94	T antigen mutations are a human tumor-specific signature for Merkel cell polyomavirus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 16272-7	11.5	539
93	Seroconversion to antibodies against Kaposi's sarcoma-associated herpesvirus-related latent nuclear antigens before the development of Kaposi's sarcoma. <i>New England Journal of Medicine</i> , 1996 , 335, 233-41	59.2	497
92	Angiogenic and HIV-inhibitory functions of KSHV-encoded chemokines. <i>Science</i> , 1997 , 278, 290-4	33.3	447
91	Why do viruses cause cancer? Highlights of the first century of human tumour virology. <i>Nature Reviews Cancer</i> , 2010 , 10, 878-89	31.3	442
90	Merkel cell polyomavirus-infected Merkel cell carcinoma cells require expression of viral T antigens. <i>Journal of Virology</i> , 2010 , 84, 7064-72	6.6	327
89	Differential viral protein expression in Kaposi's sarcoma-associated herpesvirus-infected diseases: Kaposi's sarcoma, primary effusion lymphoma, and multicentric Castlemans disease. <i>American Journal of Pathology</i> , 2000 , 156, 743-9	5.8	325
88	KSHV ORF K9 (vIRF) is an oncogene which inhibits the interferon signaling pathway. <i>Oncogene</i> , 1997 , 15, 1979-85	9.2	313
87	Kaposi's sarcoma-associated herpesvirus encodes a functional bcl-2 homologue. <i>Nature Medicine</i> , 1997 , 3, 293-8	50.5	307
86	Human Merkel cell polyomavirus infection I. MCV T antigen expression in Merkel cell carcinoma, lymphoid tissues and lymphoid tumors. <i>International Journal of Cancer</i> , 2009 , 125, 1243-9	7.5	299
85	Cyclin encoded by KS herpesvirus. <i>Nature</i> , 1996 , 382, 410	50.4	270

84	Human Merkel cell polyomavirus infection II. MCV is a common human infection that can be detected by conformational capsid epitope immunoassays. <i>International Journal of Cancer</i> , 2009 , 125, 1250-6	7.5	262
83	Human Merkel cell polyomavirus small T antigen is an oncoprotein targeting the 4E-BP1 translation regulator. <i>Journal of Clinical Investigation</i> , 2011 , 121, 3623-34	15.9	258
82	Kaposi's sarcoma-associated herpesvirus infection prior to onset of Kaposi's sarcoma. <i>Aids</i> , 1996 , 10, 175-80	3.5	251
81	Kaposi's sarcoma-associated herpesvirus LANA2 is a B-cell-specific latent viral protein that inhibits p53. <i>Journal of Virology</i> , 2001 , 75, 429-38	6.6	245
80	Antibodies to butyrate-inducible antigens of Kaposi's sarcoma-associated herpesvirus in patients with HIV-1 infection. <i>New England Journal of Medicine</i> , 1996 , 334, 1292-7	59.2	230
79	A Kaposi's sarcoma-associated herpesvirus-encoded cytokine homolog (vIL-6) activates signaling through the shared gp130 receptor subunit. <i>Journal of Biological Chemistry</i> , 1997 , 272, 19625-31	5.4	227
78	Extensive terminal and asymmetric processing of small RNAs from rRNAs, snoRNAs, snRNAs, and tRNAs. <i>Nucleic Acids Research</i> , 2012 , 40, 6787-99	20.1	221
77	A sensitive non-radioactive northern blot method to detect small RNAs. <i>Nucleic Acids Research</i> , 2010 , 38, e98	20.1	212
76	Viral IL-6-induced cell proliferation and immune evasion of interferon activity. <i>Science</i> , 2002 , 298, 1432-533,3	33.3	186
75	Kaposi's sarcoma-associated herpesvirus immunoevasion and tumorigenesis: two sides of the same coin?. <i>Annual Review of Microbiology</i> , 2003 , 57, 609-39	17.5	181
74	Merkel cell carcinoma: a virus-induced human cancer. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2012 , 7, 123-44	34	141
73	KSHV-encoded viral IL-6 activates multiple human IL-6 signaling pathways. <i>Human Immunology</i> , 1999 , 60, 921-7	2.3	117
72	Merkel cell polyomavirus small T antigen controls viral replication and oncoprotein expression by targeting the cellular ubiquitin ligase SCFFbw7. <i>Cell Host and Microbe</i> , 2013 , 14, 125-35	23.4	112
71	Increasing Kaposi's sarcoma-associated herpesvirus seroprevalence with age in a highly Kaposi's sarcoma endemic region, Zambia in 1985. <i>Aids</i> , 1998 , 12, 1921-5	3.5	108
70	The minimum replication origin of merkel cell polyomavirus has a unique large T-antigen loading architecture and requires small T-antigen expression for optimal replication. <i>Journal of Virology</i> , 2009 , 83, 12118-28	6.6	106
69	Circular DNA tumor viruses make circular RNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E8737-E8745	11.5	100
68	Survivin is a therapeutic target in Merkel cell carcinoma. <i>Science Translational Medicine</i> , 2012 , 4, 133ra5617.5	17.5	97
67	Update on human polyomaviruses and cancer. <i>Advances in Cancer Research</i> , 2010 , 106, 1-51	5.9	96

66	Human transcriptome subtraction by using short sequence tags to search for tumor viruses in conjunctival carcinoma. <i>Journal of Virology</i> , 2007 , 81, 11332-40	6.6	94
65	MCV and Merkel cell carcinoma: a molecular success story. <i>Current Opinion in Virology</i> , 2012 , 2, 489-98	7.5	84
64	CDK1 substitutes for mTOR kinase to activate mitotic cap-dependent protein translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 5875-82	11.5	83
63	Kaposi's sarcoma-associated herpesvirus latency-associated nuclear antigen 1 mimics Epstein-Barr virus EBNA1 immune evasion through central repeat domain effects on protein processing. <i>Journal of Virology</i> , 2007 , 81, 8225-35	6.6	81
62	Human polyomavirus 7-associated pruritic rash and viremia in transplant recipients. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1560-5	7	77
61	Antiviral activity of tumor-suppressor pathways: clues from molecular piracy by KSHV. <i>Trends in Genetics</i> , 1998 , 14, 144-50	8.5	75
60	Large T and small T antigens of Merkel cell polyomavirus. <i>Current Opinion in Virology</i> , 2015 , 11, 38-43	7.5	70
59	Posttransplantation plasmacytic proliferations related to Kaposi's sarcoma-associated herpesvirus. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 1393-400	6.7	70
58	Multicolor microRNA FISH effectively differentiates tumor types. <i>Journal of Clinical Investigation</i> , 2013 , 123, 2694-702	15.9	68
57	Asymptomatic primary Merkel cell polyomavirus infection among adults. <i>Emerging Infectious Diseases</i> , 2011 , 17, 1371-80	10.2	66
56	The synergy of host-guest nonfullerene acceptors enables 16%-efficiency polymer solar cells with increased open-circuit voltage and fill-factor. <i>Materials Horizons</i> , 2019 , 6, 2094-2102	14.4	64
55	The T antigen locus of Merkel cell polyomavirus downregulates human Toll-like receptor 9 expression. <i>Journal of Virology</i> , 2013 , 87, 13009-19	6.6	63
54	Progressive multifocal leukoencephalopathy in persons infected with human immunodeficiency virus, San Francisco, 1981-1989. <i>Annals of Neurology</i> , 1991 , 30, 597-604	9.4	62
53	Merkel Cell Polyomavirus Small T Antigen Induces Cancer and Embryonic Merkel Cell Proliferation in a Transgenic Mouse Model. <i>PLoS ONE</i> , 2015 , 10, e0142329	3.7	56
52	Enhanced hindrance from phenyl outer side chains on nonfullerene acceptor enables unprecedented simultaneous enhancement in organic solar cell performances with 16.7% efficiency. <i>Nano Energy</i> , 2020 , 76, 105087	17.1	48
51	Lack of evidence for basal or squamous cell carcinoma infection with Merkel cell polyomavirus in immunocompetent patients with Merkel cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2010 , 63, 400-3	4.5	47
50	The latency-associated nuclear antigen of Kaposi's sarcoma-associated herpesvirus interacts preferentially with the terminal repeats of the genome in vivo and this complex is sufficient for episomal DNA replication. <i>Journal of General Virology</i> , 2003 , 84, 1451-1462	4.9	47
49	Merkel cell polyomavirus large T antigen disrupts lysosome clustering by translocating human Vam6p from the cytoplasm to the nucleus. <i>Journal of Biological Chemistry</i> , 2011 , 286, 17079-90	5.4	46

48	Molecular anatomy of CCR5 engagement by physiologic and viral chemokines and HIV-1 envelope glycoproteins: differences in primary structural requirements for RANTES, MIP-1 alpha, and vMIP-II Binding. <i>Journal of Molecular Biology</i> , 2001 , 313, 1181-93	6.5	44
47	Merkel cell polyomavirus-positive Merkel cell carcinoma requires viral small T-antigen for cell proliferation. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 1479-1481	4.3	43
46	Coupled transcriptome and proteome analysis of human lymphotropic tumor viruses: insights on the detection and discovery of viral genes. <i>BMC Genomics</i> , 2011 , 12, 625	4.5	43
45	Tailoring non-fullerene acceptors using selenium-incorporated heterocycles for organic solar cells with over 16% efficiency. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 23756-23765	13	42
44	Restricted protein phosphatase 2A targeting by Merkel cell polyomavirus small T antigen. <i>Journal of Virology</i> , 2015 , 89, 4191-200	6.6	39
43	Kaposi sarcoma-associated herpesvirus and primary and secondary pulmonary hypertension. <i>Chest</i> , 2005 , 127, 762-7	5.3	39
42	Deciphering the Role of Chalcogen-Containing Heterocycles in Nonfullerene Acceptors for Organic Solar Cells. <i>ACS Energy Letters</i> , 2020 , 5, 3415-3425	20.1	39
41	Human oncogenic viruses: nature and discovery. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017 , 372,	5.8	38
40	Characterization of viral and human RNAs smaller than canonical MicroRNAs. <i>Journal of Virology</i> , 2009 , 83, 12751-8	6.6	38
39	A 16.4% efficiency organic photovoltaic cell enabled using two donor polymers with their side-chains oriented differently by a ternary strategy. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 3676-3683	13	37
38	Evidence against KSHV infection in the pathogenesis of multiple myeloma. <i>Virus Research</i> , 1998 , 57, 197-202	4.2	35
37	14%-efficiency fullerene-free ternary solar cell enabled by designing a short side-chain substituted small-molecule acceptor. <i>Nano Energy</i> , 2019 , 64, 103934	17.1	34
36	Characterization of an early passage Merkel cell polyomavirus-positive Merkel cell carcinoma cell line, MS-1, and its growth in NOD scid gamma mice. <i>Journal of Virological Methods</i> , 2013 , 187, 6-14	2.6	34
35	Response of Merkel cell polyomavirus-positive merkel cell carcinoma xenografts to a survivin inhibitor. <i>PLoS ONE</i> , 2013 , 8, e80543	3.7	34
34	The central repeat domain 1 of Kaposi's sarcoma-associated herpesvirus (KSHV) latency associated-nuclear antigen 1 (LANA1) prevents cis MHC class I peptide presentation. <i>Virology</i> , 2011 , 412, 357-65	3.6	34
33	Use of a multiantigen detection algorithm for diagnosis of Kaposi's sarcoma-associated herpesvirus infection. <i>Journal of Clinical Microbiology</i> , 2006 , 44, 3734-41	9.7	34
32	Transcriptional analysis of latent and inducible Kaposi's sarcoma-associated herpesvirus transcripts in the K4 to K7 region. <i>Journal of Virology</i> , 2005 , 79, 15099-106	6.6	34
31	Primary cutaneous rhabdomyosarcoma. <i>American Journal of Surgical Pathology</i> , 1990 , 14, 977-82	6.7	34

30	Asymmetric assembly of Merkel cell polyomavirus large T-antigen origin binding domains at the viral origin. <i>Journal of Molecular Biology</i> , 2011 , 409, 529-42	6.5	33
29	Mitotic protein kinase CDK1 phosphorylation of mRNA translation regulator 4E-BP1 Ser83 may contribute to cell transformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 8466-71	11.5	32
28	Achieving Efficient Ternary Organic Solar Cells Using Structurally Similar Non-Fullerene Acceptors with Varying Flanking Side Chains. <i>Advanced Energy Materials</i> , 2021 , 11, 2100079	21.8	32
27	Intrabodies targeting the Kaposi sarcoma-associated herpesvirus latency antigen inhibit viral persistence in lymphoma cells. <i>Blood</i> , 2005 , 106, 3797-802	2.2	31
26	Effect of the chlorine substitution position of the end-group on intermolecular interactions and photovoltaic performance of small molecule acceptors. <i>Energy and Environmental Science</i> , 2020 , 13, 5028-5038 ²⁹	35.4	29
25	Merkel cell polyomavirus T antigens promote cell proliferation and inflammatory cytokine gene expression. <i>Journal of General Virology</i> , 2015 , 96, 3532-3544	4.9	27
24	Kaposi's Sarcoma-Associated Herpesvirus-Encoded circRNAs Are Expressed in Infected Tumor Tissues and Are Incorporated into Virions. <i>MBio</i> , 2020 , 11,	7.8	26
23	The conundrum of causality in tumor virology: the cases of KSHV and MCV. <i>Seminars in Cancer Biology</i> , 2014 , 26, 4-12	12.7	26
22	Survey for human polyomaviruses in cancer. <i>JCI Insight</i> , 2016 , 1,	9.9	26
21	Complex alternative cytoplasmic protein isoforms of the Kaposi's sarcoma-associated herpesvirus latency-associated nuclear antigen 1 generated through noncanonical translation initiation. <i>Journal of Virology</i> , 2013 , 87, 2744-55	6.6	25
20	Twenty years of KSHV. <i>Viruses</i> , 2014 , 6, 4258-64	6.2	24
19	Protein-mediated viral latency is a novel mechanism for Merkel cell polyomavirus persistence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E4040-E4047 ^{11.5}	11.5	23
18	Common Commensal Cancer Viruses. <i>PLoS Pathogens</i> , 2017 , 13, e1006078	7.6	22
17	Incorporation of alkylthio side chains on benzothiadiazole-based non-fullerene acceptors enables high-performance organic solar cells with over 16% efficiency. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 23239-23247	13	21
16	Clinicopathological review: primary angiitis of the central nervous system in association with cerebral amyloid angiopathy. <i>Neurosurgery</i> , 2003 , 53, 136-43; discussion 143	3.2	20
15	Identification and Characterization of Novel Rat Polyomavirus 2 in a Colony of X-SCID Rats by P-PIT assay. <i>MSphere</i> , 2016 , 1,	5	18
14	Induction of CCL20 production by Kaposi sarcoma-associated herpesvirus: role of viral FLICE inhibitory protein K13-induced NF-kappaB activation. <i>Blood</i> , 2009 , 113, 5660-8	2.2	17
13	Evaluation of the latency-associated nuclear antigen (ORF73) of Kaposi's sarcoma-associated herpesvirus by peptide mapping and bacterially expressed recombinant western blot assay. <i>Journal of Infectious Diseases</i> , 2000 , 182, 306-10	7	17

12	A Chlorinated Donor Polymer Achieving High-Performance Organic Solar Cells with a Wide Range of Polymer Molecular Weight. <i>Advanced Functional Materials</i> , 2021 , 31, 2102413	15.6	17
11	L-tryptophan and the eosinophilia-myalgia syndrome: pathologic findings in eight patients. <i>Human Pathology</i> , 1991 , 22, 12-21	3.7	16
10	Human DNA tumor viruses generate alternative reading frame proteins through repeat sequence recoding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4342-9	11.5	14
9	Unusual intramedullary vascular lesion: report of two cases. <i>Neurosurgery</i> , 1997 , 40, 1295-301	3.2	13
8	Mitosis-related phosphorylation of the eukaryotic translation suppressor 4E-BP1 and its interaction with eukaryotic translation initiation factor 4E (eIF4E). <i>Journal of Biological Chemistry</i> , 2019 , 294, 11840-11852	5.4	12
7	Merkel Cell Polyomavirus Encodes Circular RNAs (circRNAs) Enabling a Dynamic circRNA/microRNA/mRNA Regulatory Network. <i>MBio</i> , 2020 , 11,	7.8	12
6	Durable remission of HIV-negative, Kaposi's sarcoma herpes virus-associated multicentric Castlemans disease in patient with rheumatoid arthritis treated with methotrexate. <i>Clinical Rheumatology</i> , 2007 , 26, 1148-50	3.9	9
5	Widespread keratosis pilaris-like eruption in an immunocompromised child. <i>JAAD Case Reports</i> , 2019 , 5, 352-354	1.4	6
4	Sirolimus and Other Mechanistic Target of Rapamycin Inhibitors Directly Activate Latent Pathogenic Human Polyomavirus Replication. <i>Journal of Infectious Diseases</i> , 2021 , 224, 1160-1169	7	6
3	B <- N Bridged Polymer Acceptors with 900 nm Absorption Edges Enabling High-Performance All-Polymer Solar Cells. <i>Macromolecules</i> , 2020 , 53, 9529-9538	5.5	5
2	A novel etiology of renal allograft dysfunction. <i>American Journal of Kidney Diseases</i> , 2001 , 38, 658-63	7.4	4
1	Proteomic approach to discover human cancer viruses from formalin-fixed tissues. <i>JCI Insight</i> , 2020 , 5,	9.9	1