

Cesar Arrese-Igor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3446637/publications.pdf>

Version: 2024-02-01

62
papers

3,251
citations

172207

29
h-index

149479

56
g-index

63
all docs

63
docs citations

63
times ranked

2844
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidative Damage in Pea Plants Exposed to Water Deficit or Paraquat1. <i>Plant Physiology</i> , 1998, 116, 173-181.	2.3	389
2	The Response of Carbon Metabolism and Antioxidant Defenses of Alfalfa Nodules to Drought Stress and to the Subsequent Recovery of Plants. <i>Plant Physiology</i> , 2007, 144, 1104-1114.	2.3	210
3	The role of sucrose synthase in the response of soybean nodules to drought. <i>Journal of Experimental Botany</i> , 1995, 46, 1515-1523.	2.4	189
4	<i>Medicago truncatula</i> Root Nodule Proteome Analysis Reveals Differential Plant and Bacteroid Responses to Drought Stress. <i>Plant Physiology</i> , 2007, 144, 1495-1507.	2.3	178
5	Effects of water stress on antioxidant enzymes of leaves and nodules of transgenic alfalfa overexpressing superoxide dismutases. <i>Physiologia Plantarum</i> , 2002, 115, 531-540.	2.6	141
6	Reduced Carbon Availability to Bacteroids and Elevated Ureides in Nodules, But Not in Shoots, Are Involved in the Nitrogen Fixation Response to Early Drought in Soybean. <i>Plant Physiology</i> , 2007, 145, 539-546.	2.3	124
7	Evidence for carbon flux shortage and strong carbon/nitrogen interactions in pea nodules at early stages of water stress. <i>Journal of Experimental Botany</i> , 2005, 56, 2551-2561.	2.4	119
8	Nitrogen Fixation Control under Drought Stress. Localized or Systemic?. <i>Plant Physiology</i> , 2007, 143, 1968-1974.	2.3	114
9	Nitrogen Fixation Control under Drought Stress. Localized or Systemic?. <i>Plant Physiology</i> , 2007, 143, 1968-1974.	2.3	114
10	Carbon Metabolism and Bacteroid Functioning Are Involved in the Regulation of Nitrogen Fixation in <i>Medicago truncatula</i> Under Drought and Recovery. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 1565-1576.	1.4	114
11	Local inhibition of nitrogen fixation and nodule metabolism in drought-stressed soybean. <i>Journal of Experimental Botany</i> , 2013, 64, 2171-2182.	2.4	101
12	Water-deficit effects on carbon and nitrogen metabolism of pea nodules. <i>Journal of Experimental Botany</i> , 1998, 49, 1705-1714.	2.4	99
13	Nodule performance within a changing environmental context. <i>Journal of Plant Physiology</i> , 2014, 171, 1076-1090.	1.6	79
14	Drought effects on carbon and nitrogen metabolism of pea nodules can be mimicked by paraquat: evidence for the occurrence of two regulation pathways under oxidative stresses. <i>Journal of Experimental Botany</i> , 2006, 57, 665-673.	2.4	70
15	Abscisic acid induces a decline in nitrogen fixation that involves leghaemoglobin, but is independent of sucrose synthase activity. <i>Journal of Experimental Botany</i> , 2001, 52, 285-293.	2.4	68
16	Model legumes contribute to faba bean breeding. <i>Field Crops Research</i> , 2010, 115, 253-269.	2.3	64
17	Possible causes of the physiological decline in soybean nitrogen fixation in the presence of nitrate. <i>Journal of Experimental Botany</i> , 1997, 48, 905-913.	2.4	57
18	Drought stress provokes the down-regulation of methionine and ethylene biosynthesis pathways in <i>Medicago truncatula</i> roots and nodules. <i>Plant, Cell and Environment</i> , 2014, 37, 2051-2063.	2.8	57

#	ARTICLE	IF	CITATIONS
19	Insights into the regulation of nitrogen fixation in pea nodules: lessons from drought, abscisic acid and increased photoassimilate availability. <i>Agronomy for Sustainable Development</i> , 2001, 21, 607-613.	0.8	56
20	Continuous CO ₂ enrichment leads to increased nodule biomass, carbon availability to nodules and activity of carbon-metabolising enzymes but does not enhance specific nitrogen fixation in pea. <i>Physiologia Plantarum</i> , 2001, 113, 33-40.	2.6	54
21	Imazethapyr, an inhibitor of the branched-chain amino acid biosynthesis, induces aerobic fermentation in pea plants. <i>Physiologia Plantarum</i> , 2002, 114, 524-532.	2.6	52
22	NADPH recycling systems in oxidative stressed pea nodules: a key role for the NADP ⁺ -dependent isocitrate dehydrogenase. <i>Planta</i> , 2006, 225, 413-421.	1.6	52
23	Source of nitrogen nutrition (nitrogen fixation or nitrate assimilation) is a major factor involved in pea response to moderate water stress. <i>Journal of Plant Physiology</i> , 2000, 157, 609-617.	1.6	49
24	Physiological consequences of continuous, sublethal imazethapyr supply to pea plants. <i>Journal of Plant Physiology</i> , 2000, 157, 345-354.	1.6	46
25	Absolute quantification of <i>Medicago truncatula</i> sucrose synthase isoforms and N-metabolism enzymes in symbiotic root nodules and the detection of novel nodule phosphoproteins by mass spectrometry. <i>Journal of Experimental Botany</i> , 2008, 59, 3307-3315.	2.4	40
26	Is N-feedback involved in the inhibition of nitrogen fixation in drought-stressed <i>Medicago truncatula</i> ? <i>Journal of Experimental Botany</i> , 2013, 64, 281-292.	2.4	38
27	Enhanced expression of <i>Rhizobium etli</i> cbb 3 oxidase improves drought tolerance of common bean symbiotic nitrogen fixation. <i>Journal of Experimental Botany</i> , 2012, 63, 5035-5043.	2.4	34
28	Evidence for Transcriptional and Post-Translational Regulation of Sucrose Synthase in Pea Nodules by the Cellular Redox State. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 622-630.	1.4	33
29	Pea plant responsiveness under elevated [CO ₂] is conditioned by the N source (N ₂ fixation versus Tj ETQq1 1 0.784314 rgBT/Overlook	2.0	32
30	Fermentative Metabolism Is Induced by Inhibiting Different Enzymes of the Branched-Chain Amino Acid Biosynthesis Pathway in Pea Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 7486-7493.	2.4	30
31	The application of ascorbate or its immediate precursor, galactono-1,4-lactone, does not affect the response of nitrogen-fixing pea nodules to water stress. <i>Journal of Plant Physiology</i> , 2008, 165, 805-812.	1.6	30
32	Split-root systems applied to the study of the legume-rhizobial symbiosis: What have we learned?. <i>Journal of Integrative Plant Biology</i> , 2014, 56, 1118-1124.	4.1	26
33	A proteomic approach reveals new actors of nodule response to drought in split-root grown pea plants. <i>Physiologia Plantarum</i> , 2014, 152, 634-645.	2.6	26
34	Denitrifying ability of thirteen <i>Rhizobium meliloti</i> strains. <i>Plant and Soil</i> , 1993, 149, 43-50.	1.8	25
35	Nodule carbohydrate catabolism is enhanced in the <i>Medicago truncatula</i> A17-Sinorhizobium medicae WSM419 symbiosis. <i>Frontiers in Microbiology</i> , 2014, 5, 447.	1.5	24
36	Soybean-Nodulating Strains With Low Intrinsic Competitiveness for Nodulation, Good Symbiotic Performance, and Stress-Tolerance Isolated From Soybean-Cropped Soils in Argentina. <i>Frontiers in Microbiology</i> , 2019, 10, 1061.	1.5	24

#	ARTICLE	IF	CITATIONS
37	Tolerance of common bean to long-term osmotic stress is related to nodule carbon flux and antioxidant defenses: evidence from two cultivars with contrasting tolerance. <i>Plant and Soil</i> , 2008, 312, 39-48.	1.8	23
38	Expression Studies of Superoxide Dismutases in Nodules and Leaves of Transgenic Alfalfa Reveal Abundance of Iron-Containing Isozymes, Posttranslational Regulation, and Compensation of Isozyme Activities. <i>Molecular Plant-Microbe Interactions</i> , 2001, 14, 1178-1188.	1.4	21
39	Unravelling the mechanisms that improve photosynthetic performance of N ₂ -fixing pea plants exposed to elevated [CO ₂]. <i>Environmental and Experimental Botany</i> , 2014, 99, 167-174.	2.0	19
40	Source of nitrogen nutrition affects pea growth involving changes in stomatal conductance and photorespiration. <i>Journal of Plant Nutrition</i> , 1999, 22, 911-926.	0.9	18
41	Effect of shoot removal on remobilization of carbon and nitrogen during regrowth of nitrogen-fixing alfalfa. <i>Physiologia Plantarum</i> , 2015, 153, 91-104.	2.6	18
42	Physiological, Hormonal and Metabolic Responses of two Alfalfa Cultivars with Contrasting Responses to Drought. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5099.	1.8	18
43	In vitro and in vivo Effects of Chlorsulfuron in Sensitive and Tolerant plants. <i>Journal of Plant Physiology</i> , 1991, 139, 235-239.	1.6	16
44	Imazethapyr inhibition of acetolactate synthase in <i>Rhizobium</i> and its symbiosis with pea. <i>Pest Management Science</i> , 1998, 52, 372-380.	0.7	16
45	Distribution of nitrate reductase activity in nodulated lucerne plants. <i>Plant and Soil</i> , 1991, 131, 107-113.	1.8	14
46	Denitrification in lucerne nodules and bacteroids supplied with nitrate. <i>Physiologia Plantarum</i> , 1992, 84, 531-536.	2.6	14
47	Expression and Localization of a <i>Rhizobium</i> -Derived Cambialistic Superoxide Dismutase in Pea (<i>Pisum sativum</i>) Nodules Subjected to Oxidative Stress. <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 1247-1257.	1.4	14
48	Application of anti-transpirants temporarily alleviates the inhibition of symbiotic nitrogen fixation in drought-stressed pea plants. <i>Agricultural Water Management</i> , 2019, 213, 193-199.	2.4	14
49	Use of Recombinant Iron-Superoxide Dismutase as A Marker of Nitrate Stress. <i>Methods in Enzymology</i> , 2008, 437, 605-618.	0.4	11
50	Understanding osmotic stress tolerance in leaves and nodules of two <i>Phaseolus vulgaris</i> cultivars with contrasting drought tolerance. <i>Symbiosis</i> , 2010, 52, 1-10.	1.2	11
51	Physiological Responses of N ₂ -Fixing Legumes to Water Limitation. , 2015, , 5-33.		10
52	Solute Heterogeneity and Osmotic Adjustment in Different Leaf Structures of Semi-Leafless Pea (<i>Pisum</i>) Tj ETQq0 Q0 rgBT /Qverlock 10	1.8	9
53	Denitrification and Respiration in <i>Rhizobium meliloti</i> Bacteroids and Lucerne Nodules as Affected by Nitrate Supply. <i>Journal of Plant Physiology</i> , 1992, 139, 373-378.	1.6	8
54	A novel biosensor to monitor proline in pea root exudates and nodules under osmotic stress and recovery. <i>Plant and Soil</i> , 2020, 452, 413-422.	1.8	8

#	ARTICLE	IF	CITATIONS
55	Nitrate reduction in tendrils of semi-leafless pea. <i>Physiologia Plantarum</i> , 2001, 111, 329-335.	2.6	5
56	Efficient Biological Nitrogen Fixation Under Warming Climates. , 2010, , 283-306.		5
57	How Does High Temperature Affect Legume Nodule Symbiotic Activity?. , 2015, , 67-87.		4
58	P Deficiency: A Major Limiting Factor for Rhizobial Symbiosis. , 2017, , 21-39.		4
59	Additive effects of heatwave and water stresses on soybean seed yield is caused by impaired carbon assimilation at pod formation but not at flowering. <i>Plant Science</i> , 2022, 321, 111320.	1.7	4
60	Title is missing!. <i>Plant and Soil</i> , 1999, 216, 139-145.	1.8	3
61	TRANSPIRATION RATE AND AMINO ACID DISTRIBUTION IN WATER STRESSED MEDICAGO TRUNCATULA PLANTS. <i>Acta Horticulturae</i> , 2009, , 339-344.	0.1	1
62	Increased Ascorbate Biosynthesis Does Not Improve Nitrogen Fixation Nor Alleviate the Effect of Drought Stress in Nodulated <i>Medicago truncatula</i> Plants. <i>Frontiers in Plant Science</i> , 2021, 12, 686075.	1.7	0