

Naoki Iwamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3447396/publications.pdf>

Version: 2024-02-01

41
papers

573
citations

516710

16
h-index

677142

22
g-index

43
all docs

43
docs citations

43
times ranked

915
citing authors

#	ARTICLE	IF	CITATIONS
1	Selection of treatment regimens based on shared decision-making in patients with rheumatoid arthritis on remission in the FREE-J study. <i>Rheumatology</i> , 2022, 61, 4273-4285.	1.9	3
2	Comparison of complications during 1-year follow-up between remitting seronegative symmetrical synovitis with pitting edema syndrome and elderly-onset rheumatoid arthritis. <i>Immunological Medicine</i> , 2022, , 1-7.	2.6	2
3	Serum checkpoint molecules in patients with IgG4-related disease (IgG4-RD). <i>Arthritis Research and Therapy</i> , 2021, 23, 148.	3.5	6
4	Real-world comparative effectiveness and safety of tofacitinib and baricitinib in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2021, 23, 197.	3.5	26
5	Methotrexate Alters the Expression of microRNA in Fibroblast-like Synovial Cells in Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11561.	4.1	9
6	Comparison of the quantitative measurement of 18F-FDG PET/CT and histopathological findings in IgG4-related disease. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 1338-1344.	0.8	0
7	Anti-EJ Antibody-positive Anti-synthetase Syndrome Associated with Retroperitoneal Sarcoma. <i>Internal Medicine</i> , 2020, 59, 2071-2076.	0.7	4
8	Differences in musculoskeletal ultrasound findings between RS3PE syndrome and elderly-onset rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2020, 39, 1981-1988.	2.2	9
9	Comparative study of the inhibitory effect on bone erosion progression with denosumab treatment and conventional treatment in rheumatoid arthritis patients: study protocol for an open-label randomized controlled trial by HR-pQCT. <i>Trials</i> , 2019, 20, 494.	1.6	10
10	AB0172â€¦EXPRESSION OF SLAMF6 AND ITS FUNCTIONAL SIGNIFICANCE IN PODOCYTES OF LUPUS NEPHRITIS. , 2019, , .		0
11	Recent findings regarding the effects of microRNAs on fibroblast-like synovial cells in rheumatoid arthritis. <i>Immunological Medicine</i> , 2019, 42, 156-161.	2.6	12
12	Denosumab is effective toward glucocorticoid-induced osteoporosis patients complicated with rheumatic diseases regardless of prior anti-osteoporotic drugs. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 554-562.	2.7	14
13	Antineutrophilic cytoplasmic antibodyâ€¦associated vasculitis with and without renal involvement: C3 contributes to prognosis, but renal involvement does not. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 789-796.	1.9	9
14	Osteogenic differentiation of fibroblast-like synovial cells in rheumatoid arthritis is induced by microRNA-218 through a ROBO/Slit pathway. <i>Arthritis Research and Therapy</i> , 2018, 20, 189.	3.5	34
15	Rituximab-induced Acute Thrombocytopenia in Granulomatosis with Polyangiitis. <i>Internal Medicine</i> , 2018, 57, 2247-2250.	0.7	7
16	Synovitis of sternoclavicular and peripheral joints can be detected by ultrasound in patients with SAPHO syndrome. <i>Modern Rheumatology</i> , 2017, 27, 881-885.	1.8	6
17	Tocilizumab is effective in a familial <scp>M</scp>editerranean fever patient complicated with histologically proven recurrent fasciitis and myositis. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 1868-1871.	1.9	18
18	Giant cell arteritis complicated with microscopic polyangiitis: two cases. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 134-138.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Efficacy and safety at 24 weeks of daily clinical use of tofacitinib in patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2017, 12, e0177057.	2.5	23
20	Magnetic Resonance Imaging Bone Edema at Enrollment Predicts Rapid Radiographic Progression in Patients with Early RA: Results from the Nagasaki University Early Arthritis Cohort. <i>Journal of Rheumatology</i> , 2016, 43, 1278-1284.	2.0	14
21	Fewer subsequent relapses and lower levels of IL-17 in Takayasu arteritis developed after the age of 40 years. <i>Arthritis Research and Therapy</i> , 2016, 18, 293.	3.5	10
22	Antineutrophilic cytoplasmic antibody-associated vasculitis with hypocomplementemia has a higher incidence of serious organ damage and a poor prognosis. <i>Medicine (United States)</i> , 2016, 95, e4871.	1.0	34
23	Bioanalysis of bevacizumab and infliximab by high-temperature reversed-phase liquid chromatography with fluorescence detection after immunoaffinity magnetic purification. <i>Analytica Chimica Acta</i> , 2016, 916, 112-119.	5.4	28
24	Evaluation of switching from intravenous to subcutaneous formulation of tocilizumab in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016, 26, 662-666.	1.8	19
25	Upregulation of Thrombospondin 1 Expression in Synovial Tissues and Plasma of Rheumatoid Arthritis: Role of Transforming Growth Factor- β 1 toward Fibroblast-like Synovial Cells. <i>Journal of Rheumatology</i> , 2015, 42, 943-947.	2.0	21
26	Synovial inflammation assessed by ultrasonography correlates with MRI-proven osteitis in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2014, 53, 1452-1456.	1.9	21
27	An elderly patient with chronic active Epstein-Barr virus infection with mixed cryoglobulinemia and review of the literature. <i>Modern Rheumatology</i> , 2013, 23, 1022-1028.	1.8	4
28	Magnetic resonance imaging (MRI) detection of synovitis and bone lesions of the wrists and finger joints in early-stage rheumatoid arthritis: comparison of the accuracy of plain MRI-based findings and gadolinium-diethylenetriamine pentaacetic acid-enhanced MRI-based findings. <i>Modern Rheumatology</i> , 2012, 22, 654-658.	1.8	28
29	Disease activity score 28 may overestimate the remission induction of rheumatoid arthritis patients treated with tocilizumab: comparison with the remission by the clinical disease activity index. <i>Modern Rheumatology</i> , 2011, 21, 365-369.	1.8	27
30	Reduction in serum levels of substance P in patients with rheumatoid arthritis by etanercept, a tumor necrosis factor inhibitor. <i>Modern Rheumatology</i> , 2011, 21, 244-250.	1.8	17
31	In rheumatoid arthritis patients treated with tocilizumab, the rate of clinical disease activity index (CDAI) remission at 24 weeks is superior in those with higher titers of IgM-rheumatoid factor at baseline. <i>Modern Rheumatology</i> , 2011, 21, 370-374.	1.8	16
32	Contribution of an adenine to guanine single nucleotide polymorphism of the matrix metalloproteinase-13 (MMP-13) β 77 promoter region to the production of anticyclic citrullinated peptide antibodies in patients with HLA-DRB1*shared epitope-negative rheumatoid arthritis. <i>Modern Rheumatology</i> , 2011, 21, 240-243.	1.8	1
33	Contribution of an adenine to guanine single nucleotide polymorphism of the matrix metalloproteinase-13 (MMP-13) β 77 promoter region to the production of anticyclic citrullinated peptide antibodies in patients with HLA-DRB1*shared epitope-negative rheumatoid arthritis. <i>Modern Rheumatology</i> , 2011, 21, 240-243.	1.8	3
34	Cutaneous vasculitis induced by TNF inhibitors: a report of three cases. <i>Modern Rheumatology</i> , 2010, 20, 86-89.	1.8	37
35	Switching to the anti-interleukin-6 receptor antibody tocilizumab in rheumatoid arthritis patients refractory to antitumor necrosis factor biologics. <i>Modern Rheumatology</i> , 2010, 20, 40-45.	1.8	11
36	Regulation of disease susceptibility and mononuclear cell infiltration into the labial salivary glands of Sjogren's syndrome by monocyte chemoattractant protein-1. <i>Rheumatology</i> , 2010, 49, 1472-1478.	1.9	12

#	ARTICLE	IF	CITATIONS
37	Successful treatment of chronic lupus myocarditis with prednisolone and mizoribine. <i>Modern Rheumatology</i> , 2010, 20, 606-610.	1.8	4
38	Prediction of DAS28-CRP remission in patients with rheumatoid arthritis treated with tacrolimus at 6 months by baseline variables. <i>Modern Rheumatology</i> , 2009, 19, 652-656.	1.8	6
39	Prediction of DAS28-ESR remission at 6 months by baseline variables in patients with rheumatoid arthritis treated with etanercept in Japanese population. <i>Modern Rheumatology</i> , 2009, 19, 488-492.	1.8	20
40	Determination of the Subset of Sjögren's Syndrome with Articular Manifestations by Anticyclic Citrullinated Peptide Antibodies. <i>Journal of Rheumatology</i> , 2009, 36, 113-115.	2.0	28
41	Prediction of DAS28-ESR remission at 6 months by baseline variables in patients with rheumatoid arthritis treated with etanercept in Japanese population. <i>Modern Rheumatology</i> , 2009, 19, 488-492.	1.8	19