

# Andrew M Lew

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3448219/publications.pdf>

Version: 2024-02-01

181  
papers

10,209  
citations

31902

53  
h-index

40881

93  
g-index

181  
all docs

181  
docs citations

181  
times ranked

13146  
citing authors

#	ARTICLE	IF	CITATIONS
1	Migratory Dendritic Cells Transfer Antigen to a Lymph Node-Resident Dendritic Cell Population for Efficient CTL Priming. <i>Immunity</i> , 2006, 25, 153-162.	6.6	637
2	The dendritic cell subtype-restricted C-type lectin Clec9A is a target for vaccine enhancement. <i>Blood</i> , 2008, 112, 3264-3273.	0.6	421
3	Developmental kinetics, turnover, and stimulatory capacity of thymic epithelial cells. <i>Blood</i> , 2006, 108, 3777-3785.	0.6	394
4	The Development, Maturation, and Turnover Rate of Mouse Spleen Dendritic Cell Populations. <i>Journal of Immunology</i> , 2000, 165, 6762-6770.	0.4	368
5	Differential Development of Murine Dendritic Cells by GM-CSF versus Flt3 Ligand Has Implications for Inflammation and Trafficking. <i>Journal of Immunology</i> , 2007, 179, 7577-7584.	0.4	336
6	The need for IgG2c specific antiserum when isotyping antibodies from C57BL/6 and NOD mice. <i>Journal of Immunological Methods</i> , 1998, 212, 187-192.	0.6	304
7	Innate Immune Surveillance of Spontaneous B Cell Lymphomas by Natural Killer Cells and $\gamma\delta$ T Cells. <i>Journal of Experimental Medicine</i> , 2004, 199, 879-884.	4.2	227
8	Cell-Associated Ovalbumin Is Cross-Presented Much More Efficiently than Soluble Ovalbumin In Vivo. <i>Journal of Immunology</i> , 2001, 166, 6099-6103.	0.4	223
9	Initiation of Plasma-Cell Differentiation Is Independent of the Transcription Factor Blimp-1. <i>Immunity</i> , 2007, 26, 555-566.	6.6	220
10	Targeting Antigen to Mouse Dendritic Cells via Clec9A Induces Potent CD4 T Cell Responses Biased toward a Follicular Helper Phenotype. <i>Journal of Immunology</i> , 2011, 187, 842-850.	0.4	208
11	Responses against islet antigens in NOD mice are prevented by tolerance to proinsulin but not IGRP. <i>Journal of Clinical Investigation</i> , 2006, 116, 3258-3265.	3.9	197
12	Potential therapeutic effects of dipyridamole in the severely ill patients with COVID-19. <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 1205-1215.	5.7	193
13	Antigen affinity, costimulation, and cytokine inputs sum linearly to amplify T cell expansion. <i>Science</i> , 2014, 346, 1123-1127.	6.0	185
14	The importance of antibody affinity in the performance of immunoassays for antibody. <i>Journal of Immunological Methods</i> , 1985, 78, 173-190.	0.6	181
15	NKT Cell Stimulation with Glycolipid Antigen In Vivo: Costimulation-Dependent Expansion, Bim-Dependent Contraction, and Hyporesponsiveness to Further Antigenic Challenge. <i>Journal of Immunology</i> , 2005, 175, 3092-3101.	0.4	163
16	Mucosal Profiling of Pediatric-Onset Colitis and IBD Reveals Common Pathogenics and Therapeutic Pathways. <i>Cell</i> , 2019, 179, 1160-1176.e24.	13.5	163
17	Selective suicide of cross-presenting CD8 <sup>+</sup> dendritic cells by cytochrome <i>c</i> injection shows functional heterogeneity within this subset. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3029-3034.	3.3	151
18	PCR based diagnosis in the presence of 8% (v/v) blood. <i>Nucleic Acids Research</i> , 1991, 19, 1151-1151.	6.5	140

#	ARTICLE	IF	CITATIONS
19	The cell biology of cross-presentation and the role of dendritic cell subsets. <i>Immunology and Cell Biology</i> , 2008, 86, 353-362.	1.0	136
20	Aberrant actin depolymerization triggers the pyrin inflammasome and autoinflammatory disease that is dependent on IL-18, not IL-1 $\beta$ . <i>Journal of Experimental Medicine</i> , 2015, 212, 927-938.	4.2	120
21	A RIPK2 inhibitor delays NOD signalling events yet prevents inflammatory cytokine production. <i>Nature Communications</i> , 2015, 6, 6442.	5.8	112
22	The polycomb repressive complex 2 governs life and death of peripheral T cells. <i>Blood</i> , 2014, 124, 737-749.	0.6	111
23	The C-Type Lectin Clec12A Present on Mouse and Human Dendritic Cells Can Serve as a Target for Antigen Delivery and Enhancement of Antibody Responses. <i>Journal of Immunology</i> , 2009, 182, 7587-7594.	0.4	105
24	GM-CSF-Responsive Monocyte-Derived Dendritic Cells Are Pivotal in Th17 Pathogenesis. <i>Journal of Immunology</i> , 2014, 192, 2202-2209.	0.4	103
25	Anti-apoptotic proteins BCL-2, MCL-1 and A1 summate collectively to maintain survival of immune cell populations both in vitro and in vivo. <i>Cell Death and Differentiation</i> , 2017, 24, 878-888.	5.0	103
26	Mouse loci for malaria-induced mortality and the control of parasitaemia. <i>Nature Genetics</i> , 1997, 17, 380-381.	9.4	98
27	BH3 mimetics antagonizing restricted prosurvival Bcl-2 proteins represent another class of selective immune modulatory drugs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10967-10971.	3.3	97
28	The effect of epitope density and antibody affinity on the ELISA as analysed by monoclonal antibodies. <i>Journal of Immunological Methods</i> , 1984, 72, 171-176.	0.6	96
29	Similar Peptides from Two $\beta$ Cell Autoantigens, Proinsulin and Glutamic Acid Decarboxylase, Stimulate T Cells of Individuals at Risk for Insulin-Dependent Diabetes. <i>Molecular Medicine</i> , 1995, 1, 625-633.	1.9	96
30	Contribution of Thy1 <sup>+</sup> NK cells to protective IFN- $\beta$ production during <i>Salmonella</i> /Typhimurium infections. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2252-2257.	3.3	87
31	Characterization of an Immediate Splenic Precursor of CD8 <sup>+</sup> Dendritic Cells Capable of Inducing Antiviral T Cell Responses. <i>Journal of Immunology</i> , 2009, 182, 4200-4207.	0.4	86
32	GM-CSF increases cross-presentation and CD103 expression by mouse CD8 <sup>+</sup> spleen dendritic cells. <i>European Journal of Immunology</i> , 2011, 41, 2585-2595.	1.6	86
33	Macrophages, rather than DCs, are responsible for inflammasome activity in the GM-CSF BMDC model. <i>Nature Immunology</i> , 2019, 20, 397-406.	7.0	85
34	Selected Toll-like Receptor Ligands and Viruses Promote Helper-Independent Cytotoxic T Cell Priming by Upregulating CD40L on Dendritic Cells. <i>Immunity</i> , 2009, 30, 218-227.	6.6	84
35	Influence of Antibody affinity on the performance of different antibody assays. <i>Journal of Immunological Methods</i> , 1984, 72, 177-187.	0.6	80
36	Antiviral activity of arbidol, a broad-spectrum drug for use against respiratory viruses, varies according to test conditions. <i>Journal of Medical Virology</i> , 2012, 84, 170-181.	2.5	78

#	ARTICLE	IF	CITATIONS
37	Targeting Improves the Efficacy of a DNA Vaccine against <i>Corynebacterium pseudotuberculosis</i> in Sheep. <i>Infection and Immunity</i> , 1999, 67, 6434-6438.	1.0	76
38	The measurement of antibody affinity: a comparison of five techniques utilizing a panel of monoclonal anti-DNP antibodies and the effect of high affinity antibody on the measurement of low affinity antibody. <i>Journal of Immunological Methods</i> , 1983, 64, 119-132.	0.6	75
39	Is IgG2a a good Th1 marker in mice?. <i>Trends in Immunology</i> , 1998, 19, 49.	7.5	75
40	Life and Death of Activated T Cells: How Are They Different from Naïve T Cells?. <i>Frontiers in Immunology</i> , 2017, 8, 1809.	2.2	74
41	Negative selection of semimature CD4+8-HSA+ thymocytes requires the BH3-only protein Bim but is independent of death receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7052-7057.	3.3	71
42	Antigen delivery via two molecules on the CD8- dendritic cell subset induces humoral immunity in the absence of conventional "danger". <i>European Journal of Immunology</i> , 2005, 35, 2815-2825.	1.6	71
43	Deliberately provoking local inflammation drives tumors to become their own protective vaccine site. <i>International Immunology</i> , 2008, 20, 1467-1479.	1.8	71
44	The regulation of the development and function of dendritic cell subsets by GM-CSF: More than a hematopoietic growth factor. <i>Molecular Immunology</i> , 2012, 52, 30-37.	1.0	70
45	Liver Immune Profiling Reveals Pathogenesis and Therapeutics for Biliary Atresia. <i>Cell</i> , 2020, 183, 1867-1883.e26.	13.5	70
46	IL-17 production by tissue-resident MAIT cells is locally induced in children with pneumonia. <i>Mucosal Immunology</i> , 2020, 13, 824-835.	2.7	70
47	Cytotoxic T-Cells From T-Cell Receptor Transgenic NOD8.3 Mice Destroy Î²-Cells via the Perforin and Fas Pathways. <i>Diabetes</i> , 2006, 55, 2412-2418.	0.3	68
48	Structure of the apical membrane antigen I (AMA-1) of <i>Plasmodium chabaudi</i> . <i>Molecular and Biochemical Parasitology</i> , 1989, 37, 281-283.	0.5	65
49	Regulation of asymmetric cell division and polarity by Scribble is not required for humoral immunity. <i>Nature Communications</i> , 2013, 4, 1801.	5.8	65
50	Loss of c-Cbl RING finger function results in high-intensity TCR signaling and thymic deletion. <i>EMBO Journal</i> , 2005, 24, 3807-3819.	3.5	62
51	Repurposed JAK1/JAK2 Inhibitor Reverses Established Autoimmune Insulinitis in NOD Mice. <i>Diabetes</i> , 2017, 66, 1650-1660.	0.3	61
52	Characterisation of mice lacking all functional isoforms of the pro-survival BCL-2 family member A1 reveals minor defects in the haematopoietic compartment. <i>Cell Death and Differentiation</i> , 2017, 24, 534-545.	5.0	60
53	Monocyte-Derived Dendritic Cells Promote Th Polarization, whereas Conventional Dendritic Cells Promote Th Proliferation. <i>Journal of Immunology</i> , 2016, 196, 624-636.	0.4	59
54	Transcription Factor PU.1 Promotes Conventional Dendritic Cell Identity and Function via Induction of Transcriptional Regulator DC-SCRIPT. <i>Immunity</i> , 2019, 50, 77-90.e5.	6.6	59

#	ARTICLE	IF	CITATIONS
55	Transgenic overexpression of human Bcl-2 in islet $\beta$ cells inhibits apoptosis but does not prevent autoimmune destruction. <i>International Immunology</i> , 2000, 12, 9-17.	1.8	56
56	Mutually exclusive regulation of T cell survival by IL-7R and antigen receptor-induced signals. <i>Nature Communications</i> , 2013, 4, 1735.	5.8	56
57	The inflammatory cytokine, GM-CSF, alters the developmental outcome of murine dendritic cells. <i>European Journal of Immunology</i> , 2012, 42, 2889-2900.	1.6	55
58	Pathogenic Mechanisms in Type 1 Diabetes: The Islet is Both Target and Driver of Disease. <i>Review of Diabetic Studies</i> , 2012, 9, 148-168.	0.5	55
59	CD4 Help-Independent Induction of Cytotoxic CD8 Cells to Allogeneic P815 Tumor Cells Is Absolutely Dependent on Costimulation. <i>Journal of Immunology</i> , 2000, 165, 3612-3619.	0.4	53
60	MCL-1 is required throughout B-cell development and its loss sensitizes specific B-cell subsets to inhibition of BCL-2 or BCL-XL. <i>Cell Death and Disease</i> , 2016, 7, e2345-e2345.	2.7	53
61	Effector-Memory T Cells Develop in Islets and Report Islet Pathology in Type 1 Diabetes. <i>Journal of Immunology</i> , 2014, 192, 572-580.	0.4	52
62	The Pleiotropic Effects of the GM-CSF Rheostat on Myeloid Cell Differentiation and Function: More Than a Numbers Game. <i>Frontiers in Immunology</i> , 2019, 10, 2679.	2.2	52
63	Molecular Cloning of F4/80-Like-Receptor, a Seven-Span Membrane Protein Expressed Differentially by Dendritic Cell and Monocyte-Macrophage Subpopulations. <i>Journal of Immunology</i> , 2001, 167, 3570-3576.	0.4	51
64	Autoimmunity to Both Proinsulin and IGRP Is Required for Diabetes in Nonobese Diabetic 8.3 TCR Transgenic Mice. <i>Journal of Immunology</i> , 2008, 180, 4458-4464.	0.4	51
65	Intranasal Vaccination with Proinsulin DNA Induces Regulatory CD4+ T Cells That Prevent Experimental Autoimmune Diabetes. <i>Journal of Immunology</i> , 2006, 176, 4608-4615.	0.4	46
66	Prosurvival Bcl-2 family members reveal a distinct apoptotic identity between conventional and plasmacytoid dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4044-4049.	3.3	43
67	Bcl-2 Antagonists Kill Plasmacytoid Dendritic Cells From Lupus-Prone Mice and Dampen Interferon- $\alpha$ Production. <i>Arthritis and Rheumatology</i> , 2015, 67, 797-808.	2.9	43
68	Molecular cloning of a C-type lectin superfamily protein differentially expressed by CD8 $\alpha^+$ splenic dendritic cells. <i>Molecular Immunology</i> , 2001, 38, 365-373.	1.0	42
69	Glucocorticoid receptor deficient thymic and peripheral T cells develop normally in adult mice. <i>European Journal of Immunology</i> , 2002, 32, 3546-3555.	1.6	41
70	Plasmacytoid dendritic cells are short-lived: reappraising the influence of migration, genetic factors and activation on estimation of lifespan. <i>Scientific Reports</i> , 2016, 6, 25060.	1.6	40
71	TCR-mediated activation promotes GITR upregulation in T cells and resistance to glucocorticoid-induced death. <i>International Immunology</i> , 2004, 16, 1315-1321.	1.8	38
72	Cognate CD4+ Help Elicited by Resting Dendritic Cells Does Not Impair the Induction of Peripheral Tolerance in CD8+ T Cells. <i>Journal of Immunology</i> , 2007, 178, 2094-2103.	0.4	38

#	ARTICLE	IF	CITATIONS
73	Excessive deubiquitination of NLRP3-R779C variant contributes to very-early-onset inflammatory bowel disease development. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 267-279.	1.5	38
74	PROTECTIVE EFFECT OF CTLA4Ig SECRETED BY TRANSGENIC FETAL PANCREAS ALLOGRAFTS1. <i>Transplantation</i> , 2000, 69, 1806-1812.	0.5	38
75	Targeted insertion of an anti-CD2 monoclonal antibody transgene into the GGTA1 locus in pigs using FokI-dCas9. <i>Scientific Reports</i> , 2017, 7, 8383.	1.6	37
76	Resident and Monocyte-Derived Dendritic Cells Become Dominant IL-12 Producers under Different Conditions and Signaling Pathways. <i>Journal of Immunology</i> , 2010, 185, 2125-2133.	0.4	36
77	Chromosomal rearrangements and point mutations in the DHFR-TS gene of <i>Plasmodium chabaudi</i> under antifolate selection. <i>Molecular and Biochemical Parasitology</i> , 1990, 42, 21-29.	0.5	33
78	CD8 <sup>+</sup> T Cells Are Associated with Severe Gastritis in <i>Helicobacter pylori</i> -Infected Mice in the Absence of CD4 <sup>+</sup> T Cells. <i>Infection and Immunity</i> , 2008, 76, 1289-1297.	1.0	32
79	Defects in the Bcl-2-Regulated Apoptotic Pathway Lead to Preferential Increase of CD25 <sup>low</sup> Foxp3 <sup>+</sup> Anergic CD4 <sup>+</sup> T Cells. <i>Journal of Immunology</i> , 2011, 187, 1566-1577.	0.4	32
80	Immune insufficiency during GVHD is due to defective antigen presentation within dendritic cell subsets. <i>Blood</i> , 2012, 119, 5918-5930.	0.6	32
81	Direct PCR from solid tissues without DNA extraction. <i>Nucleic Acids Research</i> , 1993, 21, 4656-4656.	6.5	31
82	Versatile co-expression of graft-protective proteins using 2A-linked cassettes. <i>Xenotransplantation</i> , 2011, 18, 121-130.	1.6	31
83	Transplantation of Xenogeneic Islets: Are We There Yet?. <i>Current Diabetes Reports</i> , 2013, 13, 687-694.	1.7	31
84	The Closely Related CD103 <sup>+</sup> Dendritic Cells (DCs) and Lymphoid-Resident CD8 <sup>+</sup> DCs Differ in Their Inflammatory Functions. <i>PLoS ONE</i> , 2014, 9, e91126.	1.1	30
85	The life and death of immune cell types: the role of BCL-2 anti-apoptotic molecules. <i>Immunology and Cell Biology</i> , 2017, 95, 870-877.	1.0	30
86	GM-CSF Quantity Has a Selective Effect on Granulocytic vs. Monocytic Myeloid Development and Function. <i>Frontiers in Immunology</i> , 2018, 9, 1922.	2.2	29
87	Molecular karyotyping of the rodent malaras <i>Plasmodium chabaudi</i> , <i>Plasmodium berghei</i> and <i>Plasmodium vinckei</i> . <i>Molecular and Biochemical Parasitology</i> , 1989, 34, 45-52.	0.5	28
88	Without CD4 Help, CD8 Rejection of Pig Xenografts Requires CD28 Costimulation But Not Perforin Killing. <i>Journal of Immunology</i> , 2001, 167, 6279-6285.	0.4	27
89	Without peripheral interference, thymic deletion is mediated in a cohort of double-positive cells without classical activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1197-1202.	3.3	27
90	Gene gun immunization in a preclinical model is enhanced by B7 targeting. <i>Vaccine</i> , 2003, 21, 2900-2905.	1.7	26

#	ARTICLE	IF	CITATIONS
91	Inhibitory Effect of Lipopolysaccharide on Immune Response After DNA Immunization Is Route Dependent. <i>DNA and Cell Biology</i> , 1998, 17, 343-348.	0.9	25
92	Glucocorticoid-Induced TNF Receptor Expression by T Cells Is Reciprocally Regulated by NF- $\kappa$ B and NFAT. <i>Journal of Immunology</i> , 2008, 181, 5405-5413.	0.4	25
93	CTLA4Ig Alters the Course of Autoimmune Disease Development in <i>Lyn</i> <sup>-/-</sup> Mice. <i>Journal of Immunology</i> , 2010, 184, 757-763.	0.4	25
94	Preclinical screening for acute toxicity of therapeutic monoclonal antibodies in a hu-SCID model. <i>Clinical and Translational Immunology</i> , 2014, 3, e29.	1.7	25
95	Local recall responses in the stomach involving reduced regulation and expanded help mediate vaccine-induced protection against <i>Helicobacter pylori</i> in mice. <i>European Journal of Immunology</i> , 2010, 40, 2778-2790.	1.6	24
96	SOCS1 negatively regulates the production of Foxp3 + CD4 + T cells in the thymus. <i>Immunology and Cell Biology</i> , 2009, 87, 473-480.	1.0	23
97	CCR2 enhances CD25 expression by FoxP3+ regulatory T cells and regulates their abundance independently of chemotaxis and CCR2+ myeloid cells. <i>Cellular and Molecular Immunology</i> , 2020, 17, 123-132.	4.8	23
98	A soluble class I molecule analogous to mouse Q10 in the horse and related species. <i>Immunogenetics</i> , 1986, 23, 277-283.	1.2	22
99	Site-directed immune responses in DNA vaccines encoding ligand-antigen fusions. <i>Vaccine</i> , 2000, 18, 1681-1685.	1.7	22
100	Protection of Xenografts by a Combination of Immunoisolation and a Single Dose of Anti-CD4 Antibody. <i>Cell Transplantation</i> , 2001, 10, 183-193.	1.2	22
101	Innate Allorecognition Results in Rapid Accumulation of Monocyte-Derived Dendritic Cells. <i>Journal of Immunology</i> , 2016, 197, 2000-2008.	0.4	22
102	SECRETION OF CTLA4IG BY AN SV40 T ANTIGEN-TRANSFORMED ISLET CELL LINE INHIBITS GRAFT REJECTION AGAINST THE NEOANTIGEN1. <i>Transplantation</i> , 1996, 62, 83-89.	0.5	22
103	Constitutive, but not inflammatory, cross-presentation is disabled in the pancreas of young mice. <i>European Journal of Immunology</i> , 2002, 32, 1044-1051.	1.6	21
104	Genetic modification of pigs for solid organ xenotransplantation. <i>Transplantation Reviews</i> , 2011, 25, 9-20.	1.2	21
105	Anti-CD2 producing pig xenografts effect localized depletion of human T cells in a hu-SCID model. <i>Xenotransplantation</i> , 2013, 20, 100-109.	1.6	20
106	High level sequence homology between a <i>Plasmodium chabaudi</i> heat shock protein gene and its <i>Plasmodium falciparum</i> equivalent. <i>Molecular and Biochemical Parasitology</i> , 1989, 33, 101-103.	0.5	19
107	Recombinant fusion proteins A and protein G with glutathione S-transferase as reporter molecules. <i>Journal of Immunological Methods</i> , 1991, 136, 211-219.	0.6	19
108	The origin of thymic CD4+CD25+ regulatory T cells and their co-stimulatory requirements are determined after elimination of recirculating peripheral CD4+ cells. <i>International Immunology</i> , 2007, 19, 455-463.	1.8	19

#	ARTICLE	IF	CITATIONS
109	In Situ Protection Against Islet Allograft Rejection by CTLA4lg Transduction. <i>Transplantation</i> , 2010, 90, 951-957.	0.5	19
110	Antigen-Specific CD4 Cells Assist CD8 T-Effector Cells in Eliminating Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1581-1589.	0.3	19
111	Multiple class I molecules generated from single genes by alternative splicing of Pre-mRNAs. <i>Immunologic Research</i> , 1987, 6, 117-132.	1.3	18
112	A soluble recombinant fusion protein of the transmembrane envelope protein of equine infectious anaemia virus for ELISA. <i>Veterinary Microbiology</i> , 1992, 31, 127-137.	0.8	18
113	NK cells promote peritoneal xenograft rejection through an IFN- $\gamma$ -dependent mechanism. <i>Xenotransplantation</i> , 2006, 13, 536-546.	1.6	18
114	Evaluation of promoters for driving efficient transgene expression in neonatal porcine islets. <i>Xenotransplantation</i> , 2007, 14, 119-125.	1.6	18
115	Genetic strategies to bring islet xenotransplantation to the clinic. <i>Current Opinion in Organ Transplantation</i> , 2016, 21, 476-483.	0.8	18
116	Responses Against Complex Antigens in Various Models of CD4 T-Cell Deficiency: Surprises From an Anti-CD4 Antibody Transgenic Mouse. <i>Immunologic Research</i> , 2004, 30, 001-014.	1.3	17
117	Signals controlling alternative splicing of major histocompatibility complex H-2 class I pre-mRNA. <i>Immunogenetics</i> , 1988, 28, 81-90.	1.2	16
118	Delayed rejection of fetal pig pancreas in CD4 cell deficient mice was correlated with residual helper activity. <i>Xenotransplantation</i> , 2000, 7, 267-274.	1.6	16
119	Role of regulatory T cells in xenotransplantation. <i>Current Opinion in Organ Transplantation</i> , 2010, 15, 224-229.	0.8	16
120	The Golgi apparatus in the endomembrane-rich gastric parietal cells exist as functional stable mini-stacks dispersed throughout the cytoplasm. <i>Biology of the Cell</i> , 2011, 103, 559-572.	0.7	16
121	Xenotransplantation of Genetically Modified Neonatal Pig Islets Cures Diabetes in Baboons. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	16
122	Equivalent stimulation of naive and memory CD8 T cells by DNA vaccination: a dendritic cell-dependent process. <i>Immunology and Cell Biology</i> , 2009, 87, 255-259.	1.0	15
123	Anti-CD45RB antibody deters xenograft rejection by modulating T cell priming and homing. <i>International Immunology</i> , 2002, 14, 953-962.	1.8	14
124	Bypassing luminal barriers, delivery to a gut addressin by parenteral targeting elicits local IgA responses. <i>International Immunology</i> , 2004, 16, 1613-1622.	1.8	14
125	Mucosal Immunity: Overcoming the Barrier for Induction of Proximal Responses. <i>Immunologic Research</i> , 2004, 30, 035-072.	1.3	14
126	Bcl-2 PROTECTION OF ISLET ALLOGRAFTS IS UNMASKED BY COSTIMULATION BLOCKADE. <i>Transplantation</i> , 2004, 77, 1610-1613.	0.5	14



#	ARTICLE	IF	CITATIONS
127	Targeting the Gut Vascular Endothelium Induces Gut Effector CD8 T Cell Responses Via Cross-Presentation by Dendritic Cells. <i>Journal of Immunology</i> , 2007, 179, 5678-5685.	0.4	14
128	Unlike CD4 <sup>+</sup> T cell help, CD28 costimulation is necessary for effective primary CD8 <sup>+</sup> T cell influenza-specific immunity. <i>European Journal of Immunology</i> , 2012, 42, 1744-1754.	1.6	14
129	ADDITIVE EFFICACY OF CTLA4lg AND OX40lg SECRETED BY GENETICALLY MODIFIED GRAFTS1. <i>Transplantation</i> , 2000, 69, 724-730.	0.5	14
130	A comparison of ELISA, FAST-ELISA and gel diffusion tests for detecting antibody to equine infectious anaemia virus. <i>Veterinary Microbiology</i> , 1993, 34, 1-5.	0.8	13
131	Nucleic Acid Vaccines Tasks and Tactics. <i>Immunologic Research</i> , 2001, 24, 225-244.	1.3	13
132	Targeting CD45RB alters T cell migration and delays viral clearance. <i>International Immunology</i> , 2006, 18, 291-300.	1.8	13
133	Functional cytotoxic T lymphocytes against IGRP 206-214 predict diabetes in the non-obese diabetic mouse. <i>Immunology and Cell Biology</i> , 2014, 92, 640-644.	1.0	13
134	Prolonged local expression of anti-CD4 antibody by adenovirally transduced allografts can promote long-term graft survival. <i>Journal of Gene Medicine</i> , 2006, 8, 42-52.	1.4	12
135	Localization of Covalent Immune Complexes on the Epithelial Side of the Glomerular Basement Membrane in Mice. <i>International Archives of Allergy and Immunology</i> , 1984, 75, 242-249.	0.9	11
136	The gene encoding the equine soluble class I molecule is linked to the horse MHC. <i>Immunogenetics</i> , 1986, 24, 128-130.	1.2	11
137	The Non-Immune RIP-kbMouse is a Useful Host for Islet Transplantation, as the Diabetes is Spontaneous, Mild and Predictable. <i>International Journal of Experimental Diabetes Research</i> , 2002, 3, 37-45.	1.0	11
138	Monoclonal antibodies generated by DNA immunization recognize CD2 from a broad range of primates. <i>Immunology and Cell Biology</i> , 2009, 87, 413-418.	1.0	11
139	LOCAL PRODUCTION OF ANTI-CD4 ANTIBODY BY TRANSGENIC ALLOGENEIC GRAFTS AFFORDS PARTIAL PROTECTION1. <i>Transplantation</i> , 2000, 70, 947-954.	0.5	10
140	The potential role of dendritic cells in the therapy of Type 1 diabetes. <i>Immunotherapy</i> , 2013, 5, 591-606.	1.0	10
141	H-2K molecules have two different C-termini, one of which is K-region specific. <i>Molecular Immunology</i> , 1988, 25, 453-463.	1.0	9
142	Chimaeric protein A/protein G and protein G/alkaline phosphatase as reporter molecules. <i>Journal of Immunological Methods</i> , 1992, 152, 43-48.	0.6	9
143	Selective Depletion of Cross-Presenting Dendritic Cells Enhances Islet Allograft Survival. <i>Cell Transplantation</i> , 2011, 20, 467-474.	1.2	9
144	Influenza-induced, helper-independent CD8+T cell responses use CD40 costimulation at the late phase of the primary response. <i>Journal of Leukocyte Biology</i> , 2013, 93, 145-154.	1.5	9

#	ARTICLE	IF	CITATIONS
145	Helping Themselves: Optimal Virus-Specific CD4 T Cell Responses Require Help via CD4 T Cell Licensing of Dendritic Cells. <i>Journal of Immunology</i> , 2014, 193, 5420-5433.	0.4	9
146	A microRNA expression atlas of mouse dendritic cell development. <i>Immunology and Cell Biology</i> , 2015, 93, 480-485.	1.0	9
147	The Selective Expansion and Targeted Accumulation of Bone Marrow-Derived Macrophages Drive Cardiac Vasculitis. <i>Journal of Immunology</i> , 2019, 202, 3282-3296.	0.4	9
148	BCL-XL antagonism selectively reduces neutrophil life span within inflamed tissues without causing neutropenia. <i>Blood Advances</i> , 2021, 5, 2550-2562.	2.5	9
149	Isolating DNA segments from cloned libraries without screening by affinity selection of PCR Products. <i>Nucleic Acids Research</i> , 1989, 17, 5859-5859.	6.5	8
150	Activated macrophages require T cells for xenograft rejection under the kidney capsule. <i>Immunology and Cell Biology</i> , 2003, 81, 451-458.	1.0	8
151	NOD mice are functionally deficient in the capacity of cross-presentation. <i>Immunology and Cell Biology</i> , 2015, 93, 548-557.	1.0	8
152	Monocyte-Derived Dendritic Cells Impair Early Graft Function following Allogeneic Islet Transplantation. <i>Cell Transplantation</i> , 2017, 26, 319-326.	1.2	8
153	The human IgG3 hinge mediates the formation of antigen dimers that enhance humoral immune responses to DNA immunisation. <i>Vaccine</i> , 2001, 19, 4115-4120.	1.7	7
154	Cognate antigen engagement on parenchymal cells stimulates CD8+ T cell proliferation in situ. <i>Nature Communications</i> , 2017, 8, 14809.	5.8	7
155	Self-Tolerance of Vascular Tissues Is Broken Down by Vascular Dendritic Cells in Response to Systemic Inflammation to Initiate Regional Autoinflammation. <i>Frontiers in Immunology</i> , 2022, 13, 823853.	2.2	7
156	Overcoming the poor immunogenicity of a protein by DNA immunization as a fusion construct. <i>Immunology and Cell Biology</i> , 2001, 79, 49-53.	1.0	6
157	Unexpectedly, induction of cytotoxic T lymphocytes enhances the humoral response after DNA immunization. <i>Blood</i> , 2004, 103, 3073-3075.	0.6	6
158	Rapid specific amplification of rat antibody cDNA from nine hybridomas in the presence of myeloma light chains. <i>Journal of Immunological Methods</i> , 2006, 315, 61-67.	0.6	6
159	CD154 + CD4 + T cell dependence for effective memory influenza virus-specific CD8 + T cell responses. <i>Immunology and Cell Biology</i> , 2014, 92, 605-611.	1.0	6
160	The epitope of a protective monoclonal antibody occurs in a region of microheterogeneity in <i>Plasmodium chabaudi</i> . <i>Molecular and Biochemical Parasitology</i> , 1990, 42, 153-154.	0.5	5
161	Capture of chromosomal DNA by anti-histone antibodies for PCR. <i>Nucleic Acids Research</i> , 1991, 19, 3459-3459.	6.5	5
162	Limited polymorphism of the HLA-DQA2 promoter and identification of a variant octamer. <i>Human Immunology</i> , 1994, 39, 225-229.	1.2	5

#	ARTICLE	IF	CITATIONS
163	Antigen targeted to secondary lymphoid organs via vascular cell adhesion molecule (VCAM) enhances an immune response. <i>Vaccine</i> , 2003, 21, 2115-2121.	1.7	5
164	Transgenic anti-CD4 monoclonal antibody secretion by mouse segmental pancreas allografts promotes long term survival. <i>Transplant Immunology</i> , 2000, 8, 203-209.	0.6	4
165	Enhanced Survival of Grafts Genetically Endowed with the Ability to Block CD2 and B7. <i>Cell Transplantation</i> , 2001, 10, 175-181.	1.2	4
166	Antigen to the Node: B Cells Go Native. <i>Immunity</i> , 2007, 26, 388-390.	6.6	4
167	The linear range for accurately quantifying antigen-specific T cell frequencies by tetramer staining during natural immune responses. <i>European Journal of Immunology</i> , 2011, 41, 1499-1500.	1.6	4
168	The polymerase chain reaction and related techniques. <i>Current Opinion in Immunology</i> , 1991, 3, 242-246.	2.4	3
169	[37] Affinity selection of polymerase chain reaction products by DNA-binding proteins. <i>Methods in Enzymology</i> , 1993, 218, 526-534.	0.4	3
170	Microplate Digestion of Minipreps from a Single Microcentrifuge Tube. <i>BioTechniques</i> , 1997, 22, 870-874.	0.8	3
171	Targeting lymphocyte Peyer's patch adhesion molecule-1: A relay approach to gut immunization. <i>Vaccine</i> , 2005, 23, 3668-3678.	1.7	3
172	Milk IgA responses are augmented by antigen delivery to the mucosal addressin cellular adhesion molecule 1. <i>Vaccine</i> , 2006, 24, 5552-5558.	1.7	3
173	Optimizing transduction of pig islet cell clusters for xenotransplantation. <i>Xenotransplantation</i> , 2009, 16, 45-46.	1.6	3
174	Temporal discontinuities in progression of NOD autoimmune diabetes. <i>Immunologic Research</i> , 1997, 16, 137-147.	1.3	2
175	Activated macrophages require T cells for xenograft rejection under the kidney capsule. <i>Immunology and Cell Biology</i> , 2003, 81, 451-458.	1.0	2
176	Islet xenotransplantation: progress towards a clinical therapy. <i>Current Opinion in Organ Transplantation</i> , 2006, 11, 174-179.	0.8	2
177	LOCAL SECRETION OF A CHIMERIC ANTI-CD4 ANTIBODY PROTECTS AGAINST GRAFT REJECTION IN THE NOD MOUSE1. <i>Transplantation</i> , 2000, 69, 1745-1748.	0.5	2
178	[13] Preparation of DNA from blood for polymerase chain reaction in microtiter dish. <i>Methods in Enzymology</i> , 1992, 216, 127-135.	0.4	1
179	A Single Buffer That Universally Serves Both Restriction Digestion and Loading. <i>Molecular Biotechnology</i> , 2002, 21, 051-056.	1.3	1
180	Plasmacytoid dendritic cells from parent strains of the NZB/W F1 lupus mouse contribute different characteristics to autoimmune propensity. <i>Immunology and Cell Biology</i> , 2020, 98, 203-214.	1.0	1

#	ARTICLE	IF	CITATIONS
181	Compound Heterozygous Mutations of IL12RB1 in a Patient with Selective Defects in Th17 Differentiation. <i>Journal of Clinical Immunology</i> , 2020, 40, 647-652.	2.0	1