## Robert Bodén

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3448252/publications.pdf

Version: 2024-02-01

64 papers

1,470 citations

393982 19 h-index 36 g-index

68 all docs 68
docs citations

68 times ranked 2497 citing authors

#	Article	IF	CITATIONS
1	Risks of adverse pregnancy and birth outcomes in women treated or not treated with mood stabilisers for bipolar disorder: population based cohort study. BMJ, The, 2012, 345, e7085-e7085.	3.0	185
2	Antipsychotics During Pregnancy. Archives of General Psychiatry, 2012, 69, 715-21.	13.8	111
3	Association between symptomatic remission and functional outcome in first-episode schizophrenia. Schizophrenia Research, 2009, 107, 232-237.	1.1	110
4	Early non-adherence to medication and other risk factors for rehospitalization in schizophrenia and schizoaffective disorder. Schizophrenia Research, 2011, 133, 36-41.	1,1	72
5	Metabolic risk factors in first-episode schizophrenia: baseline prevalence and course analysed from the European First-Episode Schizophrenia Trial. International Journal of Neuropsychopharmacology, 2013, 16, 987-995.	1.0	69
6	Suicide, Self-harm, and Depression After Gastric Bypass Surgery. Annals of Surgery, 2017, 265, 235-243.	2.1	68
7	Mortality in treatment-resistant unipolar depression: A register-based cohort study in Sweden. Journal of Affective Disorders, 2018, 238, 674-679.	2.0	64
8	Higher mortality after myocardial infarction in patients with severe mental illness: a nationwide cohort study. Journal of Internal Medicine, 2015, 277, 727-736.	2.7	52
9	Suicide in first episode psychosis: A nationwide cohort study. Schizophrenia Research, 2014, 157, 1-7.	1.1	47
10	Factors associated with pregabalin dispensing at higher than the approved maximum dose. European Journal of Clinical Pharmacology, 2014, 70, 197-204.	0.8	46
11	All-cause mortality in patients with treatment-resistant depression: a cohort study in the US population. Annals of General Psychiatry, 2019, 18, 23.	1.2	44
12	Pregabalin is increasingly prescribed for neuropathic pain, generalised anxiety disorder and epilepsy but many patients discontinue treatment. International Journal of Clinical Practice, 2014, 68, 104-110.	0.8	43
13	Medication and suicide risk in schizophrenia: A nested case–control study. Schizophrenia Research, 2013, 150, 416-420.	1.1	37
14	Humanistic outcomes in treatment resistant depression: a secondary analysis of the STAR*D study. BMC Psychiatry, 2018, 18, 352.	1.1	34
15	Striatal phosphodiesterase 10A and medial prefrontal cortical thickness in patients with schizophrenia: a PET and MRI study. Translational Psychiatry, 2017, 7, e1050-e1050.	2.4	24
16	Dorsomedial prefrontal theta burst stimulation to treat anhedonia, avolition, and blunted affect in schizophrenia or depression $\hat{a} \in \hat{a}$ a randomized controlled trial. Journal of Affective Disorders, 2021, 290, 308-315.	2.0	23
17	Initiation and longâ€term use of benzodiazepines and Zâ€drugs in bipolar disorder. Bipolar Disorders, 2018, 20, 634-646.	1.1	22
18	Five-year outcome of first-episode psychosis before and after the implementation of a modified assertive community treatment programme. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 665-674.	1.6	21

#	Article	IF	CITATIONS
19	Treatmentâ€resistant depression as risk factor for substance use disorders—a nationâ€wide registerâ€based cohort study. Addiction, 2019, 114, 1274-1282.	1.7	21
20	A comparison of cardiovascular risk factors for ten antipsychotic drugs in clinical practice. Neuropsychiatric Disease and Treatment, 2013, 9, 371.	1.0	20
21	Substance use disorders and risk for treatment resistant depression: a populationâ€based, nested caseâ€control study. Addiction, 2020, 115, 768-777.	1.7	20
22	Tachycardia in patients treated with clozapine versus antipsychotic long-acting injections. International Clinical Psychopharmacology, 2017, 32, 219-224.	0.9	18
23	Neuropeptide Y, social function and long-term outcome in schizophrenia. Schizophrenia Research, 2014, 156, 223-227.	1.1	17
24	Intermittent theta burst stimulation over the dorsomedial prefrontal cortex modulates resting-state connectivity in depressive patients: A sham-controlled study. Behavioural Brain Research, 2020, 394, 112834.	1.2	17
25	Monotherapy vs. combination therapy for post mania maintenance treatment: A population based cohort study. European Neuropsychopharmacology, 2019, 29, 691-700.	0.3	16
26	A five year diagnostic follow-up of 1840 patients after a first episode non-schizophrenia and non-affective psychosis. Schizophrenia Research, 2013, 150, 205-210.	1.1	15
27	Reducing the rehospitalization risk after a manic episode: A population based cohort study of lithium, valproate, olanzapine, quetiapine and aripiprazole in monotherapy and combinations. Journal of Affective Disorders, 2017, 217, 16-23.	2.0	15
28	A register-based approach to identifying treatment-resistant depression—Comparison with clinical definitions. PLoS ONE, 2020, 15, e0236434.	1.1	15
29	Suicide risk and antipsychotic side effects in schizophrenia: nested case-control study. Human Psychopharmacology, 2016, 31, 341-345.	0.7	14
30	Inhibitory and excitatory neurotransmitter systems in depressed and healthy: A positron emission tomography and magnetic resonance spectroscopy study. Psychiatry Research - Neuroimaging, 2021, 315, 111327.	0.9	14
31	Biochemical risk factors for development of obesity in first-episode schizophrenia. Schizophrenia Research, 2009, 115, 141-145.	1.1	13
32	Persistent tachycardia in clozapine treated patients: A 24-hour ambulatory electrocardiogram study. Schizophrenia Research, 2018, 199, 403-406.	1.1	12
33	Suicide Ideation and Behavior as Risk Factors for Subsequent Suicide in Schizophrenia: A Nested Case–Control Study. Suicide and Life-Threatening Behavior, 2019, 49, 996-1005.	0.9	12
34	Risk of Delayed Discharge and Reoperation of Gastric Bypass Patients with Psychiatric Comorbidityâ€"a Nationwide Cohort Study. Obesity Surgery, 2020, 30, 2511-2518.	1.1	12
35	Risk factors for suicide among patients with schizophrenia: a cohort study focused on cerebrospinal fluid levels of homovanillic acid and 5-hydroxyindoleacetic acid. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 1711-1714.	1.0	11
36	Modulation of dorsolateral prefrontal cortex functional connectivity after intermittent theta-burst stimulation in depression: Combining findings from fNIRS and fMRI. NeuroImage: Clinical, 2022, 34, 103028.	1.4	11

#	Article	IF	CITATIONS
37	Psychomotor and cognitive deficits as predictors of 5-year outcome in first-episode schizophrenia. Nordic Journal of Psychiatry, 2014, 68, 282-288.	0.7	10
38	Predictors for initiation of pharmacological prophylaxis in patients with newly diagnosed bipolar disorder—A nationwide cohort study. Journal of Affective Disorders, 2015, 172, 204-210.	2.0	10
39	Phosphodiesterase 10A levels are related to striatal function in schizophrenia: a combined positron emission tomography and functional magnetic resonance imaging study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 451-459.	1.8	10
40	Response rate and subjective memory after electroconvulsive therapy in depressive disorders with psychiatric comorbidity. Journal of Affective Disorders, 2021, 292, 276-283.	2.0	10
41	Antipsychotic Prescription Filling in Patients With Schizophrenia or Schizoaffective Disorder. Journal of Clinical Psychopharmacology, 2013, 33, 759-765.	0.7	8
42	Modulation of the prefrontal blood oxygenation response to intermittent theta-burst stimulation in depression: A sham-controlled study with functional near-infrared spectroscopy. World Journal of Biological Psychiatry, 2021, 22, 247-256.	1.3	8
43	Application of positron emission tomography in psychiatry—methodological developments and future directions. Translational Psychiatry, 2022, 12, .	2.4	8
44	Antidopaminergic drugs and acute pancreatitis: a population-based study. BMJ Open, 2012, 2, e000914.	0.8	7
45	Exposure to risperidone versus other antipsychotics and risk of osteoporosisâ€related fractures: a populationâ€based study. Acta Psychiatrica Scandinavica, 2020, 141, 74-83.	2.2	7
46	Diabetes and glucose disturbances in patients with psychosis in Sweden. BMJ Open Diabetes Research and Care, 2015, 3, e000120.	1.2	6
47	Ambulatory Heart Rate Variability in Schizophrenia or Depression. Journal of Clinical Psychopharmacology, 2021, 41, 121-128.	0.7	6
48	Predictors of Treatment Response to Electroconvulsive Therapy in Schizophreniaâ€"A Nationwide Registry-Based Study. Schizophrenia Bulletin Open, 2020, 1, .	0.9	5
49	Transcranial magnetic intermittent theta-burst stimulation for depression in pregnancy – A case series. Brain Stimulation, 2020, 13, 1665-1667.	0.7	5
50	Autonomic modulation networks in schizophrenia: The relationship between heart rate variability and functional and structural connectivity in the brain. Psychiatry Research - Neuroimaging, 2020, 300, 111079.	0.9	4
51	A blinded validation of the Swedish version of the Clinical Assessment Interview for Negative Symptoms (CAINS). Nordic Journal of Psychiatry, 2022, 76, 44-51.	0.7	4
52	Habitual caffeine consumption moderates the antidepressant effect of dorsomedial intermittent theta-burst transcranial magnetic stimulation. Journal of Psychopharmacology, 2021, 35, 1536-1541.	2.0	4
53	Electrocardiographic signs of autonomic imbalance in medicated patients with first-episode schizophrenia spectrum disorders – relations to first treatment discontinuation and five-year remission status. European Psychiatry, 2012, 27, 213-218.	0.1	3
54	Postinjection Delirium Syndrome Associated With Olanzapine Long-Acting Injectable. Journal of Clinical Psychopharmacology, 2016, 36, 388-389.	0.7	3

#	Article	IF	CITATIONS
55	Unchanged Cognitive Performance and Concurrent Prefrontal Blood Oxygenation After Accelerated Intermittent Theta-Burst Stimulation in Depression: A Sham-Controlled Study. Frontiers in Psychiatry, 2021, 12, 659571.	1.3	2
56	FC19-02 - Electrocardiographic signs of autonomic imbalance in first-episode schizophrenia spectrum disorders— relations to first treatment discontinuation and five-year remission status. European Psychiatry, 2011, 26, 1916-1916.	0.1	1
57	Re: Pregabalin prescriptions in the United Kingdom - a drug utilisation study of The Health Improvement Network (THIN) primary care database by Asomaning etÂal International Journal of Clinical Practice, 2016, 70, 696-696.	0.8	1
58	A case of bipolar disorder onset with subsequent catatonia in a 14-year-old boy treated successfully with electroconvulsive therapy. Nordic Journal of Psychiatry, 2019, 73, 497-500.	0.7	1
59	Pain trajectories of dorsomedial prefrontal intermittent theta burst stimulation versus sham treatment in depression. BMC Neurology, 2020, 20, 311.	0.8	1
60	Coffee Consumption Moderates the Antidepressant Effect of Transcranial Magnetic Stimulation. Biological Psychiatry, 2020, 87, S261-S262.	0.7	1
61	FC19-01 Antipsychotic and antidepressive pharmacotherapy in relation to suicide risk in schizophrenia. European Psychiatry, 2011, 26, 1915-1915.	0.1	0
62	955. Striatal Phosphodiesterase 10A and Medial Prefrontal Cortical Thickness in Patients with Schizophrenia: A PET and MRI Study. Biological Psychiatry, 2017, 81, S386-S387.	0.7	0
63	Lithium influences wholeâ€organism metabolic rate in <i>Drosophila subobscura</i> . Journal of Neuroscience Research, 2021, 99, 407-418.	1.3	0
64	Suppressing visual hallucinations in an adolescent by occipital transcranial magnetic stimulation: A single-case experimental research design. Neuropsychological Rehabilitation, 2021, , 1-10.	1.0	0