

Chang Wook Jeong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3449010/chang-wook-jeong-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257 papers	3,001 citations	25 h-index	40 g-index
272 ext. papers	3,813 ext. citations	3.7 avg, IF	5.32 L-index

#	Paper	IF	Citations
257	Modified Seoul National University Renal Stone Complexity score for retrograde intrarenal surgery. <i>Urolithiasis</i> , 2014 , 42, 335-40	3.2	230
256	External Validation and Evaluation of Reliability and Validity of the Modified Seoul National University Renal Stone Complexity Scoring System to Predict Stone-Free Status After Retrograde Intrarenal Surgery. <i>Journal of Endourology</i> , 2015 , 29, 888-93	2.7	212
255	Seoul National University Renal Stone Complexity Score for Predicting Stone-Free Rate after Percutaneous Nephrolithotomy. <i>PLoS ONE</i> , 2013 , 8, e65888	3.7	73
254	Comparison of prostate volume measured by transrectal ultrasonography and MRI with the actual prostate volume measured after radical prostatectomy. <i>Urologia Internationalis</i> , 2008 , 81, 179-85	1.9	52
253	Comparison of laparoendoscopic single-site radical nephrectomy with conventional laparoscopic radical nephrectomy for localized renal-cell carcinoma. <i>Journal of Endourology</i> , 2010 , 24, 997-1003	2.7	50
252	The Prognostic Significance of the Early Postoperative Neutrophil-to-Lymphocyte Ratio in Patients with Urothelial Carcinoma of the Bladder Undergoing Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2016 , 23, 335-42	3.1	46
251	Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. <i>Oncotarget</i> , 2017 , 8, 12891-12901	3.3	44
250	Enucleation ratio efficacy might be a better predictor to assess learning curve of holmium laser enucleation of the prostate. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012 , 38, 362-71; discussions 372	2	40
249	Lymph node density as a prognostic variable in node-positive bladder cancer: a meta-analysis. <i>BMC Cancer</i> , 2015 , 15, 447	4.8	38
248	Metastasectomy without systemic therapy in metastatic renal cell carcinoma: comparison with conservative treatment. <i>Urologia Internationalis</i> , 2007 , 79, 145-51	1.9	37
247	Prognostic value of systemic inflammatory responses in patients with upper urinary tract urothelial carcinoma. <i>World Journal of Urology</i> , 2015 , 33, 1439-57	4	36
246	Presence of lymphovascular invasion in urothelial bladder cancer specimens after transurethral resections correlates with risk of upstaging and survival: a systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1191-9	2.8	36
245	Prognostic implication of capsular invasion without perinephric fat infiltration in localized renal cell carcinoma. <i>Urology</i> , 2006 , 67, 709-12	1.6	33
244	Inhibition of autophagy potentiates atorvastatin-induced apoptotic cell death in human bladder cancer cells in vitro. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 8106-21	6.3	31
243	Pathological T3a Upstaging of Clinical T1 Renal Cell Carcinoma: Outcomes According to Surgical Technique and Predictors of Upstaging. <i>PLoS ONE</i> , 2016 , 11, e0166183	3.7	31
242	Extended versus Standard Pelvic Lymph Node Dissection in Radical Prostatectomy on Oncological and Functional Outcomes: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2047-2054	3.1	30
241	Conventional versus nerve-sparing radical surgery for cervical cancer: a meta-analysis. <i>Journal of Gynecologic Oncology</i> , 2015 , 26, 100-10	4	29

240	Treatment for chronic prostatitis/chronic pelvic pain syndrome: levofloxacin, doxazosin and their combination. <i>Urologia Internationalis</i> , 2008 , 80, 157-61	1.9	29
239	Impact of squamous and glandular differentiation on oncologic outcomes in upper and lower tract urothelial carcinoma. <i>PLoS ONE</i> , 2014 , 9, e107027	3.7	28
238	Laparoscopic radical nephroureterectomy is associated with worse survival outcomes than open radical nephroureterectomy in patients with locally advanced upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 859-69	4	27
237	Cumulative sum analysis for experiences of a single-session retrograde intrarenal stone surgery and analysis of predictors for stone-free status. <i>PLoS ONE</i> , 2014 , 9, e84878	3.7	27
236	Differential Expression of Glucose Transporters and Hexokinases in Prostate Cancer with a Neuroendocrine Gene Signature: A Mechanistic Perspective for F-FDG Imaging of PSMA-Suppressed Tumors. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 904-910	8.9	26
235	Concurrent treatment with simvastatin and NF- κ B inhibitor in human castration-resistant prostate cancer cells exerts synergistic anti-cancer effects via control of the NF- κ B/LIN28/let-7 miRNA signaling pathway. <i>PLoS ONE</i> , 2017 , 12, e0184644	3.7	25
234	Effect of Preoperative Urodynamic Detrusor Underactivity on Transurethral Surgery for Benign Prostatic Hyperplasia: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2018 , 199, 237-244	2.5	25
233	Eleven-year Cumulative Incidence and Estimated Lifetime Prevalence of Urolithiasis in Korea: a National Health Insurance Service-National Sample Cohort Based Study. <i>Journal of Korean Medical Science</i> , 2018 , 33, e13	4.7	25
232	Histone demethylase KDM7A controls androgen receptor activity and tumor growth in prostate cancer. <i>International Journal of Cancer</i> , 2018 , 143, 2849-2861	7.5	25
231	Partial nephrectomy versus radical nephrectomy for non-metastatic pathological T3a renal cell carcinoma: a multi-institutional comparative analysis. <i>International Journal of Urology</i> , 2014 , 21, 352-7	2.3	24
230	External validation and evaluation of reliability and validity of the S-ReSC scoring system to predict stone-free status after percutaneous nephrolithotomy. <i>PLoS ONE</i> , 2014 , 9, e83628	3.7	23
229	Incidence and risk factors of chronic kidney disease in Korean patients with t1a renal cell carcinoma before and after radical or partial nephrectomy. <i>Japanese Journal of Clinical Oncology</i> , 2013 , 43, 1243-8	2.8	23
228	Single, immediate postoperative instillation of chemotherapy in non-muscle invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials using different drugs. <i>Oncotarget</i> , 2016 , 7, 45479-45488	3.3	23
227	Extracapsular Extension of Pelvic Lymph Node Metastasis is an Independent Prognostic Factor in Bladder Cancer: A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3745-50	3.1	22
226	The clinical significance of intra-operative ureteral frozen section analysis at radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015 , 33, 359-65	4	22
225	Nomograms to predict the pathological stage of clinically localized prostate cancer in Korean men: comparison with western predictive tools using decision curve analysis. <i>International Journal of Urology</i> , 2012 , 19, 846-52	2.3	22
224	Development and validation of nomograms to predict the recovery of urinary continence after radical prostatectomy: comparisons between immediate, early, and late continence. <i>World Journal of Urology</i> , 2014 , 32, 437-44	4	22
223	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016 , 57, 50-7	1.9	22

222	Minimally invasive management of postoperative bleeding after radical prostatectomy: transarterial embolization. <i>Journal of Endourology</i> , 2010 , 24, 1529-33	2.7	21
221	Variant histology as a significant predictor of survival after radical nephroureterectomy in patients with upper urinary tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 458.e9-458.e15	2.8	20
220	Correlation Between the Timing of Diagnostic Ureteroscopy and Intravesical Recurrence in Upper Tract Urothelial Cancer. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e37-41	3.3	20
219	Electronically implemented clinical indicators based on a data warehouse in a tertiary hospital: its clinical benefit and effectiveness. <i>International Journal of Medical Informatics</i> , 2014 , 83, 507-16	5.3	20
218	Comparison of retrograde intrarenal surgery versus a single-session percutaneous nephrolithotomy for lower-pole stones with a diameter of 15 to 30 mm: A propensity score-matching study. <i>Korean Journal of Urology</i> , 2015 , 56, 525-32		20
217	Information Technology-Based Management of Clinically Healthy COVID-19 Patients: Lessons From a Living and Treatment Support Center Operated by Seoul National University Hospital. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19938	7.6	20
216	Roles of fluid shear stress and retinoic acid in the differentiation of primary cultured human podocytes. <i>Experimental Cell Research</i> , 2017 , 354, 48-56	4.2	19
215	Success Factors of Laparoscopic Nerve-sparing Radical Hysterectomy for Preserving Bladder Function in Patients with Cervical Cancer: A Protocol-Based Prospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1987-95	3.1	19
214	Genetic variations in VDR associated with prostate cancer risk and progression in a Korean population. <i>Gene</i> , 2014 , 533, 86-93	3.8	19
213	Concurrent Autophagy Inhibition Overcomes the Resistance of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Human Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	19
212	S100A3 suppression inhibits in vitro and in vivo tumor growth and invasion of human castration-resistant prostate cancer cells. <i>Urology</i> , 2015 , 85, 273.e9-15	1.6	18
211	Clinical and urodynamic differences among women with overactive bladder according to the presence of detrusor overactivity. <i>International Urogynecology Journal</i> , 2013 , 24, 255-61	2	18
210	Characteristics and significant predictors of detecting underlying diseases in adults with asymptomatic microscopic hematuria: a large case series of a Korean population. <i>International Journal of Urology</i> , 2015 , 22, 389-93	2.3	18
209	Prognostic Value of Body Mass Index According to Histologic Subtype in Nonmetastatic Renal Cell Carcinoma: A Large Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 461-8	3.3	17
208	Insufficient joint forces of first-generation articulating instruments for laparoendoscopic single-site surgery. <i>Surgical Innovation</i> , 2013 , 20, 466-70	2	17
207	Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017 , 8, 7464-7476	3.3	17
206	Can partial nephrectomy provide equal oncological efficiency and safety compared with radical nephrectomy in patients with renal cell carcinoma (≥4cm)? A propensity score-matched study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 379-385	2.8	16
205	The De Ritis (aspartate transaminase/alanine transaminase) ratio as a predictor of oncological outcomes in patients after surgery for upper urinary tract urothelial carcinoma. <i>International Urology and Nephrology</i> , 2017 , 49, 1383-1390	2.3	16

204	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018 , 8, 642	5.3	16
203	Synchronous bilateral laparoendoscopic single-site adrenalectomy. <i>Journal of Endourology</i> , 2010 , 24, 1301-5	2.7	16
202	Selective killing of circulating tumor cells prevents metastasis and extends survival. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 114	22.4	16
201	Comparing the clinical efficacy of abiraterone acetate, enzalutamide, and orteronel in patients with metastatic castration-resistant prostate cancer by performing a network meta-analysis of eight randomized controlled trials. <i>Oncotarget</i> , 2017 , 8, 59690-59697	3.3	15
200	Adjuvant chemotherapy for muscle-invasive bladder cancer: a systematic review and network meta-analysis of randomized clinical trials. <i>Oncotarget</i> , 2017 , 8, 81204-81214	3.3	15
199	The role of 3-tesla diffusion-weighted magnetic resonance imaging in selecting prostate cancer patients for active surveillance. <i>Prostate International</i> , 2014 , 2, 169-75	3.4	15
198	Predictors for Intravesical Recurrence Following Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A National Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1055-e1061	3.3	15
197	The nephrometry score: is it effective for predicting perioperative outcome during robot-assisted partial nephrectomy?. <i>Korean Journal of Urology</i> , 2014 , 55, 254-9		15
196	Urinary continence after radical prostatectomy: predictive factors of recovery after 1 year of surgery. <i>International Journal of Urology</i> , 2012 , 19, 1091-8	2.3	15
195	A comprehensive review of neuroanatomy of the prostate. <i>Prostate International</i> , 2013 , 1, 139-45	3.4	15
194	Can body mass index predict survival outcomes in patients treated with radical nephroureterectomy for upper-tract urothelial carcinoma?. <i>International Urology and Nephrology</i> , 2015 , 47, 1311-20	2.3	14
193	Pathological T0 Following Cisplatin-Based Neoadjuvant Chemotherapy for Muscle-Invasive Bladder Cancer: A Network Meta-analysis. <i>Clinical Cancer Research</i> , 2016 , 22, 1086-94	12.9	14
192	Significance of smoking status regarding outcomes after radical prostatectomy. <i>International Urology and Nephrology</i> , 2012 , 44, 119-24	2.3	14
191	Adjuvant Chemotherapy Correlates with Improved Survival after Radical Cystectomy in Patients with pT3b (Macroscopic Perivesical Tissue Invasion) Bladder Cancer. <i>Journal of Cancer</i> , 2015 , 6, 750-8	4.5	14
190	Impact of positive surgical margins and their locations after radical prostatectomy: comparison of biochemical recurrence according to risk stratification and surgical modality. <i>World Journal of Urology</i> , 2014 , 32, 1401-9	4	14
189	Perioperative Blood Transfusion as a Significant Predictor of Biochemical Recurrence and Survival after Radical Prostatectomy in Patients with Prostate Cancer. <i>PLoS ONE</i> , 2016 , 11, e0154918	3.7	14
188	Novel nomograms to predict recurrence and progression in primary non-muscle-invasive bladder cancer: validation of predictive efficacy in comparison with European Organization of Research and Treatment of Cancer scoring system. <i>World Journal of Urology</i> , 2019 , 37, 1867-1877	4	14
187	Regional Variation in Active Surveillance for Low-Risk Prostate Cancer in the US. <i>JAMA Network Open</i> , 2020 , 3, e2031349	10.4	14

186	The New Surveillance, Epidemiology, and End Results Prostate with Watchful Waiting Database: Opportunities and Limitations. <i>European Urology</i> , 2020 , 78, 335-344	10.2	13
185	Retrospective Multicenter Long-Term Follow-up Analysis of Prognostic Risk Factors for Recurrence-Free, Metastasis-Free, Cancer-Specific, and Overall Survival After Curative Nephrectomy in Non-metastatic Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019 , 9, 859	5.3	13
184	Adjuvant chemotherapy for locally advanced upper tract urothelial carcinoma: updated results of the Seoul National University Hospital experience. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015 , 41, 1067-79	2	13
183	Effects of new 1-step posterior reconstruction method on recovery of continence after robot-assisted laparoscopic prostatectomy: results of a prospective, single-blind, parallel group, randomized, controlled trial. <i>Journal of Urology</i> , 2015 , 193, 935-42	2.5	13
182	Pre- and post-operative nomograms to predict recurrence-free probability in Korean men with clinically localized prostate cancer. <i>PLoS ONE</i> , 2014 , 9, e100053	3.7	13
181	Biochemical recurrence after radical prostatectomy with or without pelvic lymphadenectomy in Korean men with high-risk prostate cancer. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 656-62	2.8	13
180	No role of adjuvant systemic therapy after complete metastasectomy in metastatic renal cell carcinoma?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 310-6	2.8	13
179	Clinical Nomograms to Predict Stone-Free Rates after Shock-Wave Lithotripsy: Development and Internal-Validation. <i>PLoS ONE</i> , 2016 , 11, e0149333	3.7	13
178	Significance of Ki-67 in non-muscle invasive bladder cancer patients: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017 , 8, 100614-100630	3.3	13
177	PDLIM2 suppression efficiently reduces tumor growth and invasiveness of human castration-resistant prostate cancer-like cells. <i>Prostate</i> , 2016 , 76, 273-85	4.2	13
176	Predicting biochemical recurrence in patients with high-risk prostate cancer using the apparent diffusion coefficient of magnetic resonance imaging. <i>Investigative and Clinical Urology</i> , 2017 , 58, 12-19	1.9	12
175	Mobile application-based Seoul National University Prostate Cancer Risk Calculator: development, validation, and comparative analysis with two Western risk calculators in Korean men. <i>PLoS ONE</i> , 2014 , 9, e94441	3.7	12
174	Effects of Aspirin, Nonsteroidal Anti-inflammatory Drugs, Statin, and COX2 Inhibitor on the Developments of Urological Malignancies: A Population-Based Study with 10-Year Follow-up Data in Korea. <i>Cancer Research and Treatment</i> , 2018 , 50, 984-991	5.2	12
173	The effect of short-term preoperative ureteral stenting on the outcomes of retrograde intrarenal surgery for renal stones. <i>World Journal of Urology</i> , 2019 , 37, 1435-1440	4	12
172	Are urothelial carcinomas of the upper urinary tract a distinct entity from urothelial carcinomas of the urinary bladder? Behavior of urothelial carcinoma after radical surgery with respect to anatomical location: a case control study. <i>BMC Cancer</i> , 2015 , 15, 149	4.8	11
171	Comparison of surgical outcomes between laparoscopic pyelolithotomy and percutaneous nephrolithotomy in patients with multiple renal stones in various parts of the pelvocalyceal system. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2014 , 24, 634-9	2.1	11
170	Survival Outcomes and Predictive Factors for Female Urethral Cancer: Long-term Experience with Korean Patients. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1143-9	4.7	11
169	Can the Preoperative Neutrophil-to-Lymphocyte Ratio Significantly Predict the Conditional Survival Probability in Muscle-invasive Bladder Cancer Patients Undergoing Radical Cystectomy?. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e411-e420	3.3	10

168	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019 , 2019, 6702964	3.2	10
167	Papillary Urothelial Neoplasm of Low Malignant Potential (PUNLMP) After Initial TUR-BT: Comparative Analyses with Noninvasive Low-Grade Papillary Urothelial Carcinoma (LGPUC). <i>Journal of Cancer</i> , 2017 , 8, 2885-2891	4.5	10
166	Diagnostic value of urodynamic bladder outlet obstruction to select patients for transurethral surgery of the prostate: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0172590	3.7	10
165	Patients aged more than 70 had higher risk of locally advanced prostate cancers and biochemical recurrence in Korea. <i>BJU International</i> , 2012 , 110, 505-9	5.6	10
164	The role of hypoxia-inducible factor-1 and -2 in androgen insensitive prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1448-56	2.8	10
163	The characteristics of recurrent upper tract urothelial carcinoma after radical nephroureterectomy without bladder cuff excision. <i>Yonsei Medical Journal</i> , 2015 , 56, 375-81	3	10
162	Women with pure stress urinary incontinence symptoms assessed by the initial standard evaluation including measurement of post-void residual volume and a stress test: are urodynamic studies still needed?. <i>Neurourology and Urodynamics</i> , 2012 , 31, 508-12	2.3	10
161	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019 , 60, 235-243	1.9	10
160	Design and simulation of novel laparoscopic renal denervation system: a feasibility study. <i>International Journal of Hyperthermia</i> , 2018 , 35, 9-18	3.7	10
159	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e819-e825	3.3	9
158	Preoperative Cholesterol Level Is Associated With Worse Pathological Outcomes and Postoperative Survival in Localized Renal Cell Carcinoma Patients: A Propensity Score-Matched Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e935-e941	3.3	9
157	Prognostic factors for conditional survival in patients with muscle-invasive urothelial carcinoma of the bladder treated with radical cystectomy. <i>Scientific Reports</i> , 2015 , 5, 12171	4.9	9
156	Prostate specific antigen (PSA) persistence 6 weeks after radical prostatectomy and pelvic lymph node dissection as predictive factor of radiographic progression in node-positive prostate cancer patients. <i>Journal of Cancer</i> , 2019 , 10, 2237-2242	4.5	9
155	Is there any association between the severity of lower urinary tract symptoms and the risk of biopsy-detectable prostate cancer in patients with PSA level below 20 ng/ml in multi-core prostate biopsy?. <i>Prostate</i> , 2013 , 73, 42-7	4.2	9
154	Comparison of robotic and open partial nephrectomy: Single-surgeon matched cohort study. <i>Canadian Urological Association Journal</i> , 2014 , 8, E471-5	1.2	9
153	Quantification of median lobe protrusion and its impact on the base surgical margin status during robot-assisted laparoscopic prostatectomy. <i>World Journal of Urology</i> , 2014 , 32, 419-23	4	9
152	Limited expression of cytochrome p450 17 β -hydroxylase/17,20-lyase in prostate cancer cell lines. <i>Korean Journal of Urology</i> , 2011 , 52, 494-7		9
151	Hypertriglyceridemia is a potential preoperative predictor for biochemical recurrence after radical prostatectomy. <i>PLoS ONE</i> , 2015 , 10, e0122438	3.7	9

150	Younger patients have poorer biochemical outcome after radical prostatectomy in high-risk prostate cancer. <i>Asian Journal of Andrology</i> , 2011 , 13, 719-23	2.8	9
149	The effect of preoperative ureteral stenting in retrograde Intrarenal surgery: a multicenter, propensity score-matched study. <i>BMC Urology</i> , 2020 , 20, 147	2.2	9
148	Renal cell carcinoma in end-stage renal disease: Multi-institutional comparative analysis of survival. <i>International Journal of Urology</i> , 2016 , 23, 465-71	2.3	9
147	Clinical Significance of Pre-treated Neutrophil-Lymphocyte Ratio in the Management of Urothelial Carcinoma: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019 , 9, 1365	5.3	9
146	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018 , 33, e325	4.7	9
145	The association between intraoperative urine output and postoperative acute kidney injury differs between partial and radical nephrectomy. <i>Scientific Reports</i> , 2019 , 9, 760	4.9	8
144	Effect of sex on prognosis of urothelial carcinoma: propensity score matching analysis. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, e113-21	3.3	8
143	BCG instillation versus radical cystectomy for high-risk NMIBC with squamous/glandular histologic variants. <i>Scientific Reports</i> , 2019 , 9, 15268	4.9	8
142	No increase in risk of microscopic hematuria with aspirin use by asymptomatic healthy people. <i>JAMA Internal Medicine</i> , 2013 , 173, 1145-6	11.5	8
141	Predictors of positive surgical margins and their location in Korean men undergoing radical prostatectomy. <i>International Journal of Urology</i> , 2014 , 21, 894-8	2.3	8
140	Chronic lower urinary tract symptoms in young men without symptoms of chronic prostatitis: urodynamic analyses in 308 men aged 50 years or younger. <i>Korean Journal of Urology</i> , 2014 , 55, 341-8		8
139	Novel posterior reconstruction technique during robot-assisted laparoscopic prostatectomy: description and comparative outcomes. <i>International Journal of Urology</i> , 2012 , 19, 683-7	2.3	8
138	Conditional Survival and Associated Prognostic Factors in Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy: A Retrospective Study at a Single Institution. <i>Cancer Research and Treatment</i> , 2016 , 48, 621-31	5.2	8
137	Knowledge and Practice Behaviors Regarding Urinary Incontinence Among Korean Healthcare Providers in Long-term Care Hospitals. <i>International Neurourology Journal</i> , 2015 , 19, 259-64	2.6	8
136	Long-term Mortality Risks Among Living Kidney Donors in Korea. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 919-925	7.4	8
135	Histone Demethylase LSD1 Regulates Kidney Cancer Progression by Modulating Androgen Receptor Activity. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
134	Rate and association of lower urinary tract infection with recurrence after transurethral resection of bladder tumor. <i>Investigative and Clinical Urology</i> , 2018 , 59, 10-17	1.9	8
133	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019 , 19, 897	4.8	7

132	Prevalence and management status of urologic diseases in geriatric hospitals in South Korea: A field research. <i>Investigative and Clinical Urology</i> , 2017 , 58, 70-76	1.9	7
131	Changeable Conditional Survival Rates and Associated Prognosticators in Patients with Metastatic Renal Cell Carcinoma Receiving First Line Targeted Therapy. <i>Journal of Urology</i> , 2018 , 200, 989-995	2.5	7
130	Effects of naftopidil on double-J stent-related discomfort: a multicenter, randomized, double-blinded, placebo-controlled study. <i>Scientific Reports</i> , 2017 , 7, 4154	4.9	7
129	Design Concept of Hybrid Instrument for Laparoscopic Surgery and Its Verification Using Scale Model Test. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 1-1	5.5	7
128	Can conventional magnetic resonance imaging, prostate needle biopsy, or their combination predict the laterality of clinically localized prostate cancer?. <i>Urology</i> , 2012 , 79, 1322-7	1.6	7
127	Selection Criteria for Active Surveillance of Patients with Prostate Cancer in Korea: A Multicenter Analysis of Pathology after Radical Prostatectomy. <i>Cancer Research and Treatment</i> , 2018 , 50, 265-274	5.2	7
126	Fumarate modulates phospholipase A2 receptor autoimmunity-induced podocyte injury in membranous nephropathy. <i>Kidney International</i> , 2021 , 99, 443-455	9.9	7
125	Surgical treatment of renal cell carcinoma: Can morphological features of inferior vena cava tumor thrombus on computed tomography or magnetic resonance imaging be a prognostic factor?. <i>International Journal of Urology</i> , 2017 , 24, 102-109	2.3	6
124	Prognostic Role of Neutrophil-to-lymphocyte Ratio-based Markers During Pre- and Postadjuvant Chemotherapy in Patients With Advanced Urothelial Carcinoma of Upper Urinary Tract. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e633-e643	3.3	6
123	General Anesthetic Agents and Renal Function after Nephrectomy. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
122	Survival and clinical prognostic factors in metastatic non-clear cell renal cell carcinoma treated with targeted therapy: A multi-institutional, retrospective study using the Korean metastatic renal cell carcinoma registry. <i>Cancer Medicine</i> , 2019 , 8, 3401-3410	4.8	6
121	A propensity-matched comparison of perioperative complications and of chronic kidney disease between robot-assisted laparoscopic partial nephrectomy and radiofrequency ablative therapy. <i>Asian Journal of Surgery</i> , 2015 , 38, 126-33	1.6	6
120	Ki-67 as a Prognostic Marker in Upper Urinary Tract Urothelial Carcinoma: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e831-e841	3.3	6
119	Adjuvant Treatments for Advanced Stage, Non-metastatic Upper Tract Urothelial Carcinoma: A Multicenter Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 819-827	4	6
118	Nerve-sparing procedure in radical prostatectomy: a risk factor for hernia repair following open retropubic, pure laparoscopic and robot-assisted laparoscopic procedures. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 164-70		6
117	Histone Demethylase KDM7A Regulates Androgen Receptor Activity, and Its Chemical Inhibitor TC-E 5002 Overcomes Cisplatin-Resistance in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
116	Analysis of factors affecting re-admission after retrograde intrarenal surgery for renal stone. <i>World Journal of Urology</i> , 2019 , 37, 1205-1210	4	6
115	Association Between Preoperative Hydronephrosis and Prognosis After Radical Cystectomy Among Patients With Bladder Cancer: A Systemic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019 , 9, 158	5.3	5

114	Anatomic Conformation of Renal Sympathetic Nerve Fibers in Living Human Tissues. <i>Scientific Reports</i> , 2019 , 9, 4831	4.9	5
113	Characteristics of inappropriate multiple medication use in older urological outpatients. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 83, 61-65	4	5
112	Pathology in repeated transurethral resection of a bladder tumor as a risk factor for prognosis of high-risk non-muscle-invasive bladder cancer. <i>PLoS ONE</i> , 2017 , 12, e0189354	3.7	5
111	Comparative quality-adjusted survival analysis between radiation therapy alone and radiation with androgen deprivation therapy in patients with locally advanced prostate cancer: a secondary analysis of Radiation Therapy Oncology Group 85-31 with novel decision analysis methods. <i>Prostate International</i> , 2018 , 6, 140-144	3.4	5
110	Effect of dorsal vascular complex size on the recovery of continence after radical prostatectomy. <i>World Journal of Urology</i> , 2013 , 31, 383-8	4	5
109	Impact of Gleason score on biochemical recurrence in patients with pT3aN0/Nx prostate cancer with positive surgical margins: a multicenter study from the Prostate Cancer Research Committee. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 2393-2400	4.9	5
108	The Acceptable Criterion of Stone Burden and the Significant Factors to Choose Retrograde Intrarenal Stone Surgery or Miniaturized Percutaneous Nephrolithotomy for the Treatment of Renal Stones >10 mm. <i>Journal of Endourology</i> , 2017 , 31, 1012-1018	2.7	5
107	Disease-Free Survival at 2 and 3 Years is a Significant Early Surrogate Marker Predicting the 5-Year Overall Survival in Patients Treated with Radical Cystectomy for Urothelial Carcinoma of the Bladder: External Evaluation and Validation in a Cohort of Korean Patients. <i>Frontiers in Oncology</i> , 2015 , 5, 246	5.3	5
106	Medical expulsive therapy for ureter stone using naftopidil: A multicenter, randomized, double-blind, and placebo-controlled trial. <i>PLoS ONE</i> , 2017 , 12, e0174962	3.7	5
105	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020 , 61, 475-481	1.9	5
104	RNA-Seq profiling of microdissected glomeruli identifies potential biomarkers for human IgA nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F809-F821	4.3	5
103	Effects of Variant Histology on the Oncologic Outcomes of Patients With Upper Urinary Tract Carcinoma After Radical Nephroureterectomy: A Propensity Score-Matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e394-e407	3.3	5
102	Establishment of Novel Intraoperative Monitoring and Mapping Method for the Cavernous Nerve During Robot-assisted Radical Prostatectomy: Results of the Phase I/II, First-in-human, Feasibility Study. <i>European Urology</i> , 2020 , 78, 221-228	10.2	5
101	Metastatic renal cell carcinoma to the pancreas: Clinical features and treatment outcome. <i>Journal of Surgical Oncology</i> , 2021 , 123, 204-213	2.8	5
100	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018 , 8, 15928	4.9	5
99	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018 , 2018, 4510149	3.9	5
98	Prognostic value of impaired estimated glomerular filtration rate in intravesical BCG-treated non-muscle-invasive bladder cancer patients. <i>Scientific Reports</i> , 2017 , 7, 1380	4.9	4
97	Robust Association between Acute Kidney Injury after Radical Nephrectomy and Long-term Renal Function. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4

96	A New Sliding-Loop Technique in Renorrhaphy for Partial Nephrectomy: A Feasibility Study in a Porcine Model. <i>Surgical Innovation</i> , 2016 , 23, 130-3	2	4
95	Effect of urodynamic preoperative detrusor overactivity on the outcomes of transurethral surgery in patients with male bladder outlet obstruction: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2019 , 37, 529-538	4	4
94	Intravesical Chemotherapy after Radical Nephroureterectomy for Primary Upper Tract Urothelial Carcinoma: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
93	Robust Health Utility Assessment Among Long-term Survivors of Prostate Cancer: Results from the Cancer of the Prostate Strategic Urologic Research Endeavor Registry. <i>European Urology</i> , 2019 , 76, 743-751	10.2	4
92	Laparoendoscopic single-site surgery using innovative articulating instruments: preclinical evaluation of the prototype. <i>Journal of Endourology</i> , 2014 , 28, 281-5	2.7	4
91	The clinical application of the sliding loop technique for renorrhaphy during robot-assisted laparoscopic partial nephrectomy: Surgical technique and outcomes. <i>Korean Journal of Urology</i> , 2015 , 56, 762-8		4
90	Salvage Holmium laser enucleation of prostate to treat residual benign prostatic hyperplasia. <i>Canadian Urological Association Journal</i> , 2014 , 8, E235-40	1.2	4
89	Differences in peritumoral pseudocapsule characteristics according to clinicopathological factors in clinical T1a renal tumors. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 11323-31	1.4	4
88	Maternal and fetal outcomes of pregnancies in kidney donors: A 30-year comparative analysis of matched non-donors in a single center. <i>Kidney Research and Clinical Practice</i> , 2018 , 37, 356-365	3.6	4
87	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part I, Development of the Formula and its Internal Validation. <i>International Neurourology Journal</i> , 2017 , 21, S55-65	2.6	4
86	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020 , 10,	3.8	4
85	Quantitative analysis of renal arterial variations affecting the eligibility of catheter-based renal denervation using multi-detector computed tomography angiography. <i>Scientific Reports</i> , 2020 , 10, 19720	4.9	4
84	Laparoscopic Renal Denervation System for Treating Resistant Hypertension: Overcoming Limitations of Catheter-Based Approaches. <i>IEEE Transactions on Biomedical Engineering</i> , 2020 , 67, 3425-3437	5.4	4
83	Should intravesical Bacillus Calmette-Guerin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018 , 13, e0208267	3.7	4
82	Characteristics and prognostic value of papillary histologic subtype in nonmetastatic renal cell carcinoma in Korea: a multicenter study. <i>Urology Journal</i> , 2014 , 11, 1884-90	0.9	4
81	Acute Kidney Injury Adjusted for Parenchymal Mass Reduction and Long-Term Renal Function after Partial Nephrectomy. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
80	Prediction System for Prostate Cancer Recurrence Using Machine Learning. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1333	2.6	3
79	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3

78	Robot-assisted anterior pelvic exenteration in vulvovaginal malignant melanoma. <i>Gynecologic Oncology</i> , 2018 , 148, 430-431	4.9	3
77	J-tube technique for double-j stent insertion during laparoscopic upper urinary tract surgical procedures. <i>Journal of Endourology</i> , 2014 , 28, 1278-81	2.7	3
76	Pure transvesical NOTES uterine horn resection in swine as an appendectomy model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 558-64	5.2	3
75	The prognostic value of pathologic prostate-specific antigen mass ratio in patients with localized prostate cancer with negative surgical resection margins. <i>Urology</i> , 2013 , 82, 865-9	1.6	3
74	Prevalence and management status of urologic disease in geriatric hospitals in South Korea: A population-based analysis. <i>Investigative and Clinical Urology</i> , 2017 , 58, 281-288	1.9	3
73	Prediction of pathological outcomes for a single microfocal (8 mm) Gleason 6 prostate cancer detected via contemporary multicore (12) biopsy in men with prostate-specific antigen 10 ng/mL. <i>BJU International</i> , 2011 , 108, 1101-5	5.6	3
72	Chronic pulmonary disease negatively influences the prognosis of patients with advanced prostate cancer. <i>World Journal of Urology</i> , 2009 , 27, 643-52	4	3
71	Enzalutamide in chemotherapy-naïve patients with metastatic castration-resistant prostate cancer: A retrospective Korean multicenter study in a real-world setting. <i>Investigative and Clinical Urology</i> , 2020 , 61, 19-27	1.9	3
70	Targeted next-generation sequencing for locally advanced prostate cancer in the Korean population. <i>Investigative and Clinical Urology</i> , 2020 , 61, 127-135	1.9	3
69	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. <i>Investigative and Clinical Urology</i> , 2020 , 61, 260-268	1.9	3
68	Development of Decision Support Formulas for the Prediction of Bladder Outlet Obstruction and Prostatic Surgery in Patients With Lower Urinary Tract Symptom/Benign Prostatic Hyperplasia: Part II, External Validation and Usability Testing of a Smartphone App. <i>International Neurourology Journal</i> , 2017 , 21, S66-75	2.6	3
67	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020 , 104, 199-204	1.9	3
66	Sharing the initial experience of pan-cancer panel analysis in high-risk renal cell carcinoma in the Korean population. <i>BMC Urology</i> , 2020 , 20, 125	2.2	3
65	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018 , 33, e277	4.7	3
64	Comparison of Renal Function after Radical Surgery for Upper Tract Urothelial Carcinoma versus Renal Cell Carcinoma: Propensity Score Matching. <i>Urologia Internationalis</i> , 2018 , 101, 400-408	1.9	3
63	Prognostic Significance of Blood Type A in Patients with Renal Cell Carcinoma. <i>Urology Journal</i> , 2016 , 13, 2765-72	0.9	3
62	Comprehensive analysis of mutations of renal cell carcinoma in an autosomal dominant polycystic kidney disease patient. <i>Medicine (United States)</i> , 2020 , 99, e20071	1.8	2
61	Comparison of intraoperative handling and wound healing between (NEOSORB [®] plus) and coated polyglactin 910 suture (NEOSORB [®]): a prospective, single-blind, randomized controlled trial. <i>BMC Surgery</i> , 2018 , 18, 45	2.3	2

60	Comparisons of oncological outcomes and perioperative complications between laparoscopic and open radical nephrectomies in patients with clinical T2 renal cell carcinoma (≥ 7 cm). <i>PLoS ONE</i> , 2018 , 13, e0191786	3.7	2
59	Pure transvesical NOTES appendectomy using a 5-mm rigid laparoscope: a feasibility and survival study with porcine models. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2992-9	5.2	2
58	Multifactorial, site-specific recurrence models after radical cystectomy for urothelial carcinoma: external validation in a cohort of Korean patients. <i>PLoS ONE</i> , 2014 , 9, e100491	3.7	2
57	Laparoscopic stone surgery with the aid of flexible nephroscopy. <i>Korean Journal of Urology</i> , 2014 , 55, 475-81		2
56	Robot-assisted laparoscopic management of urachal cysts in adults. <i>Journal of Robotic Surgery</i> , 2010 , 4, 133-5	2.9	2
55	Evaluation of the Learning Curve of Hand-Assisted Laparoscopic Donor Nephrectomy. <i>Annals of Transplantation</i> , 2018 , 23, 546-553	1.4	2
54	Animal model evaluation of a novel renal denervation system for future laparoscopic treatment of resistant hypertension. <i>Investigative and Clinical Urology</i> , 2020 , 61, 107-113	1.9	2
53	Long-term oncologic outcomes after radical prostatectomy in clinically localized prostate cancer: 10-year follow-up in Korea. <i>Investigative and Clinical Urology</i> , 2020 , 61, 269-276	1.9	2
52	MLL5, a histone modifying enzyme, regulates androgen receptor activity in prostate cancer cells by recruiting co-regulators, HCF1 and SET1. <i>BMB Reports</i> , 2020 , 53, 634-639	5.5	2
51	The prognostic significance of percentage of tumour involvement according to disease risk group in men treated with radical prostatectomy. <i>Asian Journal of Andrology</i> , 2011 , 13, 828-32	2.8	2
50	Development of a nitinol-actuated surgical instrument for laparoscopic renal denervation: feasibility test in a swine survival model. <i>International Journal of Hyperthermia</i> , 2020 , 37, 573-584	3.7	2
49	Role of multiparametric magnetic resonance imaging to predict postoperative Gleason score upgrading in prostate cancer with Gleason score 3 + 4. <i>World Journal of Urology</i> , 2021 , 39, 1825-1830	4	2
48	Comprehensive metabolomic profiling in early IgA nephropathy patients reveals urine glycine as a prognostic biomarker. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 5177-5190	5.6	2
47	Importance of androgen-deprivation therapy during enzalutamide treatment in men with metastatic castration-resistant prostate cancer following chemotherapy: results from retrospective, multicenter data. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 150-158	6.2	2
46	Laparoscopic Ablation System for Complete Circumferential Renal Sympathetic Denervation. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 3217-3227	5	2
45	Head-to-Head Comparison of Ga-NOTA (Ga-NGUL) and Ga-PSMA-11 in Patients with Metastatic Prostate Cancer: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 1457-1460	8.9	2
44	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018 , 2018, 9432606	3	2
43	Progression to T1 High Grade (T1HG) from a Lower Stage/Grade is Associated with Poorer Survival Outcomes than Initial Diagnosis with T1HG Bladder Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2413-2419	2.1	1

42	Influence of Tumor Thrombus on Occurrence of Distant Venous Thromboembolism and Survival in Patients With Renal Cell Carcinoma After Surgery. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2019 , 25, 1076029618823288	3.3	1
41	Differences in risk factors for biochemical recurrence after radical prostatectomy stratified by the degree of obesity: Focused on surgical methods. <i>Scientific Reports</i> , 2020 , 10, 10157	4.9	1
40	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. <i>Scientific Reports</i> , 2020 , 10, 6967	4.9	1
39	Preoperative erectile function and the pathologic features of prostate cancer. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015 , 41, 265-73	2	1
38	Prediction of outcomes after radical prostatectomy in patients diagnosed with prostate cancer of biopsy Gleason score ≥ 8 via contemporary multi (12)-core prostate biopsy. <i>BJU International</i> , 2011 , 108, 217-22	5.6	1
37	Statin inhibits the proliferation of human castration-resistant prostate cancer cells by controlling NFkB-LIN28B-let7 miRNA signaling pathway.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 269-269	2.2	1
36	Is Primary Androgen Deprivation Therapy a Suitable Option for Asian Patients With Prostate Cancer Compared With Radical Prostatectomy?. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 441-449	7.3	1
35	Efficacy of neoadjuvant atezolizumab treatment in patients with advanced urothelial bladder cancer according to the BASQ classification: a study protocol for an open-label, two-cohort, phase II trial. <i>BMJ Open</i> , 2020 , 10, e035530	3	1
34	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021 , 62, 430-437	1.9	1
33	Glue Embolization of Lymphopseudoaneurysm for Chylous Ascites after Retroperitoneal Surgery. <i>Korean Journal of Radiology</i> , 2021 , 22, 376-383	6.9	1
32	Targeted therapy response in early versus late recurrence of renal cell carcinoma after surgical treatment: A propensity score-matched study using the Korean Renal Cancer Study Group database. <i>International Journal of Urology</i> , 2021 , 28, 417-423	2.3	1
31	Active surveillance in intermediate-risk prostate cancer with PSA 10-20 ng/mL: pathological outcome analysis of a population-level database. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 ,	6.2	1
30	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
29	Comparison of the Efficacy and Safety of Laparoendoscopic Single-Site Surgery with Conventional Laparoscopic Surgery for Upper Ureter or Renal Pelvis Stones in a Single Institution: A Randomized Controlled Study. <i>Urology Journal</i> , 2016 , 13, 2759-64	0.9	1
28	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020 , 8, 158-166	3.4	0
27	Isolation and Genomic Analysis of Single Circulating Tumor Cell Using Human Telomerase Reverse Transcriptase and Desmoglein-2.. <i>Small Methods</i> , 2022 , e2100938	12.8	0
26	Clinical Desire for an Artificial Intelligence-Based Surgical Assistant System: Electronic Survey-Based Study. <i>JMIR Medical Informatics</i> , 2020 , 8, e17647	3.6	0
25	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020 , 9, 1270-1277	2.3	0

24	Efficacy of the Treatment of Intraperitoneal Bladder Perforation during Transurethral Resection of Bladder Tumor with the Urethral Catheter Alone: Retrospective Analysis of over 15 Years Using the Clinical Data Warehouse System. <i>Urologia Internationalis</i> , 2021 , 1-9	1.9	o
23	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020 , 11, 470-474	3.6	o
22	Impact of short warm ischemic time on longitudinal kidney function and survival rate after partial nephrectomy for renal cell carcinoma in patients with pre-existing chronic kidney disease stage III: A multi-institutional propensity score-matched study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 470-476	3.6	o
21	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma: Model development and external validation with Memorial Sloan Kettering Cancer Center model and the international metastatic renal cell carcinoma database consortium model. <i>Medicine (United States)</i> , 2021 , 100, e26826	1.8	o
20	First-in-Class: Cervical cancer diagnosis based on a urine test with fluorescent cysteine probe. <i>Sensors and Actuators B: Chemical</i> , 2022 , 360, 131646	8.5	o
19	Editorial Comment. <i>Journal of Urology</i> , 2018 , 199, 1156	2.5	
18	Acidic Urine Is Associated With Poor Prognosis of Upper Tract Urothelial Carcinoma.. <i>Frontiers in Oncology</i> , 2021 , 11, 817781	5.3	
17	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy.. <i>Journal of Cancer</i> , 2021 , 12, 7320-7325	4.5	
16	Clinicopathologic and Oncological Outcomes in Korean Men With Advanced Metastatic Testicular Cancer Undergoing Postchemotherapeutic Retroperitoneal Lymph Node Dissection. <i>The Korean Journal of Urological Oncology</i> , 2017 , 15, 143-151	0.1	
15	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 635-635	2.2	
14	Pelvic lymph node metastases in prostate cancer: Preoperative detection with dynamic contrast-enhanced magnetic resonance imaging compared with postoperative pathologic result of pelvic lymph node dissection.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 171-171	2.2	
13	The validity of repeat prostate biopsy in prior biopsy negative patients: MRI-TRUS fusion guided biopsy.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 95-95	2.2	
12	What is the most important predictor of renal function after opened and robotic partial nephrectomy? A propensity score matched study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 701-701	2.2	
11	Comparison of Surgical Outcomes of Radical Prostatectomy Using the Multicenter Korean Prostate Cancer Registry (KPCR) Database. <i>Journal of Health Informatics and Statistics</i> , 2018 , 43, 175-183	0.4	
10	Biochemical Recurrence Prediction after Radical Prostatectomy Using Korean Prostate Cancer Registry Database. <i>Journal of Health Informatics and Statistics</i> , 2019 , 44, 53-63	0.4	
9	Comprehensive Molecular Characterization of Urological Malignancies: Literature Review of Landmark Studies. <i>The Korean Journal of Urological Oncology</i> , 2019 , 17, 125-135	0.1	
8	Clinical Usefulness and Predictability of Seoul National University Prostate Cancer Risk Calculator (SNU-PCRC). <i>The Korean Journal of Urological Oncology</i> , 2020 , 18, 215-221	0.1	
7	Quality-adjusted survival comparison between androgen deprivation with radiation therapy versus radiation therapy alone for locally advanced prostate cancer: Decision analysis from RTOG 85-31 trial.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 265-265	2.2	

6	Histone demethylase KDM7a to control androgen receptor activity in hormone-sensitive prostate cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 262-262	2.2
5	Re: Carlo Bravi, Emily Vertosick, Nicole Benfante, et al. Impact of Acute Kidney Injury and Its Duration on Long-term Renal Function After Partial Nephrectomy. <i>Eur Urol</i> 2019;76:398-403. <i>European Urology</i> , 2020 , 77, e14-e15	10.2
4	The Relative Impact of Urinary and Sexual Function vs Bother on Health Utility for Men With Prostate Cancer. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa044	4.6
3	Does reduced E-cadherin expression correlate with poor prognosis in patients with upper tract urothelial cell carcinoma?: A systematic review and meta-analysis. <i>Medicine (United States)</i> , 2019 , 98, e17377	1.8
2	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022 , 20, 34-42	0.1
1	Isolation and Genomic Analysis of Single Circulating Tumor Cell Using Human Telomerase Reverse Transcriptase and Desmoglein-2 (Small Methods 4/2022). <i>Small Methods</i> , 2022 , 6, 2270023	12.8