

Saburo Neya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3450483/publications.pdf>

Version: 2024-02-01

39
papers

523
citations

623734

14
h-index

713466

21
g-index

39
all docs

39
docs citations

39
times ranked

529
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular Insight into Intrinsic Heme Distortion in Ligand Binding in Hemoprotein. <i>Biochemistry</i> , 2010, 49, 5642-5650.	2.5	40
2	Iron Hemiporphycene as a Functional Prosthetic Group for Myoglobin. <i>Inorganic Chemistry</i> , 2003, 42, 1456-1461.	4.0	38
3	Absorption, Magnetic Circular Dichroism, IR Spectra, Electrochemistry, and Molecular Orbital Calculations of Monoaza- and Opposite Diazaporphyrins. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 1621-1629.	2.0	38
4	Characterization of Heme-DNA Complexes Composed of Some Chemically Modified Hemes and Parallel G-Quadruplex DNAs. <i>Biochemistry</i> , 2015, 54, 7168-7177.	2.5	32
5	Characterization of Catalytic Activities and Heme Coordination Structures of Heme-DNA Complexes Composed of Some Chemically Modified Hemes and an All Parallel-Stranded Tetrameric G-Quadruplex DNA Formed from d(TTAGGG). <i>Biochemistry</i> , 2018, 57, 5930-5937.	2.5	28
6	Magnetic and Infrared Properties of the Azide Complex of (2,7,12,17-Tetrapropylporphycenato)iron(III): A Novel Admixing Mechanism of the $S = 5/2$ and $S = 3/2$ States. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 3188-3194.	2.0	27
7	Control of Iron(III) Spin-State in the Model Complexes of Azide Hemoprotein by Porphycene, Corphycene, and Hemiporphycene Macrocycles. <i>Inorganic Chemistry</i> , 2005, 44, 1193-1195.	4.0	21
8	Sandwich-Type Heteroleptic <i>trans</i> -(Diazaporphyrinato)cerium Complexes: Synthesis, Spectroscopy, Structure, and Electrochemistry. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 5519-5523.	2.0	21
9	Relationship between Oxygen Affinity and Autoxidation of Myoglobin. <i>Inorganic Chemistry</i> , 2012, 51, 11955-11960.	4.0	21
10	Synthesis, Structure, and Aromaticity of the Nickel(II) Complex of Pyricorrole, a Molecular Hybrid of Porphyrin and Corrole. <i>Inorganic Chemistry</i> , 2012, 51, 3891-3895.	4.0	21
11	Conformational Fixation of a Rectangular Antiaromatic [28]Hexaphyrin Using Rationally Installed Peripheral Straps. <i>Chemistry - A European Journal</i> , 2016, 22, 4413-4417.	3.3	21
12	Functional Evaluation of Iron Oxypyriporphyrin in Protein Heme Pocket. <i>Inorganic Chemistry</i> , 2008, 47, 10771-10778.	4.0	19
13	Relationship between the Electron Density of the Heme Fe Atom and the Vibrational Frequencies of the Fe-Bound Carbon Monoxide in Myoglobin. <i>Inorganic Chemistry</i> , 2013, 52, 3349-3355.	4.0	15
14	Significance of the Molecular Shape of Iron Corphycene in a Protein Pocket. <i>Inorganic Chemistry</i> , 2006, 45, 4238-4242.	4.0	14
15	[62]Tetradecaphyrin and Its Mono- and Bis-Zn Complexes. <i>Chemistry - A European Journal</i> , 2016, 22, 14518-14522.	3.3	14
16	Electronic Control of Discrimination between O ₂ and CO in Myoglobin Lacking the Distal Histidine Residue. <i>Inorganic Chemistry</i> , 2014, 53, 1091-1099.	4.0	13
17	Electronic Control of Ligand-Binding Preference of a Myoglobin Mutant. <i>Inorganic Chemistry</i> , 2014, 53, 9156-9165.	4.0	11
18	Characterization of Structure and Catalytic Activity of a Complex between Heme and an All Parallel-Stranded Tetrameric G-Quadruplex Formed from DNA/RNA Chimera Sequence d(TTA)r(GGG)dT. <i>Bulletin of the Chemical Society of Japan</i> , 2020, 93, 621-629.	3.2	11

#	ARTICLE	IF	CITATIONS
19	Usefulness of Myoglobin Containing Cobalt Heme Cofactor in Designing a Myoglobin-Based Artificial Oxygen Carrier. <i>Artificial Organs</i> , 2014, 38, 715-719.	1.9	10
20	Porphyrinoid Aromaticity Induced by the Interaction between Oxidized and Reduced Pyridine Subunits. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3824-3829.	2.4	9
21	Effects of Heme Electronic Structure and Local Heme Environment on Catalytic Activity of a Peroxidase-Mimicking Heme-â€œDNAzyme. <i>Inorganic Chemistry</i> , 2021, 60, 11206-11213.	4.0	9
22	Quantum Chemical Study on Base Excision Mechanism of 8-Oxoguanine DNA Glycosylase: Substrate-Assisted Catalysis of the N-Glycosidic Linkage Cleavage Reaction. <i>Chem-Bio Informatics Journal</i> , 2004, 4, 73-92.	0.3	8
23	Dynamic Motion and Rearranged Molecular Shape of Heme in Myoglobin: Structural and Functional Consequences. <i>Molecules</i> , 2013, 18, 3168-3182.	3.8	8
24	Effects of Heme Electronic Structure and Distal Polar Interaction on Functional and Vibrational Properties of Myoglobin. <i>Inorganic Chemistry</i> , 2016, 55, 1613-1622.	4.0	8
25	Characterization of Heme Orientational Disorder in a Myoglobin Reconstituted with a Trifluoromethyl-Group-Substituted Heme Cofactor. <i>Biochemistry</i> , 2017, 56, 4500-4508.	2.5	8
26	Novel Controlling Mechanism of the Oxygen Affinity in Myoglobin With Isomeric Porphyrins. <i>Artificial Organs</i> , 2009, 33, 189-193.	1.9	7
27	Utility of heme analogues to intentionally modify heme-â€œglobin interactions in myoglobin. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 582-588.	1.0	7
28	A Nuclear Resonance Vibrational Spectroscopic Study of Oxy Myoglobins Reconstituted with Chemically Modified Heme Cofactors: Insights into the Fe-â€œO ₂ Bonding and Internal Dynamics of the Protein. <i>Biochemistry</i> , 2018, 57, 6649-6652.	2.5	7
29	Relaxation Analysis of Ligand Binding to the Myoglobin Reconstituted with Cobaltic Heme. <i>Inorganic Chemistry</i> , 2013, 52, 7387-7393.	4.0	6
30	Characterization of Ground State Electron Configurations of High-Spin Quintet Ferrous Heme Iron in Deoxy Myoglobin Reconstituted with Trifluoromethyl Group-Substituted Heme Cofactors. <i>Inorganic Chemistry</i> , 2016, 55, 12128-12136.	4.0	5
31	Synergistic Effect of Distal Polar Interactions in Myoglobin and Their Structural Consequences. <i>Inorganic Chemistry</i> , 2018, 57, 14269-14279.	4.0	5
32	Nature of a H ₂ O Molecule Confined in the Hydrophobic Interface between the Heme and G-Quartet Planes in a Heme-â€œDNA Complex. <i>Biochemistry</i> , 2022, 61, 523-534.	2.5	5
33	Inherently Distorted Heme as a Novel Tool for Myoglobin-â€œBased Oxygen Carrier. <i>Artificial Organs</i> , 2012, 36, 220-223.	1.9	3
34	Reversible Redox System of 2-â€œOxypyrritriphyrin(1.2.1) Accompanying Interconversion between 3-â€œPyridone and 3-â€œHydroxypyridine Units. <i>Chemistry - an Asian Journal</i> , 2021, 16, 1077-1080.	3.3	3
35	Effect of the Electron Density of the Heme Fe Atom on the Nature of Fe-â€œO ₂ Bonding in Oxy Myoglobin. <i>Inorganic Chemistry</i> , 2021, 60, 1021-1027.	4.0	3
36	Effect of the Electron Density of the Heme Fe Atom on the Fe-â€œHistidine Coordination Bond in Deoxy Myoglobin. <i>Bulletin of the Chemical Society of Japan</i> , 2014, 87, 905-911.	3.2	2

#	ARTICLE	IF	CITATIONS
37	Deprotection of a benzyl unit induces a 22π aromatic macrocycle of 3-oxypyripentaphyrin(0.1.1.1.0) with strong NIR absorption. <i>Organic and Biomolecular Chemistry</i> , 2020, 18, 5334-5338.	2.8	2
38	Development of Software Program Predicting the Binding Site and the Binding Mode of Ligands Against a Target Protein. <i>E-Journal of Surface Science and Nanotechnology</i> , 2008, 6, 241-245.	0.4	2
39	Analysis on the Water Retaining Capacity of Membrane by Molecular Dynamics Simulations. <i>E-Journal of Surface Science and Nanotechnology</i> , 2009, 7, 591-595.	0.4	1