

# Marcel Post

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3451604/marcel-post-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

379  
papers

11,190  
citations

58  
h-index

81  
g-index

392  
ext. papers

12,822  
ext. citations

2.6  
avg, IF

6.46  
L-index

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 379 | Psychosocial issues in spinal cord injury: a review. <i>Spinal Cord</i> , <b>2012</b> , 50, 382-9  | 2.7 | 218       |
| 378 | Predictors of health status and life satisfaction in spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>1998</b> , 79, 395-401   | 2.8 | 187       |
| 377 | Definitions of quality of life: what has happened and how to move on. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2014</b> , 20, 167-80  | 1.5 | 180       |
| 376 | High prevalence of incontinence among young adults with spina bifida: description, prediction and problem perception. <i>Spinal Cord</i> , <b>2005</b> , 43, 331-40                                    | 2.7 | 145       |
| 375 | Rehabilitation of stroke patients needs a family-centred approach. <i>Disability and Rehabilitation</i> , <b>2006</b> , 28, 1557-61  | 2.4 | 141       |
| 374 | Intervention studies for caregivers of stroke survivors: a critical review. <i>Patient Education and Counseling</i> , <b>2005</b> , 56, 257-67   | 3.1 | 137       |
| 373 | Long-term health-related quality of life after aneurysmal subarachnoid hemorrhage: relationship with psychological symptoms and personality characteristics. <i>Stroke</i> , <b>2009</b> , 40, 1526-9  | 6.7 | 129       |
| 372 | Measures used to assess burden among caregivers of stroke patients: a review. <i>Clinical Rehabilitation</i> , <b>2004</b> , 18, 601-23  | 3.3 | 128       |
| 371 | Validity of the utrecht scale for evaluation of rehabilitation-participation. <i>Disability and Rehabilitation</i> , <b>2012</b> , 34, 478-85  | 2.4 | 127       |
| 370 | Spinal cord injury pain: the influence of psychologic factors and impact on quality of life. <i>Clinical Journal of Pain</i> , <b>2007</b> , 23, 383-91  | 3.5 | 111       |
| 369 | Associations between psychological factors and quality of life ratings in persons with spinal cord injury: a systematic review. <i>Spinal Cord</i> , <b>2012</b> , 50, 174-87                          | 2.7 | 107       |
| 368 | Quality of life after spinal cord injury. <i>Journal of Neurologic Physical Therapy</i> , <b>2005</b> , 29, 139-46   | 4.1 | 105       |
| 367 | Complications following spinal cord injury: occurrence and risk factors in a longitudinal study during and after inpatient rehabilitation. <i>Acta Dermato-Venereologica</i> , <b>2007</b> , 39, 393-8 | 2.2 | 102       |
| 366 | Spouses' quality of life 1 year after stroke: prediction at the start of clinical rehabilitation. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 20, 443-8  | 3.2 | 102       |
| 365 | Sex education, relationships, and sexuality in young adults with spina bifida. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2005</b> , 86, 979-87                                      | 2.8 | 99        |
| 364 | Return to work after spinal cord injury. <i>Spinal Cord</i> , <b>2000</b> , 38, 51-5   | 2.7 | 97        |
| 363 | Development and validation of a self-report version of the Spinal Cord Independence Measure (SCIM III). <i>Spinal Cord</i> , <b>2013</b> , 51, 40-7  | 2.7 | 96        |

|     |  |     |    |
|-----|--|-----|----|
| 362 | Design of the Swiss Spinal Cord Injury Cohort Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S5-16   | 2.6 | 96 |
| 361 | Psychosocial functioning of spouses of patients with stroke from initial inpatient rehabilitation to 3 years poststroke: course and relations with coping strategies. <i>Stroke</i> , <b>2009</b> , 40, 1399-404                         | 6.7 | 96 |
| 360 | Upper extremity musculoskeletal pain during and after rehabilitation in wheelchair-using persons with a spinal cord injury. <i>Spinal Cord</i> , <b>2006</b> , 44, 152-9   | 2.7 | 96 |
| 359 | Developing core sets for persons with spinal cord injuries based on the International Classification of Functioning, Disability and Health as a way to specify functioning. <i>Spinal Cord</i> , <b>2006</b> , 44, 541-6                 | 2.7 | 92 |
| 358 | Life satisfaction and return to work after aneurysmal subarachnoid hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2011</b> , 20, 324-9   | 2.8 | 91 |
| 357 | Secondary impairments in young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , <b>2004</b> , 46, 420-7   | 3.3 | 90 |
| 356 | Secondary health conditions and quality of life in persons living with spinal cord injury for at least ten years. <i>Journal of Rehabilitation Medicine</i> , <b>2016</b> , 48, 853-860  | 3.4 | 89 |
| 355 | Predicting functional outcome after stroke: the influence of neglect on basic activities in daily living. <i>Frontiers in Human Neuroscience</i> , <b>2013</b> , 7, 182  | 3.3 | 88 |
| 354 | The foot function index with verbal rating scales (FFI-5pt): A clinimetric evaluation and comparison with the original FFI. <i>Journal of Rheumatology</i> , <b>2002</b> , 29, 1023-8  | 4.1 | 88 |
| 353 | Participation after spinal cord injury: the evolution of conceptualization and measurement. <i>Journal of Neurologic Physical Therapy</i> , <b>2005</b> , 29, 147-56   | 4.1 | 86 |
| 352 | Predicting long-term independency in activities of daily living after middle cerebral artery stroke: does information from MRI have added predictive value compared with clinical information?. <i>Stroke</i> , <b>2006</b> , 37, 1050-4 | 6.7 | 85 |
| 351 | Burden of support for partners of persons with spinal cord injuries. <i>Spinal Cord</i> , <b>2005</b> , 43, 311-9  | 2.7 | 85 |
| 350 | Quality of life and the ICIDH: towards an integrated conceptual model for rehabilitation outcomes research. <i>Clinical Rehabilitation</i> , <b>1999</b> , 13, 5-15  | 3.3 | 84 |
| 349 | Prevalence and determinants of cognitive complaints after aneurysmal subarachnoid hemorrhage. <i>Cerebrovascular Diseases</i> , <b>2010</b> , 29, 557-63   | 3.2 | 82 |
| 348 | A comparative review of contemporary participation measures' psychometric properties and content coverage. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2010</b> , 91, S17-28  | 2.8 | 81 |
| 347 | Health problems of persons with spinal cord injury living in the Netherlands. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 1381-9  | 2.4 | 81 |
| 346 | An epidemiological description of spinal cord injuries in The Netherlands in 1994. <i>Spinal Cord</i> , <b>2000</b> , 38, 420-4  | 2.7 | 80 |
| 345 | Development and validation of IMPACT-S, an ICF-based questionnaire to measure activities and participation. <i>Journal of Rehabilitation Medicine</i> , <b>2008</b> , 40, 620-7  | 3.4 | 79 |

|     |   |     |    |
|-----|---|-----|----|
| 344 | International Spinal Cord Injury Core Data Set (version 2.0)-including standardization of reporting. <i>Spinal Cord</i> , <b>2017</b> , 55, 759-764   | 2.7 | 78 |
| 343 | Secondary health conditions in persons with spinal cord injury: a longitudinal study from one to five years post-discharge. <i>Journal of Rehabilitation Medicine</i> , <b>2013</b> , 45, 1016-22   | 3.4 | 77 |
| 342 | Reproducibility of three self-report participation measures: The ICF Measure of Participation and Activities Screener, the Participation Scale, and the Utrecht Scale for Evaluation of Rehabilitation-Participation. <i>Journal of Rehabilitation Medicine</i> , <b>2010</b> , 42, 752-7 | 3.4 | 77 |
| 341 | Wheelchair skills tests: a systematic review. <i>Clinical Rehabilitation</i> , <b>2003</b> , 17, 418-30   | 3.3 | 75 |
| 340 | Predictive value of ischemic lesion volume assessed with magnetic resonance imaging for neurological deficits and functional outcome poststroke: A critical review of the literature. <i>Neurorehabilitation and Neural Repair</i> , <b>2006</b> , 20, 492-502                            | 4.7 | 74 |
| 339 | Functional independence among young adults with spina bifida, in relation to hydrocephalus and level of lesion. <i>Developmental Medicine and Child Neurology</i> , <b>2006</b> , 48, 114-9   | 3.3 | 74 |
| 338 | Quality of life and the ICIDH: towards an integrated conceptual model for rehabilitation outcomes research. <i>Clinical Rehabilitation</i> , <b>1999</b> , 13, 5-15   | 3.3 | 72 |
| 337 | Validity of the Life Satisfaction questions, the Life Satisfaction Questionnaire, and the Satisfaction With Life Scale in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2012</b> , 93, 1832-7   | 2.8 | 71 |
| 336 | The SIP68: a measure of health-related functional status in rehabilitation medicine. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>1996</b> , 77, 440-5  | 2.8 | 70 |
| 335 | Caregiver burden and emotional problems in partners of stroke patients at two months and one year post-stroke: Determinants and prediction. <i>Patient Education and Counseling</i> , <b>2016</b> , 99, 1632-40   | 3.1 | 70 |
| 334 | Care for carers of stroke patients: evidence-based clinical practice guidelines. <i>Journal of Rehabilitation Medicine</i> , <b>2006</b> , 38, 153-8  | 3.4 | 69 |
| 333 | Quality of life in patients with spinal cord injury--basic issues, assessment, and recommendations. <i>Restorative Neurology and Neuroscience</i> , <b>2002</b> , 20, 135-49  | 2.8 | 69 |
| 332 | The CONECISI trial: results of a randomized controlled trial of a multidisciplinary cognitive behavioral program for coping with chronic neuropathic pain after spinal cord injury. <i>Pain</i> , <b>2012</b> , 153, 120-128  | 8   | 68 |
| 331 | Recommendations for translation and reliability testing of International Spinal Cord Injury Data Sets. <i>Spinal Cord</i> , <b>2011</b> , 49, 357-60  | 2.7 | 68 |
| 330 | Demographics of the Dutch multicenter prospective cohort study 'Restoration of mobility in spinal cord injury rehabilitation'. <i>Spinal Cord</i> , <b>2006</b> , 44, 668-75  | 2.7 | 68 |
| 329 | Services for spinal cord injured: availability and satisfaction. <i>Spinal Cord</i> , <b>1997</b> , 35, 109-15  | 2.7 | 67 |
| 328 | Life satisfaction in people with spinal cord injury during the first five years after discharge from inpatient rehabilitation. <i>Disability and Rehabilitation</i> , <b>2012</b> , 34, 76-83   | 2.4 | 66 |
| 327 | Cross-cultural validity of four quality of life scales in persons with spinal cord injury. <i>Health and Quality of Life Outcomes</i> , <b>2010</b> , 8, 94   | 3   | 65 |

|     |   |     |    |
|-----|---|-----|----|
| 326 | Return to work after major trauma. <i>Clinical Rehabilitation</i> , <b>2007</b> , 21, 373-83  | 3.3 | 63 |
| 325 | The Wheelchair Circuit: Construct validity and responsiveness of a test to assess manual wheelchair mobility in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2004</b> , 85, 424-31                       | 2.8 | 63 |
| 324 | Swiss national community survey on functioning after spinal cord injury: Protocol, characteristics of participants and determinants of non-response. <i>Journal of Rehabilitation Medicine</i> , <b>2016</b> , 48, 120-30                                 | 3.4 | 63 |
| 323 | Associations between social support and stroke survivors' health-related quality of life--a systematic review. <i>Patient Education and Counseling</i> , <b>2013</b> , 93, 169-76   | 3.1 | 58 |
| 322 | Effects of hand cycle training on physical capacity in individuals with tetraplegia: a clinical trial. <i>Physical Therapy</i> , <b>2009</b> , 89, 1051-60  | 3.3 | 58 |
| 321 | Relationships between activities, participation, personal factors, mental health, and life satisfaction in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2012</b> , 93, 82-9                              | 2.8 | 56 |
| 320 | Care needs of persons with long-term spinal cord injury living at home in the Netherlands. <i>Spinal Cord</i> , <b>2010</b> , 48, 423-8   | 2.7 | 56 |
| 319 | Relationship between manual wheelchair skill performance and participation of persons with spinal cord injuries 1 year after discharge from inpatient rehabilitation. <i>Journal of Rehabilitation Research and Development</i> , <b>2005</b> , 42, 65-73 |     | 56 |
| 318 | Participation in the chronic phase of stroke. <i>Topics in Stroke Rehabilitation</i> , <b>2013</b> , 20, 52-61  | 2.6 | 55 |
| 317 | Occurrence and predictors of pressure ulcers during primary in-patient spinal cord injury rehabilitation. <i>Spinal Cord</i> , <b>2011</b> , 49, 106-12   | 2.7 | 55 |
| 316 | The influence of psychological factors on health-related quality of life after stroke: a systematic review. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 341-8   | 6.3 | 54 |
| 315 | Characteristics, length of stay and functional outcome of patients with spinal cord injury in Dutch and Flemish rehabilitation centres. <i>Spinal Cord</i> , <b>2009</b> , 47, 339-44   | 2.7 | 54 |
| 314 | Psychosocial functioning of spouses in the chronic phase after stroke: improvement or deterioration between 1 and 3 years after stroke?. <i>Patient Education and Counseling</i> , <b>2008</b> , 73, 153-8  | 3.1 | 54 |
| 313 | Changes and determinants of life satisfaction after spinal cord injury: a cohort study in the Netherlands. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2008</b> , 89, 1733-40  | 2.8 | 53 |
| 312 | Life satisfaction of young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , <b>2007</b> , 49, 458-63   | 3.3 | 53 |
| 311 | The wheelchair circuit: reliability of a test to assess mobility in persons with spinal cord injuries. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2002</b> , 83, 1783-8   | 2.8 | 53 |
| 310 | Chronic spinal cord injury pain: pharmacological and non-pharmacological treatments and treatment effectiveness. <i>Disability and Rehabilitation</i> , <b>2011</b> , 33, 433-40  | 2.4 | 52 |
| 309 | Development and validation of a short version of the Stroke Specific Quality of Life Scale. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2011</b> , 82, 283-6  | 5.5 | 51 |

|     |   |     |    |
|-----|---|-----|----|
| 308 | It takes two to tango: the integration of people with disabilities into society. <i>Disability and Society</i> , <b>2005</b> , 20, 311-329  | 1.8 | 51 |
| 307 | Epidemiology of traumatic spinal cord injuries in The Netherlands in 2010. <i>Spinal Cord</i> , <b>2014</b> , 52, 258-63  | 2.7 | 50 |
| 306 | Quality of Life during the First Two Years Post Stroke: The Restore4Stroke Cohort Study. <i>Cerebrovascular Diseases</i> , <b>2016</b> , 41, 19-26  | 3.2 | 48 |
| 305 | Evaluation of the physical activity scale for individuals with physical disabilities in people with spinal cord injury. <i>Spinal Cord</i> , <b>2010</b> , 48, 542-7  | 2.7 | 48 |
| 304 | Restrictions in social participation of young adults with spina bifida. <i>Disability and Rehabilitation</i> , <b>2009</b> , 31, 921-7  | 2.4 | 47 |
| 303 | Quality of life after spinal cord injury: a comparison across six countries. <i>Spinal Cord</i> , <b>2013</b> , 51, 322-6   | 2.7 | 45 |
| 302 | Responsiveness of four participation measures to changes during and after outpatient rehabilitation. <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 1003-9   | 3.4 | 45 |
| 301 | Predicting fatigue 1 year after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurology</i> , <b>2011</b> , 258, 1091-7   | 5.5 | 45 |
| 300 | When a parent has a stroke: clinical course and prediction of mood, behavior problems, and health status of their young children. <i>Stroke</i> , <b>2005</b> , 36, 2436-40   | 6.7 | 45 |
| 299 | Secondary health conditions in persons with a spinal cord injury for at least 10 years: design of a comprehensive long-term cross-sectional study. <i>Disability and Rehabilitation</i> , <b>2013</b> , 35, 1104-10                         | 2.4 | 44 |
| 298 | Outcome parameters in spinal cord injury research: a systematic review using the International Classification of Functioning, Disability and Health (ICF) as a reference. <i>Spinal Cord</i> , <b>2010</b> , 48, 522-8                      | 2.7 | 44 |
| 297 | Health behaviour of persons with spinal cord injury. <i>Spinal Cord</i> , <b>2007</b> , 45, 243-9   | 2.7 | 44 |
| 296 | Capturing the psychologic-personal perspective in spinal cord injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S79-96  | 2.6 | 43 |
| 295 | Measurement properties of the short version of the Van Lieshout test for arm/hand function of persons with tetraplegia after spinal cord injury. <i>Spinal Cord</i> , <b>2006</b> , 44, 763-71  | 2.7 | 43 |
| 294 | Good inter-rater reliability of the Frenchay Activities Index in stroke patients. <i>Clinical Rehabilitation</i> , <b>2003</b> , 17, 548-52   | 3.3 | 43 |
| 293 | Determinants of health-related quality of life after aneurysmal subarachnoid hemorrhage: a systematic review. <i>Quality of Life Research</i> , <b>2013</b> , 22, 1027-43   | 3.7 | 42 |
| 292 | Trajectories in the course of life satisfaction after spinal cord injury: identification and predictors. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 92, 207-13   | 2.8 | 42 |
| 291 | The longitudinal relation between physical capacity and wheelchair skill performance during inpatient rehabilitation of people with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2005</b> , 86, 1575-81 | 2.8 | 42 |

|     |   |      |    |
|-----|---|------|----|
| 290 | A longitudinal cohort study on quality of life in stroke patients and their partners: Restore4Stroke Cohort. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 148-54   | 6.3  | 41 |
| 289 | Strategies for autonomy used by people with cervical spinal cord injury: a qualitative study. <i>Disability and Rehabilitation</i> , <b>2008</b> , 30, 249-60   | 2.4  | 41 |
| 288 | Duration and functional outcome of spinal cord injury rehabilitation in the Netherlands. <i>Journal of Rehabilitation Research and Development</i> , <b>2005</b> , 42, 75-85  |      | 41 |
| 287 | Social activity contributes independently to life satisfaction three years post stroke. <i>Clinical Rehabilitation</i> , <b>2011</b> , 25, 460-7  | 3.3  | 40 |
| 286 | Return to work after spinal cord injury: is it related to wheelchair capacity at discharge from clinical rehabilitation?. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2009</b> , 88, 47-56                       | 2.6  | 40 |
| 285 | Sexological Competence of Different Rehabilitation Disciplines and Effects of a Discipline-specific Sexological Training. <i>Sexuality and Disability</i> , <b>2008</b> , 26, 3-14  | 1.3  | 40 |
| 284 | Reproducibility of the Caregiver Strain Index and the Caregiver Reaction Assessment in partners of stroke patients living in the Dutch community. <i>Clinical Rehabilitation</i> , <b>2007</b> , 21, 1050-5                               | 3.3  | 40 |
| 283 | Long-term restrictions in participation in stroke survivors under and over 70 years of age. <i>Disability and Rehabilitation</i> , <b>2018</b> , 40, 637-645  | 2.4  | 39 |
| 282 | Validity of the mental health subscale of the SF-36 in persons with spinal cord injury. <i>Spinal Cord</i> , <b>2012</b> , 50, 707-10   | 2.7  | 39 |
| 281 | Prosthetic management of children in The Netherlands with upper limb deficiencies. <i>Prosthetics and Orthotics International</i> , <b>2001</b> , 25, 228-34  | 1.5  | 39 |
| 280 | Perceived health in young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , <b>2007</b> , 49, 192-7   | 3.3  | 38 |
| 279 | Follow-up care for persons with spinal cord injury living in the community: a systematic review of interventions and their evaluation. <i>Spinal Cord</i> , <b>2005</b> , 43, 462-75  | 2.7  | 38 |
| 278 | Relationship between ischemic lesion volume and functional status in the 2nd week after middle cerebral artery stroke. <i>Neurorehabilitation and Neural Repair</i> , <b>2005</b> , 19, 133-8   | 4.7  | 38 |
| 277 | What makes the dyspeptic patient feel ill? A cross sectional survey of functional health status, Helicobacter pylori infection, and psychological distress in dyspeptic patients in general practice. <i>Gut</i> , <b>1999</b> , 45, 15-9 | 19.2 | 38 |
| 276 | Influence of hand cycling on physical capacity in the rehabilitation of persons with a spinal cord injury: a longitudinal cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2008</b> , 89, 1016-22               | 2.8  | 37 |
| 275 | Ischemic lesion volume correlates with long-term functional outcome and quality of life of middle cerebral artery stroke survivors. <i>Restorative Neurology and Neuroscience</i> , <b>2005</b> , 23, 257-63                              | 2.8  | 37 |
| 274 | Does the frequency of participation change after stroke and is this change associated with the subjective experience of participation?. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 456-63                | 2.8  | 36 |
| 273 | Work participation among young adults with spina bifida in the Netherlands. <i>Developmental Medicine and Child Neurology</i> , <b>2008</b> , 50, 772-7   | 3.3  | 36 |



|     |  |     |    |
|-----|--|-----|----|
| 272 | Social support, coping and subjective well-being in patients with rheumatic diseases. <i>Patient Education and Counseling</i> , <b>2000</b> , 39, 205-18   | 3.1 | 36 |
| 271 | International retrospective comparison of inpatient rehabilitation for patients with spinal cord dysfunction epidemiology and clinical outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 1080-7  | 2.8 | 35 |
| 270 | Trajectories of health-related quality of life after stroke: results from a one-year prospective cohort study. <i>Disability and Rehabilitation</i> , <b>2018</b> , 40, 997-1006   | 2.4 | 35 |
| 269 | Active Lifestyle Rehabilitation interventions in aging spinal cord injury (ALLRISC): a multicentre research program. <i>Disability and Rehabilitation</i> , <b>2013</b> , 35, 1097-103   | 2.4 | 35 |
| 268 | Positive caregiving experiences are associated with life satisfaction in spouses of stroke survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2012</b> , 21, 801-7  | 2.8 | 35 |
| 267 | The Maastricht social participation profile: development and clinimetric properties in older adults with a chronic physical illness. <i>Quality of Life Research</i> , <b>2009</b> , 18, 1207-18   | 3.7 | 35 |
| 266 | Measuring change in arm hand skilled performance in persons with a cervical spinal cord injury: responsiveness of the Van Lieshout Test. <i>Spinal Cord</i> , <b>2006</b> , 44, 772-9  | 2.7 | 35 |
| 265 | Social support and life satisfaction in spinal cord injury during and up to one year after inpatient rehabilitation. <i>Journal of Rehabilitation Medicine</i> , <b>2010</b> , 42, 265-71  | 3.4 | 34 |
| 264 | Development and validation of the Utrecht Scale for Evaluation of Clinical Rehabilitation (USER). <i>Clinical Rehabilitation</i> , <b>2009</b> , 23, 909-17  | 3.3 | 34 |
| 263 | Study Protocol of the International Spinal Cord Injury (InSCI) Community Survey. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 96, S23-S34   | 2.6 | 33 |
| 262 | Outcomes of neurogenic bowel management in individuals living with a spinal cord injury for at least 10 years. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 905-12  | 2.8 | 33 |
| 261 | Life satisfaction of couples 3 years after stroke. <i>Disability and Rehabilitation</i> , <b>2012</b> , 34, 1468-72  | 2.4 | 33 |
| 260 | International comparison of the organisation of rehabilitation services and systems of care for patients with spinal cord injury. <i>Spinal Cord</i> , <b>2013</b> , 51, 33-9  | 2.7 | 33 |
| 259 | Prediction of depressive symptoms up to three years post-stroke. <i>Journal of Rehabilitation Medicine</i> , <b>2009</b> , 41, 930-5   | 3.4 | 33 |
| 258 | Psychological factors determine depressive symptomatology after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 1064-70  | 2.8 | 32 |
| 257 | Temporal Evolution of Poststroke Cognitive Impairment Using the Montreal Cognitive Assessment. <i>Stroke</i> , <b>2017</b> , 48, 98-104  | 6.7 | 31 |
| 256 | Comparison of the Utrecht Scale for Evaluation of Rehabilitation-Participation with the ICF Measure of Participation and Activities Screener and the WHO Disability Assessment Schedule II in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2014</b> , 95, 87-93 | 2.8 | 31 |
| 255 | Recovery of life satisfaction in persons with spinal cord injury during inpatient rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2009</b> , 88, 887-95   | 2.6 | 31 |



|     |   |     |    |
|-----|---|-----|----|
| 254 | Stimulating active coping in patients with rheumatic diseases: a systematic review of controlled group intervention studies. <i>Patient Education and Counseling</i> , <b>2003</b> , 50, 133-43   | 3.1 | 31 |
| 253 | Longitudinal relationship between wheelchair exercise capacity and life satisfaction in patients with spinal cord injury: A cohort study in the Netherlands. <i>Journal of Spinal Cord Medicine</i> , <b>2014</b> , 37, 328-37  | 1.9 | 30 |
| 252 | Trajectories of musculoskeletal shoulder pain after spinal cord injury: Identification and predictors. <i>Journal of Spinal Cord Medicine</i> , <b>2014</b> , 37, 288-98  | 1.9 | 30 |
| 251 | To work or not to work: labour market participation of people with spinal cord injury living in Switzerland. <i>Spinal Cord</i> , <b>2012</b> , 50, 521-6   | 2.7 | 30 |
| 250 | Bladder-emptying methods, neurogenic lower urinary tract dysfunction and impact on quality of life in people with long-term spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , <b>2017</b> , 40, 43-53  | 1.9 | 29 |
| 249 | Causes of death following spinal cord injury during inpatient rehabilitation and the first five years after discharge. A Dutch cohort study. <i>Spinal Cord</i> , <b>2014</b> , 52, 483-8   | 2.7 | 29 |
| 248 | Psychological resources, appraisals, and coping and their relationship to participation in spinal cord injury: a path analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2014</b> , 95, 1662-71   | 2.8 | 29 |
| 247 | Life satisfaction in patients with chronic musculoskeletal pain and its predictors. <i>Quality of Life Research</i> , <b>2013</b> , 22, 93-101  | 3.7 | 29 |
| 246 | Quality of life after severe bacterial peritonitis and infected necrotizing pancreatitis treated with open management of the abdomen and planned re-operations. <i>Critical Care Medicine</i> , <b>2001</b> , 29, 1539-43   | 1.4 | 29 |
| 245 | Good validity of the international spinal cord injury quality of life basic data set. <i>Spinal Cord</i> , <b>2016</b> , 54, 314-8  | 2.7 | 28 |
| 244 | Social skills: a resource for more social support, lower depression levels, higher quality of life, and participation in individuals with spinal cord injury?. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 447-55                             | 2.8 | 28 |
| 243 | Cross-sectional and longitudinal correlations between disease progression and different health-related quality of life domains in persons with amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2007</b> , 8, 356-61 |     | 28 |
| 242 | Impact of social support on health status and life satisfaction in people with a spinal cord injury. <i>Psychology and Health</i> , <b>1999</b> , 14, 679-695   | 2.9 | 28 |
| 241 | Post-traumatic stress disorder in patients 3 years after aneurysmal subarachnoid haemorrhage. <i>Cerebrovascular Diseases</i> , <b>2013</b> , 36, 126-30  | 3.2 | 27 |
| 240 | Psychometric properties of Aquarel. a disease-specific quality of life questionnaire for pacemaker patients. <i>Journal of Clinical Epidemiology</i> , <b>2001</b> , 54, 157-65   | 5.7 | 27 |
| 239 | Is manual wheelchair satisfaction related to active lifestyle and participation in people with a spinal cord injury?. <i>Spinal Cord</i> , <b>2011</b> , 49, 560-5  | 2.7 | 26 |
| 238 | Choice-based evaluation for the improvement of upper-extremity function compared with other impairments in tetraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2005</b> , 86, 1623-30   | 2.8 | 26 |
| 237 | Perceived impact of environmental barriers on participation among people living with spinal cord injury in Switzerland. <i>Journal of Rehabilitation Medicine</i> , <b>2016</b> , 48, 210-8   | 3.4 | 26 |

|     |   |     |    |
|-----|---|-----|----|
| 236 | Measuring resilience with the Connor-Davidson Resilience Scale (CD-RISC): which version to choose?. <i>Spinal Cord</i> , <b>2019</b> , 57, 360-366  | 2.7 | 25 |
| 235 | Long-term outcomes of a multidisciplinary cognitive behavioural programme for coping with chronic neuropathic spinal cord injury pain. <i>Journal of Rehabilitation Medicine</i> , <b>2014</b> , 46, 540-5  | 3.4 | 25 |
| 234 | Effects of aerobic exercise therapy and cognitive behavioural therapy on functioning and quality of life in amyotrophic lateral sclerosis: protocol of the FACTS-2-ALS trial. <i>BMC Neurology</i> , <b>2011</b> , 11, 70   | 3.1 | 25 |
| 233 | Predictors of long-term health-related quality of life in patients with aneurysmal subarachnoid hemorrhage. <i>NeuroRehabilitation</i> , <b>2012</b> , 30, 137-45   | 2   | 25 |
| 232 | Long-term deficits in episodic memory after ischemic stroke: evaluation and prediction of verbal and visual memory performance based on lesion characteristics. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2009</b> , 18, 128-38                                | 2.8 | 25 |
| 231 | Development of a classification of physical, occupational, and sports therapy interventions to document mobility and self-care in spinal cord injury rehabilitation. <i>Journal of Neurologic Physical Therapy</i> , <b>2008</b> , 32, 2-7                                      | 4.1 | 25 |
| 230 | Poststroke hand swelling and oedema: prevalence and relationship with impairment and disability. <i>Clinical Rehabilitation</i> , <b>2005</b> , 19, 552-9   | 3.3 | 25 |
| 229 | A Structured Approach to Capture the Lived Experience of Spinal Cord Injury: Data Model and Questionnaire of the International Spinal Cord Injury Community Survey. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 96, S5-S16                  | 2.6 | 24 |
| 228 | Associations Between Self-Efficacy and Secondary Health Conditions in People Living With Spinal Cord Injury: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 98, 2566-2577                                       | 2.8 | 24 |
| 227 | The unfavorable effects of concomitant asthma and sleeplessness due to the atopic eczema/dermatitis syndrome (AEDS) on quality of life in subjects allergic to house-dust mites. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2002</b> , 57, 919-25 | 9.3 | 24 |
| 226 | Metric properties of the Spinal Cord Independence Measure - Self Report in a community survey. <i>Journal of Rehabilitation Medicine</i> , <b>2016</b> , 48, 149-64   | 3.4 | 24 |
| 225 | International Retrospective Comparison of Inpatient Rehabilitation for Patients With Spinal Cord Dysfunction: Differences According to Etiology. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 380-5  | 2.8 | 23 |
| 224 | Comparing content of therapy for people with a spinal cord injury in postacute inpatient rehabilitation in Australia, Norway, and The Netherlands. <i>Physical Therapy</i> , <b>2011</b> , 91, 210-24   | 3.3 | 23 |
| 223 | Cognitive status of young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , <b>2003</b> , 45, 813-20  | 3.3 | 23 |
| 222 | Psychological factors are associated with subjective cognitive complaints 2 months post-stroke. <i>Neuropsychological Rehabilitation</i> , <b>2017</b> , 27, 99-115   | 3.1 | 22 |
| 221 | Trajectories and predictors of the course of mental health after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2012</b> , 93, 2170-6   | 2.8 | 22 |
| 220 | Physical fitness in people with a spinal cord injury: the association with complications and duration of rehabilitation. <i>Clinical Rehabilitation</i> , <b>2007</b> , 21, 932-40  | 3.3 | 22 |
| 219 | Measuring nursing needs of stroke patients in clinical rehabilitation: a comparison of validity and sensitivity to change between the Northwick Park Dependency Score and the Barthel Index. <i>Clinical Rehabilitation</i> , <b>2002</b> , 16, 182-9                           | 3.3 | 22 |

|     |   |     |    |
|-----|---|-----|----|
| 218 | Employment trajectories after spinal cord injury: results from a 5-year prospective cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2014</b> , 95, 2040-6  | 2.8 | 21 |
| 217 | How to measure what matters: development and application of guiding principles to select measurement instruments in an epidemiologic study on functioning. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S29-38                   | 2.6 | 21 |
| 216 | Contents of physical therapy, occupational therapy, and sports therapy sessions for patients with a spinal cord injury in three Dutch rehabilitation centres. <i>Disability and Rehabilitation</i> , <b>2011</b> , 33, 412-22   | 2.4 | 21 |
| 215 | Changes in health-related quality of life after carotid endarterectomy. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>1998</b> , 16, 395-400  | 2.3 | 21 |
| 214 | The longitudinal relationship between lipid profile and physical capacity in persons with a recent spinal cord injury. <i>Spinal Cord</i> , <b>2008</b> , 46, 344-51  | 2.7 | 21 |
| 213 | Feasibility of a classification system for physical therapy, occupational therapy, and sports therapy interventions for mobility and self-care in spinal cord injury rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2008</b> , 89, 1454-9 | 2.8 | 21 |
| 212 | Educational career and predictors of type of education in young adults with spina bifida. <i>International Journal of Rehabilitation Research</i> , <b>2004</b> , 27, 45-52   | 1.8 | 21 |
| 211 | Changes in quality-of-life after pacemaker implantation: responsiveness of the Aquarel questionnaire. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2001</b> , 24, 288-95  | 1.6 | 21 |
| 210 | Labor Market Integration of People with Disabilities: Results from the Swiss Spinal Cord Injury Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166955  | 3.7 | 21 |
| 209 | Associations between disability-management self-efficacy, participation and life satisfaction in people with long-standing spinal cord injury. <i>Spinal Cord</i> , <b>2017</b> , 55, 47-51   | 2.7 | 20 |
| 208 | Measuring negative and positive caregiving experiences: a psychometric analysis of the Caregiver Strain Index Expanded. <i>Clinical Rehabilitation</i> , <b>2015</b> , 29, 1224-33  | 3.3 | 20 |
| 207 | Psychometric properties of the Nottwil Environmental Factors Inventory Short Form. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 233-40   | 2.8 | 20 |
| 206 | Predictors of return to work 5 years after discharge for wheelchair-dependent individuals with spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , <b>2014</b> , 46, 984-90   | 3.4 | 20 |
| 205 | Changes in life satisfaction in persons with spinal cord injury during and after inpatient rehabilitation: adaptation or measurement bias?. <i>Quality of Life Research</i> , <b>2012</b> , 21, 1499-508  | 3.7 | 20 |
| 204 | Passive shoulder range of motion impairment in spinal cord injury during and one year after rehabilitation. <i>Journal of Rehabilitation Medicine</i> , <b>2009</b> , 41, 438-44  | 3.4 | 20 |
| 203 | Course of gross mechanical efficiency in handrim wheelchair propulsion during rehabilitation of people with spinal cord injury: a prospective cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2005</b> , 86, 1452-60                         | 2.8 | 20 |
| 202 | Hand-rim wheelchair propulsion capacity during rehabilitation of persons with spinal cord injury. <i>Journal of Rehabilitation Research and Development</i> , <b>2005</b> , 42, 55-63   |     | 20 |
| 201 | Recommendations for evaluation of neurogenic bladder and bowel dysfunction after spinal cord injury and/or disease. <i>Journal of Spinal Cord Medicine</i> , <b>2020</b> , 43, 141-164  | 1.9 | 19 |

|     |   |     |    |
|-----|---|-----|----|
| 200 | Is cognitive functioning 1 year poststroke related to quality of life domain?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2011</b> , 20, 450-8  | 2.8 | 19 |
| 199 | Functional independence and health-related functional status following spinal cord injury: a prospective study of the association with physical capacity. <i>Journal of Rehabilitation Medicine</i> , <b>2008</b> , 40, 812-8               | 3.4 | 19 |
| 198 | Reproducibility and validity of the Dutch Life Habits Questionnaire (LIFE-H 3.0) in older adults. <i>Clinical Rehabilitation</i> , <b>2007</b> , 21, 853-62   | 3.3 | 19 |
| 197 | Assessment of oedema in stroke patients: comparison of visual inspection by therapists and volumetric assessment. <i>Disability and Rehabilitation</i> , <b>2003</b> , 25, 1265-70  | 2.4 | 19 |
| 196 | Metabolic syndrome in people with a long-standing spinal cord injury: associations with physical activity and capacity. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, 1190-1196                                   | 3   | 18 |
| 195 | Hospital-acquired pressure ulcers in spinal cord injured patients: time to occur, time until closure and risk factors. <i>Spinal Cord</i> , <b>2016</b> , 54, 726-31  | 2.7 | 18 |
| 194 | Modeling life satisfaction in spinal cord injury: the role of psychological resources. <i>Quality of Life Research</i> , <b>2014</b> , 23, 2693-705   | 3.7 | 18 |
| 193 | Trajectories in the course of body mass index after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2014</b> , 95, 1083-92   | 2.8 | 18 |
| 192 | Social activity one and three years post-stroke. <i>Journal of Rehabilitation Medicine</i> , <b>2012</b> , 44, 47-50  | 3.4 | 18 |
| 191 | International survey of perceived barriers to admission and discharge from spinal cord injury rehabilitation units. <i>Spinal Cord</i> , <b>2013</b> , 51, 893-7  | 2.7 | 18 |
| 190 | Exercise self-efficacy in persons with spinal cord injury: psychometric properties of the Dutch translation of the Exercise Self-Efficacy Scale. <i>Journal of Rehabilitation Medicine</i> , <b>2013</b> , 45, 347-50                       | 3.4 | 18 |
| 189 | Course of social support and relationships between social support and life satisfaction in spouses of patients with stroke in the chronic phase. <i>Patient Education and Counseling</i> , <b>2011</b> , 85, e48-52                         | 3.1 | 18 |
| 188 | Toward the Development of a Universal Outcome Instrument for Spine Trauma: A Systematic Review and Content Comparison of Outcome Measures Used in Spine Trauma Research Using the ICF as Reference. <i>Spine</i> , <b>2016</b> , 41, 358-67 | 3.3 | 18 |
| 187 | Course of Social Participation in the First 2 Years After Stroke and Its Associations With Demographic and Stroke-Related Factors. <i>Neurorehabilitation and Neural Repair</i> , <b>2018</b> , 32, 821-833                                 | 4.7 | 18 |
| 186 | Cohort Profile of the International Spinal Cord Injury Community Survey Implemented in 22 Countries. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 2103-2111   | 2.8 | 17 |
| 185 | Work stress and quality of life in persons with disabilities from four European countries: the case of spinal cord injury. <i>Quality of Life Research</i> , <b>2014</b> , 23, 1661-71  | 3.7 | 17 |
| 184 | Rehabilitation of patients with nontraumatic spinal cord injury in the Netherlands: etiology, length of stay, and functional outcome. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2013</b> , 19, 195-201                        | 1.5 | 17 |
| 183 | KWAZO, a new instrument to assess the quality of service delivery in assistive technology provision. <i>Disability and Rehabilitation</i> , <b>2006</b> , 28, 909-14  | 2.4 | 17 |

|     |   |     |    |
|-----|---|-----|----|
| 182 | Metric properties of the Utrecht Scale for Evaluation of Rehabilitation-Participation (USER-Participation) in persons with spinal cord injury living in Switzerland. <i>Journal of Rehabilitation Medicine</i> , <b>2016</b> , 48, 165-74   | 3.4 | 17 |
| 181 | Depression in spinal cord injury: assessing the role of psychological resources. <i>Rehabilitation Psychology</i> , <b>2015</b> , 60, 67-80   | 2.7 | 16 |
| 180 | Provided support, caregiver burden and well-being in partners of persons with spinal cord injury 5 years after discharge from first inpatient rehabilitation. <i>Spinal Cord</i> , <b>2018</b> , 56, 436-446  | 2.7 | 16 |
| 179 | Proactive coping poststroke: psychometric properties of the Utrecht Proactive Coping Competence Scale. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2014</b> , 95, 670-5  | 2.8 | 16 |
| 178 | Impact of health problems secondary to SCI one and five years after first inpatient rehabilitation. <i>Spinal Cord</i> , <b>2017</b> , 55, 98-104   | 2.7 | 16 |
| 177 | Which pain coping strategies and cognitions are associated with outcomes of a cognitive behavioral intervention for neuropathic pain after spinal cord injury?. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2013</b> , 19, 330-40   | 1.5 | 16 |
| 176 | Domain sets and measurement instruments on participation and environmental factors in spinal cord injury research. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S66-78   | 2.6 | 16 |
| 175 | Validity of the Dutch version of the Amyotrophic Lateral Sclerosis Assessment Questionnaire, ALSAQ-40, ALSAQ-5. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2007</b> , 8, 96-100   |     | 16 |
| 174 | Comparison of two Dutch follow-up care models for spinal cord-injured patients and their impact on health problems, re-admissions and quality of care. <i>Clinical Rehabilitation</i> , <b>2007</b> , 21, 997-1006  | 3.3 | 16 |
| 173 | Measurement and Evidence of Environmental Determinants of Participation in Spinal Cord Injury: A Systematic Review of the Literature. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2010</b> , 15, 26-48  | 1.5 | 16 |
| 172 | Associations of proactive coping and self-efficacy with psychosocial outcomes in individuals after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 1484-91  | 2.8 | 15 |
| 171 | Psychological factors and mental health in persons with spinal cord injury: An exploration of change or stability. <i>Journal of Rehabilitation Medicine</i> , <b>2015</b> , 47, 531-7  | 3.4 | 15 |
| 170 | Responsiveness of two participation measures in an outpatient rehabilitation setting. <i>Scandinavian Journal of Occupational Therapy</i> , <b>2013</b> , 20, 201-8   | 2.1 | 15 |
| 169 | Reliability of a new classification system for mobility and self-care in spinal cord injury rehabilitation: the Spinal Cord Injury-Interventions Classification System. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2009</b> , 90, 1229-36   | 2.8 | 15 |
| 168 | Prospective analysis of lipid profiles in persons with a spinal cord injury during and 1 year after inpatient rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2008</b> , 89, 531-7   | 2.8 | 15 |
| 167 | Efficient screening of cognitive dysfunction in stroke patients: comparison between the CAMCOG and the R-CAMCOG, Mini Mental State Examination and Functional Independence Measure-cognition score. <i>Disability and Rehabilitation</i> , <b>2008</b> , 30, 1386-91  | 2.4 | 15 |
| 166 | Subject- and injury-related factors influencing the course of manual wheelchair skill performance during initial inpatient rehabilitation of persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2005</b> , 86, 2119-25   | 2.8 | 15 |
| 165 | Measurement of decline of functioning in persons with amyotrophic lateral sclerosis: responsiveness and possible applications of the Functional Independence Measure, Barthel Index, Rehabilitation Activities Profile and Frenchay Activities Index. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2006</b> , 7, 167-72 |     | 15 |



|     |  |     |    |
|-----|--|-----|----|
| 164 | One-year prognosis of primary care dyspepsia: predictive value of symptom pattern, Helicobacter pylori and GP management. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2002</b> , 14, 55-60   | 2.2 | 15 |
| 163 | Quality-of-life of pacemaker patients: a reappraisal of current instruments. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2000</b> , 23, 946-52  | 1.6 | 15 |
| 162 | Employment Among People With Spinal Cord Injury in 22 Countries Across the World: Results From the International Spinal Cord Injury Community Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 2157-2166                                     | 2.8 | 15 |
| 161 | Measurement of Outcomes of Upper Limb Reconstructive Surgery for Tetraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, S169-81  | 2.8 | 15 |
| 160 | Course of Participation after Subarachnoid Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2017</b> , 26, 1000-1006   | 2.8 | 14 |
| 159 | Productive activities, mental health and quality of life in disability: exploring the role enhancement and the role strain hypotheses. <i>BMC Psychology</i> , <b>2019</b> , 7, 1  | 2.8 | 14 |
| 158 | Life satisfaction post stroke: The role of illness cognitions. <i>Journal of Psychosomatic Research</i> , <b>2015</b> , 79, 137-42   | 4.1 | 14 |
| 157 | Meaning and components of quality of life among individuals with spinal cord injury in Yogyakarta Province, Indonesia. <i>Disability and Rehabilitation</i> , <b>2018</b> , 40, 1183-1191  | 2.4 | 14 |
| 156 | Randomized controlled trial of a self-management intervention in persons with spinal cord injury: design of the HABITS (Healthy Active Behavioural Intervention in SCI) study. <i>Disability and Rehabilitation</i> , <b>2013</b> , 35, 1111-8                                   | 2.4 | 14 |
| 155 | The value of employment for people living with spinal cord injury in Norway. <i>Disability and Society</i> , <b>2014</b> , 29, 1177-1191   | 1.8 | 14 |
| 154 | Cardiovascular function after spinal cord injury: prevalence and progression of dysfunction during inpatient rehabilitation and 5 years following discharge. <i>Neurorehabilitation and Neural Repair</i> , <b>2014</b> , 28, 219-29   | 4.7 | 14 |
| 153 | Return to work five years after spinal cord injury inpatient rehabilitation: is it related to wheelchair capacity at discharge?. <i>Journal of Rehabilitation Medicine</i> , <b>2012</b> , 44, 73-9  | 3.4 | 14 |
| 152 | Effect and process evaluation of implementing standardized tests to monitor patients in spinal cord injury rehabilitation. <i>Disability and Rehabilitation</i> , <b>2010</b> , 32, 588-97   | 2.4 | 14 |
| 151 | Wheelchair-specific fitness of persons with a long-term spinal cord injury: cross-sectional study on effects of time since injury and physical activity level. <i>Disability and Rehabilitation</i> , <b>2016</b> , 38, 1180-6   | 2.4 | 13 |
| 150 | Restrictions and satisfaction with participation in patients who are ADL-independent after an aneurysmal subarachnoid hemorrhage. <i>Topics in Stroke Rehabilitation</i> , <b>2017</b> , 24, 134-141   | 2.6 | 13 |
| 149 | Recovery to Preinterventional Functioning, Return-to-Work, and Life Satisfaction After Treatment of Unruptured Aneurysms. <i>Stroke</i> , <b>2015</b> , 46, 1607-12  | 6.7 | 13 |
| 148 | Evaluation of change in fatigue, self-efficacy and health-related quality of life, after a group educational intervention programme for persons with neuromuscular diseases or multiple sclerosis: a pilot study. <i>Disability and Rehabilitation</i> , <b>2011</b> , 33, 690-6 | 2.4 | 13 |
| 147 | A simple bedside test for upper extremity impairment after stroke: validation of the Utrecht Arm/Hand Test. <i>Disability and Rehabilitation</i> , <b>2009</b> , 31, 1338-43   | 2.4 | 13 |



|     |   |     |    |
|-----|---|-----|----|
| 146 | Participation and Life Satisfaction in Aged People with Spinal Cord Injury: Does Age at Onset Make a Difference?. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2015</b> , 21, 233-40   | 1.5 | 13 |
| 145 | Association of Shoulder Problems in Persons With Spinal Cord Injury at Discharge From Inpatient Rehabilitation With Activities and Participation 5 Years Later. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 84-91 | 2.8 | 12 |
| 144 | Reproducibility of the international spinal cord injury quality of life basic data set: an international psychometric study. <i>Spinal Cord</i> , <b>2019</b> , 57, 992-998   | 2.7 | 12 |
| 143 | Feasibility of an online well-being intervention for people with spinal cord injury: a pilot study. <i>Spinal Cord</i> , <b>2016</b> , 54, 473-7  | 2.7 | 12 |
| 142 | Wheelchair exercise capacity in spinal cord injury up to five years after discharge from inpatient rehabilitation. <i>Journal of Rehabilitation Medicine</i> , <b>2013</b> , 45, 646-52   | 3.4 | 12 |
| 141 | Body Image in Patients With Spinal Cord Injury During Inpatient Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 98, 1126-1131   | 2.8 | 11 |
| 140 | Effectiveness of a Self-Management Intervention to Promote an Active Lifestyle in Persons With Long-Term Spinal Cord Injury: The HABITS Randomized Clinical Trial. <i>Neurorehabilitation and Neural Repair</i> , <b>2017</b> , 31, 991-1004      | 4.7 | 11 |
| 139 | Monitoring healing of pressure ulcers: a review of assessment instruments for use in the spinal cord unit. <i>Spinal Cord</i> , <b>2010</b> , 48, 92-9  | 2.7 | 11 |
| 138 | Community integration of wheelchair-bound athletes: a comparison before and after onset of disability. <i>Clinical Rehabilitation</i> , <b>1997</b> , 11, 227-35  | 3.3 | 11 |
| 137 | Adapting the Nottingham Health Profile for use in people with severe physical disabilities. <i>Clinical Rehabilitation</i> , <b>2001</b> , 15, 103-10   | 3.3 | 11 |
| 136 | The Wayfinding Questionnaire: A clinically useful self-report instrument to identify navigation complaints in stroke patients. <i>Neuropsychological Rehabilitation</i> , <b>2019</b> , 29, 1042-1061   | 3.1 | 11 |
| 135 | Patients' views on their decision making during inpatient rehabilitation after newly acquired spinal cord injury-A qualitative interview-based study. <i>Health Expectations</i> , <b>2017</b> , 20, 1133-1142                                    | 3.7 | 10 |
| 134 | Functional hindrance due to spasticity in individuals with spinal cord injury during inpatient rehabilitation and 1 year thereafter. <i>Spinal Cord</i> , <b>2015</b> , 53, 663-7   | 2.7 | 10 |
| 133 | Impaired respiratory function and associations with health-related quality of life in people with spinal cord injury. <i>Spinal Cord</i> , <b>2016</b> , 54, 866-871  | 2.7 | 10 |
| 132 | Social participation of adult patients with spinal muscular atrophy: Frequency, restrictions, satisfaction, and correlates. <i>Muscle and Nerve</i> , <b>2018</b> , 58, 805-811   | 3.4 | 10 |
| 131 | Exercise self-efficacy and the relation with physical behavior and physical capacity in wheelchair-dependent persons with subacute spinal cord injury. <i>Journal of NeuroEngineering and Rehabilitation</i> , <b>2015</b> , 12, 103              | 5.3 | 10 |
| 130 | Study protocol of the Restore4Stroke self-management study: a multicenter randomized controlled trial in stroke patients and their partners. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 818-23                                     | 6.3 | 10 |
| 129 | Measuring the Subjective Appraisal of Participation with Life Satisfaction Measures: Bridging the Gap Between Participation and Quality of Life Measurement. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2010</b> , 15, 1-15          | 1.5 | 10 |

|     |   |     |    |
|-----|---|-----|----|
| 128 | Is Fitbit Charge 2 a feasible instrument to monitor daily physical activity and handbike training in persons with spinal cord injury? A pilot study. <i>Spinal Cord Series and Cases</i> , <b>2018</b> , 4, 84                    | 1.4 | 10 |
| 127 | Effects of a multidisciplinary group rehabilitation programme on participation of the visually impaired elderly: a pilot study. <i>Disability and Rehabilitation</i> , <b>2012</b> , 34, 1677-85                                  | 2.4 | 9  |
| 126 | Arm hand skilled performance in persons with a cervical spinal cord injury--long-term follow-up. <i>Spinal Cord</i> , <b>2013</b> , 51, 161-4   | 2.7 | 9  |
| 125 | A comparison of 3 generic health status questionnaires among stroke patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2006</b> , 15, 235-40  | 2.8 | 9  |
| 124 | Spouses' satisfaction with caregiver support in stroke rehabilitation. <i>Scandinavian Journal of Caring Sciences</i> , <b>2005</b> , 19, 310-6   | 2.3 | 9  |
| 123 | Assessment of the quality of life of patients with advanced and end-stage cancer or serious infections with a symptom-based or an impact-based instrument. <i>Supportive Care in Cancer</i> , <b>1999</b> , 7, 64-70              | 2.9 | 9  |
| 122 | Implementation of a Standardized Dataset for Collecting Information on Patients With Spinal Cord Injury. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2018</b> , 24, 133-140   | 1.5 | 9  |
| 121 | Progress of the Dutch Spinal Cord Injury Database: Completeness of Database and Profile of Patients Admitted for Inpatient Rehabilitation in 2015. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2018</b> , 24, 141-150 | 1.5 | 9  |
| 120 | Psychological factors after stroke: Are they stable over time?. <i>Journal of Rehabilitation Medicine</i> , <b>2019</b> , 51, 18-25   | 3.4 | 9  |
| 119 | Prevalence of hypertension and associated risk factors in people with long-term spinal cord injury living in the Netherlands. <i>Disability and Rehabilitation</i> , <b>2017</b> , 39, 919-927                                    | 2.4 | 8  |
| 118 | Version 1.1 of the international spinal cord injury skin and thermoregulation function basic data set. <i>Spinal Cord</i> , <b>2017</b> , 55, 566-569   | 2.7 | 8  |
| 117 | Preliminary psychometric analyses of the International Spinal Cord Injury Quality of Life Basic Data Set. <i>Spinal Cord</i> , <b>2019</b> , 57, 789-795  | 2.7 | 8  |
| 116 | Validity of an enhanced EQ-5D-5L measure with an added cognitive dimension in patients with stroke. <i>Clinical Rehabilitation</i> , <b>2020</b> , 34, 545-550  | 3.3 | 8  |
| 115 | Effects of family group conferences among high-risk patients of chronic disability and their significant others: study protocol for a multicentre controlled trial. <i>BMJ Open</i> , <b>2018</b> , 8, e018883                    | 3   | 8  |
| 114 | Development and cognitive testing of the Nottwil Environmental Factors Inventory in Canada, Switzerland and the USA. <i>Journal of Rehabilitation Medicine</i> , <b>2015</b> , 47, 618-25   | 3.4 | 8  |
| 113 | The development of the NZ-based international upper limb surgery registry. <i>Spinal Cord</i> , <b>2014</b> , 52, 611-52.7  | 2.7 | 8  |
| 112 | Changes in the coping styles of spouses and the influence of these changes on their psychosocial functioning the first year after a patient's stroke. <i>Journal of Psychosomatic Research</i> , <b>2011</b> , 71, 188-93         | 4.1 | 8  |
| 111 | Investigation of bias due to loss of participants in a Dutch multicentre prospective spinal cord injury cohort study. <i>Journal of Rehabilitation Medicine</i> , <b>2009</b> , 41, 382-9   | 3.4 | 8  |

|     |  |     |   |
|-----|--|-----|---|
| 110 | Category specification and measurement instruments in large spinal cord injury studies: a comparison using the International Classification of Functioning, Disability, and Health as a reference. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S39-49              | 2.6 | 8 |
| 109 | Self-Management and Self-Efficacy in Patients With Acute Spinal Cord Injuries: Protocol for a Longitudinal Cohort Study. <i>JMIR Research Protocols</i> , <b>2018</b> , 7, e68   | 2   | 8 |
| 108 | Predictors of physical independence at discharge after stroke rehabilitation in a Dutch population. <i>International Journal of Rehabilitation Research</i> , <b>2017</b> , 40, 37-45  | 1.8 | 7 |
| 107 | Development of the AOSpine Patient Reported Outcome Spine Trauma (AOSpine PROST): a universal disease-specific outcome instrument for individuals with traumatic spinal column injury. <i>European Spine Journal</i> , <b>2017</b> , 26, 1550-1557   | 2.7 | 7 |
| 106 | Prevalence of and factors associated with expressed and unmet service needs reported by persons with spinal cord injury living in the community. <i>Spinal Cord</i> , <b>2019</b> , 57, 490-500  | 2.7 | 7 |
| 105 | Participation in People Living With Spinal Cord Injury in Switzerland: Degree and Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2019</b> , 100, 1894-1906   | 2.8 | 7 |
| 104 | Participation in society in patients with coronary artery disease before and after cardiac rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 1110-6  | 2.8 | 7 |
| 103 | Exploring the relation between learning style and cognitive impairment in patients with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , <b>2012</b> , 22, 26-39  | 3.1 | 7 |
| 102 | It takes two to tango It revisited: a qualitative study on integration and participation of people living with spinal cord injury in Switzerland. <i>Disability and Society</i> , <b>2013</b> , 28, 893-907  | 1.8 | 7 |
| 101 | Measuring body structures and body functions from the International Classification of Functioning, Disability, and Health perspective: considerations for biomedical parameters in spinal cord injury research. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S50-65 | 2.6 | 7 |
| 100 | Sedentary Behavior in People With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 173  | 2.8 | 7 |
| 99  | Profiles of Psychological Adaptation Outcomes at Discharge From Spinal Cord Injury Inpatient Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 401-411  | 2.8 | 7 |
| 98  | Participation restrictions in patients after surgery for cerebral meningioma. <i>Journal of Rehabilitation Medicine</i> , <b>2018</b> , 50, 879-885  | 3.4 | 7 |
| 97  | Patterns of changes in wheelchair exercise capacity after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2013</b> , 94, 1260-7   | 2.8 | 6 |
| 96  | Toward developing a specific outcome instrument for spine trauma: an empirical cross-sectional multicenter ICF-based study by AOSpine Knowledge Forum Trauma. <i>Spine</i> , <b>2015</b> , 40, 1371-9  | 3.3 | 6 |
| 95  | Developing epidemiologic studies of people's lived experience: the Swiss Spinal Cord Injury Cohort Study as a case in point. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2011</b> , 90, S1-4  | 2.6 | 6 |
| 94  | International Comparison of Vocational Rehabilitation for Persons With Spinal Cord Injury: Systems, Practices, and Barriers. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2020</b> , 26, 21-35  | 1.5 | 6 |
| 93  | Self-Efficacy Predicts Personal and Family Adjustment Among Persons With Spinal Cord Injury or Acquired Brain Injury and Their Significant Others: A Dyadic Approach. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 1937-1945   | 2.8 | 6 |

|    |   |     |   |
|----|---|-----|---|
| 92 | Associations between time since onset of injury and participation in Dutch people with long-term spinal cord injury. <i>Spinal Cord</i> , <b>2018</b> , 56, 1134-1143   | 2.7 | 6 |
| 91 | Family group decision-making interventions in adult healthcare and welfare: a systematic literature review of its key elements and effectiveness. <i>BMJ Open</i> , <b>2019</b> , 9, e026768  | 3   | 5 |
| 90 | Toward a specific outcome instrument for spinal trauma: how to measure function and health. <i>Spine</i> , <b>2015</b> , 40, E578-86  | 3.3 | 5 |
| 89 | Changes in Quality of Life During Training for the HandbikeBattle and Associations With Cardiorespiratory Fitness. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 1017-1024   | 2.8 | 5 |
| 88 | People with Spinal Cord Injury in the Netherlands. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2017</b> , 96, S93-S95  | 2.6 | 5 |
| 87 | Differences in health, participation and life satisfaction outcomes in adults following paediatric-versus adult-sustained spinal cord injury. <i>Spinal Cord</i> , <b>2016</b> , 54, 1197-1202  | 2.7 | 5 |
| 86 | Does engagement in productive activities affect mental health and well-being in older adults with a chronic physical disability? Observational evidence from a Swiss cohort study. <i>Aging and Mental Health</i> , <b>2020</b> , 24, 732-739                               | 3.5 | 5 |
| 85 | Gender, class, employment status and social mobility following spinal cord injury in Denmark, the Netherlands, Norway and Switzerland. <i>Spinal Cord</i> , <b>2020</b> , 58, 224-231   | 2.7 | 5 |
| 84 | Measures used to assess impact of providing care among informal caregivers of persons with stroke, spinal cord injury, or amputation: a systematic review. <i>Disability and Rehabilitation</i> , <b>2021</b> , 43, 746-772   | 2.7 | 5 |
| 83 | Computer and internet use among people with long-standing spinal cord injury: a cross-sectional survey in the Netherlands. <i>Spinal Cord</i> , <b>2019</b> , 57, 396-403   | 2.7 | 4 |
| 82 | Prediction of Psychological Distress Among Persons With Spinal Cord Injury or Acquired Brain Injury and Their Significant Others. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 2093-2102  | 2.8 | 4 |
| 81 | Relationships between type of pain and work participation in people with long-standing spinal cord injury: results from a cross-sectional study. <i>Spinal Cord</i> , <b>2018</b> , 56, 453-460   | 2.7 | 4 |
| 80 | Energy expenditure and muscle activity during lying, sitting, standing, and walking in people with motor-incomplete spinal cord injury. <i>Spinal Cord</i> , <b>2018</b> , 56, 1008-1016  | 2.7 | 4 |
| 79 | The influence of time and adaptation on health state valuations in patients with spinal cord injury. <i>Medical Decision Making</i> , <b>2012</b> , 32, 805-14  | 2.5 | 4 |
| 78 | The International Spinal Cord Injury Survey: The Way Forward. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 2227-2232  | 2.8 | 4 |
| 77 | Neuropathic pain in spinal cord injury: topical analgesics as a possible treatment. <i>Spinal Cord Series and Cases</i> , <b>2020</b> , 6, 73   | 1.4 | 4 |
| 76 | Multidimensional fatigue during rehabilitation in persons with recently acquired spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , <b>2016</b> , 48, 27-32  | 3.4 | 4 |
| 75 | The selection of core International Classification of Functioning, Disability, and Health (ICF) categories for patient-reported outcome measurement in spine trauma patients-results of an international consensus process. <i>Spine Journal</i> , <b>2016</b> , 16, 962-70 | 4   | 4 |

|    |   |     |   |
|----|---|-----|---|
| 74 | In-hospital end-of-life decisions after new traumatic spinal cord injury in the Netherlands. <i>Spinal Cord</i> , <b>2016</b> , 54, 1025-1030   | 2.7 | 4 |
| 73 | Functional independence of persons with long-standing motor complete spinal cord injury in the Netherlands. <i>Journal of Spinal Cord Medicine</i> , <b>2020</b> , 43, 380-387  | 1.9 | 4 |
| 72 | Change in environmental barriers experienced over a 5-year period by people living with spinal cord injury in Switzerland: a prospective cohort study. <i>Spinal Cord</i> , <b>2021</b> , 59, 441-451   | 2.7 | 4 |
| 71 | Detecting subgroups in social participation among individuals living with spinal cord injury: a longitudinal analysis of community survey data. <i>Spinal Cord</i> , <b>2021</b> , 59, 419-428  | 2.7 | 4 |
| 70 | Which approach to measure cognitive functioning should be preferred when exploring the association between cognitive functioning and participation after stroke?. <i>Neuropsychological Rehabilitation</i> , <b>2021</b> , 31, 1207-1223  | 3.1 | 3 |
| 69 | Neurological recovery after traumatic spinal cord injury: what is meaningful? A patients' and physicians' perspective. <i>Spinal Cord</i> , <b>2020</b> , 58, 865-872   | 2.7 | 3 |
| 68 | Mental health and life satisfaction of individuals with spinal cord injury and their partners 5 years after discharge from first inpatient rehabilitation. <i>Spinal Cord</i> , <b>2018</b> , 56, 598-606   | 2.7 | 3 |
| 67 | Encouraging post-stroke patients to be active seems possible: results of an intervention study with knowledge brokers. <i>Disability and Rehabilitation</i> , <b>2016</b> , 38, 1748-55   | 2.4 | 3 |
| 66 | Rasch analysis of the University of Washington Self-Efficacy Scale short-form (UW-SES-6) in people with long-standing spinal cord injury. <i>Spinal Cord</i> , <b>2018</b> , 56, 1095-1101  | 2.7 | 3 |
| 65 | Course of social support and relationships between social support and patients' depressive symptoms in the first 3 years post-stroke. <i>Journal of Rehabilitation Medicine</i> , <b>2015</b> , 47, 599-604   | 3.4 | 3 |
| 64 | Development and validation of prognostic models designed to predict wheelchair skills at discharge from spinal cord injury rehabilitation. <i>Clinical Rehabilitation</i> , <b>2010</b> , 24, 168-80  | 3.3 | 3 |
| 63 | The predictive value of cognitive impairments measured at the start of clinical rehabilitation for health status 1 year and 3 years poststroke. <i>International Journal of Rehabilitation Research</i> , <b>2011</b> , 34, 38-43   | 1.8 | 3 |
| 62 | Description of Urological Surveillance and Urologic Ultrasonography Outcomes in a Cohort of Individuals with Long-Term Spinal Cord Injury. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2017</b> , 23, 78-87   | 1.5 | 3 |
| 61 | Enhancing our conceptual understanding of state and trait self-efficacy by correlational analysis of four self-efficacy scales in people with spinal cord injury. <i>BMC Psychology</i> , <b>2020</b> , 8, 108  | 2.8 | 3 |
| 60 | Reliability, validity and responsiveness of the Dutch version of the AOSpine PROST (Patient Reported Outcome Spine Trauma). <i>European Spine Journal</i> , <b>2021</b> , 30, 2631-2644   | 2.7 | 3 |
| 59 | The influence of psychological factors and mood on the course of participation up to four years after stroke. <i>Disability and Rehabilitation</i> , <b>2020</b> , 1-8  | 2.4 | 3 |
| 58 | Is There an Association Between Markers of Cardiovascular Autonomic Dysfunction at Discharge From Rehabilitation and Participation 1 and 5 Years Later in Individuals With Spinal Cord Injury?. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2016</b> , 97, 1431-1439 | 2.8 | 3 |
| 57 | Exercise self-efficacy is weakly related to engagement in physical activity in persons with long-standing spinal cord injury. <i>Disability and Rehabilitation</i> , <b>2020</b> , 42, 2903-2909  | 2.4 | 3 |



|    |  |     |   |
|----|--|-----|---|
| 56 | Bedside prediction of the progress of pressure ulcer healing in patients with spinal cord injury using the 'Decu-stick'. <i>Spinal Cord</i> , <b>2015</b> , 53, 539-43   | 2.7 | 2 |
| 55 | Sport participation after the HandbikeBattle: benefits, barriers, facilitators from the event-a follow-up survey. <i>Spinal Cord Series and Cases</i> , <b>2020</b> , 6, 54  | 1.4 | 2 |
| 54 | The International Spinal Cord Injury Pediatric Activity and Participation Basic Data Set. <i>Spinal Cord Series and Cases</i> , <b>2019</b> , 5, 91  | 1.4 | 2 |
| 53 | Evaluation of cardiovascular disease risk in individuals with chronic spinal cord injury. <i>Spinal Cord</i> , <b>2021</b> , 59, 716-729   | 2.7 | 2 |
| 52 | Reliability and Validity of the English Version of the AOSpine PROST (Patient Reported Outcome Spine Trauma). <i>Spine</i> , <b>2020</b> , 45, E1111-E1118   | 3.3 | 2 |
| 51 | Participation and quality of life in persons living with spinal cord injury in Norway. <i>Journal of Rehabilitation Medicine</i> , <b>2021</b> , 53, jrm00217  | 3.4 | 2 |
| 50 | Coping Flexibility as Predictor of Distress in Persons With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2018</b> , 99, 2015-2021  | 2.8 | 2 |
| 49 | Comparison between EQ-5D-5L and PROMIS-10 to evaluate health-related quality of life 3 months after stroke: a cross-sectional multicenter study. <i>European Journal of Physical and Rehabilitation Medicine</i> , <b>2021</b> , 57, 337-346 | 4.4 | 2 |
| 48 | Experienced sitting-related problems and association with personal, lesion and wheelchair characteristics in persons with long-standing paraplegia and tetraplegia. <i>Spinal Cord</i> , <b>2019</b> , 57, 603-613                           | 2.7 | 1 |
| 47 | Associations between illness cognitions and health-related quality of life in the first year after diagnosis of amyotrophic lateral sclerosis. <i>Journal of Psychosomatic Research</i> , <b>2020</b> , 132, 109974                          | 4.1 | 1 |
| 46 | Validity and Reliability of the Korean Version of the Utrecht Scale for Evaluation of Rehabilitation-Participation. <i>Occupational Therapy International</i> , <b>2017</b> , 2017, 9452051  | 1.4 | 1 |
| 45 | Comparing Participation Outcome Over Time Across International Stroke Cohorts: Outcomes and Methods. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2019</b> , 100, 2096-2105  | 2.8 | 1 |
| 44 | Development of the International Spinal Cord Injury/Dysfunction Education Basic Data Set. <i>Spinal Cord Series and Cases</i> , <b>2019</b> , 5, 87  | 1.4 | 1 |
| 43 | Development and psychometric properties of the Maastricht Personal Autonomy Questionnaire (MPAQ) in older adults with a chronic physical illness. <i>Quality of Life Research</i> , <b>2014</b> , 23, 1777-87                                | 3.7 | 1 |
| 42 | Validity and feasibility of a learning style instrument for brain injury rehabilitation. <i>Disability and Rehabilitation</i> , <b>2013</b> , 35, 1783-9   | 2.4 | 1 |
| 41 | Integration a complex dance: a response to the comments made by Ryan and Dijkers on this article. <i>Disability and Society</i> , <b>2006</b> , 21, 97-100   | 1.8 | 1 |
| 40 | A cross-cultural mixed methods validation study of the spinal cord injury quality of life basic dataset (SCI QoL-BDS).. <i>Spinal Cord</i> , <b>2022</b> ,   | 2.7 | 1 |
| 39 | Reliability and validity of the Brief Illness Perception Questionnaire (B-IPQ) in individuals with a recently acquired spinal cord injury. <i>Clinical Rehabilitation</i> , <b>2021</b> , 2692155211061813                                   | 3.3 | 1 |



|    |  |     |   |
|----|--|-----|---|
| 38 | Influence of severity and level of injury on the occurrence of complications during the subacute and chronic stage of traumatic spinal cord injury: a systematic review. <i>Journal of Neurosurgery: Spine</i> , <b>2021</b> , 1-21                                | 2.8 | 1 |
| 37 | Epidemiology of Traumatic Spinal Cord Injury in the Netherlands: Emergency Medical Service, Hospital, and Functional Outcomes. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2020</b> , 26, 243-252  | 1.5 | 1 |
| 36 | Describing Functioning in People Living With Spinal Cord Injury Across 22 Countries: A Graphical Modeling Approach. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 2112-2143   | 2.8 | 1 |
| 35 | Validity of the Utrecht scale for evaluation of rehabilitation-participation restrictions scale in a hospital-based stroke population 3 months after stroke. <i>Topics in Stroke Rehabilitation</i> , <b>2021</b> , 1-10   | 2.6 | 1 |
| 34 | Internal consistency and convergent validity of the International Spinal Cord Injury Quality of Life Basic Data Set at discharge from first rehabilitation. <i>Spinal Cord</i> , <b>2021</b> ,   | 2.7 | 1 |
| 33 | Differences in Societal Participation Across Diagnostic Groups: Secondary Analyses of 8 Studies Using the Utrecht Scale for Evaluation of Rehabilitation-Participation. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2021</b> , 102, 1735-1745     | 2.8 | 1 |
| 32 | Trajectories of Self-Efficacy, Depressed Mood, and Anxiety From Admission to Spinal Cord Injury Rehabilitation to 1 Year After Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2021</b> , 102, 1939-1946 <sup>1</sup>                      | 2.8 | 1 |
| 31 | Rasch analysis of the International Quality of Life Basic Data Set Versions 1.0 and 2.0.. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2022</b> ,  | 2.8 | 1 |
| 30 | Illness perception of individuals with spinal cord injury (SCI) during inpatient rehabilitation: a longitudinal study.. <i>Spinal Cord</i> , <b>2022</b> ,   | 2.7 | 1 |
| 29 | Development and validation of models to predict respiratory function in persons with long-term spinal cord injury. <i>Spinal Cord</i> , <b>2019</b> , 57, 1064-1075  | 2.7 | 0 |
| 28 | Training for the HandbikeBattle: an explorative analysis of training load and handcycling physical capacity in recreationally active wheelchair users. <i>Disability and Rehabilitation</i> , <b>2020</b> , 1-10   | 2.4 | 0 |
| 27 | Low drop-out rates in the HandbikeBattle free-living training study: understanding the reasons for dropping out.. <i>Spinal Cord Series and Cases</i> , <b>2022</b> , 8, 20  | 1.4 | 0 |
| 26 | Self-regulation as rehabilitation outcome: what is important according to former patients?. <i>Disability and Rehabilitation</i> , <b>2021</b> , 1-7   | 2.4 | 0 |
| 25 | Longitudinal measurement invariance of the international spinal cord injury quality of life basic data set (SCI-QoL-BDS) during spinal cord injury/disorder inpatient rehabilitation. <i>Quality of Life Research</i> , <b>2021</b> , 1                            | 3.7 | 0 |
| 24 | Learning self-care skills after spinal cord injury: a qualitative study. <i>BMC Psychology</i> , <b>2021</b> , 9, 155  | 2.8 | 0 |
| 23 | Appraisals and coping mediate the relationship between resilience and distress among significant others of persons with spinal cord injury or acquired brain injury: a cross-sectional study. <i>BMC Psychology</i> , <b>2020</b> , 8, 51                          | 2.8 | 0 |
| 22 | Physical Activity and Sedentary Behavior From Discharge to 1 Year After Inpatient Rehabilitation in Ambulatory People With Spinal Cord Injury: A Longitudinal Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2020</b> , 101, 2061-2070 | 2.8 | 0 |
| 21 | Development and reliability of the AOSpine CROST (Clinician Reported Outcome Spine Trauma): a tool to evaluate and predict outcomes from clinician's perspective. <i>European Spine Journal</i> , <b>2020</b> , 29, 2550-2559                                      | 2.7 | 0 |

|    |  |     |   |
|----|--|-----|---|
| 20 | Measurement Properties of the Full and Brief Version of the Work Rehabilitation Questionnaire in Persons with Physical Disabilities. <i>Journal of Occupational Rehabilitation</i> , <b>2021</b> , 31, 886-894                           | 3.6 | ○ |
| 19 | Barriers and facilitators for work and social participation among individuals with spinal cord injury in Indonesia. <i>Spinal Cord</i> , <b>2021</b> , 59, 1079-1087   | 2.7 | ○ |
| 18 | Post-traumatic stress disorder symptoms and pain intensity in persons with spinal cord injury. <i>Spinal Cord</i> , <b>2021</b> , 59, 328-335  | 2.7 | ○ |
| 17 | Temporal evolution and predictors of subjective cognitive complaints up to 4 years after stroke. <i>Journal of Rehabilitation Medicine</i> , <b>2021</b> , 53, jrm00205  | 3.4 | ○ |
| 16 | Intra- and interpersonal effects of coping style and self-efficacy on anxiety, depression and life satisfaction in patient-partner couples after stroke.. <i>Neuropsychological Rehabilitation</i> , <b>2022</b> , 1-22                  | 3.1 | ○ |
| 15 | Measures of self-regulation used in adult rehabilitation populations: A systematic review and content screening.. <i>Clinical Rehabilitation</i> , <b>2022</b> , 2692155221091510  | 3.3 | ○ |
| 14 | The authors respond. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 1547  | 2.8 |   |
| 13 | Editorial on generic or global outcome measures in rehabilitation. <i>Clinical Rehabilitation</i> , <b>2010</b> , 24, 380-13.3   |     |   |
| 12 | Return to Work After Spinal Cord Injury <b>2020</b> , 417-429  |     |   |
| 11 | Longitudinal changes in psychological adaptation outcomes during spinal cord injury inpatient rehabilitation. <i>Rehabilitation Psychology</i> , <b>2021</b> , 66, 491-506   | 2.7 |   |
| 10 | Measuring the Subjective Appraisal of Participation with Life Satisfaction Measures: Bridging the Gap Between Participation and Quality of Life Measurement. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2010</b> , 15, 1-15 | 1.5 |   |
| 9  | Measurement and Evidence of Environmental Determinants of Participation in Spinal Cord Injury: A Systematic Review of the Literature. <i>Topics in Spinal Cord Injury Rehabilitation</i> , <b>2010</b> , 15, 26-48                       | 1.5 |   |
| 8  | Adaptation during spinal cord injury rehabilitation: The role of appraisal and coping. <i>Rehabilitation Psychology</i> , <b>2021</b> , 66, 507-519  | 2.7 |   |
| 7  | Return to work after Spinal Cord Injury <b>2020</b> , 1-13   |     |   |
| 6  | The Course of Physical Capacity in Wheelchair Users During Training for the HandbikeBattle and at 1-Yr Follow-up. <i>American Journal of Physical Medicine and Rehabilitation</i> , <b>2021</b> , 100, 858-865                           | 2.6 |   |
| 5  | Disability: Social and Psychological Aspects <b>2015</b> , 467-471   |     |   |
| 4  | International Spinal Cord Injury Physical Therapy-Occupational Therapy Basic Data Set (Version 1.2). <i>Spinal Cord Series and Cases</i> , <b>2020</b> , 6, 74   | 1.4 |   |
| 3  | Participation and autonomy in the first 10 months after diagnosis of ALS: a longitudinal study. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , <b>2021</b> , 22, 459-466   | 3.6 |   |

2 TO THE EDITOR. *Spine*, **2016**, 41, E302-3

3.3

1 Spinal cord injuries and bowel stomas: timing and satisfaction with stoma formation and alterations in quality of life. *Spinal Cord Series and Cases*, **2021**, 7, 10

1.4