

Marcel Post

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3451604/marcel-post-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

379
papers

11,190
citations

58
h-index

81
g-index

392
ext. papers

12,822
ext. citations

2.6
avg, IF

6.46
L-index

#	Paper	IF	Citations
379	A cross-cultural mixed methods validation study of the spinal cord injury quality of life basic dataset (SCI QoL-BDS).. <i>Spinal Cord</i> , 2022 ,	2.7	1
378	Low drop-out rates in the HandbikeBattle free-living training study: understanding the reasons for dropping out.. <i>Spinal Cord Series and Cases</i> , 2022 , 8, 20	1.4	0
377	Rasch analysis of the International Quality of Life Basic Data Set Versions 1.0 and 2.0.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022 ,	2.8	1
376	Intra- and interpersonal effects of coping style and self-efficacy on anxiety, depression and life satisfaction in patient-partner couples after stroke.. <i>Neuropsychological Rehabilitation</i> , 2022 , 1-22	3.1	0
375	Illness perception of individuals with spinal cord injury (SCI) during inpatient rehabilitation: a longitudinal study.. <i>Spinal Cord</i> , 2022 ,	2.7	1
374	Measures of self-regulation used in adult rehabilitation populations: A systematic review and content screening.. <i>Clinical Rehabilitation</i> , 2022 , 2692155221091510	3.3	0
373	Which approach to measure cognitive functioning should be preferred when exploring the association between cognitive functioning and participation after stroke?. <i>Neuropsychological Rehabilitation</i> , 2021 , 31, 1207-1223	3.1	3
372	Self-regulation as rehabilitation outcome: what is important according to former patients?. <i>Disability and Rehabilitation</i> , 2021 , 1-7	2.4	0
371	Longitudinal measurement invariance of the international spinal cord injury quality of life basic data set (SCI-QoL-BDS) during spinal cord injury/disorder inpatient rehabilitation. <i>Quality of Life Research</i> , 2021 , 1	3.7	0
370	Longitudinal changes in psychological adaptation outcomes during spinal cord injury inpatient rehabilitation. <i>Rehabilitation Psychology</i> , 2021 , 66, 491-506	2.7	
369	Reliability and validity of the Brief Illness Perception Questionnaire (B-IPQ) in individuals with a recently acquired spinal cord injury. <i>Clinical Rehabilitation</i> , 2021 , 2692155211061813	3.3	1
368	Influence of severity and level of injury on the occurrence of complications during the subacute and chronic stage of traumatic spinal cord injury: a systematic review. <i>Journal of Neurosurgery: Spine</i> , 2021 , 1-21	2.8	1
367	Learning self-care skills after spinal cord injury: a qualitative study. <i>BMC Psychology</i> , 2021 , 9, 155	2.8	0
366	Adaptation during spinal cord injury rehabilitation: The role of appraisal and coping. <i>Rehabilitation Psychology</i> , 2021 , 66, 507-519	2.7	
365	The Course of Physical Capacity in Wheelchair Users During Training for the HandbikeBattle and at 1-Yr Follow-up. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2021 , 100, 858-865	2.6	
364	Evaluation of cardiovascular disease risk in individuals with chronic spinal cord injury. <i>Spinal Cord</i> , 2021 , 59, 716-729	2.7	2
363	Reliability, validity and responsiveness of the Dutch version of the AOSpine PROST (Patient Reported Outcome Spine Trauma). <i>European Spine Journal</i> , 2021 , 30, 2631-2644	2.7	3

362	Participation and autonomy in the first 10 months after diagnosis of ALS: a longitudinal study. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021 , 22, 459-466	3.6	
361	Measurement Properties of the Full and Brief Version of the Work Rehabilitation Questionnaire in Persons with Physical Disabilities. <i>Journal of Occupational Rehabilitation</i> , 2021 , 31, 886-894	3.6	0
360	Barriers and facilitators for work and social participation among individuals with spinal cord injury in Indonesia. <i>Spinal Cord</i> , 2021 , 59, 1079-1087	2.7	0
359	Validity of the Utrecht scale for evaluation of rehabilitation-participation restrictions scale in a hospital-based stroke population 3 months after stroke. <i>Topics in Stroke Rehabilitation</i> , 2021 , 1-10	2.6	1
358	Change in environmental barriers experienced over a 5-year period by people living with spinal cord injury in Switzerland: a prospective cohort study. <i>Spinal Cord</i> , 2021 , 59, 441-451	2.7	4
357	Measures used to assess impact of providing care among informal caregivers of persons with stroke, spinal cord injury, or amputation: a systematic review. <i>Disability and Rehabilitation</i> , 2021 , 43, 746-772	2.7	5
356	Detecting subgroups in social participation among individuals living with spinal cord injury: a longitudinal analysis of community survey data. <i>Spinal Cord</i> , 2021 , 59, 419-428	2.7	4
355	Post-traumatic stress disorder symptoms and pain intensity in persons with spinal cord injury. <i>Spinal Cord</i> , 2021 , 59, 328-335	2.7	0
354	Participation and quality of life in persons living with spinal cord injury in Norway. <i>Journal of Rehabilitation Medicine</i> , 2021 , 53, jrm00217	3.4	2
353	Spinal cord injuries and bowel stomas: timing and satisfaction with stoma formation and alterations in quality of life. <i>Spinal Cord Series and Cases</i> , 2021 , 7, 10	1.4	
352	Comparison between EQ-5D-5L and PROMIS-10 to evaluate health-related quality of life 3 months after stroke: a cross-sectional multicenter study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021 , 57, 337-346	4.4	2
351	Internal consistency and convergent validity of the International Spinal Cord Injury Quality of Life Basic Data Set at discharge from first rehabilitation. <i>Spinal Cord</i> , 2021 ,	2.7	1
350	Differences in Societal Participation Across Diagnostic Groups: Secondary Analyses of 8 Studies Using the Utrecht Scale for Evaluation of Rehabilitation-Participation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 1735-1745	2.8	1
349	Trajectories of Self-Efficacy, Depressed Mood, and Anxiety From Admission to Spinal Cord Injury Rehabilitation to 1 Year After Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 1939-1946 ¹	2.8	1
348	Temporal evolution and predictors of subjective cognitive complaints up to 4 years after stroke. <i>Journal of Rehabilitation Medicine</i> , 2021 , 53, jrm00205	3.4	0
347	Training for the HandbikeBattle: an explorative analysis of training load and handcycling physical capacity in recreationally active wheelchair users. <i>Disability and Rehabilitation</i> , 2020 , 1-10	2.4	0
346	Cohort Profile of the International Spinal Cord Injury Community Survey Implemented in 22 Countries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2103-2111	2.8	17
345	Sport participation after the HandbikeBattle: benefits, barriers, facilitators from the event-a follow-up survey. <i>Spinal Cord Series and Cases</i> , 2020 , 6, 54	1.4	2

344	Prediction of Psychological Distress Among Persons With Spinal Cord Injury or Acquired Brain Injury and Their Significant Others. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2093-2102	2.8	4
343	Associations between illness cognitions and health-related quality of life in the first year after diagnosis of amyotrophic lateral sclerosis. <i>Journal of Psychosomatic Research</i> , 2020 , 132, 109974	4.1	1
342	Recommendations for evaluation of neurogenic bladder and bowel dysfunction after spinal cord injury and/or disease. <i>Journal of Spinal Cord Medicine</i> , 2020 , 43, 141-164	1.9	19
341	Neurological recovery after traumatic spinal cord injury: what is meaningful? A patients' and physicians' perspective. <i>Spinal Cord</i> , 2020 , 58, 865-872	2.7	3
340	Validity of an enhanced EQ-5D-5L measure with an added cognitive dimension in patients with stroke. <i>Clinical Rehabilitation</i> , 2020 , 34, 545-550	3.3	8
339	Changes in Quality of Life During Training for the HandbikeBattle and Associations With Cardiorespiratory Fitness. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 1017-1024	2.8	5
338	International Comparison of Vocational Rehabilitation for Persons With Spinal Cord Injury: Systems, Practices, and Barriers. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2020 , 26, 21-35	1.5	6
337	Return to Work After Spinal Cord Injury 2020 , 417-429		
336	Return to work after Spinal Cord Injury 2020 , 1-13		
335	Appraisals and coping mediate the relationship between resilience and distress among significant others of persons with spinal cord injury or acquired brain injury: a cross-sectional study. <i>BMC Psychology</i> , 2020 , 8, 51	2.8	0
334	Epidemiology of Traumatic Spinal Cord Injury in the Netherlands: Emergency Medical Service, Hospital, and Functional Outcomes. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2020 , 26, 243-252	1.5	1
333	Physical Activity and Sedentary Behavior From Discharge to 1 Year After Inpatient Rehabilitation in Ambulatory People With Spinal Cord Injury: A Longitudinal Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2061-2070	2.8	0
332	Describing Functioning in People Living With Spinal Cord Injury Across 22 Countries: A Graphical Modeling Approach. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2112-2143	2.8	1
331	Employment Among People With Spinal Cord Injury in 22 Countries Across the World: Results From the International Spinal Cord Injury Community Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2157-2166	2.8	15
330	The International Spinal Cord Injury Survey: The Way Forward. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 2227-2232	2.8	4
329	Development and reliability of the AOSpine CROST (Clinician Reported Outcome Spine Trauma): a tool to evaluate and predict outcomes from clinician's perspective. <i>European Spine Journal</i> , 2020 , 29, 2550-2559	2.7	0
328	Neuropathic pain in spinal cord injury: topical analgesics as a possible treatment. <i>Spinal Cord Series and Cases</i> , 2020 , 6, 73	1.4	4
327	Enhancing our conceptual understanding of state and trait self-efficacy by correlational analysis of four self-efficacy scales in people with spinal cord injury. <i>BMC Psychology</i> , 2020 , 8, 108	2.8	3

326	Self-Efficacy Predicts Personal and Family Adjustment Among Persons With Spinal Cord Injury or Acquired Brain Injury and Their Significant Others: A Dyadic Approach. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 1937-1945	2.8	6
325	The influence of psychological factors and mood on the course of participation up to four years after stroke. <i>Disability and Rehabilitation</i> , 2020 , 1-8	2.4	3
324	International Spinal Cord Injury Physical Therapy-Occupational Therapy Basic Data Set (Version 1.2). <i>Spinal Cord Series and Cases</i> , 2020 , 6, 74	1.4	
323	Reliability and Validity of the English Version of the AOSpine PROST (Patient Reported Outcome Spine Trauma). <i>Spine</i> , 2020 , 45, E1111-E1118	3.3	2
322	Functional independence of persons with long-standing motor complete spinal cord injury in the Netherlands. <i>Journal of Spinal Cord Medicine</i> , 2020 , 43, 380-387	1.9	4
321	Does engagement in productive activities affect mental health and well-being in older adults with a chronic physical disability? Observational evidence from a Swiss cohort study. <i>Aging and Mental Health</i> , 2020 , 24, 732-739	3.5	5
320	Exercise self-efficacy is weakly related to engagement in physical activity in persons with long-standing spinal cord injury. <i>Disability and Rehabilitation</i> , 2020 , 42, 2903-2909	2.4	3
319	Gender, class, employment status and social mobility following spinal cord injury in Denmark, the Netherlands, Norway and Switzerland. <i>Spinal Cord</i> , 2020 , 58, 224-231	2.7	5
318	Profiles of Psychological Adaptation Outcomes at Discharge From Spinal Cord Injury Inpatient Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, 401-411	2.8	7
317	Measuring resilience with the Connor-Davidson Resilience Scale (CD-RISC): which version to choose?. <i>Spinal Cord</i> , 2019 , 57, 360-366	2.7	25
316	Prevalence of and factors associated with expressed and unmet service needs reported by persons with spinal cord injury living in the community. <i>Spinal Cord</i> , 2019 , 57, 490-500	2.7	7
315	Computer and internet use among people with long-standing spinal cord injury: a cross-sectional survey in the Netherlands. <i>Spinal Cord</i> , 2019 , 57, 396-403	2.7	4
314	Participation in People Living With Spinal Cord Injury in Switzerland: Degree and Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 1894-1906	2.8	7
313	Development and validation of models to predict respiratory function in persons with long-term spinal cord injury. <i>Spinal Cord</i> , 2019 , 57, 1064-1075	2.7	0
312	Reproducibility of the international spinal cord injury quality of life basic data set: an international psychometric study. <i>Spinal Cord</i> , 2019 , 57, 992-998	2.7	12
311	Experienced sitting-related problems and association with personal, lesion and wheelchair characteristics in persons with long-standing paraplegia and tetraplegia. <i>Spinal Cord</i> , 2019 , 57, 603-613	2.7	1
310	Family group decision-making interventions in adult healthcare and welfare: a systematic literature review of its key elements and effectiveness. <i>BMJ Open</i> , 2019 , 9, e026768	3	5
309	Productive activities, mental health and quality of life in disability: exploring the role enhancement and the role strain hypotheses. <i>BMC Psychology</i> , 2019 , 7, 1	2.8	14

308	Preliminary psychometric analyses of the International Spinal Cord Injury Quality of Life Basic Data Set. <i>Spinal Cord</i> , 2019 , 57, 789-795	2.7	8
307	Comparing Participation Outcome Over Time Across International Stroke Cohorts: Outcomes and Methods. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 2096-2105	2.8	1
306	Development of the International Spinal Cord Injury/Dysfunction Education Basic Data Set. <i>Spinal Cord Series and Cases</i> , 2019 , 5, 87	1.4	1
305	The International Spinal Cord Injury Pediatric Activity and Participation Basic Data Set. <i>Spinal Cord Series and Cases</i> , 2019 , 5, 91	1.4	2
304	Psychological factors after stroke: Are they stable over time?. <i>Journal of Rehabilitation Medicine</i> , 2019 , 51, 18-25	3.4	9
303	The Wayfinding Questionnaire: A clinically useful self-report instrument to identify navigation complaints in stroke patients. <i>Neuropsychological Rehabilitation</i> , 2019 , 29, 1042-1061	3.1	11
302	Provided support, caregiver burden and well-being in partners of persons with spinal cord injury 5 years after discharge from first inpatient rehabilitation. <i>Spinal Cord</i> , 2018 , 56, 436-446	2.7	16
301	Relationships between type of pain and work participation in people with long-standing spinal cord injury: results from a cross-sectional study. <i>Spinal Cord</i> , 2018 , 56, 453-460	2.7	4
300	Mental health and life satisfaction of individuals with spinal cord injury and their partners 5 years after discharge from first inpatient rehabilitation. <i>Spinal Cord</i> , 2018 , 56, 598-606	2.7	3
299	Effects of family group conferences among high-risk patients of chronic disability and their significant others: study protocol for a multicentre controlled trial. <i>BMJ Open</i> , 2018 , 8, e018883	3	8
298	Long-term restrictions in participation in stroke survivors under and over 70 years of age. <i>Disability and Rehabilitation</i> , 2018 , 40, 637-645	2.4	39
297	Meaning and components of quality of life among individuals with spinal cord injury in Yogyakarta Province, Indonesia. <i>Disability and Rehabilitation</i> , 2018 , 40, 1183-1191	2.4	14
296	Trajectories of health-related quality of life after stroke: results from a one-year prospective cohort study. <i>Disability and Rehabilitation</i> , 2018 , 40, 997-1006	2.4	35
295	Energy expenditure and muscle activity during lying, sitting, standing, and walking in people with motor-incomplete spinal cord injury. <i>Spinal Cord</i> , 2018 , 56, 1008-1016	2.7	4
294	Social participation of adult patients with spinal muscular atrophy: Frequency, restrictions, satisfaction, and correlates. <i>Muscle and Nerve</i> , 2018 , 58, 805-811	3.4	10
293	Rasch analysis of the University of Washington Self-Efficacy Scale short-form (UW-SES-6) in people with long-standing spinal cord injury. <i>Spinal Cord</i> , 2018 , 56, 1095-1101	2.7	3
292	Implementation of a Standardized Dataset for Collecting Information on Patients With Spinal Cord Injury. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2018 , 24, 133-140	1.5	9
291	Progress of the Dutch Spinal Cord Injury Database: Completeness of Database and Profile of Patients Admitted for Inpatient Rehabilitation in 2015. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2018 , 24, 141-150	1.5	9

290	Self-Management and Self-Efficacy in Patients With Acute Spinal Cord Injuries: Protocol for a Longitudinal Cohort Study. <i>JMIR Research Protocols</i> , 2018 , 7, e68	2	8
289	Participation restrictions in patients after surgery for cerebral meningioma. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 879-885	3.4	7
288	Course of Social Participation in the First 2 Years After Stroke and Its Associations With Demographic and Stroke-Related Factors. <i>Neurorehabilitation and Neural Repair</i> , 2018 , 32, 821-833	4.7	18
287	Coping Flexibility as Predictor of Distress in Persons With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 2015-2021	2.8	2
286	Is Fitbit Charge 2 a feasible instrument to monitor daily physical activity and handbike training in persons with spinal cord injury? A pilot study. <i>Spinal Cord Series and Cases</i> , 2018 , 4, 84	1.4	10
285	Associations between time since onset of injury and participation in Dutch people with long-term spinal cord injury. <i>Spinal Cord</i> , 2018 , 56, 1134-1143	2.7	6
284	Psychological factors are associated with subjective cognitive complaints 2 months post-stroke. <i>Neuropsychological Rehabilitation</i> , 2017 , 27, 99-115	3.1	22
283	Bladder-emptying methods, neurogenic lower urinary tract dysfunction and impact on quality of life in people with long-term spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2017 , 40, 43-53	1.9	29
282	Restrictions and satisfaction with participation in patients who are ADL-independent after an aneurysmal subarachnoid hemorrhage. <i>Topics in Stroke Rehabilitation</i> , 2017 , 24, 134-141	2.6	13
281	Associations between disability-management self-efficacy, participation and life satisfaction in people with long-standing spinal cord injury. <i>Spinal Cord</i> , 2017 , 55, 47-51	2.7	20
280	Prevalence of hypertension and associated risk factors in people with long-term spinal cord injury living in the Netherlands. <i>Disability and Rehabilitation</i> , 2017 , 39, 919-927	2.4	8
279	Body Image in Patients With Spinal Cord Injury During Inpatient Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 1126-1131	2.8	11
278	Patients' views on their decision making during inpatient rehabilitation after newly acquired spinal cord injury-A qualitative interview-based study. <i>Health Expectations</i> , 2017 , 20, 1133-1142	3.7	10
277	Study Protocol of the International Spinal Cord Injury (InSCI) Community Survey. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017 , 96, S23-S34	2.6	33
276	A Structured Approach to Capture the Lived Experience of Spinal Cord Injury: Data Model and Questionnaire of the International Spinal Cord Injury Community Survey. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017 , 96, S5-S16	2.6	24
275	Associations Between Self-Efficacy and Secondary Health Conditions in People Living With Spinal Cord Injury: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 2566-2577	2.8	24
274	Temporal Evolution of Poststroke Cognitive Impairment Using the Montreal Cognitive Assessment. <i>Stroke</i> , 2017 , 48, 98-104	6.7	31
273	International Spinal Cord Injury Core Data Set (version 2.0)-including standardization of reporting. <i>Spinal Cord</i> , 2017 , 55, 759-764	2.7	78

272	Predictors of physical independence at discharge after stroke rehabilitation in a Dutch population. <i>International Journal of Rehabilitation Research</i> , 2017 , 40, 37-45	1.8	7
271	Development of the AOSpine Patient Reported Outcome Spine Trauma (AOSpine PROST): a universal disease-specific outcome instrument for individuals with traumatic spinal column injury. <i>European Spine Journal</i> , 2017 , 26, 1550-1557	2.7	7
270	Course of Participation after Subarachnoid Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 1000-1006	2.8	14
269	Version 1.1 of the international spinal cord injury skin and thermoregulation function basic data set. <i>Spinal Cord</i> , 2017 , 55, 566-569	2.7	8
268	Validity and Reliability of the Korean Version of the Utrecht Scale for Evaluation of Rehabilitation-Participation. <i>Occupational Therapy International</i> , 2017 , 2017, 9452051	1.4	1
267	People with Spinal Cord Injury in the Netherlands. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017 , 96, S93-S95	2.6	5
266	Impact of health problems secondary to SCI one and five years after first inpatient rehabilitation. <i>Spinal Cord</i> , 2017 , 55, 98-104	2.7	16
265	Effectiveness of a Self-Management Intervention to Promote an Active Lifestyle in Persons With Long-Term Spinal Cord Injury: The HABITS Randomized Clinical Trial. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 991-1004	4.7	11
264	Description of Urological Surveillance and Urologic Ultrasonography Outcomes in a Cohort of Individuals with Long-Term Spinal Cord Injury. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2017 , 23, 78-87	1.5	3
263	Association of Shoulder Problems in Persons With Spinal Cord Injury at Discharge From Inpatient Rehabilitation With Activities and Participation 5 Years Later. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 84-91	2.8	12
262	Good validity of the international spinal cord injury quality of life basic data set. <i>Spinal Cord</i> , 2016 , 54, 314-8	2.7	28
261	Wheelchair-specific fitness of persons with a long-term spinal cord injury: cross-sectional study on effects of time since injury and physical activity level. <i>Disability and Rehabilitation</i> , 2016 , 38, 1180-6	2.4	13
260	Metabolic syndrome in people with a long-standing spinal cord injury: associations with physical activity and capacity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 1190-1196	3	18
259	Quality of Life during the First Two Years Post Stroke: The Restore4Stroke Cohort Study. <i>Cerebrovascular Diseases</i> , 2016 , 41, 19-26	3.2	48
258	Encouraging post-stroke patients to be active seems possible: results of an intervention study with knowledge brokers. <i>Disability and Rehabilitation</i> , 2016 , 38, 1748-55	2.4	3
257	Impaired respiratory function and associations with health-related quality of life in people with spinal cord injury. <i>Spinal Cord</i> , 2016 , 54, 866-871	2.7	10
256	Feasibility of an online well-being intervention for people with spinal cord injury: a pilot study. <i>Spinal Cord</i> , 2016 , 54, 473-7	2.7	12
255	Hospital-acquired pressure ulcers in spinal cord injured patients: time to occur, time until closure and risk factors. <i>Spinal Cord</i> , 2016 , 54, 726-31	2.7	18

254	International Retrospective Comparison of Inpatient Rehabilitation for Patients With Spinal Cord Dysfunction: Differences According to Etiology. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 380-5	2.8	23
253	Labor Market Integration of People with Disabilities: Results from the Swiss Spinal Cord Injury Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0166955	3.7	21
252	Swiss national community survey on functioning after spinal cord injury: Protocol, characteristics of participants and determinants of non-response. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 120-30	3.4	63
251	Metric properties of the Spinal Cord Independence Measure - Self Report in a community survey. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 149-64	3.4	24
250	Multidimensional fatigue during rehabilitation in persons with recently acquired spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 27-32	3.4	4
249	Metric properties of the Utrecht Scale for Evaluation of Rehabilitation-Participation (USER-Participation) in persons with spinal cord injury living in Switzerland. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 165-74	3.4	17
248	Perceived impact of environmental barriers on participation among people living with spinal cord injury in Switzerland. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 210-8	3.4	26
247	Secondary health conditions and quality of life in persons living with spinal cord injury for at least ten years. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 853-860	3.4	89
246	TO THE EDITOR. <i>Spine</i> , 2016 , 41, E302-3	3.3	
245	Toward the Development of a Universal Outcome Instrument for Spine Trauma: A Systematic Review and Content Comparison of Outcome Measures Used in Spine Trauma Research Using the ICF as Reference. <i>Spine</i> , 2016 , 41, 358-67	3.3	18
244	Measurement of Outcomes of Upper Limb Reconstructive Surgery for Tetraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, S169-81	2.8	15
243	Sedentary Behavior in People With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 173	2.8	7
242	The selection of core International Classification of Functioning, Disability, and Health (ICF) categories for patient-reported outcome measurement in spine trauma patients-results of an international consensus process. <i>Spine Journal</i> , 2016 , 16, 962-70	4	4
241	Is There an Association Between Markers of Cardiovascular Autonomic Dysfunction at Discharge From Rehabilitation and Participation 1 and 5 Years Later in Individuals With Spinal Cord Injury?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1431-1439	2.8	3
240	In-hospital end-of-life decisions after new traumatic spinal cord injury in the Netherlands. <i>Spinal Cord</i> , 2016 , 54, 1025-1030	2.7	4
239	Caregiver burden and emotional problems in partners of stroke patients at two months and one year post-stroke: Determinants and prediction. <i>Patient Education and Counseling</i> , 2016 , 99, 1632-40	3.1	70
238	Differences in health, participation and life satisfaction outcomes in adults following paediatric-versus adult-sustained spinal cord injury. <i>Spinal Cord</i> , 2016 , 54, 1197-1202	2.7	5
237	Associations of proactive coping and self-efficacy with psychosocial outcomes in individuals after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1484-91	2.8	15

236	Functional hindrance due to spasticity in individuals with spinal cord injury during inpatient rehabilitation and 1 year thereafter. <i>Spinal Cord</i> , 2015 , 53, 663-7	2.7	10
235	Life satisfaction post stroke: The role of illness cognitions. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 137-42	4.1	14
234	Depression in spinal cord injury: assessing the role of psychological resources. <i>Rehabilitation Psychology</i> , 2015 , 60, 67-80	2.7	16
233	Toward a specific outcome instrument for spinal trauma: how to measure function and health. <i>Spine</i> , 2015 , 40, E578-86	3.3	5
232	Psychological factors determine depressive symptomatology after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1064-70	2.8	32
231	Social skills: a resource for more social support, lower depression levels, higher quality of life, and participation in individuals with spinal cord injury?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 447-55	2.8	28
230	Outcomes of neurogenic bowel management in individuals living with a spinal cord injury for at least 10 years. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 905-12	2.8	33
229	Does the frequency of participation change after stroke and is this change associated with the subjective experience of participation?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 456-63	2.8	36
228	International retrospective comparison of inpatient rehabilitation for patients with spinal cord dysfunction epidemiology and clinical outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1080-7	2.8	35
227	Bedside prediction of the progress of pressure ulcer healing in patients with spinal cord injury using the 'Decu-stick'. <i>Spinal Cord</i> , 2015 , 53, 539-43	2.7	2
226	Recovery to Preinterventional Functioning, Return-to-Work, and Life Satisfaction After Treatment of Unruptured Aneurysms. <i>Stroke</i> , 2015 , 46, 1607-12	6.7	13
225	The authors respond. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1547	2.8	
224	Exercise self-efficacy and the relation with physical behavior and physical capacity in wheelchair-dependent persons with subacute spinal cord injury. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015 , 12, 103	5.3	10
223	Toward developing a specific outcome instrument for spine trauma: an empirical cross-sectional multicenter ICF-based study by AOSpine Knowledge Forum Trauma. <i>Spine</i> , 2015 , 40, 1371-9	3.3	6
222	Psychological factors and mental health in persons with spinal cord injury: An exploration of change or stability. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 531-7	3.4	15
221	Course of social support and relationships between social support and patients' depressive symptoms in the first 3 years post-stroke. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 599-604	3.4	3
220	Development and cognitive testing of the Nottwil Environmental Factors Inventory in Canada, Switzerland and the USA. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 618-25	3.4	8
219	Participation in society in patients with coronary artery disease before and after cardiac rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1110-6	2.8	7

218	Measuring negative and positive caregiving experiences: a psychometric analysis of the Caregiver Strain Index Expanded. <i>Clinical Rehabilitation</i> , 2015 , 29, 1224-33	3.3	20
217	Psychometric properties of the Nottwil Environmental Factors Inventory Short Form. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 233-40	2.8	20
216	Participation and Life Satisfaction in Aged People with Spinal Cord Injury: Does Age at Onset Make a Difference?. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2015 , 21, 233-40	1.5	13
215	Disability: Social and Psychological Aspects 2015 , 467-471		
214	Proactive coping poststroke: psychometric properties of the Utrecht Proactive Coping Competence Scale. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 670-5	2.8	16
213	Development and psychometric properties of the Maastricht Personal Autonomy Questionnaire (MPAQ) in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2014 , 23, 1777-87	3.7	1
212	Epidemiology of traumatic spinal cord injuries in The Netherlands in 2010. <i>Spinal Cord</i> , 2014 , 52, 258-63	2.7	50
211	Causes of death following spinal cord injury during inpatient rehabilitation and the first five years after discharge. A Dutch cohort study. <i>Spinal Cord</i> , 2014 , 52, 483-8	2.7	29
210	Modeling life satisfaction in spinal cord injury: the role of psychological resources. <i>Quality of Life Research</i> , 2014 , 23, 2693-705	3.7	18
209	Psychological resources, appraisals, and coping and their relationship to participation in spinal cord injury: a path analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1662-71	2.8	29
208	Comparison of the Utrecht Scale for Evaluation of Rehabilitation-Participation with the ICF Measure of Participation and Activities Screener and the WHO Disability Assessment Schedule II in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 87-93	2.8	31
207	Trajectories in the course of body mass index after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1083-92	2.8	18
206	Employment trajectories after spinal cord injury: results from a 5-year prospective cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 2040-6	2.8	21
205	Long-term outcomes of a multidisciplinary cognitive behavioural programme for coping with chronic neuropathic spinal cord injury pain. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 540-5	3.4	25
204	Definitions of quality of life: what has happened and how to move on. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2014 , 20, 167-80	1.5	180
203	Predictors of return to work 5 years after discharge for wheelchair-dependent individuals with spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 984-90	3.4	20
202	The development of the NZ-based international upper limb surgery registry. <i>Spinal Cord</i> , 2014 , 52, 611-52.7		8
201	The value of employment for people living with spinal cord injury in Norway. <i>Disability and Society</i> , 2014 , 29, 1177-1191	1.8	14

200	Cardiovascular function after spinal cord injury: prevalence and progression of dysfunction during inpatient rehabilitation and 5 years following discharge. <i>Neurorehabilitation and Neural Repair</i> , 2014 , 28, 219-29	4.7	14
199	Longitudinal relationship between wheelchair exercise capacity and life satisfaction in patients with spinal cord injury: A cohort study in the Netherlands. <i>Journal of Spinal Cord Medicine</i> , 2014 , 37, 328-37	1.9	30
198	Trajectories of musculoskeletal shoulder pain after spinal cord injury: Identification and predictors. <i>Journal of Spinal Cord Medicine</i> , 2014 , 37, 288-98	1.9	30
197	Study protocol of the Restore4Stroke self-management study: a multicenter randomized controlled trial in stroke patients and their partners. <i>International Journal of Stroke</i> , 2014 , 9, 818-23	6.3	10
196	The influence of psychological factors on health-related quality of life after stroke: a systematic review. <i>International Journal of Stroke</i> , 2014 , 9, 341-8	6.3	54
195	A longitudinal cohort study on quality of life in stroke patients and their partners: Restore4Stroke Cohort. <i>International Journal of Stroke</i> , 2014 , 9, 148-54	6.3	41
194	Work stress and quality of life in persons with disabilities from four European countries: the case of spinal cord injury. <i>Quality of Life Research</i> , 2014 , 23, 1661-71	3.7	17
193	Active Lifestyle Rehabilitation interventions in aging spinal cord injury (ALLRISC): a multicentre research program. <i>Disability and Rehabilitation</i> , 2013 , 35, 1097-103	2.4	35
192	Validity and feasibility of a learning style instrument for brain injury rehabilitation. <i>Disability and Rehabilitation</i> , 2013 , 35, 1783-9	2.4	1
191	Secondary health conditions in persons with a spinal cord injury for at least 10 years: design of a comprehensive long-term cross-sectional study. <i>Disability and Rehabilitation</i> , 2013 , 35, 1104-10	2.4	44
190	Life satisfaction in patients with chronic musculoskeletal pain and its predictors. <i>Quality of Life Research</i> , 2013 , 22, 93-101	3.7	29
189	Patterns of changes in wheelchair exercise capacity after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 1260-7	2.8	6
188	Randomized controlled trial of a self-management intervention in persons with spinal cord injury: design of the HABITS (Healthy Active Behavioural Intervention in SCI) study. <i>Disability and Rehabilitation</i> , 2013 , 35, 1111-8	2.4	14
187	Associations between social support and stroke survivors' health-related quality of life--a systematic review. <i>Patient Education and Counseling</i> , 2013 , 93, 169-76	3.1	58
186	Determinants of health-related quality of life after aneurysmal subarachnoid hemorrhage: a systematic review. <i>Quality of Life Research</i> , 2013 , 22, 1027-43	3.7	42
185	Participation in the chronic phase of stroke. <i>Topics in Stroke Rehabilitation</i> , 2013 , 20, 52-61	2.6	55
184	Responsiveness of two participation measures in an outpatient rehabilitation setting. <i>Scandinavian Journal of Occupational Therapy</i> , 2013 , 20, 201-8	2.1	15
183	Post-traumatic stress disorder in patients 3 years after aneurysmal subarachnoid haemorrhage. <i>Cerebrovascular Diseases</i> , 2013 , 36, 126-30	3.2	27

182	Quality of life after spinal cord injury: a comparison across six countries. <i>Spinal Cord</i> , 2013 , 51, 322-6	2.7	45
181	Development and validation of a self-report version of the Spinal Cord Independence Measure (SCIM III). <i>Spinal Cord</i> , 2013 , 51, 40-7	2.7	96
180	International survey of perceived barriers to admission and discharge from spinal cord injury rehabilitation units. <i>Spinal Cord</i> , 2013 , 51, 893-7	2.7	18
179	International comparison of the organisation of rehabilitation services and systems of care for patients with spinal cord injury. <i>Spinal Cord</i> , 2013 , 51, 33-9	2.7	33
178	Arm hand skilled performance in persons with a cervical spinal cord injury--long-term follow-up. <i>Spinal Cord</i> , 2013 , 51, 161-4	2.7	9
177	Which pain coping strategies and cognitions are associated with outcomes of a cognitive behavioral intervention for neuropathic pain after spinal cord injury?. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2013 , 19, 330-40	1.5	16
176	It takes two to tango [revisited]: a qualitative study on integration and participation of people living with spinal cord injury in Switzerland. <i>Disability and Society</i> , 2013 , 28, 893-907	1.8	7
175	Secondary health conditions in persons with spinal cord injury: a longitudinal study from one to five years post-discharge. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 1016-22	3.4	77
174	Predicting functional outcome after stroke: the influence of neglect on basic activities in daily living. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 182	3.3	88
173	Exercise self-efficacy in persons with spinal cord injury: psychometric properties of the Dutch translation of the Exercise Self-Efficacy Scale. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 347-50	3.4	18
172	Rehabilitation of patients with nontraumatic spinal cord injury in the Netherlands: etiology, length of stay, and functional outcome. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2013 , 19, 195-201	1.5	17
171	Wheelchair exercise capacity in spinal cord injury up to five years after discharge from inpatient rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 646-52	3.4	12
170	The CONECSI trial: results of a randomized controlled trial of a multidisciplinary cognitive behavioral program for coping with chronic neuropathic pain after spinal cord injury. <i>Pain</i> , 2012 , 153, 120-128	8	68
169	Changes in life satisfaction in persons with spinal cord injury during and after inpatient rehabilitation: adaptation or measurement bias?. <i>Quality of Life Research</i> , 2012 , 21, 1499-508	3.7	20
168	Positive caregiving experiences are associated with life satisfaction in spouses of stroke survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012 , 21, 801-7	2.8	35
167	Life satisfaction in people with spinal cord injury during the first five years after discharge from inpatient rehabilitation. <i>Disability and Rehabilitation</i> , 2012 , 34, 76-83	2.4	66
166	Effects of a multidisciplinary group rehabilitation programme on participation of the visually impaired elderly: a pilot study. <i>Disability and Rehabilitation</i> , 2012 , 34, 1677-85	2.4	9
165	Life satisfaction of couples 3 years after stroke. <i>Disability and Rehabilitation</i> , 2012 , 34, 1468-72	2.4	33

164	Relationships between activities, participation, personal factors, mental health, and life satisfaction in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 82-9	2.8	56
163	Exploring the relation between learning style and cognitive impairment in patients with acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2012 , 22, 26-39	3.1	7
162	Validity of the Life Satisfaction questions, the Life Satisfaction Questionnaire, and the Satisfaction With Life Scale in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1832-7	2.8	71
161	Trajectories and predictors of the course of mental health after spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 2170-6	2.8	22
160	Return to work five years after spinal cord injury inpatient rehabilitation: is it related to wheelchair capacity at discharge?. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 73-9	3.4	14
159	Social activity one and three years post-stroke. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 47-50	3.4	18
158	Predictors of long-term health-related quality of life in patients with aneurysmal subarachnoid hemorrhage. <i>NeuroRehabilitation</i> , 2012 , 30, 137-45	2	25
157	The influence of time and adaptation on health state valuations in patients with spinal cord injury. <i>Medical Decision Making</i> , 2012 , 32, 805-14	2.5	4
156	Validity of the utrecht scale for evaluation of rehabilitation-participation. <i>Disability and Rehabilitation</i> , 2012 , 34, 478-85	2.4	127
155	Psychosocial issues in spinal cord injury: a review. <i>Spinal Cord</i> , 2012 , 50, 382-9	2.7	218
154	Validity of the mental health subscale of the SF-36 in persons with spinal cord injury. <i>Spinal Cord</i> , 2012 , 50, 707-10	2.7	39
153	To work or not to work: labour market participation of people with spinal cord injury living in Switzerland. <i>Spinal Cord</i> , 2012 , 50, 521-6	2.7	30
152	Associations between psychological factors and quality of life ratings in persons with spinal cord injury: a systematic review. <i>Spinal Cord</i> , 2012 , 50, 174-87	2.7	107
151	Trajectories in the course of life satisfaction after spinal cord injury: identification and predictors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 207-13	2.8	42
150	Life satisfaction and return to work after aneurysmal subarachnoid hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011 , 20, 324-9	2.8	91
149	Is cognitive functioning 1 year poststroke related to quality of life domain?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011 , 20, 450-8	2.8	19
148	Changes in the coping styles of spouses and the influence of these changes on their psychosocial functioning the first year after a patient's stroke. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 188-93	4.1	8
147	Responsiveness of four participation measures to changes during and after outpatient rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 1003-9	3.4	45

146	Measuring body structures and body functions from the International Classification of Functioning, Disability, and Health perspective: considerations for biomedical parameters in spinal cord injury research. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S50-65	2.6	7
145	Capturing the psychologic-personal perspective in spinal cord injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S79-96	2.6	43
144	Domain sets and measurement instruments on participation and environmental factors in spinal cord injury research. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S66-78	2.6	16
143	Developing epidemiologic studies of people's lived experience: the Swiss Spinal Cord Injury Cohort Study as a case in point. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S1-4	2.6	6
142	Design of the Swiss Spinal Cord Injury Cohort Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S5-16	2.6	96
141	How to measure what matters: development and application of guiding principles to select measurement instruments in an epidemiologic study on functioning. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S29-38	2.6	21
140	Is manual wheelchair satisfaction related to active lifestyle and participation in people with a spinal cord injury?. <i>Spinal Cord</i> , 2011 , 49, 560-5	2.7	26
139	Recommendations for translation and reliability testing of International Spinal Cord Injury Data Sets. <i>Spinal Cord</i> , 2011 , 49, 357-60	2.7	68
138	Occurrence and predictors of pressure ulcers during primary in-patient spinal cord injury rehabilitation. <i>Spinal Cord</i> , 2011 , 49, 106-12	2.7	55
137	Course of social support and relationships between social support and life satisfaction in spouses of patients with stroke in the chronic phase. <i>Patient Education and Counseling</i> , 2011 , 85, e48-52	3.1	18
136	Predicting fatigue 1 year after aneurysmal subarachnoid hemorrhage. <i>Journal of Neurology</i> , 2011 , 258, 1091-7	5.5	45
135	Effects of aerobic exercise therapy and cognitive behavioural therapy on functioning and quality of life in amyotrophic lateral sclerosis: protocol of the FACTS-2-ALS trial. <i>BMC Neurology</i> , 2011 , 11, 70	3.1	25
134	Evaluation of change in fatigue, self-efficacy and health-related quality of life, after a group educational intervention programme for persons with neuromuscular diseases or multiple sclerosis: a pilot study. <i>Disability and Rehabilitation</i> , 2011 , 33, 690-6	2.4	13
133	The predictive value of cognitive impairments measured at the start of clinical rehabilitation for health status 1 year and 3 years poststroke. <i>International Journal of Rehabilitation Research</i> , 2011 , 34, 38-43	1.8	3
132	Social activity contributes independently to life satisfaction three years post stroke. <i>Clinical Rehabilitation</i> , 2011 , 25, 460-7	3.3	40
131	Comparing content of therapy for people with a spinal cord injury in postacute inpatient rehabilitation in Australia, Norway, and The Netherlands. <i>Physical Therapy</i> , 2011 , 91, 210-24	3.3	23
130	Category specification and measurement instruments in large spinal cord injury studies: a comparison using the International Classification of Functioning, Disability, and Health as a reference. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2011 , 90, S39-49	2.6	8
129	Development and validation of a short version of the Stroke Specific Quality of Life Scale. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 283-6	5.5	51

128	Chronic spinal cord injury pain: pharmacological and non-pharmacological treatments and treatment effectiveness. <i>Disability and Rehabilitation</i> , 2011 , 33, 433-40	2.4	52
127	Contents of physical therapy, occupational therapy, and sports therapy sessions for patients with a spinal cord injury in three Dutch rehabilitation centres. <i>Disability and Rehabilitation</i> , 2011 , 33, 412-22	2.4	21
126	Care needs of persons with long-term spinal cord injury living at home in the Netherlands. <i>Spinal Cord</i> , 2010 , 48, 423-8	2.7	56
125	Monitoring healing of pressure ulcers: a review of assessment instruments for use in the spinal cord unit. <i>Spinal Cord</i> , 2010 , 48, 92-9	2.7	11
124	Outcome parameters in spinal cord injury research: a systematic review using the International Classification of Functioning, Disability and Health (ICF) as a reference. <i>Spinal Cord</i> , 2010 , 48, 522-8	2.7	44
123	Evaluation of the physical activity scale for individuals with physical disabilities in people with spinal cord injury. <i>Spinal Cord</i> , 2010 , 48, 542-7	2.7	48
122	Reproducibility of three self-report participation measures: The ICF Measure of Participation and Activities Screener, the Participation Scale, and the Utrecht Scale for Evaluation of Rehabilitation-Participation. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 752-7	3.4	77
121	Social support and life satisfaction in spinal cord injury during and up to one year after inpatient rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 265-71	3.4	34
120	Effect and process evaluation of implementing standardized tests to monitor patients in spinal cord injury rehabilitation. <i>Disability and Rehabilitation</i> , 2010 , 32, 588-97	2.4	14
119	Prevalence and determinants of cognitive complaints after aneurysmal subarachnoid hemorrhage. <i>Cerebrovascular Diseases</i> , 2010 , 29, 557-63	3.2	82
118	Development and validation of prognostic models designed to predict wheelchair skills at discharge from spinal cord injury rehabilitation. <i>Clinical Rehabilitation</i> , 2010 , 24, 168-80	3.3	3
117	Editorial on generic or global outcome measures in rehabilitation. <i>Clinical Rehabilitation</i> , 2010 , 24, 380-133		
116	A comparative review of contemporary participation measures' psychometric properties and content coverage. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, S17-28	2.8	81
115	Cross-cultural validity of four quality of life scales in persons with spinal cord injury. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 94	3	65
114	Measuring the Subjective Appraisal of Participation with Life Satisfaction Measures: Bridging the Gap Between Participation and Quality of Life Measurement. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2010 , 15, 1-15	1.5	10
113	Measurement and Evidence of Environmental Determinants of Participation in Spinal Cord Injury: A Systematic Review of the Literature. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2010 , 15, 26-48	1.5	16
112	Measuring the Subjective Appraisal of Participation with Life Satisfaction Measures: Bridging the Gap Between Participation and Quality of Life Measurement. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2010 , 15, 1-15	1.5	
111	Measurement and Evidence of Environmental Determinants of Participation in Spinal Cord Injury: A Systematic Review of the Literature. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2010 , 15, 26-48	1.5	

110	Passive shoulder range of motion impairment in spinal cord injury during and one year after rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 438-44	3.4	20
109	Investigation of bias due to loss of participants in a Dutch multicentre prospective spinal cord injury cohort study. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 382-9	3.4	8
108	Prediction of depressive symptoms up to three years post-stroke. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 930-5	3.4	33
107	Psychosocial functioning of spouses of patients with stroke from initial inpatient rehabilitation to 3 years poststroke: course and relations with coping strategies. <i>Stroke</i> , 2009 , 40, 1399-404	6.7	96
106	Long-term health-related quality of life after aneurysmal subarachnoid hemorrhage: relationship with psychological symptoms and personality characteristics. <i>Stroke</i> , 2009 , 40, 1526-9	6.7	129
105	Restrictions in social participation of young adults with spina bifida. <i>Disability and Rehabilitation</i> , 2009 , 31, 921-7	2.4	47
104	Development and validation of the Utrecht Scale for Evaluation of Clinical Rehabilitation (USER). <i>Clinical Rehabilitation</i> , 2009 , 23, 909-17	3.3	34
103	Effects of hand cycle training on physical capacity in individuals with tetraplegia: a clinical trial. <i>Physical Therapy</i> , 2009 , 89, 1051-60	3.3	58
102	The Maastricht social participation profile: development and clinimetric properties in older adults with a chronic physical illness. <i>Quality of Life Research</i> , 2009 , 18, 1207-18	3.7	35
101	Characteristics, length of stay and functional outcome of patients with spinal cord injury in Dutch and Flemish rehabilitation centres. <i>Spinal Cord</i> , 2009 , 47, 339-44	2.7	54
100	Long-term deficits in episodic memory after ischemic stroke: evaluation and prediction of verbal and visual memory performance based on lesion characteristics. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2009 , 18, 128-38	2.8	25
99	Reliability of a new classification system for mobility and self-care in spinal cord injury rehabilitation: the Spinal Cord Injury-Interventions Classification System. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1229-36	2.8	15
98	A simple bedside test for upper extremity impairment after stroke: validation of the Utrecht Arm/Hand Test. <i>Disability and Rehabilitation</i> , 2009 , 31, 1338-43	2.4	13
97	Recovery of life satisfaction in persons with spinal cord injury during inpatient rehabilitation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009 , 88, 887-95	2.6	31
96	Return to work after spinal cord injury: is it related to wheelchair capacity at discharge from clinical rehabilitation?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2009 , 88, 47-56	2.6	40
95	The longitudinal relationship between lipid profile and physical capacity in persons with a recent spinal cord injury. <i>Spinal Cord</i> , 2008 , 46, 344-51	2.7	21
94	Work participation among young adults with spina bifida in the Netherlands. <i>Developmental Medicine and Child Neurology</i> , 2008 , 50, 772-7	3.3	36
93	Influence of hand cycling on physical capacity in the rehabilitation of persons with a spinal cord injury: a longitudinal cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1016-22	2.8	37

92	Prospective analysis of lipid profiles in persons with a spinal cord injury during and 1 year after inpatient rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 531-7	2.8	15
91	Changes and determinants of life satisfaction after spinal cord injury: a cohort study in the Netherlands. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1733-40	2.8	53
90	Feasibility of a classification system for physical therapy, occupational therapy, and sports therapy interventions for mobility and self-care in spinal cord injury rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1454-9	2.8	21
89	Strategies for autonomy used by people with cervical spinal cord injury: a qualitative study. <i>Disability and Rehabilitation</i> , 2008 , 30, 249-60	2.4	41
88	Efficient screening of cognitive dysfunction in stroke patients: comparison between the CAMCOG and the R-CAMCOG, Mini Mental State Examination and Functional Independence Measure-cognition score. <i>Disability and Rehabilitation</i> , 2008 , 30, 1386-91	2.4	15
87	Development and validation of IMPACT-S, an ICF-based questionnaire to measure activities and participation. <i>Journal of Rehabilitation Medicine</i> , 2008 , 40, 620-7	3.4	79
86	Development of a classification of physical, occupational, and sports therapy interventions to document mobility and self-care in spinal cord injury rehabilitation. <i>Journal of Neurologic Physical Therapy</i> , 2008 , 32, 2-7	4.1	25
85	Functional independence and health-related functional status following spinal cord injury: a prospective study of the association with physical capacity. <i>Journal of Rehabilitation Medicine</i> , 2008 , 40, 812-8	3.4	19
84	Sexological Competence of Different Rehabilitation Disciplines and Effects of a Discipline-specific Sexological Training. <i>Sexuality and Disability</i> , 2008 , 26, 3-14	1.3	40
83	Psychosocial functioning of spouses in the chronic phase after stroke: improvement or deterioration between 1 and 3 years after stroke?. <i>Patient Education and Counseling</i> , 2008 , 73, 153-8	3.1	54
82	Complications following spinal cord injury: occurrence and risk factors in a longitudinal study during and after inpatient rehabilitation. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 393-8	2.2	102
81	Health behaviour of persons with spinal cord injury. <i>Spinal Cord</i> , 2007 , 45, 243-9	2.7	44
80	Perceived health in young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , 2007 , 49, 192-7	3.3	38
79	Life satisfaction of young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , 2007 , 49, 458-63	3.3	53
78	Physical fitness in people with a spinal cord injury: the association with complications and duration of rehabilitation. <i>Clinical Rehabilitation</i> , 2007 , 21, 932-40	3.3	22
77	Return to work after major trauma. <i>Clinical Rehabilitation</i> , 2007 , 21, 373-83	3.3	63
76	Validity of the Dutch version of the Amyotrophic Lateral Sclerosis Assessment Questionnaire, ALSAQ-40, ALSAQ-5. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2007 , 8, 96-100		16
75	Cross-sectional and longitudinal correlations between disease progression and different health-related quality of life domains in persons with amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2007 , 8, 356-61		28

74	Reproducibility of the Caregiver Strain Index and the Caregiver Reaction Assessment in partners of stroke patients living in the Dutch community. <i>Clinical Rehabilitation</i> , 2007 , 21, 1050-5	3.3	40
73	Reproducibility and validity of the Dutch Life Habits Questionnaire (LIFE-H 3.0) in older adults. <i>Clinical Rehabilitation</i> , 2007 , 21, 853-62	3.3	19
72	Comparison of two Dutch follow-up care models for spinal cord-injured patients and their impact on health problems, re-admissions and quality of care. <i>Clinical Rehabilitation</i> , 2007 , 21, 997-1006	3.3	16
71	Spinal cord injury pain: the influence of psychologic factors and impact on quality of life. <i>Clinical Journal of Pain</i> , 2007 , 23, 383-91	3.5	111
70	Predicting long-term independency in activities of daily living after middle cerebral artery stroke: does information from MRI have added predictive value compared with clinical information?. <i>Stroke</i> , 2006 , 37, 1050-4	6.7	85
69	Care for carers of stroke patients: evidence-based clinical practice guidelines. <i>Journal of Rehabilitation Medicine</i> , 2006 , 38, 153-8	3.4	69
68	Predictive value of ischemic lesion volume assessed with magnetic resonance imaging for neurological deficits and functional outcome poststroke: A critical review of the literature. <i>Neurorehabilitation and Neural Repair</i> , 2006 , 20, 492-502	4.7	74
67	Rehabilitation of stroke patients needs a family-centred approach. <i>Disability and Rehabilitation</i> , 2006 , 28, 1557-61	2.4	141
66	Measurement of decline of functioning in persons with amyotrophic lateral sclerosis: responsiveness and possible applications of the Functional Independence Measure, Barthel Index, Rehabilitation Activities Profile and Frenchay Activities Index. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2006 , 7, 167-72		15
65	KWAZO, a new instrument to assess the quality of service delivery in assistive technology provision. <i>Disability and Rehabilitation</i> , 2006 , 28, 909-14	2.4	17
64	Integration a complex dance: a response to the comments made by Ryan and Dijkers on this article. <i>Disability and Society</i> , 2006 , 21, 97-100	1.8	1
63	A comparison of 3 generic health status questionnaires among stroke patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2006 , 15, 235-40	2.8	9
62	Functional independence among young adults with spina bifida, in relation to hydrocephalus and level of lesion. <i>Developmental Medicine and Child Neurology</i> , 2006 , 48, 114-9	3.3	74
61	Upper extremity musculoskeletal pain during and after rehabilitation in wheelchair-using persons with a spinal cord injury. <i>Spinal Cord</i> , 2006 , 44, 152-9	2.7	96
60	Demographics of the Dutch multicenter prospective cohort study 'Restoration of mobility in spinal cord injury rehabilitation'. <i>Spinal Cord</i> , 2006 , 44, 668-75	2.7	68
59	Developing core sets for persons with spinal cord injuries based on the International Classification of Functioning, Disability and Health as a way to specify functioning. <i>Spinal Cord</i> , 2006 , 44, 541-6	2.7	92
58	Measurement properties of the short version of the Van Lieshout test for arm/hand function of persons with tetraplegia after spinal cord injury. <i>Spinal Cord</i> , 2006 , 44, 763-71	2.7	43
57	Measuring change in arm hand skilled performance in persons with a cervical spinal cord injury: responsiveness of the Van Lieshout Test. <i>Spinal Cord</i> , 2006 , 44, 772-9	2.7	35

56	When a parent has a stroke: clinical course and prediction of mood, behavior problems, and health status of their young children. <i>Stroke</i> , 2005 , 36, 2436-40	6.7	45
55	Health problems of persons with spinal cord injury living in the Netherlands. <i>Disability and Rehabilitation</i> , 2005 , 27, 1381-9	2.4	81
54	It takes two to tango: the integration of people with disabilities into society. <i>Disability and Society</i> , 2005 , 20, 311-329	1.8	51
53	Sex education, relationships, and sexuality in young adults with spina bifida. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 979-87	2.8	99
52	Course of gross mechanical efficiency in handrim wheelchair propulsion during rehabilitation of people with spinal cord injury: a prospective cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1452-60	2.8	20
51	Subject- and injury-related factors influencing the course of manual wheelchair skill performance during initial inpatient rehabilitation of persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 2119-25	2.8	15
50	Choice-based evaluation for the improvement of upper-extremity function compared with other impairments in tetraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1623-30	2.8	26
49	The longitudinal relation between physical capacity and wheelchair skill performance during inpatient rehabilitation of people with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1575-81	2.8	42
48	Relationship between manual wheelchair skill performance and participation of persons with spinal cord injuries 1 year after discharge from inpatient rehabilitation. <i>Journal of Rehabilitation Research and Development</i> , 2005 , 42, 65-73		56
47	Duration and functional outcome of spinal cord injury rehabilitation in the Netherlands. <i>Journal of Rehabilitation Research and Development</i> , 2005 , 42, 75-85		41
46	Hand-rim wheelchair propulsion capacity during rehabilitation of persons with spinal cord injury. <i>Journal of Rehabilitation Research and Development</i> , 2005 , 42, 55-63		20
45	Participation after spinal cord injury: the evolution of conceptualization and measurement. <i>Journal of Neurologic Physical Therapy</i> , 2005 , 29, 147-56	4.1	86
44	Quality of life after spinal cord injury. <i>Journal of Neurologic Physical Therapy</i> , 2005 , 29, 139-46	4.1	105
43	Spouses' satisfaction with caregiver support in stroke rehabilitation. <i>Scandinavian Journal of Caring Sciences</i> , 2005 , 19, 310-6	2.3	9
42	Burden of support for partners of persons with spinal cord injuries. <i>Spinal Cord</i> , 2005 , 43, 311-9	2.7	85
41	High prevalence of incontinence among young adults with spina bifida: description, prediction and problem perception. <i>Spinal Cord</i> , 2005 , 43, 331-40	2.7	145
40	Follow-up care for persons with spinal cord injury living in the community: a systematic review of interventions and their evaluation. <i>Spinal Cord</i> , 2005 , 43, 462-75	2.7	38
39	Intervention studies for caregivers of stroke survivors: a critical review. <i>Patient Education and Counseling</i> , 2005 , 56, 257-67	3.1	137

38	Relationship between ischemic lesion volume and functional status in the 2nd week after middle cerebral artery stroke. <i>Neurorehabilitation and Neural Repair</i> , 2005 , 19, 133-8	4.7	38
37	Poststroke hand swelling and oedema: prevalence and relationship with impairment and disability. <i>Clinical Rehabilitation</i> , 2005 , 19, 552-9	3.3	25
36	Spouses' quality of life 1 year after stroke: prediction at the start of clinical rehabilitation. <i>Cerebrovascular Diseases</i> , 2005 , 20, 443-8	3.2	102
35	Ischemic lesion volume correlates with long-term functional outcome and quality of life of middle cerebral artery stroke survivors. <i>Restorative Neurology and Neuroscience</i> , 2005 , 23, 257-63	2.8	37
34	Measures used to assess burden among caregivers of stroke patients: a review. <i>Clinical Rehabilitation</i> , 2004 , 18, 601-23	3.3	128
33	Secondary impairments in young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , 2004 , 46, 420-7	3.3	90
32	The Wheelchair Circuit: Construct validity and responsiveness of a test to assess manual wheelchair mobility in persons with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 424-31	2.8	63
31	Educational career and predictors of type of education in young adults with spina bifida. <i>International Journal of Rehabilitation Research</i> , 2004 , 27, 45-52	1.8	21
30	Cognitive status of young adults with spina bifida. <i>Developmental Medicine and Child Neurology</i> , 2003 , 45, 813-20	3.3	23
29	Stimulating active coping in patients with rheumatic diseases: a systematic review of controlled group intervention studies. <i>Patient Education and Counseling</i> , 2003 , 50, 133-43	3.1	31
28	Assessment of oedema in stroke patients: comparison of visual inspection by therapists and volumetric assessment. <i>Disability and Rehabilitation</i> , 2003 , 25, 1265-70	2.4	19
27	Wheelchair skills tests: a systematic review. <i>Clinical Rehabilitation</i> , 2003 , 17, 418-30	3.3	75
26	Good inter-rater reliability of the Frenchay Activities Index in stroke patients. <i>Clinical Rehabilitation</i> , 2003 , 17, 548-52	3.3	43
25	The unfavorable effects of concomitant asthma and sleeplessness due to the atopic eczema/dermatitis syndrome (AEDS) on quality of life in subjects allergic to house-dust mites. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002 , 57, 919-25	9.3	24
24	Measuring nursing needs of stroke patients in clinical rehabilitation: a comparison of validity and sensitivity to change between the Northwick Park Dependency Score and the Barthel Index. <i>Clinical Rehabilitation</i> , 2002 , 16, 182-9	3.3	22
23	One-year prognosis of primary care dyspepsia: predictive value of symptom pattern, <i>Helicobacter pylori</i> and GP management. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 55-60	2.2	15
22	The wheelchair circuit: reliability of a test to assess mobility in persons with spinal cord injuries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1783-8	2.8	53
21	The foot function index with verbal rating scales (FFI-5pt): A clinimetric evaluation and comparison with the original FFI. <i>Journal of Rheumatology</i> , 2002 , 29, 1023-8	4.1	88

20	Quality of life in patients with spinal cord injury--basic issues, assessment, and recommendations. <i>Restorative Neurology and Neuroscience</i> , 2002 , 20, 135-49	2.8	69
19	Changes in quality-of-life after pacemaker implantation: responsiveness of the Aquarel questionnaire. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001 , 24, 288-95	1.6	21
18	Adapting the Nottingham Health Profile for use in people with severe physical disabilities. <i>Clinical Rehabilitation</i> , 2001 , 15, 103-10	3.3	11
17	Prosthetic management of children in The Netherlands with upper limb deficiencies. <i>Prosthetics and Orthotics International</i> , 2001 , 25, 228-34	1.5	39
16	Psychometric properties of Aquarel, a disease-specific quality of life questionnaire for pacemaker patients. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 157-65	5.7	27
15	Quality of life after severe bacterial peritonitis and infected necrotizing pancreatitis treated with open management of the abdomen and planned re-operations. <i>Critical Care Medicine</i> , 2001 , 29, 1539-43	1.4	29
14	Social support, coping and subjective well-being in patients with rheumatic diseases. <i>Patient Education and Counseling</i> , 2000 , 39, 205-18	3.1	36
13	Return to work after spinal cord injury. <i>Spinal Cord</i> , 2000 , 38, 51-5	2.7	97
12	An epidemiological description of spinal cord injuries in The Netherlands in 1994. <i>Spinal Cord</i> , 2000 , 38, 420-4	2.7	80
11	Quality-of-life of pacemaker patients: a reappraisal of current instruments. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000 , 23, 946-52	1.6	15
10	Quality of life and the ICIDH: towards an integrated conceptual model for rehabilitation outcomes research. <i>Clinical Rehabilitation</i> , 1999 , 13, 5-15	3.3	72
9	What makes the dyspeptic patient feel ill? A cross sectional survey of functional health status, Helicobacter pylori infection, and psychological distress in dyspeptic patients in general practice. <i>Gut</i> , 1999 , 45, 15-9	19.2	38
8	Assessment of the quality of life of patients with advanced and end-stage cancer or serious infections with a symptom-based or an impact-based instrument. <i>Supportive Care in Cancer</i> , 1999 , 7, 64-70	3.9	9
7	Impact of social support on health status and life satisfaction in people with a spinal cord injury. <i>Psychology and Health</i> , 1999 , 14, 679-695	2.9	28
6	Quality of life and the ICIDH: towards an integrated conceptual model for rehabilitation outcomes research. <i>Clinical Rehabilitation</i> , 1999 , 13, 5-15	3.3	84
5	Changes in health-related quality of life after carotid endarterectomy. <i>European Journal of Vascular and Endovascular Surgery</i> , 1998 , 16, 395-400	2.3	21
4	Predictors of health status and life satisfaction in spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998 , 79, 395-401	2.8	187
3	Community integration of wheelchair-bound athletes: a comparison before and after onset of disability. <i>Clinical Rehabilitation</i> , 1997 , 11, 227-35	3.3	11

- | | | | |
|---|--|-----|----|
| 2 | Services for spinal cord injured: availability and satisfaction. <i>Spinal Cord</i> , 1997 , 35, 109-15 | 2.7 | 67 |
| 1 | The SIP68: a measure of health-related functional status in rehabilitation medicine. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996 , 77, 440-5 | 2.8 | 70 |