

Karla Zancope

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3451629/publications.pdf>

Version: 2024-02-01

18
papers

316
citations

1163117

8
h-index

1058476

14
g-index

18
all docs

18
docs citations

18
times ranked

379
citing authors

#	ARTICLE	IF	CITATIONS
1	Micro-computed tomography evaluation of marginal fit of lithium disilicate crowns fabricated by using chairside CAD/CAM systems or the heat-pressing technique. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 1134-1140.	2.8	125
2	Influence of scanner, powder application, and adjustments on CAD-CAM crown misfit. <i>Journal of Prosthetic Dentistry</i> , 2018, 119, 377-383.	2.8	49
3	Placement of a distal implant to convert a mandibular removable Kennedy class I to an implant-supported partial removable Class III dental prosthesis: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2015, 113, 528-533.e3.	2.8	44
4	Can intra-radicular cleaning protocols increase the retention of fiberglass posts? A systematic review. <i>Brazilian Oral Research</i> , 2018, 32, e16.	1.4	16
5	Biomechanical behavior of extra-narrow implants after fatigue and pull-out tests. <i>Journal of Prosthetic Dentistry</i> , 2019, 122, 54.e1-54.e6.	2.8	15
6	Cost and effectiveness of 3-dimensionally printed model using three different printing layer parameters and two resins. <i>Journal of Prosthetic Dentistry</i> , 2021, , .	2.8	12
7	Micrometric precision of prosthetic dental crowns obtained by optical scanning and computer-aided designing/computer-aided manufacturing system. <i>Journal of Biomedical Optics</i> , 2014, 19, 088003.	2.6	11
8	Influence of the Prosthetic Index Into Morse Taper Implants on Bacterial Microleakage. <i>Implant Dentistry</i> , 2015, 24, 547-551.	1.3	8
9	Masticatory performance with different types of rehabilitation of the edentulous mandible. <i>Brazilian Journal of Oral Sciences</i> , 2015, 14, 186-189.	0.1	8
10	Microstructural and mechanical analysis of two CAD-CAM lithium disilicate glass-reinforced ceramics. <i>Brazilian Oral Research</i> , 2020, 34, e004.	1.4	8
11	Strain analysis of different diameter Morse taper implants under overloading compressive conditions. <i>Brazilian Oral Research</i> , 2015, 29, 1-6.	1.4	7
12	Immediate loading implants with mandibular overdenture: a 48-month prospective follow-up study. <i>Brazilian Oral Research</i> , 2014, 28, 1-6.	1.4	6
13	Influence of the Prosthetic Index on Fracture Resistance of Morse Taper Dental Implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 1333-1337.	1.4	6
14	Micro-CT analysis of in-office computer-aided designed/computer-aided manufactured dental restorations. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2018, 6, 68-73.	1.9	1
15	Electric Saw Face Self-Mutilation in a 22-Year-Old Schizophrenic Man: Case Report. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018, 76, 2387.e1-2387.e6.	1.2	0
16	Multiprofessional approach for class III malocclusion rehabilitation with autogenous calvarial bone graft followed by Le Fort 1 osteotomy and implant-supported prostheses – case report. <i>Research, Society and Development</i> , 2021, 10, e7710716276.	0.1	0
17	New Approach for Esthetic CAD/CAM Crowns Rehabilitation: Case Report. <i>Journal of Dental Health, Oral Disorders & Therapy</i> , 2017, 7, .	0.1	0
18	Influence of dentistry procedures on masticatory function of dentate patients. <i>Brazilian Journal of Oral Sciences</i> , 2017, 15, 181.	0.1	0