

Barbara Barbaro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3452868/publications.pdf>

Version: 2024-02-01

21
papers

1,277
citations

516710

16
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

1813
citing authors

#	ARTICLE	IF	CITATIONS
1	A review of the pathogenic and therapeutic role of nutrition in pediatric nonalcoholic fatty liver disease. <i>Nutrition Research</i> , 2018, 58, 1-16.	2.9	29
2	Copper/MYC/CTR1 interplay: a dangerous relationship in hepatocellular carcinoma. <i>Oncotarget</i> , 2018, 9, 9325-9343.	1.8	30
3	Evaluation of tolerance to ambulatory blood pressure monitoring. <i>Medicine (United States)</i> , 2017, 96, e9162.	1.0	8
4	Non-Alcoholic Fatty Liver Disease and Nutritional Implications: Special Focus on Copper. <i>Nutrients</i> , 2017, 9, 1137.	4.1	54
5	Small heterodimer partner 1 directly interacts with NS5A viral protein and has a key role in HCV related liver cell transformation. <i>Oncotarget</i> , 2016, 7, 84575-84586.	1.8	9
6	Normocaloric Low Cholesterol Diet Modulates Th17/Treg Balance in Patients with Chronic Hepatitis C Virus Infection. <i>PLoS ONE</i> , 2014, 9, e112346.	2.5	29
7	Effects of the Olive-Derived Polyphenol Oleuropein on Human Health. <i>International Journal of Molecular Sciences</i> , 2014, 15, 18508-18524.	4.1	223
8	Protective Effect of the Y220C Mutant p53 Against Steatosis: Good News?. <i>Journal of Cellular Physiology</i> , 2014, 229, 1182-1192.	4.1	16
9	Environmental Pollution: A Tangible Risk for NAFLD Pathogenesis. <i>International Journal of Molecular Sciences</i> , 2013, 14, 22052-22066.	4.1	63
10	Paradoxical prosteatotic effect of hedgehog signaling pathway inhibition under conditions of steatosis. <i>Hepatology</i> , 2012, 56, 1587-1588.	7.3	1
11	Estrogens and Insulin-Like Growth Factor 1 Modulate Neoplastic Cell Growth in Human Cholangiocarcinoma. <i>American Journal of Pathology</i> , 2006, 169, 877-888.	3.8	136
12	Vascular Endothelial Growth Factor Stimulates Rat Cholangiocyte Proliferation Via an Autocrine Mechanism. <i>Gastroenterology</i> , 2006, 130, 1270-1282.	1.3	188
13	Administration of r-VEGF-A prevents hepatic artery ligation-induced bile duct damage in bile duct ligated rats. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, G307-G317.	3.4	67
14	The intrahepatic biliary epithelium is a target of the growth hormone/insulin-like growth factor 1 axis. <i>Journal of Hepatology</i> , 2005, 43, 875-883.	3.7	72
15	Nerve growth factor modulates the proliferative capacity of the intrahepatic biliary epithelium in experimental cholestasis. <i>Gastroenterology</i> , 2004, 127, 1198-1209.	1.3	87
16	β -1 adrenergic receptor agonists modulate ductal secretion of BDL rats via Ca^{2+} - and PKC-dependent stimulation of cAMP. <i>Hepatology</i> , 2004, 40, 1116-1127.	7.3	61
17	Taurohyodeoxycholate- and tauroursodeoxycholate-induced hypercholerisis is augmented in bile duct ligated rats. <i>Journal of Hepatology</i> , 2003, 38, 136-147.	3.7	14
18	Dopaminergic inhibition of secretin-stimulated choleresis by increased PKC- β expression and decrease of PKA activity. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, G683-G694.	3.4	59

#	ARTICLE	IF	CITATIONS
19	Corticosteroids modulate the secretory processes of the rat intrahepatic biliary epithelium. <i>Gastroenterology</i> , 2002, 122, 1058-1069.	1.3	54
20	Bile acid depletion and repletion regulate cholangiocyte growth and secretion by a phosphatidylinositol 3-kinase-dependent pathway in rats. <i>Gastroenterology</i> , 2002, 123, 1226-1237.	1.3	74
21	Enhanced Prenyltransferase Activity and Rab Content in Rat Liver Regeneration. <i>Biochemical and Biophysical Research Communications</i> , 2000, 269, 226-231.	2.1	3