

# Marc Yeste

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3453248/publications.pdf>

Version: 2024-02-01

233  
papers

5,323  
citations

87723

38  
h-index

149479

56  
g-index

245  
all docs

245  
docs citations

245  
times ranked

3336  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Seminal plasma, and not sperm, induces time and concentration-dependent neutrophil extracellular trap release in donkeys. <i>Equine Veterinary Journal</i> , 2022, 54, 415-426.   | 0.9 | 12        |
| 2  | Advances in sperm cryopreservation in farm animals: Cattle, horse, pig and sheep. <i>Animal Reproduction Science</i> , 2022, 246, 106904.   | 0.5 | 45        |
| 3  | Aldose Reductase B1 in Pig Sperm Is Related to Their Function and Fertilizing Ability. <i>Frontiers in Endocrinology</i> , 2022, 13, 773249.  | 1.5 | 0         |
| 4  | Telomere Length in Pig Sperm Is Related to In Vitro Embryo Development Outcomes. <i>Animals</i> , 2022, 12, 204.  | 1.0 | 5         |
| 5  | Thank you very much Jim!. <i>Animal Reproduction Science</i> , 2022, 237, 106941.   | 0.5 | 0         |
| 6  | Paternal adherence to healthy dietary patterns in relation to sperm parameters and outcomes of assisted reproductive technologies. <i>Fertility and Sterility</i> , 2022, 117, 298-312.   | 0.5 | 14        |
| 7  | Assessment of sperm mitochondrial activity by flow cytometry and fluorescent microscopy: a comparative study of mitochondrial fluorescent probes in bovine spermatozoa. <i>Reproduction, Fertility and Development</i> , 2022, 34, 679-688. | 0.1 | 7         |
| 8  | Relevance of Aquaporins for Gamete Function and Cryopreservation. <i>Animals</i> , 2022, 12, 573.   | 1.0 | 9         |
| 9  | Impact of Seminal Plasma Antioxidants on Donkey Sperm Cryotolerance. <i>Antioxidants</i> , 2022, 11, 417.   | 2.2 | 7         |
| 10 | Evaluation of the Probiotic In Vitro Potential of Lactic Acid-Producing Bacteria from Canine Vagina: Possible Role in Vaginal Health. <i>Animals</i> , 2022, 12, 796.   | 1.0 | 1         |
| 11 | Women's and men's intake of omega-3 fatty acids and their food sources and assisted reproductive technology outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 246.e1-246.e11.                                     | 0.7 | 12        |
| 12 | Sperm DNA damage compromises embryo development, but not oocyte fertilisation in pigs. <i>Biological Research</i> , 2022, 55, 15.   | 1.5 | 12        |
| 13 | Involvement of extracellular vesicle-encapsulated miRNAs in human reproductive disorders: a systematic review. <i>Reproduction, Fertility and Development</i> , 2022, 34, 751-775.  | 0.1 | 2         |
| 14 | Animal models of male reproductive ageing to study testosterone production and spermatogenesis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2022, 23, 1341-1360.  | 2.6 | 7         |
| 15 | Extracellular vesicles in mammalian reproduction: a review. <i>Zygote</i> , 2022, 30, 440-463.  | 0.5 | 7         |
| 16 | A Review on the Role of Bicarbonate and Proton Transporters during Sperm Capacitation in Mammals. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6333.  | 1.8 | 9         |
| 17 | Cryoprotectant role of exopolysaccharide <scp>ID1</scp> in the vitrification/instraw warming of in vitro-produced bovine embryos. <i>Reproduction in Domestic Animals</i> , 2022, 57, 53-57.  | 0.6 | 2         |
| 18 | Seminal Plasma Antioxidants Are Related to Sperm Cryotolerance in the Horse. <i>Antioxidants</i> , 2022, 11, 1279.  | 2.2 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Exopolysaccharide ID1 Improves Post-Warming Outcomes after Vitrification of In Vitro-Produced Bovine Embryos. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7069.   | 1.8 | 4         |
| 20 | P-049â€fSperm GSTM3: a potential molecular biomarker for sperm quality and male (in)fertility. <i>Human Reproduction</i> , 2022, 37, .   | 0.4 | 0         |
| 21 | Telomere length in bovine sperm is related to the production of reactive oxygen species, but not to reproductive performance. <i>Theriogenology</i> , 2022, 189, 290-300.  | 0.9 | 4         |
| 22 | Antioxidants and their effect on the oxidative/nitrosative stress of frozen-thawed boar sperm. <i>Cryobiology</i> , 2021, 98, 5-11.  | 0.3 | 16        |
| 23 | The Effects of Red Light on Mammalian Sperm Rely upon the Color of the Straw and the Medium Used. <i>Animals</i> , 2021, 11, 122.  | 1.0 | 4         |
| 24 | HVCN1 but Not Potassium Channels Are Related to Mammalian Sperm Cryotolerance. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1646.  | 1.8 | 3         |
| 25 | A Shorter Equilibration Period Improves Post-Warming Outcomes after Vitrification and in Straw Dilution of In Vitro-Produced Bovine Embryos. <i>Biology</i> , 2021, 10, 142.   | 1.3 | 12        |
| 26 | Deactivation of the JNK Pathway by GSTP1 Is Essential to Maintain Sperm Functionality. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 627140.   | 1.8 | 6         |
| 27 | Inhibition of Potassium Channels Affects the Ability of Pig Spermatozoa to Elicit Capacitation and Trigger the Acrosome Exocytosis Induced by Progesterone. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1992. | 1.8 | 7         |
| 28 | Cryopreservation and oxidative stress in porcine oocytes. <i>Research in Veterinary Science</i> , 2021, 135, 20-26.  | 0.9 | 8         |
| 29 | Aquaporins and (in)fertility: More than just water transport. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166039.  | 1.8 | 15        |
| 30 | Clinical implications of sperm <scp>DNA</scp> damage in <scp>IVF</scp> and <scp>ICSI</scp>: updated systematic review and metaâ€analysis. <i>Biological Reviews</i> , 2021, 96, 1284-1300.                                       | 4.7 | 70        |
| 31 | Semen analysis of boars under intertropical conditions reveals the relevance of proximal and distal cytoplasm droplets for sperm functional integrity. <i>Reproduction in Domestic Animals</i> , 2021, 56, 905-914.              | 0.6 | 1         |
| 32 | Species-Specific Differences in Sperm Chromatin Decondensation Between Eutherian Mammals Underlie Distinct Lysis Requirements. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 669182.                             | 1.8 | 21        |
| 33 | Metabolite Profiling of Pig Seminal Plasma Identifies Potential Biomarkers for Sperm Resilience to Liquid Preservation. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 669974.                                    | 1.8 | 9         |
| 34 | Microbial Prevalence and Antimicrobial Sensitivity in Equine Endometritis in Field Conditions. <i>Animals</i> , 2021, 11, 1476.  | 1.0 | 15        |
| 35 | Oxidative and nitrosative stress in frozen-thawed pig spermatozoa. I: Protective effect of melatonin and butylhydroxytoluene on sperm function. <i>Research in Veterinary Science</i> , 2021, 136, 143-150.                      | 0.9 | 15        |
| 36 | Specific Seminal Plasma Fractions Are Responsible for the Modulation of Spermâ€™PMN Binding in the Donkey. <i>Animals</i> , 2021, 11, 1388.  | 1.0 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Complete Chromatin Decondensation of Pig Sperm Is Required to Analyze Sperm DNA Breaks With the Comet Assay. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 675973.  | 1.8 | 9         |
| 38 | Aldose Reductase B1 in Pig Seminal Plasma: Identification, Localization in Reproductive Tissues, and Relationship With Quality and Sperm Preservation. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 683199.        | 1.8 | 3         |
| 39 | Pâ€™051 Differential resilience of sperm from different mammals to DNA decondensation. <i>Human Reproduction</i> , 2021, 36, .  | 0.4 | 1         |
| 40 | Extracellular Reactive Oxygen Species (ROS) Production in Fresh Donkey Sperm Exposed to Reductive Stress, Oxidative Stress and NETosis. <i>Antioxidants</i> , 2021, 10, 1367.   | 2.2 | 10        |
| 41 | Aquaporins Are Essential to Maintain Motility and Membrane Lipid Architecture During Mammalian Sperm Capacitation. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 656438.  | 1.8 | 5         |
| 42 | Role of exogenous antioxidants on the performance and function of pig sperm after preservation in liquid and frozen states: A systematic review. <i>Theriogenology</i> , 2021, 173, 279-294.  | 0.9 | 8         |
| 43 | The TUNEL assay underestimates the incidence of DNA damage in pig sperm due to chromatin condensation. <i>Theriogenology</i> , 2021, 174, 94-101.   | 0.9 | 7         |
| 44 | Direct but Not Indirect Methods Correlate the Percentages of Sperm With Altered Chromatin to the Intensity of Chromatin Damage. <i>Frontiers in Veterinary Science</i> , 2021, 8, 719319.   | 0.9 | 8         |
| 45 | Parkinson Disease Protein 7 (PARK7) Is Related to the Ability of Mammalian Sperm to Undergo In Vitro Capacitation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10804.  | 1.8 | 4         |
| 46 | Exogenous Albumin Is Crucial for Pig Sperm to Elicit In Vitro Capacitation Whereas Bicarbonate Only Modulates Its Efficiency. <i>Biology</i> , 2021, 10, 1105.  | 1.3 | 6         |
| 47 | Sperm chromatin condensation as an in vivo fertility biomarker in bulls: a flow cytometry approach. <i>Journal of Animal Science and Biotechnology</i> , 2021, 12, 115.   | 2.1 | 14        |
| 48 | Fatty acid synthase as a feasible biomarker for triple negative breast cancer stem cell subpopulation cultured on electrospun scaffolds. <i>Materials Today Bio</i> , 2021, 12, 100155.   | 2.6 | 3         |
| 49 | Blocking NHE Channels Reduces the Ability of In Vitro Capacitated Mammalian Sperm to Respond to Progesterone Stimulus. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12646.  | 1.8 | 10        |
| 50 | Metabolomic fingerprinting of pig seminal plasma identifies in vivo fertility biomarkers. <i>Journal of Animal Science and Biotechnology</i> , 2021, 12, 113.   | 2.1 | 7         |
| 51 | Addition of Reduced Glutathione (GSH) to Freezing Medium Reduces Intracellular ROS Levels in Donkey Sperm. <i>Veterinary Sciences</i> , 2021, 8, 302.   | 0.6 | 5         |
| 52 | Direct (alkaline and Neutral Comet and Tunel) But Not Indirect Methods (scd and Scsa) Relate The Percentages of Sperm With Fragmented Dna To Chromatin Damage In Cryopreserved Boar Sperm. <i>Cryobiology</i> , 2021, 103, 194-195. | 0.3 | 0         |
| 53 | Inflammatory Markers in Uterine Lavage Fluids of Pregnant, Non-Pregnant, and Intrauterine Device Implanted Mares on Days 10 and 15 Post Ovulation. <i>Animals</i> , 2021, 11, 3493.   | 1.0 | 3         |
| 54 | Increase of Dna Fragmentation Evaluated Through The Alkaline Comet Is Concomitant With A Decrease In The Quality of Frozen-Thawed Bovine Sperm. <i>Cryobiology</i> , 2021, 103, 207-208.  | 0.3 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Elucidating The Physiological Role of Slo1 and Hvcn1 Channels In Mammalian Sperm Cryopreservation. <i>Cryobiology</i> , 2021, 103, 181-182.   | 0.3 | 0         |
| 56 | Uterine and placental specific localization of AQP2 and AQP8 is related with changes of serum progesterone levels in pregnant queens. <i>Theriogenology</i> , 2020, 142, 149-157.   | 0.9 | 7         |
| 57 | The role of miRNAs in male human reproduction: a systematic review. <i>Andrology</i> , 2020, 8, 7-26.   | 1.9 | 72        |
| 58 | Relative content of Niemann-Pick C2 protein (NPC2) in seminal plasma, but not that of spermadhesin AQN-1, is related to boar sperm cryotolerance. <i>Theriogenology</i> , 2020, 145, 181-189.   | 0.9 | 8         |
| 59 | The triple role of glutathione S-transferases in mammalian male fertility. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 2331-2342.   | 2.4 | 27        |
| 60 | Total and specific activities of superoxide dismutase (SOD) in seminal plasma are related with the cryotolerance of jackass spermatozoa. <i>Cryobiology</i> , 2020, 92, 109-116.  | 0.3 | 20        |
| 61 | In Vitro Maturation with Leukemia Inhibitory Factor Prior to the Vitrification of Bovine Oocytes Improves Their Embryo Developmental Potential and Gene Expression in Oocytes and Embryos. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7067. | 1.8 | 5         |
| 62 | Urine glucose concentration: A useful parameter as a surrogate for glycaemia on the first day of life in canine neonates. <i>Research in Veterinary Science</i> , 2020, 133, 59-62.   | 0.9 | 1         |
| 63 | Single Layer Centrifugation Improves the Quality of Fresh Donkey Semen and Modifies the Sperm Ability to Interact with Polymorphonuclear Neutrophils. <i>Animals</i> , 2020, 10, 2128.  | 1.0 | 2         |
| 64 | Red LED Light Acts on the Mitochondrial Electron Chain of Mammalian Sperm via Light-Time Exposure-Dependent Mechanisms. <i>Cells</i> , 2020, 9, 2546.   | 1.8 | 12        |
| 65 | Effects of different equilibration times at 5°C on boar sperm cryotolerance. <i>Animal Reproduction Science</i> , 2020, 219, 106547.  | 0.5 | 8         |
| 66 | The Relationship between Sperm Oxidative Stress Alterations and IVF/ICSI Outcomes: A Systematic Review from Nonhuman Mammals. <i>Biology</i> , 2020, 9, 178.  | 1.3 | 23        |
| 67 | Mating to Intact, but Not Vasectomized, Males Elicits Changes in the Endometrial Transcriptome: Insights From the Bovine Model. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 547.  | 1.8 | 17        |
| 68 | Irradiating frozen-thawed stallion sperm with red-light increases their resilience to withstand post-thaw incubation at 38°C. <i>Theriogenology</i> , 2020, 157, 85-95.   | 0.9 | 8         |
| 69 | The Role of the Epididymis and the Contribution of Epididymosomes to Mammalian Reproduction. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5377.   | 1.8 | 123       |
| 70 | Exosomes derived from HEK293T cells interact in an efficient and noninvasive manner with mammalian sperm <i>in vitro</i> . <i>Nanomedicine</i> , 2020, 15, 1965-1980.   | 1.7 | 23        |
| 71 | In vitro maturation in the presence of Leukemia Inhibitory Factor modulates gene and miRNA expression in bovine oocytes and embryos. <i>Scientific Reports</i> , 2020, 10, 17777.   | 1.6 | 8         |
| 72 | Glutathione Ethyl Ester Protects In Vitro-Maturing Bovine Oocytes against Oxidative Stress Induced by Subsequent Vitrification/Warming. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7547.  | 1.8 | 34        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | A pilot RNA-seq study in 40 Pietrain ejaculates to characterize the porcine sperm microbiome. <i>Theriogenology</i> , 2020, 157, 525-533.   | 0.9 | 19        |
| 74 | Medium-term effects of the diluted pig semen irradiation with red LED light on the integrity of nucleoprotein structure and resilience to withstand thermal stress. <i>Theriogenology</i> , 2020, 157, 388-398.                                 | 0.9 | 2         |
| 75 | Oxidative and nitrosative stress in frozen-thawed pig spermatozoa. II: Effect of the addition of saccharides to freezing medium on sperm function. <i>Cryobiology</i> , 2020, 97, 5-11.   | 0.3 | 13        |
| 76 | Red-Light Irradiation of Horse Spermatozoa Increases Mitochondrial Activity and Motility through Changes in the Motile Sperm Subpopulation Structure. <i>Biology</i> , 2020, 9, 254.  | 1.3 | 11        |
| 77 | Exploring Seminal Plasma GSTM3 as a Quality and In Vivo Fertility Biomarker in Pigs – Relationship with Sperm Morphology. <i>Antioxidants</i> , 2020, 9, 741.   | 2.2 | 9         |
| 78 | Changes in Acute Phase Proteins in Bitches after Laparoscopic, Midline, and Flank Ovariectomy Using the Same Method for Hemostasis. <i>Animals</i> , 2020, 10, 2223.  | 1.0 | 4         |
| 79 | Red LED Light Acts on the Mitochondrial Electron Chain of Donkey Sperm and Its Effects Depend on the Time of Exposure to Light. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 588621.   | 1.8 | 13        |
| 80 | Seminal Plasma, Sperm Concentration, and Sperm-PMN Interaction in the Donkey: An In Vitro Model to Study Endometrial Inflammation at Post-Insemination. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3478.                    | 1.8 | 18        |
| 81 | Effect of Exposure to Seminal Plasma Through Natural Mating in Cattle on Conceptus Length and Gene Expression. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 341.   | 1.8 | 20        |
| 82 | Sperm induce NETosis in jenny polymorphonuclear cells in a concentration and time dependent manner. <i>Journal of Equine Veterinary Science</i> , 2020, 89, 103037.   | 0.4 | 2         |
| 83 | Seminal Plasma Modulates miRNA Expression by Sow Genital Tract Lining Explants. <i>Biomolecules</i> , 2020, 10, 933.  | 1.8 | 12        |
| 84 | Effects of red-light irradiation on the function and survival of fresh and liquid-stored donkey semen. <i>Theriogenology</i> , 2020, 149, 88-97.  | 0.9 | 11        |
| 85 | Tyrosine phosphorylation is not a relevant mechanism to modulate aquaporin 2 activity in gestational queen endometrium and placenta. <i>Reproduction in Domestic Animals</i> , 2020, 55, 448-453.   | 0.6 | 0         |
| 86 | <sup>1</sup> H Nuclear Magnetic Resonance of Pig Seminal Plasma Reveals Intra-Ejaculate Variation in Metabolites. <i>Biomolecules</i> , 2020, 10, 906.  | 1.8 | 9         |
| 87 | Effects of Roundup and its main component, glyphosate, upon mammalian sperm function and survival. <i>Scientific Reports</i> , 2020, 10, 11026.   | 1.6 | 46        |
| 88 | The Presence of Seminal Plasma during Liquid Storage of Pig Spermatozoa at 17 °C Modulates Their Ability to Elicit In Vitro Capacitation and Trigger Acrosomal Exocytosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4520. | 1.8 | 16        |
| 89 | Preservation of Epididymal Stallion Sperm in Liquid and Frozen States: Effects of Seminal Plasma on Sperm Function and Fertility. <i>Journal of Equine Veterinary Science</i> , 2020, 88, 102940.   | 0.4 | 1         |
| 90 | Glutathione S-Transferases Play a Crucial Role in Mitochondrial Function, Plasma Membrane Stability and Oxidative Regulation of Mammalian Sperm. <i>Antioxidants</i> , 2020, 9, 100.  | 2.2 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Long-term storage of boar seminal doses contaminated with <i>Proteus vulgaris</i> : A dose-dependent effect on sperm motility and sperm-bacteria interaction. <i>Animal Reproduction Science</i> , 2020, 216, 106349. | 0.5 | 8         |
| 92  | Oxidative Stress in Male Infertility: Causes, Effects in Assisted Reproductive Techniques, and Protective Support of Antioxidants. <i>Biology</i> , 2020, 9, 77.  | 1.3 | 45        |
| 93  | Seminal Plasma Anti-Müllerian Hormone: A Potential AI-Boar Fertility Biomarker?. <i>Biology</i> , 2020, 9, 78.  | 1.3 | 11        |
| 94  | Seminal plasma has limited counteracting effects following induction of oxidative stress in donkey spermatozoa. <i>Reproduction, Fertility and Development</i> , 2020, 32, 619.                                       | 0.1 | 2         |
| 95  | HVCN1 Channels Are Relevant for the Maintenance of Sperm Motility During In Vitro Capacitation of Pig Spermatozoa. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3255.                               | 1.8 | 15        |
| 96  | Cationic channels have a key role in mammalian sperm cryotolerance. <i>Cryobiology</i> , 2020, 97, 290.   | 0.3 | 0         |
| 97  | 4 Sperm, but not seminal plasma, elicit changes in the bovine endometrial transcriptome after natural mating. <i>Reproduction, Fertility and Development</i> , 2020, 32, 126.   | 0.1 | 0         |
| 98  | GSTM3, but not IZUMO1, is a cryotolerance marker of boar sperm. <i>Journal of Animal Science and Biotechnology</i> , 2019, 10, 61.  | 2.1 | 30        |
| 99  | Relative GSTM3-abundance in fresh boar sperm is related to their cryotolerance. <i>Theriogenology</i> , 2019, 137, 127.   | 0.9 | 0         |
| 100 | Oocyte Activation Deficiency and Advances to Overcome. , 2019, , 429-445.   |     | 2         |
| 101 | Species-specific and collection method-dependent differences in endometrial susceptibility to seminal plasma-induced RNA degradation. <i>Scientific Reports</i> , 2019, 9, 15072.                                     | 1.6 | 12        |
| 102 | Specific Activity of Superoxide Dismutase in Stallion Seminal Plasma Is Related to Sperm Cryotolerance. <i>Antioxidants</i> , 2019, 8, 539.   | 2.2 | 34        |
| 103 | Aquaglyceroporins but not orthodox aquaporins are involved in the cryotolerance of pig spermatozoa. <i>Journal of Animal Science and Biotechnology</i> , 2019, 10, 77.  | 2.1 | 20        |
| 104 | A new test based on the hypotonic resistance and functional competence to evaluate the sperm quality, cryotolerance and in vitro fertilizing ability in pigs. <i>Theriogenology</i> , 2019, 140, 84-92.               | 0.9 | 1         |
| 105 | Levels of activity of superoxide dismutase in seminal plasma do not predict fertility of pig AI-semen doses. <i>Theriogenology</i> , 2019, 140, 18-24.  | 0.9 | 17        |
| 106 | Activities of antioxidant seminal plasma enzymes (SOD, CAT, GPX and GSR) are higher in jackasses than in stallions and are correlated with sperm motility in jackasses. <i>Theriogenology</i> , 2019, 140, 180-187.   | 0.9 | 40        |
| 107 | Cryoprotectant role of exopolysaccharide of <i>Pseudomonas</i> sp. ID1 in the vitrification of IVM cow oocytes. <i>Reproduction, Fertility and Development</i> , 2019, 31, 1507.                                      | 0.1 | 11        |
| 108 | Potential of seminal plasma to improve the fertility of frozen-thawed boar spermatozoa. <i>Theriogenology</i> , 2019, 137, 36-42.   | 0.9 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Red light stimulation of boar semen prior to artificial insemination improves field fertility in farms: A worldwide survey. <i>Reproduction in Domestic Animals</i> , 2019, 54, 1145-1148.                    | 0.6 | 11        |
| 110 | Cryotolerance of Stallion Spermatozoa Relies on Aquaglyceroporins rather than Orthodox Aquaporins. <i>Biology</i> , 2019, 8, 85.  | 1.3 | 12        |
| 111 | Elucidating the Role of K <sup>+</sup> Channels during In Vitro Capacitation of Boar Spermatozoa: Do SLO1 Channels Play a Crucial Role?. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6330. | 1.8 | 12        |
| 112 | Effect of AQP Inhibition on Boar Sperm Cryotolerance Depends on the Intrinsic Freezability of the Ejaculate. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6255.                             | 1.8 | 10        |
| 113 | The Expression of miRNAs in Human Ovaries, Oocytes, Extracellular Vesicles, and Early Embryos: A Systematic Review. <i>Cells</i> , 2019, 8, 1564.   | 1.8 | 39        |
| 114 | Removal of seminal plasma prior to liquid storage of boar spermatozoa: A practice that can improve their fertilizing ability. <i>Theriogenology</i> , 2019, 125, 79-86.                                       | 0.9 | 24        |
| 115 | Melatonin reduces cAMP-stimulated capacitation of ram spermatozoa. <i>Reproduction, Fertility and Development</i> , 2019, 31, 420.  | 0.1 | 30        |
| 116 | Evaluation of porcine beta defensins-1 and -2 as antimicrobial peptides for liquid-stored boar semen: Effects on bacterial growth and sperm quality. <i>Theriogenology</i> , 2018, 111, 9-18.                 | 0.9 | 22        |
| 117 | Impact of light irradiation on preservation and function of mammalian spermatozoa. <i>Animal Reproduction Science</i> , 2018, 194, 19-32.   | 0.5 | 21        |
| 118 | Cyclooxygenase-2 is inhibited in prolonged luteal maintenance induced by intrauterine devices in mares. <i>Animal Reproduction Science</i> , 2018, 199, 93-103.   | 0.5 | 4         |
| 119 | Involvement of aquaporins in mammalian sperm cryopreservation. <i>Cryobiology</i> , 2018, 85, 126.  | 0.3 | 0         |
| 120 | Screening of Additive Manufactured Scaffolds Designs for Triple Negative Breast Cancer 3D Cell Culture and Stem-Like Expansion. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3148.          | 1.8 | 23        |
| 121 | Combined effects of resveratrol and epigallocatechin-3-gallate on post thaw boar sperm and IVF parameters. <i>Theriogenology</i> , 2018, 117, 16-25.  | 0.9 | 37        |
| 122 | Melatonin affects the motility and adhesiveness of in vitro capacitated boar spermatozoa via a mechanism that does not depend on intracellular ROS levels. <i>Andrology</i> , 2018, 6, 720-736.               | 1.9 | 14        |
| 123 | Aquaporin 11 is related to cryotolerance and fertilising ability of frozen-thawed bull spermatozoa. <i>Reproduction, Fertility and Development</i> , 2018, 30, 1099.  | 0.1 | 21        |
| 124 | Evaluation of sperm motility with CASA-Mot: which factors may influence our measurements?. <i>Reproduction, Fertility and Development</i> , 2018, 30, 789.  | 0.1 | 34        |
| 125 | Study of boar sperm interaction with <i>Escherichia coli</i> and <i>Clostridium perfringens</i> in refrigerated semen. <i>Animal Reproduction Science</i> , 2018, 197, 134-144.                               | 0.5 | 14        |
| 126 | The achievement of boar sperm in vitro capacitation is related to an increase of disrupted disulphide bonds and intracellular reactive oxygen species levels. <i>Andrology</i> , 2018, 6, 781-797.            | 1.9 | 21        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Placental and uterine expression of GLUT3, but not GLUT1, is related with serum progesterone levels during the first stages of pregnancy in queens. <i>Theriogenology</i> , 2018, 121, 82-90.   | 0.9 | 11        |
| 128 | Supplementing Maturation Medium With Insulin Growth Factor I and Vitrification-Warming Solutions With Reduced Glutathione Enhances Survival Rates and Development Ability of in vitro Matured Vitrified-Warmed Pig Oocytes. <i>Frontiers in Physiology</i> , 2018, 9, 1894. | 1.3 | 8         |
| 129 | 40 Gene Expression Profiling of In Vitro-Produced Blastocysts Derived from In Vitro-Matured Bovine Oocytes Vitrified/Warmed in Media Supplemented with a Biopolymer Produced by an Antarctic Bacterium. <i>Reproduction, Fertility and Development</i> , 2018, 30, 159.     | 0.1 | 1         |
| 130 | Effects of reduced glutathione on acrosin activity in frozen-thawed boar spermatozoa. <i>Reproduction, Fertility and Development</i> , 2017, 29, 283.   | 0.1 | 19        |
| 131 | Aquaporins in boar spermatozoa. Part II: detection and localisation of aquaglyceroporin 3. <i>Reproduction, Fertility and Development</i> , 2017, 29, 703.  | 0.1 | 18        |
| 132 | Effect of seminal plasma proteins on the motile sperm subpopulations in ram ejaculates. <i>Reproduction, Fertility and Development</i> , 2017, 29, 394.   | 0.1 | 27        |
| 133 | Aquaglyceroporins 3 and 7 in bull spermatozoa: identification, localisation and their relationship with sperm cryotolerance. <i>Reproduction, Fertility and Development</i> , 2017, 29, 1249.   | 0.1 | 23        |
| 134 | Oocyte Activation and Fertilisation: Crucial Contributors from the Sperm and Oocyte. <i>Results and Problems in Cell Differentiation</i> , 2017, 59, 213-239.   | 0.2 | 51        |
| 135 | Artificial insemination with frozen-thawed boar sperm. <i>Molecular Reproduction and Development</i> , 2017, 84, 802-813.   | 1.0 | 88        |
| 136 | A comparative study of the effects of <i>Escherichia coli</i> and <i>Clostridium perfringens</i> upon boar semen preserved in liquid storage. <i>Animal Reproduction Science</i> , 2017, 177, 65-78.  | 0.5 | 38        |
| 137 | Effects of the antimicrobial peptide protegrin 1 on sperm viability and bacterial load of boar seminal doses. <i>Reproduction in Domestic Animals</i> , 2017, 52, 69-71.  | 0.6 | 14        |
| 138 | Aquaporins in the male reproductive tract and sperm: Functional implications and cryobiology. <i>Reproduction in Domestic Animals</i> , 2017, 52, 12-27.  | 0.6 | 62        |
| 139 | First evidence for the presence of aquaporins in stallion sperm. <i>Reproduction in Domestic Animals</i> , 2017, 52, 61-64.   | 0.6 | 24        |
| 140 | Voltage-dependent anion channel 2 is involved in in vitro capacitation of boar sperm. <i>Reproduction in Domestic Animals</i> , 2017, 52, 65-68.  | 0.6 | 8         |
| 141 | Relationship of aquaporins 3 (AQP3), 7 (AQP7), and 11 (AQP11) with boar sperm resilience to withstand freeze-thawing procedures. <i>Andrology</i> , 2017, 5, 1153-1164.   | 1.9 | 40        |
| 142 | The addition of reduced glutathione to cryopreservation media induces changes in the structure of motile subpopulations of frozen-thawed boar sperm. <i>Cryobiology</i> , 2017, 78, 56-64.  | 0.3 | 27        |
| 143 | Implementing an open-access CASA software for the assessment of stallion sperm motility: Relationship with other sperm quality parameters. <i>Animal Reproduction Science</i> , 2017, 176, 11-19.   | 0.5 | 50        |
| 144 | Assessment of the effect of adding L-carnitine and/or resveratrol to maturation medium before vitrification on in vitro-matured calf oocytes. <i>Theriogenology</i> , 2017, 89, 47-57.  | 0.9 | 43        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Do antimicrobial peptides PR-39, PMAP-36 and PMAP-37 have any effect on bacterial growth and quality of liquid-stored boar semen?. <i>Theriogenology</i> , 2017, 89, 235-243.                            | 0.9 | 28        |
| 146 | Electrospinning PCL Scaffolds Manufacture for Three-Dimensional Breast Cancer Cell Culture. <i>Polymers</i> , 2017, 9, 328.  | 2.0 | 59        |
| 147 | Cholesterol added prior to vitrification on the cryotolerance of immature and in vitro matured bovine oocytes. <i>PLoS ONE</i> , 2017, 12, e0184714.   | 1.1 | 16        |
| 148 | State-of-the-art of boar sperm preservation in liquid and frozen state. <i>Animal Reproduction</i> , 2017, 14, 69-81.  | 0.4 | 49        |
| 149 | Specific LED-based red light photo-stimulation procedures improve overall sperm function and reproductive performance of boar ejaculates. <i>Scientific Reports</i> , 2016, 6, 22569.                    | 1.6 | 38        |
| 150 | Development of a laser-activated mesoporous silica nanocarrier delivery system for applications in molecular and genetic research. <i>Journal of Biomedical Optics</i> , 2016, 21, 115002.               | 1.4 | 1         |
| 151 | Does advancing male age influence the expression levels and localisation patterns of phospholipase C zeta (PLC $\zeta$ ) in human sperm?. <i>Scientific Reports</i> , 2016, 6, 27543.                    | 1.6 | 22        |
| 152 | Pro-inflammatory cytokines: Useful markers for the diagnosis of canine mammary tumours?. <i>Veterinary Journal</i> , 2016, 210, 92-94.   | 0.6 | 6         |
| 153 | Effects on the equine endometrium of cervical occlusion after insemination. <i>Theriogenology</i> , 2016, 85, 617-624.   | 0.9 | 19        |
| 154 | Effect of <i>Pseudomonas aeruginosa</i> on sperm capacitation and $\Delta$ protein phosphorylation of boar spermatozoa. <i>Theriogenology</i> , 2016, 85, 1421-1431.                                     | 0.9 | 26        |
| 155 | Aquaporins 7 and 11 in boar spermatozoa: detection, localisation and relationship with sperm quality. <i>Reproduction, Fertility and Development</i> , 2016, 28, 663.                                    | 0.1 | 31        |
| 156 | Introduction to the special issue on swine reproduction. <i>Theriogenology</i> , 2016, 85, 2-3.  | 0.9 | 1         |
| 157 | Phospholipase C zeta (PLC $\zeta$ ) and male infertility: Clinical update and topical developments. <i>Advances in Biological Regulation</i> , 2016, 61, 58-67.  | 1.4 | 45        |
| 158 | Triosephosphate isomerase (TPI) and epididymal secretory glutathione peroxidase (GPX5) are markers for boar sperm quality. <i>Animal Reproduction Science</i> , 2016, 165, 22-30.                        | 0.5 | 22        |
| 159 | Oocyte activation deficiency: a role for an oocyte contribution?. <i>Human Reproduction Update</i> , 2016, 22, 23-47.  | 5.2 | 110       |
| 160 | Sperm cryopreservation update: Cryodamage, markers, and factors affecting the sperm freezability in pigs. <i>Theriogenology</i> , 2016, 85, 47-64.   | 0.9 | 249       |
| 161 | Cryotolerance of porcine in vitro-produced blastocysts relies on blastocyst stage and length of in vitro culture prior to vitrification. <i>Reproduction, Fertility and Development</i> , 2016, 28, 886. | 0.1 | 16        |
| 162 | Recent Advances in Boar Sperm Cryopreservation: State of the Art and Current Perspectives. <i>Reproduction in Domestic Animals</i> , 2015, 50, 71-79.  | 0.6 | 89        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Addition of L-ascorbic acid to culture and vitrification media of IVF porcine blastocysts improves survival and reduces HSPA1A levels of vitrified embryos. <i>Reproduction, Fertility and Development</i> , 2015, 27, 1115.                         | 0.1 | 12        |
| 164 | Intracellular calcium movements of boar spermatozoa during "in vitro" capacitation and subsequent acrosome exocytosis follow a multiple-storage place, extracellular calcium-dependent model. <i>Andrology</i> , 2015, 3, 729-747.                   | 1.9 | 56        |
| 165 | Effects of vitrification on the expression of pluripotency, apoptotic and stress genes in in vitro-produced porcine blastocysts. <i>Reproduction, Fertility and Development</i> , 2015, 27, 1072.  | 0.1 | 38        |
| 166 | Acrosin activity is a good predictor of boar sperm freezability. <i>Theriogenology</i> , 2015, 83, 1525-1533.  | 0.9 | 17        |
| 167 | Hormone supplementation protocol using estradiol benzoate and long-acting progesterone is efficient in maintaining pregnancy of anovulatory recipient mares during autumn transitional phase. <i>Animal Reproduction Science</i> , 2015, 153, 39-43. | 0.5 | 15        |
| 168 | Sperm quality and fertility of boar seminal doses after 2 days of storage: Does the type of extender really matter?. <i>Theriogenology</i> , 2015, 83, 1428-1437.  | 0.9 | 17        |
| 169 | Comparative analysis of boar seminal plasma proteome from different freezability ejaculates and identification of Fibronectin 1 as sperm freezability marker. <i>Andrology</i> , 2015, 3, 345-356.   | 1.9 | 72        |
| 170 | The Wnt1 ligand/Frizzled 3 receptor system plays a regulatory role in the achievement of the "in vitro" capacitation and subsequent "in vitro" acrosome exocytosis of porcine spermatozoa. <i>Andrology</i> , 2015, 3, 357-367.                      | 1.9 | 4         |
| 171 | Total levels, localization patterns, and proportions of sperm exhibiting phospholipase C zeta are significantly correlated with fertilization rates after intracytoplasmic sperm injection. <i>Fertility and Sterility</i> , 2015, 104, 561-568.e4.  | 0.5 | 67        |
| 172 | Mission impossible? Improving ART outcome following unexplained total failed fertilisation. <i>Fertility and Sterility</i> , 2015, 104, e301-e302.   | 0.5 | 0         |
| 173 | Sperm Factors and Oocyte Activation: Current Controversies and Considerations1. <i>Biology of Reproduction</i> , 2015, 93, 50.   | 1.2 | 42        |
| 174 | Combining reduced glutathione and ascorbic acid has supplementary beneficial effects on boar sperm cryotolerance. <i>Theriogenology</i> , 2015, 83, 399-407.   | 0.9 | 47        |
| 175 | Cryotolerance of stallion spermatozoa is related to ROS production and mitochondrial membrane potential rather than to the integrity of sperm nucleus. <i>Andrology</i> , 2015, 3, 395-407.  | 1.9 | 86        |
| 176 | The Increase in Phosphorylation Levels of Serine Residues of Protein HSP70 during Holding Time at 17°C Is Concomitant with a Higher Cryotolerance of Boar Spermatozoa. <i>PLoS ONE</i> , 2014, 9, e90887.  | 1.1 | 60        |
| 177 | Comparative effects of adding β-mercaptoethanol or L-ascorbic acid to culture or vitrification-warming media on IVF porcine embryos. <i>Reproduction, Fertility and Development</i> , 2014, 26, 875.   | 0.1 | 38        |
| 178 | Supplementing cryopreservation media with reduced glutathione increases fertility and prolificacy of sows inseminated with frozen-thawed boar semen. <i>Andrology</i> , 2014, 2, 88-99.  | 1.9 | 66        |
| 179 | Viable and morphologically normal boar spermatozoa alter the expression of heat shock protein genes in oviductal epithelial cells during co-culture in vitro. <i>Molecular Reproduction and Development</i> , 2014, 81, 805-819.                     | 1.0 | 30        |
| 180 | Supplementing culture and vitrification-warming media with l-ascorbic acid enhances survival rates and redox status of IVP porcine blastocysts via induction of GPX1 and SOD1 expression. <i>Cryobiology</i> , 2014, 68, 451-458.                    | 0.3 | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Evaluation of sperm subpopulation structure in relation to in vitro sperm-oocyte interaction of frozen-thawed semen from Holstein bulls. <i>Theriogenology</i> , 2014, 81, 1067-1072.  | 0.9 | 40        |
| 182 | The improving effect of reduced glutathione on boar sperm cryotolerance is related with the intrinsic ejaculate freezability. <i>Cryobiology</i> , 2014, 68, 251-261.  | 0.3 | 51        |
| 183 | Effects of different concentrations of <i>Pseudomonas aeruginosa</i> on boar sperm quality. <i>Animal Reproduction Science</i> , 2014, 150, 96-106.  | 0.5 | 43        |
| 184 | Relationship of sperm small heat-shock protein 10 and voltage-dependent anion channel 2 with semen freezability in boars. <i>Theriogenology</i> , 2014, 82, 418-426.   | 0.9 | 47        |
| 185 | Effects of <i>Enterobacter cloacae</i> on boar sperm quality during liquid storage at 17°C. <i>Animal Reproduction Science</i> , 2014, 148, 72-82.   | 0.5 | 57        |
| 186 | Embryo development and sex ratio of in vitro-produced porcine embryos are affected by the energy substrate and hyaluronic acid added to the culture medium. <i>Reproduction, Fertility and Development</i> , 2014, 26, 570.                                | 0.1 | 10        |
| 187 | Oligomycin A-induced inhibition of mitochondrial ATP-synthase activity suppresses boar sperm motility and in vitro capacitation achievement without modifying overall sperm energy levels. <i>Reproduction, Fertility and Development</i> , 2014, 26, 883. | 0.1 | 47        |
| 188 | New insights into SET protein during mouse spermatogenesis. <i>Asian Journal of Andrology</i> , 2014, 16, 783.   | 0.8 | 1         |
| 189 | Effect of donkey seminal plasma on sperm movement and sperm-polymorphonuclear neutrophils attachment in vitro. <i>Animal Reproduction Science</i> , 2013, 140, 164-172.  | 0.5 | 25        |
| 190 | How do different concentrations of <i>Clostridium perfringens</i> affect the quality of extended boar spermatozoa?. <i>Animal Reproduction Science</i> , 2013, 140, 83-91.   | 0.5 | 29        |
| 191 | Adenosine monophosphate-activated kinase, AMPK, is involved in the maintenance of the quality of extended boar semen during long-term storage. <i>Theriogenology</i> , 2013, 80, 285-294.  | 0.9 | 34        |
| 192 | Acrosin activity is a suitable indicator of boar semen preservation at 17 °C when increasing environmental temperature and radiation. <i>Theriogenology</i> , 2013, 80, 234-247.   | 0.9 | 18        |
| 193 | Acrosin-binding protein (ACRBP) and triosephosphate isomerase (TPI) are good markers to predict boar sperm freezing capacity. <i>Theriogenology</i> , 2013, 80, 443-450.   | 0.9 | 74        |
| 194 | Good and bad freezability boar ejaculates differ in the integrity of nucleoprotein structure after freeze-thawing but not in ROS levels. <i>Theriogenology</i> , 2013, 79, 929-939.  | 0.9 | 75        |
| 195 | Boar Spermatozoa Within the Uterine Environment. , 2013, , 205-255.  |     | 0         |
| 196 | Boar Spermatozoa Within the Oviductal Environment (I): Sperm Reservoir. , 2013, , 257-346.   |     | 3         |
| 197 | Boar Spermatozoa Within the Oviductal Environment (III): Fertilisation. , 2013, , 407-467.   |     | 3         |
| 198 | Boar Spermatozoa Within the Oviductal Environment (II): Sperm Capacitation. , 2013, , 347-405.   |     | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Energy substrate influences the effect of the timing of the first embryonic cleavage on the development of in vitro-produced porcine embryos in a sex-related manner. <i>Molecular Reproduction and Development</i> , 2013, 80, 924-935. | 1.0 | 5         |
| 200 | Reduced glutathione and procaine hydrochloride protect the nucleoprotein structure of boar spermatozoa during freeze-thawing by stabilising disulfide bonds. <i>Reproduction, Fertility and Development</i> , 2013, 25, 1036.            | 0.1 | 56        |
| 201 | Cryotolerance of in vitro-produced porcine blastocysts is improved when using glucose instead of pyruvate and lactate during the first 2 days of embryo culture. <i>Reproduction, Fertility and Development</i> , 2013, 25, 737.         | 0.1 | 13        |
| 202 | 60 THE EFFECT OF L-ASCORBIC ACID DURING CULTURE, CRYOPRESERVATION, OR BOTH ON PORCINE EMBRYOS PRODUCED IN VITRO. <i>Reproduction, Fertility and Development</i> , 2013, 25, 177.   | 0.1 | 1         |
| 203 | A PCR technique to detect enterotoxigenic and verotoxigenic <i>Escherichia coli</i> in boar semen samples. <i>Research in Veterinary Science</i> , 2012, 93, 31-33.  | 0.9 | 3         |
| 204 | Boar sperm thawing practices: The number of straws does matter. <i>Theriogenology</i> , 2012, 77, 1487-1494.   | 0.9 | 13        |
| 205 | Direct binding of boar ejaculate and epididymal spermatozoa to porcine epididymal epithelial cells is also needed to maintain sperm survival in in vitro co-culture. <i>Animal Reproduction Science</i> , 2012, 131, 181-193.            | 0.5 | 12        |
| 206 | A Proper Assessment of Boar Sperm Function May Not Only Require Conventional Analyses but Also Others Focused on Molecular Markers of Epididymal Maturation. <i>Reproduction in Domestic Animals</i> , 2012, 47, 52-64.                  | 0.6 | 18        |
| 207 | Effects of different concentrations of enterotoxigenic and verotoxigenic <i>E. coli</i> on boar sperm quality. <i>Animal Reproduction Science</i> , 2011, 127, 176-182.  | 0.5 | 70        |
| 208 | The effects on boar sperm quality of dietary supplementation with omega-3 polyunsaturated fatty acids differ among porcine breeds. <i>Theriogenology</i> , 2011, 76, 184-196.  | 0.9 | 52        |
| 209 | Impact of epididymal maturation, ejaculation and in vitro capacitation on tyrosine phosphorylation patterns exhibited of boar ( <i>Sus domesticus</i> ) spermatozoa. <i>Theriogenology</i> , 2011, 76, 1356-1366.                        | 0.9 | 21        |
| 210 | Study of the proacrosin - acrosin system in epididymal, ejaculated and in vitro capacitated boar spermatozoa. <i>Reproduction, Fertility and Development</i> , 2011, 23, 837.  | 0.1 | 30        |
| 211 | A diet supplemented with l-carnitine improves the sperm quality of PiÅ©train but not of Duroc and Large White boars when photoperiod and temperature increase. <i>Theriogenology</i> , 2010, 73, 577-586.                                | 0.9 | 49        |
| 212 | The HSP90AA1 sperm content and the prediction of the boar ejaculate freezability. <i>Theriogenology</i> , 2010, 74, 940-950.   | 0.9 | 61        |
| 213 | Fertility after post-cervical artificial insemination with cryopreserved sperm from boar ejaculates of good and poor freezability. <i>Animal Reproduction Science</i> , 2010, 118, 69-76.  | 0.5 | 37        |
| 214 | The osmotic tolerance of boar spermatozoa and its usefulness as sperm quality parameter. <i>Animal Reproduction Science</i> , 2010, 119, 265-274.  | 0.5 | 27        |
| 215 | Effects of Matrix Filtration of Low-Quality Boar Semen Doses on Sperm Quality. <i>Reproduction in Domestic Animals</i> , 2009, 44, 499-503.  | 0.6 | 12        |
| 216 | Freezability prediction of boar ejaculates assessed by functional sperm parameters and sperm proteins. <i>Theriogenology</i> , 2009, 72, 930-948.  | 0.9 | 89        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Direct contact between boar spermatozoa and porcine oviductal epithelial cell (OEC) cultures is needed for optimal sperm survival in vitro. <i>Animal Reproduction Science</i> , 2009, 113, 263-278. | 0.5 | 36        |
| 218 | Effects of Filtration of Semen Doses from Subfertile Boars through Neuter Sephadex Columns. <i>Reproduction in Domestic Animals</i> , 2008, 43, 48-52.   | 0.6 | 15        |
| 219 | Boar spermatozoa and prostaglandin F <sub>2</sub> ±. <i>Animal Reproduction Science</i> , 2008, 108, 180-195.  | 0.5 | 30        |
| 220 | Hyaluronic acid delays boar sperm capacitation after 3 days of storage at 15Â°C. <i>Animal Reproduction Science</i> , 2008, 109, 236-250.  | 0.5 | 29        |
| 221 | Boar sperm quality after co-culture with homologous oviductal epithelial cells. <i>Theriogenology</i> , 2008, 70, 1395.  | 0.9 | 1         |
| 222 | Valuable boar sperm parameters when searching for freezability traits. <i>Theriogenology</i> , 2008, 70, 1396.   | 0.9 | 1         |
| 223 | Effects of cryopreservation on semen quality and the expression of sperm membrane hexose transporters in the spermatozoa of Iberian pigs. <i>Reproduction</i> , 2007, 134, 111-121.                  | 1.1 | 53        |
| 224 | Effect of culture conditions on the obtention of boar epididymal epithelial cell monolayers. <i>Animal Reproduction Science</i> , 2006, 95, 262-272.   | 0.5 | 3         |
| 225 | Effects of exposing boars to different artificial light regimens on semen plasma markers and "in vivo" fertilizing capacity. <i>Theriogenology</i> , 2006, 65, 317-331.                              | 0.9 | 15        |
| 226 | Structural and ultrastructural features of boar bulbourethral glands. <i>Tissue and Cell</i> , 2006, 38, 7-18.   | 1.0 | 18        |
| 227 | Structural and ultrastructural features of boar seminal vesicles. <i>Tissue and Cell</i> , 2006, 38, 79-91.  | 1.0 | 13        |
| 228 | OC1 Effects of Cryopreservation on the Expression of Glut-3, Glut-5 and As-A Proteins in Iberian Boar Sperm Membranes. <i>Reproduction in Domestic Animals</i> , 2006, 41, 103-103.                  | 0.6 | 1         |
| 229 | Development of a protocol for multiple staining with fluorochromes to assess the functional status of boar spermatozoa. <i>Microscopy Research and Technique</i> , 2005, 68, 277-283.                | 1.2 | 43        |
| 230 | Effects of a high semen-collection frequency on the quality of sperm from ejaculates and from six epididymal regions in boars. <i>Theriogenology</i> , 2005, 63, 2219-2232.                          | 0.9 | 38        |
| 231 | Evaluation of boar sperm maturation after co-incubation with caput, corpus and cauda epididymal cultures. <i>Theriogenology</i> , 2005, 64, 1995-2009.   | 0.9 | 8         |
| 232 | In vitro culture of epithelial cells from the caput, corpus, and cauda epididymis of <i>Sus domesticus</i> . <i>Theriogenology</i> , 2004, 62, 929-942.  | 0.9 | 10        |
| 233 | Semen quality of postpubertal boars during increasing and decreasing natural photoperiods. <i>Theriogenology</i> , 2004, 62, 1271-1282.  | 0.9 | 70        |