

Yang Luan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3454416/publications.pdf>

Version: 2024-02-01

29
papers

380
citations

759233

12
h-index

839539

18
g-index

30
all docs

30
docs citations

30
times ranked

459
citing authors

#	ARTICLE	IF	CITATIONS
1	Genotoxicity testing and recent advances. <i>Genome Instability & Disease</i> , 2022, 3, 1-21.	1.1	3
2	Ambient particulate matter compositions and increased oxidative stress: Exposure-response analysis among high-level exposed population. <i>Environment International</i> , 2021, 147, 106341.	10.0	37
3	Associations of blood lead levels with multiple genotoxic biomarkers among workers in China: A population-based study. <i>Environmental Pollution</i> , 2021, 273, 116181.	7.5	7
4	Integrated Proteomic and Metabolomic Analysis of the Testes Characterizes BDE-47-Induced Reproductive Toxicity in Mice. <i>Biomolecules</i> , 2021, 11, 821.	4.0	15
5	Aristolochic acid IVa forms DNA adducts in vitro but is non-genotoxic in vivo. <i>Archives of Toxicology</i> , 2021, 95, 2839-2850.	4.2	4
6	Benchmark dose analysis of multiple genotoxicity endpoints in gpt delta mice exposed to aristolochic acid I. <i>Mutagenesis</i> , 2021, 36, 87-94.	2.6	5
7	Dose-response genotoxicity of triclosan in mice: an estimate of acceptable daily intake based on organ toxicity. <i>Toxicology Research</i> , 2021, 10, 1153-1161.	2.1	6
8	Nature of spontaneously arising single base substitutions in normal cells. <i>Genome Instability & Disease</i> , 2021, 2, 339.	1.1	0
9	PIG-A gene mutation as a genotoxicity biomarker in polycyclic aromatic hydrocarbon-exposed barbecue workers. <i>Genes and Environment</i> , 2021, 43, 54.	2.1	6
10	Genotoxic effects of imidacloprid in human lymphoblastoid TK6 cells. <i>Drug and Chemical Toxicology</i> , 2020, 43, 208-212.	2.3	20
11	Assessment of Pig-A, Micronucleus, and Comet Assay Endpoints in Tg.RasH2 Mice Carcinogenicity Study of Aristolochic Acid I. <i>Environmental and Molecular Mutagenesis</i> , 2020, 61, 266-275.	2.2	8
12	The potential application of human Pig-A assay on azathioprine-treated inflammatory bowel disease patients. <i>Environmental and Molecular Mutagenesis</i> , 2020, 61, 456-464.	2.2	12
13	Detection of genome-wide low-frequency mutations with Paired-End and Complementary Consensus Sequencing (PECC-Seq) revealed end-repair-derived artifacts as residual errors. <i>Archives of Toxicology</i> , 2020, 94, 3475-3485.	4.2	14
14	Pig-A gene mutation as a genotoxicity biomarker in human population studies: An investigation in lead-exposed workers. <i>Environmental and Molecular Mutagenesis</i> , 2020, 61, 611-621.	2.2	16
15	Isotope dilution LC/ESI-MS-MS quantitation of urinary 1,4-bis(N-acetyl-S-cysteiny)-2-butanone in mice and rats as the biomarker of 1-chloro-2-hydroxy-3-butene, an in vitro metabolite of 1,3-butadiene. <i>Chemico-Biological Interactions</i> , 2019, 311, 108760.	4.0	3
16	Distribution of the parent compound and its metabolites in serum, urine, and feces of mice administered 2,2,4,4-tetrabromodiphenyl ether. <i>Chemosphere</i> , 2019, 225, 217-225.	8.2	10
17	An Adaption of Human-Induced Hepatocytes to In Vitro Genetic Toxicity Tests. <i>Mutagenesis</i> , 2019, 34, 165-171.	2.6	7
18	Gene mutation and micronucleus assays in gpt delta mice treated with 2,2,4,4-tetrabromodiphenyl ether. <i>Mutagenesis</i> , 2018, 33, 153-160.	2.6	6

#	ARTICLE	IF	CITATIONS
19	Metabolomics coupled with pathway analysis characterizes metabolic changes in response to BDE-3 induced reproductive toxicity in mice. <i>Scientific Reports</i> , 2018, 8, 5423.	3.3	38
20	Bioactivation of 1-chloro-2-hydroxy-3-butene, an in vitro metabolite of 1,3-butadiene, by rat liver microsomes. <i>Chemico-Biological Interactions</i> , 2018, 282, 36-44.	4.0	5
21	Is it really the "dark side" of herbal medicine?. <i>Science China Life Sciences</i> , 2018, 61, 1118-1119.	4.9	0
22	2,2,4,4-tetrabromodiphenyl ether induces germ cell apoptosis through oxidative stress by a MAPK-mediated p53-independent pathway. <i>Environmental Pollution</i> , 2018, 242, 887-893.	7.5	21
23	Detoxification of benzo[a]pyrene primarily depends on cytochrome P450, while bioactivation involves additional oxidoreductases including 5-lipoxygenase, cyclooxygenase, and aldo-keto reductase in the liver. <i>Journal of Biochemical and Molecular Toxicology</i> , 2017, 31, N/A.	3.0	11
24	4-Bromodiphenyl Ether Induces Germ Cell Apoptosis by Induction of ROS and DNA Damage in <i>Caenorhabditis elegans</i> . <i>Toxicological Sciences</i> , 2017, 157, 510-518.	3.1	12
25	A population study using the human erythrocyte <i>in vitro</i> assay. <i>Environmental and Molecular Mutagenesis</i> , 2016, 57, 605-614.	2.2	17
26	Inhibition of hepatic cytochrome P450 enzymes and sodium/bile acid cotransporter exacerbates leflunomide-induced hepatotoxicity. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 415-424.	6.1	17
27	Mutagenic Effects of Perfluorooctanesulfonic Acid in <i>gpt</i> Δ Transgenic System Are Mediated by Hydrogen Peroxide. <i>Environmental Science & Technology</i> , 2015, 49, 6294-6303.	10.0	8
28	Role of hepatic cytochrome P450 enzymes in the detoxication of aristolochic acid I; effects on DNA adduct, mutation, and tumor formation. <i>Genes and Environment</i> , 2015, 37, 11.	2.1	8
29	Comparison of the mutagenicity of aristolochic acid I and aristolochic acid II in the <i>gpt</i> Δ transgenic mouse kidney. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2012, 743, 52-58.	1.7	25