

Offer Erez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3455404/offer-erez-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

267
papers

10,170
citations

52
h-index

87
g-index

285
ext. papers

11,971
ext. citations

3
avg. IF

5.78
L-index

#	Paper	IF	Citations
267	Microbial prevalence, diversity and abundance in amniotic fluid during preterm labor: a molecular and culture-based investigation. <i>PLoS ONE</i> , 2008 , 3, e3056	3.7	543
266	A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin and soluble vascular endothelial growth factor receptor-1) factors in normal pregnancy and patients destined to develop preeclampsia and deliver a small for gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 9-23	2	493
265	The fetal inflammatory response syndrome. <i>Clinical Obstetrics and Gynecology</i> , 2007 , 50, 652-83	1.7	407
264	Evolution of the mammalian placenta revealed by phylogenetic analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 3203-8	11.5	250
263	The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 278-287	2	221
262	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1021-38	2	209
261	The role of cervical cerclage in obstetric practice: can the patient who could benefit from this procedure be identified?. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1-9	6.4	157
260	A primate subfamily of galectins expressed at the maternal-fetal interface that promote immune cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9731-6	11.5	148
259	Metformin, the aspirin of the 21st century: its role in gestational diabetes mellitus, prevention of preeclampsia and cancer, and the promotion of longevity. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 282-302	6.4	139
258	Detection of a microbial biofilm in intraamniotic infection. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 135.e1-5	6.4	130
257	Does the human placenta delivered at term have a microbiota? Results of cultivation, quantitative real-time PCR, 16S rRNA gene sequencing, and metagenomics. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 267.e1-267.e39	6.4	121
256	Widespread microbial invasion of the chorioamniotic membranes is a consequence and not a cause of intra-amniotic infection. <i>Laboratory Investigation</i> , 2009 , 89, 924-36	5.9	118
255	Normal and abnormal transformation of the spiral arteries during pregnancy. <i>Journal of Perinatal Medicine</i> , 2006 , 34, 447-58	2.7	116
254	First-trimester maternal serum PP13 in the risk assessment for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 122.e1-122.e11	6.4	111
253	The anti-inflammatory limb of the immune response in preterm labor, intra-amniotic infection/inflammation, and spontaneous parturition at term: a role for interleukin-10. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 529-47	2	110
252	Midtrimester amniotic fluid concentrations of interleukin-6 and interferon-gamma-inducible protein-10: evidence for heterogeneity of intra-amniotic inflammation and associations with spontaneous early (32 weeks) preterm delivery. <i>Journal of Perinatal Medicine</i> , 2012 , 40, 329-43	2.7	107
251	Clinical significance of the presence of amniotic fluid cludge on asymptomatic patients at high risk for spontaneous preterm delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 706-14	5.8	97

250	Cerebral Palsy-Trends in Epidemiology and Recent Development in Prenatal Mechanisms of Disease, Treatment, and Prevention. <i>Frontiers in Pediatrics</i> , 2017 , 5, 21	3.4	96
249	The preterm parturition syndrome and its implications for understanding the biology, risk assessment, diagnosis, treatment and prevention of preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22 Suppl 2, 5-23	2	91
248	The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 25-40	2	87
247	Evidence of the involvement of caspase-1 under physiologic and pathologic cellular stress during human pregnancy: a link between the inflammasome and parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 605-16	2	87
246	CXCL10/IP-10: a missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 777-92	2	85
245	Amniotic fluid heat shock protein 70 concentration in histologic chorioamnionitis, term and preterm parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 449-61	2	80
244	Preconceptional antibiotic treatment to prevent preterm birth in women with a previous preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 630-7	6.4	80
243	The frequency and type of placental histologic lesions in term pregnancies with normal outcome. <i>Journal of Perinatal Medicine</i> , 2018 , 46, 613-630	2.7	79
242	Integrated Systems Biology Approach Identifies Novel Maternal and Placental Pathways of Preeclampsia. <i>Frontiers in Immunology</i> , 2018 , 9, 1661	8.4	79
241	Recurrent preterm birth. <i>Seminars in Perinatology</i> , 2007 , 31, 142-58	3.3	79
240	Disseminated intravascular coagulation in pregnancy: insights in pathophysiology, diagnosis and management. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 452-63	6.4	75
239	A role of the anti-angiogenic factor sVEGFR-1 in the mirror syndrome (Ballantyne's syndrome). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 607-13	2	75
238	Clinical significance and outcome of preterm prelabor rupture of membranes: population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000 , 92, 209-16	2.4	70
237	Isobaric labeling and tandem mass spectrometry: a novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 261-80	2	69
236	A rapid MMP-8 bedside test for the detection of intra-amniotic inflammation identifies patients at risk for imminent preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1025-30	6.4	69
235	Placental Protein 13 (PP13) - A Placental Immunoregulatory Galectin Protecting Pregnancy. <i>Frontiers in Immunology</i> , 2014 , 5, 348	8.4	68
234	Twenty-four percent of patients with clinical chorioamnionitis in preterm gestations have no evidence of either culture-proven intraamniotic infection or intraamniotic inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 604.e1-604.e11	6.4	66
233	Human beta-defensin-2: a natural antimicrobial peptide present in amniotic fluid participates in the host response to microbial invasion of the amniotic cavity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 15-22	2	66

232	Vaginal progesterone is as effective as cervical cerclage to prevent preterm birth in women with a singleton gestation, previous spontaneous preterm birth, and a short cervix: updated indirect comparison meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 10-25	6.4	65
231	A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 361.e11-361.e30	6.4	63
230	Plasma adiponectin concentrations in non-pregnant, normal and overweight pregnant women. <i>Journal of Perinatal Medicine</i> , 2007 , 35, 522-31	2.7	63
229	Emergence of hormonal and redox regulation of galectin-1 in placental mammals: implication in maternal-fetal immune tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15819-24	11.5	61
228	Evidence that intra-amniotic infections are often the result of an ascending invasion - a molecular microbiological study. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 915-931	2.7	60
227	A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1188-93	2	59
226	The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: identification of novel molecular functions involved in this process. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1183-93	2	59
225	Resistin: a hormone which induces insulin resistance is increased in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2007 , 35, 513-21	2.7	59
224	DIC score in pregnant women--a population based modification of the International Society on Thrombosis and Hemostasis score. <i>PLoS ONE</i> , 2014 , 9, e93240	3.7	58
223	Visfatin/Pre-B cell colony-enhancing factor in amniotic fluid in normal pregnancy, spontaneous labor at term, preterm labor and prelabor rupture of membranes: an association with subclinical intrauterine infection in preterm parturition. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 485-96	2.7	58
222	Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 41-52	2	57
221	Proteomic profiling of amniotic fluid in preterm labor using two-dimensional liquid separation and mass spectrometry. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 697-713	2	55
220	CXCL6 (granulocyte chemotactic protein-2): a novel chemokine involved in the innate immune response of the amniotic cavity. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 246-57	3.8	55
219	Maternal serum adiponectin multimers in preeclampsia. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 349-63	2.7	54
218	Severe preeclampsia is characterized by increased placental expression of galectin-1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 429-42	2	54
217	Adiponectin in severe preeclampsia. <i>Journal of Perinatal Medicine</i> , 2007 , 35, 503-12	2.7	53
216	Resistin in amniotic fluid and its association with intra-amniotic infection and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 902-16	2	52
215	The prediction of late-onset preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2017 , 12, e0181468	3.7	52

214	Viral invasion of the amniotic cavity (VIAC) in the midtrimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2002-13	2	51
213	Distribution of CD14+ and CD68+ macrophages in the placental bed and basal plate of women with preeclampsia and preterm labor. <i>Placenta</i> , 2007 , 28, 571-6	3.4	51
212	Clinical significance of early (Ultrasound in Obstetrics and Gynecology, 2010 , 36, 471-81	5.8	50
211	Exodus-1 (CCL20): evidence for the participation of this chemokine in spontaneous labor at term, preterm labor, and intrauterine infection. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 217-27	2.7	50
210	The maternal plasma proteome changes as a function of gestational age in normal pregnancy: a longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 67.e1-67.e21	6.4	49
209	Characterization of the transcriptome of chorioamniotic membranes at the site of rupture in spontaneous labor at term. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 462.e1-41	6.4	49
208	Soluble receptor for advanced glycation end products (sRAGE) and endogenous secretory RAGE (esRAGE) in amniotic fluid: modulation by infection and inflammation. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 388-98	2.7	49
207	CXCL10 and IL-6: Markers of two different forms of intra-amniotic inflammation in preterm labor. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12685	3.8	48
206	An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 1384-99	4.8	48
205	Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: soluble Tie-2. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 389-402	2	48
204	Four-dimensional ultrasonography of the fetal heart using a novel Tomographic Ultrasound Imaging display. <i>Journal of Perinatal Medicine</i> , 2006 , 34, 39-55	2.7	47
203	Comparison of rapid MMP-8 and interleukin-6 point-of-care tests to identify intra-amniotic inflammation/infection and impending preterm delivery in patients with preterm labor and intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 228-244	2	46
202	Maternal visfatin concentration in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 206-17	2.7	46
201	Proteomic analysis of amniotic fluid to identify women with preterm labor and intra-amniotic inflammation/infection: the use of a novel computational method to analyze mass spectrometric profiling. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 367-88	2	46
200	Evidence for complement activation in the amniotic fluid of women with spontaneous preterm labor and intra-amniotic infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 983-92	2	45
199	Whole-genome microarray and targeted analysis of angiogenesis-regulating gene expression (ENG, FLT1, VEGF, PlGF) in placentas from pre-eclamptic and small-for-gestational-age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 267-73	2	45
198	Twin-to-twin transfusion syndrome: an antiangiogenic state?. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 382.e1-8	6.4	45
197	Retinol binding protein 4--a novel association with early-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2010 , 38, 129-39	2.7	44

196	Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 672-87	2	44
195	Unexplained fetal death: another anti-angiogenic state. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 495-507	2	44
194	The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). <i>Journal of Perinatal Medicine</i> , 2010 , 38, 45-53	2.7	43
193	Tissue factor and its natural inhibitor in pre-eclampsia and SGA. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 855-69	2	42
192	Distinct genomic signatures of adaptation in pre- and postnatal environments during human evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3215-20	11.5	42
191	The prediction of early preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2019 , 14, e0217273	3.7	41
190	Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. <i>Journal of Perinatal Medicine</i> , 2010 , 38, 161-71	2.7	41
189	Visfatin in human pregnancy: maternal gestational diabetes vis-à-vis neonatal birthweight. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 218-31	2.7	41
188	MicroRNA expression profiling of the human uterine cervix after term labor and delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 80.e1-8	6.4	41
187	A role for CXCL13 (BCA-1) in pregnancy and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 763-75	2	41
186	Should bilateral uterine artery notching be used in the risk assessment for preeclampsia, small-for-gestational-age, and gestational hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010 , 29, 1103-15	2.9	39
185	Differential expression of microRNAs with progression of gestation and inflammation in the human chorioamniotic membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 289.e1-6	6.4	39
184	A role for mannose-binding lectin, a component of the innate immune system in pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 333-45	3.8	39
183	PP13, maternal ABO blood groups and the risk assessment of pregnancy complications. <i>PLoS ONE</i> , 2011 , 6, e21564	3.7	39
182	Clinical chorioamnionitis at term VIII: a rapid MMP-8 test for the identification of intra-amniotic inflammation. <i>Journal of Perinatal Medicine</i> , 2017 , 45, 539-550	2.7	38
181	Maternal serum adiponectin multimers in gestational diabetes. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 637-50	2.7	38
180	Evidence of changes in the immunophenotype and metabolic characteristics (intracellular reactive oxygen radicals) of fetal, but not maternal, monocytes and granulocytes in the fetal inflammatory response syndrome. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 543-52	2.7	38
179	Galectins: Double-edged Swords in the Cross-roads of Pregnancy Complications and Female Reproductive Tract Inflammation and Neoplasia. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 181-208	2.9	38

178	A soft cervix, categorized by shear-wave elastography, in women with short or with normal cervical length at 18-24 weeks is associated with a higher prevalence of spontaneous preterm delivery. <i>Journal of Perinatal Medicine</i> , 2018 , 46, 489-501	2.7	38
177	Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 476-87	2	36
176	Adiponectin multimers in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 796-815	2	36
175	Over-expression of the thrombin receptor (PAR-1) in the placenta in preeclampsia: a mechanism for the intersection of coagulation and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 345-55	2	35
174	Cannabidiol changes P-gp and BCRP expression in trophoblast cell lines. <i>PeerJ</i> , 2013 , 1, e153	3.1	35
173	Individualized growth assessment: conceptual framework and practical implementation for the evaluation of fetal growth and neonatal growth outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, S656-S678	6.4	34
172	Surfactant protein-A as an anti-inflammatory component in the amnion: implications for human pregnancy. <i>Journal of Immunology</i> , 2010 , 184, 6479-91	5.3	34
171	Three-dimensional sonography of placental mesenchymal dysplasia and its differential diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 359-68	2.9	34
170	Placental growth hormone is increased in the maternal and fetal serum of patients with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 651-9	2	34
169	Clinical chorioamnionitis at term IX: in vivo evidence of intra-amniotic inflammasome activation. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 276-287	2.7	34
168	Disseminated intravascular coagulation in pregnancy - Clinical phenotypes and diagnostic scores. <i>Thrombosis Research</i> , 2017 , 151 Suppl 1, S56-S60	8.2	33
167	Differential expression pattern of genes encoding for anti-microbial peptides in the fetal membranes of patients with spontaneous preterm labor and intact membranes and those with preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1000-13	2	33
166	Mitochondrial manganese superoxide dismutase mRNA expression in human chorioamniotic membranes and its association with labor, inflammation, and infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1000-13	2	33
165	Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 34-47 ²	2	32
164	Remote prognosis of primiparous women with preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001 , 96, 69-74	2.4	32
163	Activation of the alternative pathway of complement is a feature of pre-term parturition but not of spontaneous labor at term. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 318-30	3.8	31
162	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: a novel association with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 120-30	2	31
161	Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 905-16	2	31

160	The human progesterone receptor shows evidence of adaptive evolution associated with its ability to act as a transcription factor. <i>Molecular Phylogenetics and Evolution</i> , 2008 , 47, 637-49	4.1	31
159	COVID-19 coagulopathy in pregnancy: Critical review, preliminary recommendations, and ISTH registry-Communication from the ISTH SSC for Women's Health. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 3086-3098	15.4	31
158	Retinol binding protein 4: an adipokine associated with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 111-9	2	30
157	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 867-78 ²		30
156	Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 857-68	2	29
155	Comparison study between induced and spontaneous term and preterm births of small-for-gestational-age neonates. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001 , 97, 141-6	2.4	29
154	Maternal plasma visfatin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 693-704	2	28
153	The physiologic and therapeutic role of heparin in implantation and placentation. <i>PeerJ</i> , 2015 , 3, e691	3.1	28
152	High tissue factor activity and low tissue factor pathway inhibitor concentrations in patients with preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 23-33	2	27
151	Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 887-904	2	27
150	Chorioamnionitis and increased galectin-1 expression in PPROM --an anti-inflammatory response in the fetal membranes?. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 298-311	3.8	27
149	A link between a hemostatic disorder and preterm PROM: a role for tissue factor and tissue factor pathway inhibitor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 732-44	2	27
148	Trial of labor and vaginal birth after cesarean section in patients with uterine Müllerian anomalies: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 537.e1-11	6.4	27
147	Extracellular vesicles generated by placental tissues ex vivo: A transport system for immune mediators and growth factors. <i>American Journal of Reproductive Immunology</i> , 2018 , 80, e12860	3.8	26
146	In vivo evidence of inflammasome activation during spontaneous labor at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1978-1991	2	26
145	ELABELA plasma concentrations are increased in women with late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 5-15	2	26
144	LMWH in the prevention of preeclampsia and fetal growth restriction in women without thrombophilia. A systematic review and meta-analysis. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 868-878	7	25
143	Placental Galectins Are Key Players in Regulating the Maternal Adaptive Immune Response. <i>Frontiers in Immunology</i> , 2019 , 10, 1240	8.4	25

142	Amniotic fluid soluble human leukocyte antigen-G in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1151-66	2	25
141	Placenta accreta is an independent risk factor for late pre-term birth and perinatal mortality. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1381-7	2	24
140	The evolution of embryo implantation. <i>International Journal of Developmental Biology</i> , 2014 , 58, 155-61	1.9	24
139	Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: evidence of an increased thrombin generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 971-82	2	24
138	A decrease in maternal plasma concentrations of sVEGFR-2 precedes the clinical diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 550.e1-10	6.4	24
137	An episode of preterm labor is a risk factor for the birth of a small-for-gestational-age neonate. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 574.e1-5; discussion 574.e5-6	6.4	24
136	Targeted expression profiling by RNA-Seq improves detection of cellular dynamics during pregnancy and identifies a role for T cells in term parturition. <i>Scientific Reports</i> , 2019 , 9, 848	4.9	23
135	A new customized fetal growth standard for African American women: the PRB/NICHD Detroit study. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, S679-S691.e4	6.4	23
134	Maternal serum adiponectin multimers in patients with a small-for-gestational-age newborn. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 623-35	2.7	23
133	Preeclampsia is associated with low concentrations of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 661-7	2	23
132	Amniotic fluid angiopoietin-2 in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 503-11	2.7	22
131	Early rapid growth, early birth: accelerated fetal growth and spontaneous late preterm birth. <i>American Journal of Human Biology</i> , 2009 , 21, 141-50	2.7	22
130	Preeclampsia in twin gestations: association with IVF treatments, parity and maternal age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 141-6	2	22
129	Acute gastric ulcer perforation in a 35 weeks nulliparous patient with gastric banding. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1721-2	6.4	22
128	The cytokine network in women with an asymptomatic short cervix and the risk of preterm delivery. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12686	3.8	21
127	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 167-78	2	21
126	Premature labor: a state of platelet activation?. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 377-87	2.7	21
125	Plasma protein Z concentrations in pregnant women with idiopathic intrauterine bleeding and in women with spontaneous preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 453-63	2	21

124	Wilson [®] disease in pregnancy: five successful consecutive pregnancies of the same woman. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001 , 96, 232-4	2.4	21
123	In vivo experiments reveal the good, the bad and the ugly faces of sFlt-1 in pregnancy. <i>PLoS ONE</i> , 2014 , 9, e110867	3.7	21
122	Maternal total cell-free DNA in preeclampsia and fetal growth restriction: Evidence of differences in maternal response to abnormal implantation. <i>PLoS ONE</i> , 2018 , 13, e0200360	3.7	20
121	Disseminated intravascular coagulation in the HELLP syndrome: how much do we really know?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 779-788	2	19
120	The prediction of fetal death with a simple maternal blood test at 20-24 weeks: a role for angiogenic index-1 (PlGF/sVEGFR-1 ratio). <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 682.e1-682.e13	6.4	19
119	Antenatal diagnosis and treatment of hypothyroid fetal goiter in an euthyroid mother: a case report and review of literature. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 2214-20	2	19
118	Transabdominal collection of amniotic fluid "sludge" and identification of <i>Candida albicans</i> intra-amniotic infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 1279-1284	2	19
117	Chronic inflammatory lesions of the placenta are associated with an up-regulation of amniotic fluid CXCR3: A marker of allograft rejection. <i>Journal of Perinatal Medicine</i> , 2018 , 46, 123-137	2.7	19
116	The risk of impending preterm delivery in asymptomatic patients with a nonmeasurable cervical length in the second trimester. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 446.e1-9	6.4	19
115	Maternal serum concentrations of the chemokine CXCL10/IP-10 are elevated in acute pyelonephritis during pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 735-44	2	19
114	The physiologic anticoagulant and anti-inflammatory role of heparins and their utility in the prevention of pregnancy complications. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 1236-46	7	18
113	Fetal death: an extreme manifestation of maternal anti-fetal rejection. <i>Journal of Perinatal Medicine</i> , 2017 , 45, 851-868	2.7	18
112	Maternal plasma-soluble ST2 concentrations are elevated prior to the development of early and late onset preeclampsia - a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 418-432	2	17
111	Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 297-307	2	17
110	The association between maternal obesity, glucose intolerance and hypertensive disorders of pregnancy in nondiabetic pregnant women. <i>Hypertension in Pregnancy</i> , 2005 , 24, 125-36	2	17
109	The diagnostic performance of the beta-glucan assay in the detection of intra-amniotic infection with <i>Candida</i> species. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1703-1720	2	17
108	Underlying mechanisms of retained placenta: Evidence from a population based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 216, 12-17	2.4	16
107	Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 103-6	2	16

106	Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 662-71	2	16
105	The role of the sagittal view of the ductal arch in identification of fetuses with conotruncal anomalies using 4-dimensional ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007 , 26, 1181-8; quiz 1189-90	2.9	16
104	Hypothyroidism and diabetes mellitus - a risky dual gestational endocrinopathy. <i>PeerJ</i> , 2013 , 1, e52	3.1	16
103	Maternal whole blood mRNA signatures identify women at risk of early preeclampsia: a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 3463-3474	2	16
102	Polymorphisms in maternal and fetal genes encoding for proteins involved in extracellular matrix metabolism alter the risk for small-for-gestational-age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 362-80	2	15
101	Fetal membranes as an interface between inflammation and metabolism: increased aquaporin 9 expression in the presence of spontaneous labor at term and chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1167-75	2	15
100	Maternal serum soluble CD30 is increased in pregnancies complicated with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 803-11	2	15
99	Associations between ambient air temperature, low birth weight and small for gestational age in term neonates in southern Israel. <i>Environmental Health</i> , 2018 , 17, 76	6	15
98	The effect of cervical cerclage on pregnancy outcomes in women following conization. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1594-7	2	14
97	Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 1085-90	2	14
96	Preterm labor is characterized by a high abundance of amniotic fluid prostaglandins in patients with intra-amniotic infection or sterile intra-amniotic inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 4009-4024	2	14
95	The profiles of soluble adhesion molecules in the "great obstetrical syndromes". <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2113-2136	2	14
94	Early onset preeclampsia and cerebral palsy: a double hit model?. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 105.e1-9	6.4	13
93	Interaction of Pregnancy-Specific Glycoprotein 1 With Integrin $\beta 1$ Is a Modulator of Extravillous Trophoblast Functions. <i>Cells</i> , 2019 , 8,	7.9	13
92	The use of imaging technology in the assessment of the fetal inflammatory response syndrome-imaging of the fetal thymus. <i>Prenatal Diagnosis</i> , 2015 , 35, 413-9	3.2	13
91	Low circulating maternal adiponectin in patients with pyelonephritis: adiponectin at the crossroads of pregnancy and infection. <i>Journal of Perinatal Medicine</i> , 2010 , 38, 9-17	2.7	13
90	Primiparity, assisted reproduction, and preterm birth in twin pregnancies: a population based study. <i>Archives of Gynecology and Obstetrics</i> , 2008 , 277, 311-7	2.5	13
89	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000 , 79, 31-36	3.8	13

88	Mechanisms of death in structurally normal stillbirths. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 222-240	2.7	13
87	Temperature and preeclampsia: Epidemiological evidence that perturbation in maternal heat homeostasis affects pregnancy outcome. <i>PLoS ONE</i> , 2020 , 15, e0232877	3.7	12
86	Placenta-Specific Genes, Their Regulation During Villous Trophoblast Differentiation and Dysregulation in Preterm Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
85	A systematic approach to the use of the multiplanar display in evaluation of abnormal vascular connections to the fetal heart using 4-dimensional ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007 , 26, 1461-7	2.9	12
84	Total hemoglobin concentration in amniotic fluid is increased in intraamniotic infection/inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 426.e1-7	6.4	12
83	The plasma metabolome of women in early pregnancy differs from that of non-pregnant women. <i>PLoS ONE</i> , 2019 , 14, e0224682	3.7	12
82	Elevated maternal mid-trimester chorionic gonadotropin > or =4 MoM is associated with fetal cerebral blood flow redistribution. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 22-7	3.8	12
81	Late preterm and early term: when to induce a growth restricted fetus? A population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 926-932	2	11
80	Hydramnios and small for gestational age are independent risk factors for neonatal mortality and maternal morbidity. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 271, 296-301	2.5	11
79	Increased placental expression of Placental Protein 5 (PP5) / Tissue Factor Pathway Inhibitor-2 (TFPI-2) in women with preeclampsia and HELLP syndrome: Relevance to impaired trophoblast invasion?. <i>Placenta</i> , 2019 , 76, 30-39	3.4	10
78	DIC in obstetrics: Diagnostic score, highlights in management, and international registry-communication from the DIC and Women@ Health SSCs of the International Society of Thrombosis and Haemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1562-1566	15.4	10
77	The association between cervical inflammation and histologic evidence of HPV in PAP smears and adverse pregnancy outcome in low risk population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 225, 160-165	2.4	10
76	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 1568-1577	2	10
75	Thrombosis and hemostasis health in pregnancy: Registries from the International Society on Thrombosis and Haemostasis. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019 , 3, 607-614	5.1	10
74	A prior placenta accreta is an independent risk factor for post-partum hemorrhage in subsequent gestations. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 187, 20-4	2.4	10
73	Pyelonephritis during pregnancy: a cause for an acquired deficiency of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 629-37	2	10
72	Personalized assessment of cervical length improves prediction of spontaneous preterm birth: a standard and a percentile calculator. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 288.e1-288.e17	6.4	10
71	Proposed diagnostic criteria for the case definition of amniotic fluid embolism in research studies. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 228-229	6.4	9

70	Use of and attitudes toward complementary and alternative medicine among obstetricians in Israel. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 121, 132-6	4	9
69	Reversal of mirror syndrome after selective feticide of a hydropic fetus in a dichorionic diamniotic twin pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2015 , 34, 351-3	2.9	9
68	Prenatal diagnosis of coarctation of the aorta with the multiplanar display and B-flow imaging using 4-dimensional sonography. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 1375-8	2.9	9
67	Placental vascular pathology and increased thrombin generation as mechanisms of disease in obstetrical syndromes. <i>PeerJ</i> , 2014 , 2, e653	3.1	9
66	The etiology of preeclampsia.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 , 226, S844-S866	6.4	9
65	Prenatal exposure to ambient air temperature and risk of early delivery. <i>Environment International</i> , 2020 , 142, 105824	12.9	8
64	Induction of labor in twin gestation: lessons from a population based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 3999-4007	2	8
63	Early-Onset Preeclampsia and HELLP Syndrome: An Overview 2012 , 1867-1891		8
62	Remote prognosis after primary cesarean delivery: the association of VBACs and recurrent cesarean deliveries with maternal morbidity. <i>International Journal of Women's Health</i> , 2012 , 4, 93-107	2.8	8
61	Growth perturbations in a phenotype with rapid fetal growth preceding preterm labor and term birth. <i>American Journal of Human Biology</i> , 2009 , 21, 782-92	2.7	8
60	Clinical Chorioamnionitis at Term: New Insights into the Etiology, Microbiology, and the Fetal, Maternal and Amniotic Cavity Inflammatory Responses 2018 , 20, 103-112		8
59	Modified ISTH pregnancy-specific DIC score in parturients with liver rupture: population-based case series. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2517-2523	2	8
58	A Low Cerebroplacental Ratio at 20-24 Weeks of Gestation Can Predict Reduced Fetal Size Later in Pregnancy or at Birth. <i>Fetal Diagnosis and Therapy</i> , 2018 , 44, 112-123	2.4	7
57	Ultrasonographic approach to diagnosis of fetal inflammatory response syndrome: a tool for at-risk fetuses?. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 9-20	6.4	7
56	Do patients who deliver at term after being hospitalized for preterm contractions have an increased risk for obstetrical complications?. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 537-42	2.5	7
55	Induction of labor after a prior cesarean delivery: lessons from a population-based study. <i>Journal of Perinatal Medicine</i> , 2013 , 41, 171-9	2.7	7
54	Elevated maternal mid-trimester chorionic gonadotropin β MoM is associated with fetal cerebral blood flow redistribution. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 22-27	3.8	7
53	Erythropoietin concentration among patients with and without preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 273, 140-3	2.5	7

52	Does the station of the fetal head during epidural analgesia affect labor and delivery?. <i>International Journal of Gynecology and Obstetrics</i> , 1999 , 64, 43-7	4	7
51	Disorders of placental villous maturation in fetal death. <i>Journal of Perinatal Medicine</i> , 2020 ,	2.7	7
50	Underlying disorders of disseminated intravascular coagulation: Communication from the ISTH SSC Subcommittees on Disseminated Intravascular Coagulation and Perioperative and Critical Care Thrombosis and Hemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2400-2407	15.4	7
49	Preeclampsia and eclampsia: the conceptual evolution of a syndrome.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 , 226, S786-S803	6.4	7
48	The pattern and magnitude of "in vivo thrombin generation" differ in women with preeclampsia and in those with SGA fetuses without preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 1671-1680	2	6
47	Early preterm delivery due to placenta previa is an independent risk factor for a subsequent spontaneous preterm birth. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 82	3.2	6
46	Amniotic fluid fetal hemoglobin in normal pregnancies and pregnancies complicated with preterm labor or prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 388-397	3.97	6
45	The timed-pregnant baboon animal model can be used for determining the role of soluble vascular endothelial growth factor receptors 1 and 2 during development. <i>Journal of Medical Primatology</i> , 2007 , 36, 370-4	0.7	6
44	Sex distribution of newborns to mothers with systemic lupus erythematosus. <i>Epidemiology</i> , 2006 , 17, 341-2	3.1	6
43	A retrospective study of unplanned out-of-hospital deliveries. <i>Archives of Gynecology and Obstetrics</i> , 2004 , 269, 85-8	2.5	6
42	Medically indicated late preterm delivery and its impact on perinatal morbidity and mortality: a retrospective population-based cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3278-3287	2	6
41	Prelabor Rupture of the Membranes1130-1188		6
40	Low thyroid-stimulating hormone and its persistence beyond the first trimester of pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 142, 270-276	4	5
39	The effect of gestational age and labor on placental growth hormone in amniotic fluid. <i>Growth Hormone and IGF Research</i> , 2008 , 18, 174-9	2	5
38	Inflammatory and vascular placental lesions are associated with neonatal amplitude integrated EEG recording in early premature neonates. <i>PLoS ONE</i> , 2017 , 12, e0179481	3.7	5
37	The effect of exposure to particulate matter during pregnancy on lower respiratory tract infection hospitalizations during first year of life. <i>Environmental Health</i> , 2020 , 19, 90	6	5
36	Placental abruption as a trigger of DIC in women with HELLP syndrome: a population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-11	2	5
35	The effect of prenatal temperature and PM exposure on birthweight: Weekly windows of exposure throughout the pregnancy. <i>Environment International</i> , 2021 , 155, 106588	12.9	5

34	The clinical utility of sonographic cervical length in the management of preterm parturition at 28-32 weeks of gestation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1929-33	2	4
33	Perfusion with magnesium sulfate increases sFlt-1 secretion only in the fetal side of placenta of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 116-22	2	4
32	Peripartum cardiomyopathy is associated with increased uric acid concentrations: A population based study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017 , 46, 369-374	2.6	4
31	Chronic hypertension is an independent risk factor for preeclampsia and preterm delivery in women with rheumatologic diseases: a population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 157-63	2.4	4
30	Unfolding the pathophysiology of congenital thrombotic thrombocytopenic purpura in pregnancy: lessons from a cluster of familial cases. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 177.e1-177.e15	6.4	4
29	Clinical chorioamnionitis at term X: microbiology, clinical signs, placental pathology, and neonatal bacteremia - implications for clinical care. <i>Journal of Perinatal Medicine</i> , 2021 , 49, 275-298	2.7	4
28	An increased risk for non allo-immunization related intrauterine fetal death in RhD-negative patients. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 255-9	2	3
27	Increased maternal serum human chorionic gonadotropin concentrations are an independent risk factor for SGA in dichorionic twin gestations. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 18, 117-22	2	3
26	Prostaglandin and prostamide concentrations in amniotic fluid of women with spontaneous labor at term with and without clinical chorioamnionitis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020 , 163, 102195	2.8	3
25	Induction of labor in cases of late preterm isolated oligohydramnios: is it justified?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2271-2279	2	3
24	Early pathways, biomarkers, and four distinct molecular subclasses of preeclampsia: The intersection of clinical, pathological, and high-dimensional biology studies.. <i>Placenta</i> , 2022 ,	3.4	3
23	Nonovert disseminated intravascular coagulation (DIC) in pregnancy: a new scoring system for the identification of patients at risk for obstetrical hemorrhage requiring blood product transfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-16	2	2
22	344 P selection is significantly elevated among diabetic patients at risk to develop preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, S175	6.4	2
21	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000 , 79, 31-36	3.8	2
20	Congenital thrombotic thrombocytopenic purpura in a large cohort of patients carrying a novel mutation in ADAMTS13 gene. <i>Thrombosis Research</i> , 2020 , 185, 167-170	8.2	2
19	Reply to "Errors in the diagnosis for DIC due to a statistical misunderstanding". <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1792-1793	15.4	2
18	Differences in environmental factors contributing to preterm labor and PPROM - Population based study. <i>Environmental Research</i> , 2021 , 196, 110894	7.9	2
17	Escalating placenta invasiveness: repeated placenta accreta at the limit of viability. <i>International Journal of Women's Health</i> , 2016 , 8, 119-23	2.8	2

16	Oligohydramnios is an independent risk factor for perinatal morbidity among women with pre-eclampsia who delivered preterm. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1776-1782		2
15	Single vs. Recurrent Episodes of Preeclampsia-populationBased Epidemiological and Clinical Characteristics. <i>Maternal-Fetal Medicine</i> , 2021 , 3, 190-196	0.6	1
14	DIC in Pregnancy - Pathophysiology, Clinical Characteristics, Diagnostic Scores, and Treatments.. <i>Journal of Blood Medicine</i> , 2022 , 13, 21-44	2.3	1
13	Urine protein-to-creatinine ratio: a point of care for the diagnosis of preeclampsia. <i>Minerva Obstetrics and Gynecology</i> , 2018 , 70, 246-253		1
12	Attentional Networks during the Menstrual Cycle		1
11	Disorders of placental villous maturation are present in one-third of cases with spontaneous preterm labor. <i>Journal of Perinatal Medicine</i> , 2021 , 49, 412-430	2.7	1
10	The effect of prophylactic use of tranexamic acid for cesarean section.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-6	2	0
9	Disseminated intravascular coagulation in pregnancy: New insights. <i>Thrombosis Update</i> , 2021 , 100083	0.9	0
8	Proteomic identification of Placental Protein 1 (PP1), PP8, and PP22 and characterization of their placental expression in healthy pregnancies and in preeclampsia. <i>Placenta</i> , 2020 , 99, 197-207	3.4	0
7	Subsequent pregnancy outcomes after abdominal laparoscopic myomectomy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7	2	0
6	Characterization of amniotic fluid sludge in preterm and term gestations.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-10	2	0
5	Attentional Networks during the Menstrual Cycle.. <i>Behavioural Brain Research</i> , 2022 , 113817	3.4	0
4	Prior Preterm Birth and Birthweight Below the 5th Percentile are Independent Risk Factors for Recurrence of a Small for Gestational Age Neonate. <i>Maternal-Fetal Medicine</i> , 2020 , 2, 28-33	0.6	
3	Treatment Response in Congenital Thrombotic Thrombocytopenic Purpura to Aid in Pregnancy Counseling and Management: a reply. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4	
2	Vaginal Bleeding and Preterm Delivery 2011 , 99-118		
1	Cervical insufficiency a prologue for future pelvic organ prolapse?. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	