

Offer Erez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3455404/offer-erez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

267
papers

10,170
citations

52
h-index

87
g-index

285
ext. papers

11,971
ext. citations

3
avg, IF

5.78
L-index

#	Paper	IF	Citations
267	DIC in Pregnancy - Pathophysiology, Clinical Characteristics, Diagnostic Scores, and Treatments.. <i>Journal of Blood Medicine</i> , 2022 , 13, 21-44	2.3	1
266	The effect of prophylactic use of tranexamic acid for cesarean section.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-6	2	0
265	The etiology of preeclampsia.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 , 226, S844-S866	6.4	9
264	Preeclampsia and eclampsia: the conceptual evolution of a syndrome.. <i>American Journal of Obstetrics and Gynecology</i> , 2022 , 226, S786-S803	6.4	7
263	Characterization of amniotic fluid sludge in preterm and term gestations.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-10	2	0
262	Early pathways, biomarkers, and four distinct molecular subclasses of preeclampsia: The intersection of clinical, pathological, and high-dimensional biology studies.. <i>Placenta</i> , 2022 ,	3.4	3
261	Attentional Networks during the Menstrual Cycle.. <i>Behavioural Brain Research</i> , 2022 , 113817	3.4	0
260	Cervical insufficiency a prologue for future pelvic organ prolapse?. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	
259	Single vs. Recurrent Episodes of Preeclampsia-populationBased Epidemiological and Clinical Characteristics. <i>Maternal-Fetal Medicine</i> , 2021 , 3, 190-196	0.6	1
258	Treatment Response in Congenital Thrombotic Thrombocytopenic Purpura to Aid in Pregnancy Counseling and Management: a reply. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4	
257	Disseminated intravascular coagulation in pregnancy: New insights. <i>Thrombosis Update</i> , 2021 , 100083	0.9	0
256	Maternal whole blood mRNA signatures identify women at risk of early preeclampsia: a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 3463-3474	2	16
255	Differences in environmental factors contributing to preterm labor and PPROM - Population based study. <i>Environmental Research</i> , 2021 , 196, 110894	7.9	2
254	Preterm labor is characterized by a high abundance of amniotic fluid prostaglandins in patients with intra-amniotic infection or sterile intra-amniotic inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 4009-4024	2	14
253	Personalized assessment of cervical length improves prediction of spontaneous preterm birth: a standard and a percentile calculator. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 288.e1-288.e17 ¹⁰	6.4	10
252	Disorders of placental villous maturation are present in one-third of cases with spontaneous preterm labor. <i>Journal of Perinatal Medicine</i> , 2021 , 49, 412-430	2.7	1
251	Subsequent pregnancy outcomes after abdominal laparoscopic myomectomy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7	2	0

250	Unfolding the pathophysiology of congenital thrombotic thrombocytopenic purpura in pregnancy: lessons from a cluster of familial cases. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 177.e1-177.e15	6.4	15
249	The effect of prenatal temperature and PM exposure on birthweight: Weekly windows of exposure throughout the pregnancy. <i>Environment International</i> , 2021 , 155, 106588	12.9	5
248	Clinical chorioamnionitis at term X: microbiology, clinical signs, placental pathology, and neonatal bacteremia - implications for clinical care. <i>Journal of Perinatal Medicine</i> , 2021 , 49, 275-298	2.7	4
247	Temperature and preeclampsia: Epidemiological evidence that perturbation in maternal heat homeostasis affects pregnancy outcome. <i>PLoS ONE</i> , 2020 , 15, e0232877	3.7	12
246	Prenatal exposure to ambient air temperature and risk of early delivery. <i>Environment International</i> , 2020 , 142, 105824	12.9	8
245	Nonovert disseminated intravascular coagulation (DIC) in pregnancy: a new scoring system for the identification of patients at risk for obstetrical hemorrhage requiring blood product transfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-16	2	2
244	Placenta-Specific Genes, Their Regulation During Villous Trophoblast Differentiation and Dysregulation in Preterm Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
243	Prior Preterm Birth and Birthweight Below the 5th Percentile are Independent Risk Factors for Recurrence of a Small for Gestational Age Neonate. <i>Maternal-Fetal Medicine</i> , 2020 , 2, 28-33	0.6	
242	Disorders of placental villous maturation in fetal death. <i>Journal of Perinatal Medicine</i> , 2020 ,	2.7	7
241	Congenital thrombotic thrombocytopenic purpura in a large cohort of patients carrying a novel mutation in ADAMTS13 gene. <i>Thrombosis Research</i> , 2020 , 185, 167-170	8.2	2
240	Prostaglandin and prostamide concentrations in amniotic fluid of women with spontaneous labor at term with and without clinical chorioamnionitis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020 , 163, 102195	2.8	3
239	Proteomic identification of Placental Protein 1 (PP1), PP8, and PP22 and characterization of their placental expression in healthy pregnancies and in preeclampsia. <i>Placenta</i> , 2020 , 99, 197-207	3.4	0
238	Underlying disorders of disseminated intravascular coagulation: Communication from the ISTH SSC Subcommittees on Disseminated Intravascular Coagulation and Perioperative and Critical Care Thrombosis and Hemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2400-2407	15.4	7
237	The effect of exposure to particulate matter during pregnancy on lower respiratory tract infection hospitalizations during first year of life. <i>Environmental Health</i> , 2020 , 19, 90	6	5
236	COVID-19 coagulopathy in pregnancy: Critical review, preliminary recommendations, and ISTH registry-Communication from the ISTH SSC for Women@ Health. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 3086-3098	15.4	31
235	Placental abruption as a trigger of DIC in women with HELLP syndrome: a population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-11	2	5
234	Reply to "Errors in the diagnosis for DIC due to a statistical misunderstanding". <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1792-1793	15.4	2
233	ELABELA plasma concentrations are increased in women with late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 5-15	2	26

232	Targeted expression profiling by RNA-Seq improves detection of cellular dynamics during pregnancy and identifies a role for T cells in term parturition. <i>Scientific Reports</i> , 2019 , 9, 848	4.9	23
231	Increased placental expression of Placental Protein 5 (PP5) / Tissue Factor Pathway Inhibitor-2 (TFPI-2) in women with preeclampsia and HELLP syndrome: Relevance to impaired trophoblast invasion?. <i>Placenta</i> , 2019 , 76, 30-39	3.4	10
230	DIC in obstetrics: Diagnostic score, highlights in management, and international registry-communication from the DIC and Women@ Health SSCs of the International Society of Thrombosis and Haemostasis. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1562-1566	15.4	10
229	The prediction of early preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2019 , 14, e0217273	3.7	41
228	Does the human placenta delivered at term have a microbiota? Results of cultivation, quantitative real-time PCR, 16S rRNA gene sequencing, and metagenomics. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 267.e1-267.e39	6.4	121
227	Thrombosis and hemostasis health in pregnancy: Registries from the International Society on Thrombosis and Haemostasis. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019 , 3, 607-614	5.1	10
226	Placental Galectins Are Key Players in Regulating the Maternal Adaptive Immune Response. <i>Frontiers in Immunology</i> , 2019 , 10, 1240	8.4	25
225	Interaction of Pregnancy-Specific Glycoprotein 1 With Integrin $\beta 1$ Is a Modulator of Extravillous Trophoblast Functions. <i>Cells</i> , 2019 , 8,	7.9	13
224	Evidence that intra-amniotic infections are often the result of an ascending invasion - a molecular microbiological study. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 915-931	2.7	60
223	The plasma metabolome of women in early pregnancy differs from that of non-pregnant women. <i>PLoS ONE</i> , 2019 , 14, e0224682	3.7	12
222	Mechanisms of death in structurally normal stillbirths. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 222-240	2.7	13
221	Clinical chorioamnionitis at term IX: in vivo evidence of intra-amniotic inflammasome activation. <i>Journal of Perinatal Medicine</i> , 2019 , 47, 276-287	2.7	34
220	Oligohydramnios is an independent risk factor for perinatal morbidity among women with pre-eclampsia who delivered preterm. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1776-1782	2	2
219	Induction of labor in cases of late preterm isolated oligohydramnios: is it justified?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2271-2279	2	3
218	The profiles of soluble adhesion molecules in the "great obstetrical syndromes". <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2113-2136	2	14
217	Modified ISTH pregnancy-specific DIC score in parturients with liver rupture: population-based case series. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2517-2523	2	8
216	Medically indicated late preterm delivery and its impact on perinatal morbidity and mortality: a retrospective population-based cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3278-3287	2	6
215	The diagnostic performance of the beta-glucan assay in the detection of intra-amniotic infection with <i>Candida</i> species. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1703-1720	2	17

214	In vivo evidence of inflammasome activation during spontaneous labor at term. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1978-1991	2	26
213	A new customized fetal growth standard for African American women: the PRB/NICHD Detroit study. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, S679-S691.e4	6.4	23
212	Vaginal progesterone is as effective as cervical cerclage to prevent preterm birth in women with a singleton gestation, previous spontaneous preterm birth, and a short cervix: updated indirect comparison meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 10-25	6.4	65
211	Individualized growth assessment: conceptual framework and practical implementation for the evaluation of fetal growth and neonatal growth outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, S656-S678	6.4	34
210	The association between cervical inflammation and histologic evidence of HPV in PAP smears and adverse pregnancy outcome in low risk population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 225, 160-165	2.4	10
209	The pattern and magnitude of "in vivo thrombin generation" differ in women with preeclampsia and in those with SGA fetuses without preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 1671-1680	2	6
208	Maternal plasma-soluble ST2 concentrations are elevated prior to the development of early and late onset preeclampsia - a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 418-432	2	17
207	Comparison of rapid MMP-8 and interleukin-6 point-of-care tests to identify intra-amniotic inflammation/infection and impending preterm delivery in patients with preterm labor and intact membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 228-244	2	46
206	Late preterm and early term: when to induce a growth restricted fetus? A population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 926-932	2	11
205	Transabdominal collection of amniotic fluid "sludge" and identification of <i>Candida albicans</i> intra-amniotic infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 1279-1284	2	19
204	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 1568-1577	2	10
203	A Low Cerebroplacental Ratio at 20-24 Weeks of Gestation Can Predict Reduced Fetal Size Later in Pregnancy or at Birth. <i>Fetal Diagnosis and Therapy</i> , 2018 , 44, 112-123	2.4	7
202	Chronic inflammatory lesions of the placenta are associated with an up-regulation of amniotic fluid CXCR3: A marker of allograft rejection. <i>Journal of Perinatal Medicine</i> , 2018 , 46, 123-137	2.7	19
201	The frequency and type of placental histologic lesions in term pregnancies with normal outcome. <i>Journal of Perinatal Medicine</i> , 2018 , 46, 613-630	2.7	79
200	Maternal total cell-free DNA in preeclampsia and fetal growth restriction: Evidence of differences in maternal response to abnormal implantation. <i>PLoS ONE</i> , 2018 , 13, e0200360	3.7	20
199	Extracellular vesicles generated by placental tissues ex vivo: A transport system for immune mediators and growth factors. <i>American Journal of Reproductive Immunology</i> , 2018 , 80, e12860	3.8	26
198	Integrated Systems Biology Approach Identifies Novel Maternal and Placental Pathways of Preeclampsia. <i>Frontiers in Immunology</i> , 2018 , 9, 1661	8.4	79
197	Low thyroid-stimulating hormone and its persistence beyond the first trimester of pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 142, 270-276	4	5

196	Clinical Chorioamnionitis at Term: New Insights into the Etiology, Microbiology, and the Fetal, Maternal and Amniotic Cavity Inflammatory Responses 2018 , 20, 103-112		8
195	Urine protein-to-creatinine ratio: a point of care for the diagnosis of preeclampsia. <i>Minerva Obstetrics and Gynecology</i> , 2018 , 70, 246-253		1
194	Associations between ambient air temperature, low birth weight and small for gestational age in term neonates in southern Israel. <i>Environmental Health</i> , 2018 , 17, 76	6	15
193	A soft cervix, categorized by shear-wave elastography, in women with short or with normal cervical length at 18-24 weeks is associated with a higher prevalence of spontaneous preterm delivery. <i>Journal of Perinatal Medicine</i> , 2018 , 46, 489-501	2.7	38
192	Disseminated intravascular coagulation in the HELLP syndrome: how much do we really know?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 779-788	2	19
191	Twenty-four percent of patients with clinical chorioamnionitis in preterm gestations have no evidence of either culture-proven intraamniotic infection or intraamniotic inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 604.e1-604.e11	6.4	66
190	The maternal plasma proteome changes as a function of gestational age in normal pregnancy: a longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 67.e1-67.e21	6.4	49
189	Disseminated intravascular coagulation in pregnancy - Clinical phenotypes and diagnostic scores. <i>Thrombosis Research</i> , 2017 , 151 Suppl 1, S56-S60	8.2	33
188	Proposed diagnostic criteria for the case definition of amniotic fluid embolism in research studies. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 228-229	6.4	9
187	Metformin, the aspirin of the 21st century: its role in gestational diabetes mellitus, prevention of preeclampsia and cancer, and the promotion of longevity. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 282-302	6.4	139
186	The cytokine network in women with an asymptomatic short cervix and the risk of preterm delivery. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12686	3.8	21
185	CXCL10 and IL-6: Markers of two different forms of intra-amniotic inflammation in preterm labor. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12685	3.8	48
184	The prediction of fetal death with a simple maternal blood test at 20-24 weeks: a role for angiogenic index-1 (PlGF/sVEGFR-1 ratio). <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 682.e1-682.e13	6.4	19
183	Peripartum cardiomyopathy is associated with increased uric acid concentrations: A population based study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017 , 46, 369-374	2.6	4
182	Clinical chorioamnionitis at term VIII: a rapid MMP-8 test for the identification of intra-amniotic inflammation. <i>Journal of Perinatal Medicine</i> , 2017 , 45, 539-550	2.7	38
181	Underlying mechanisms of retained placenta: Evidence from a population based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 216, 12-17	2.4	16
180	Cerebral Palsy-Trends in Epidemiology and Recent Development in Prenatal Mechanisms of Disease, Treatment, and Prevention. <i>Frontiers in Pediatrics</i> , 2017 , 5, 21	3.4	96
179	Inflammatory and vascular placental lesions are associated with neonatal amplitude integrated EEG recording in early premature neonates. <i>PLoS ONE</i> , 2017 , 12, e0179481	3.7	5

178	The prediction of late-onset preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2017 , 12, e0181468	3.7	52
177	Fetal death: an extreme manifestation of maternal anti-fetal rejection. <i>Journal of Perinatal Medicine</i> , 2017 , 45, 851-868	2.7	18
176	LMWH in the prevention of preeclampsia and fetal growth restriction in women without thrombophilia. A systematic review and meta-analysis. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 868-878	7	25
175	Ultrasonographic approach to diagnosis of fetal inflammatory response syndrome: a tool for at-risk fetuses?. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 9-20	6.4	7
174	Early onset preeclampsia and cerebral palsy: a double hit model?. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 105.e1-9	6.4	13
173	Induction of labor in twin gestation: lessons from a population based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 3999-4007	2	8
172	Escalating placenta invasiveness: repeated placenta accreta at the limit of viability. <i>International Journal of Women's Health</i> , 2016 , 8, 119-23	2.8	2
171	Placenta accreta is an independent risk factor for late pre-term birth and perinatal mortality. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1381-7	2	24
170	Disseminated intravascular coagulation in pregnancy: insights in pathophysiology, diagnosis and management. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 452-63	6.4	75
169	The clinical utility of sonographic cervical length in the management of preterm parturition at 28-32 weeks of gestation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1929-33	2	4
168	Antenatal diagnosis and treatment of hypothyroid fetal goiter in an euthyroid mother: a case report and review of literature. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 2214-20	2	19
167	The physiologic anticoagulant and anti-inflammatory role of heparins and their utility in the prevention of pregnancy complications. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 1236-46	7	18
166	Reversal of mirror syndrome after selective feticide of a hydropic fetus in a dichorionic diamniotic twin pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2015 , 34, 351-3	2.9	9
165	A prior placenta accreta is an independent risk factor for post-partum hemorrhage in subsequent gestations. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 187, 20-4	2.4	10
164	The use of imaging technology in the assessment of the fetal inflammatory response syndrome-imaging of the fetal thymus. <i>Prenatal Diagnosis</i> , 2015 , 35, 413-9	3.2	13
163	Galectins: Double-edged Swords in the Cross-roads of Pregnancy Complications and Female Reproductive Tract Inflammation and Neoplasia. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 181-208	2.9	38
162	The physiologic and therapeutic role of heparin in implantation and placentation. <i>PeerJ</i> , 2015 , 3, e991	3.1	28
161	DIC score in pregnant women--a population based modification of the International Society on Thrombosis and Hemostasis score. <i>PLoS ONE</i> , 2014 , 9, e93240	3.7	58

160	The evolution of embryo implantation. <i>International Journal of Developmental Biology</i> , 2014 , 58, 155-61	1.9	24
159	Placental Protein 13 (PP13) - A Placental Immunoregulatory Galectin Protecting Pregnancy. <i>Frontiers in Immunology</i> , 2014 , 5, 348	8.4	68
158	The effect of cervical cerclage on pregnancy outcomes in women following conization. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1594-7	2	14
157	In vivo experiments reveal the good, the bad and the ugly faces of sFlt-1 in pregnancy. <i>PLoS ONE</i> , 2014 , 9, e110867	3.7	21
156	Placental vascular pathology and increased thrombin generation as mechanisms of disease in obstetrical syndromes. <i>PeerJ</i> , 2014 , 2, e653	3.1	9
155	Do patients who deliver at term after being hospitalized for preterm contractions have an increased risk for obstetrical complications?. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 537-42	2.5	7
154	Perfusion with magnesium sulfate increases sFlt-1 secretion only in the fetal side of placenta of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 116-22	2	4
153	Use of and attitudes toward complementary and alternative medicine among obstetricians in Israel. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 121, 132-6	4	9
152	Induction of labor after a prior cesarean delivery: lessons from a population-based study. <i>Journal of Perinatal Medicine</i> , 2013 , 41, 171-9	2.7	7
151	Cannabidiol changes P-gp and BCRP expression in trophoblast cell lines. <i>PeerJ</i> , 2013 , 1, e153	3.1	35
150	Hypothyroidism and diabetes mellitus - a risky dual gestational endocrinopathy. <i>PeerJ</i> , 2013 , 1, e52	3.1	16
149	Early preterm delivery due to placenta previa is an independent risk factor for a subsequent spontaneous preterm birth. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 82	3.2	6
148	Early-Onset Preeclampsia and HELLP Syndrome: An Overview 2012 , 1867-1891		8
147	Remote prognosis after primary cesarean delivery: the association of VBACs and recurrent cesarean deliveries with maternal morbidity. <i>International Journal of Women's Health</i> , 2012 , 4, 93-107	2.8	8
146	Viral invasion of the amniotic cavity (VIAC) in the midtrimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2002-13	2	51
145	Midtrimester amniotic fluid concentrations of interleukin-6 and interferon-gamma-inducible protein-10: evidence for heterogeneity of intra-amniotic inflammation and associations with spontaneous early (32 weeks) preterm delivery. <i>Journal of Perinatal Medicine</i> , 2012 , 40, 329-43	2.7	107
144	Polymorphisms in maternal and fetal genes encoding for proteins involved in extracellular matrix metabolism alter the risk for small-for-gestational-age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 362-80	2	15
143	PP13, maternal ABO blood groups and the risk assessment of pregnancy complications. <i>PLoS ONE</i> , 2011 , 6, e21564	3.7	39

142 Vaginal Bleeding and Preterm Delivery **2011**, 99-118

141 Activation of the alternative pathway of complement is a feature of pre-term parturition but not of spontaneous labor at term. *American Journal of Reproductive Immunology*, **2010**, 63, 318-30 3.8 31

140 Surfactant protein-A as an anti-inflammatory component in the amnion: implications for human pregnancy. *Journal of Immunology*, **2010**, 184, 6479-91 5.3 34

139 The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). *Journal of Perinatal Medicine*, **2010**, 38, 45-53 2.7 43

138 Low circulating maternal adiponectin in patients with pyelonephritis: adiponectin at the crossroads of pregnancy and infection. *Journal of Perinatal Medicine*, **2010**, 38, 9-17 2.7 13

137 Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. *Journal of Perinatal Medicine*, **2010**, 38, 161-71 2.7 41

136 Retinol binding protein 4—a novel association with early-onset preeclampsia. *Journal of Perinatal Medicine*, **2010**, 38, 129-39 2.7 44

135 Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 34-47² 3²

134 Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 103-6 2 16

133 High tissue factor activity and low tissue factor pathway inhibitor concentrations in patients with preterm labor. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 23-33 2 27

132 Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 476-87 2 36

131 Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 297-307 2 17

130 Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: a novel association with intra-amniotic infection/inflammation. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 120-30 2 31

129 An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 1384-299 4⁸

128 Retinol binding protein 4: an adipokine associated with intra-amniotic infection/inflammation. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 111-9 2 30

127 Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 857-68 2 29

126 Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 1085-90 2 14

125 Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. *Journal of Maternal-Fetal and Neonatal Medicine*, **2010**, 23, 167-78 2 21

124	Isobaric labeling and tandem mass spectrometry: a novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010 , 23, 261-80	2	69
123	Should bilateral uterine artery notching be used in the risk assessment for preeclampsia, small-for-gestational-age, and gestational hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010 , 29, 1103-15	2.9	39
122	Clinical significance of early (Ultrasound in Obstetrics and Gynecology, 2010 , 36, 471-81	5.8	50
121	MicroRNA expression profiling of the human uterine cervix after term labor and delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 80.e1-8	6.4	41
120	Characterization of the transcriptome of chorioamniotic membranes at the site of rupture in spontaneous labor at term. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 462.e1-41	6.4	49
119	A decrease in maternal plasma concentrations of sVEGFR-2 precedes the clinical diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 550.e1-10	6.4	24
118	A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 361.e1-361.e30	6.4	63
117	The risk of impending preterm delivery in asymptomatic patients with a nonmeasurable cervical length in the second trimester. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 446.e1-9	6.4	19
116	Prenatal diagnosis of coarctation of the aorta with the multiplanar display and B-flow imaging using 4-dimensional sonography. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 1375-8	2.9	9
115	A primate subfamily of galectins expressed at the maternal-fetal interface that promote immune cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9731-6	11.5	148
114	Maternal visfatin concentration in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 206-17	2.7	46
113	Maternal serum adiponectin multimers in preeclampsia. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 349-63	2.7	54
112	Amniotic fluid angiopoietin-2 in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 503-11	2.7	22
111	Maternal serum adiponectin multimers in gestational diabetes. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 637-50	2.7	38
110	Maternal serum adiponectin multimers in patients with a small-for-gestational-age newborn. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 623-35	2.7	23
109	Visfatin in human pregnancy: maternal gestational diabetes vis-à-vis neonatal birthweight. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 218-31	2.7	41
108	Early rapid growth, early birth: accelerated fetal growth and spontaneous late preterm birth. <i>American Journal of Human Biology</i> , 2009 , 21, 141-50	2.7	22
107	Growth perturbations in a phenotype with rapid fetal growth preceding preterm labor and term birth. <i>American Journal of Human Biology</i> , 2009 , 21, 782-92	2.7	8

106	Widespread microbial invasion of the chorioamniotic membranes is a consequence and not a cause of intra-amniotic infection. <i>Laboratory Investigation</i> , 2009 , 89, 924-36	5.9	118
105	Differential expression pattern of genes encoding for anti-microbial peptides in the fetal membranes of patients with spontaneous preterm labor and intact membranes and those with preterm prelabor rupture of the membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009	2	33
104	Mitochondrial manganese superoxide dismutase mRNA expression in human chorioamniotic membranes and its association with labor, inflammation, and infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1000-13	2	33
103	The preterm parturition syndrome and its implications for understanding the biology, risk assessment, diagnosis, treatment and prevention of preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22 Suppl 2, 5-23	2	91
102	Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 905-16	2	31
101	Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 672-87	2	44
100	Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 887-904	2	27
99	Amniotic fluid soluble human leukocyte antigen-G in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1151-66	2	25
98	A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1122-39	2	59
97	The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: identification of novel molecular functions involved in this process. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1183-93	2	59
96	Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: evidence of an increased thrombin generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 971-82	2	24
95	Fetal membranes as an interface between inflammation and metabolism: increased aquaporin 9 expression in the presence of spontaneous labor at term and chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1167-75	2	15
94	Maternal plasma visfatin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 693-704	2	28
93	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 1021-38	2	209
92	Amniotic fluid fetal hemoglobin in normal pregnancies and pregnancies complicated with preterm labor or prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 388-97	2	6
91	Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 662-71	2	16
90	Evidence for complement activation in the amniotic fluid of women with spontaneous preterm labor and intra-amniotic infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 983-92	2	45
89	Three-dimensional sonography of placental mesenchymal dysplasia and its differential diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 359-68	2.9	34

88	Evidence of changes in the immunophenotype and metabolic characteristics (intracellular reactive oxygen radicals) of fetal, but not maternal, monocytes and granulocytes in the fetal inflammatory response syndrome. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 543-52	2.7	38
87	Chorioamnionitis and increased galectin-1 expression in PPRM --an anti-inflammatory response in the fetal membranes?. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 298-311	3.8	27
86	The effect of gestational age and labor on placental growth hormone in amniotic fluid. <i>Growth Hormone and IGF Research</i> , 2008 , 18, 174-9	2	5
85	The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 25-40	2	87
84	Resistin in amniotic fluid and its association with intra-amniotic infection and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 902-16	2	52
83	Adiponectin multimers in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 796-815	2	36
82	A role for CXCL13 (BCA-1) in pregnancy and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 763-75	2	41
81	The anti-inflammatory limb of the immune response in preterm labor, intra-amniotic infection/inflammation, and spontaneous parturition at term: a role for interleukin-10. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 529-47	2	110
80	Severe preeclampsia is characterized by increased placental expression of galectin-1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 429-42	2	54
79	A link between a hemostatic disorder and preterm PROM: a role for tissue factor and tissue factor pathway inhibitor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 732-44	2	27
78	Amniotic fluid heat shock protein 70 concentration in histologic chorioamnionitis, term and preterm parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 449-61	2	80
77	Tissue factor and its natural inhibitor in pre-eclampsia and SGA. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 855-69	2	42
76	Whole-genome microarray and targeted analysis of angiogenesis-regulating gene expression (ENG, FLT1, VEGF, PlGF) in placentas from pre-eclamptic and small-for-gestational-age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 267-73	2	45
75	Proteomic profiling of amniotic fluid in preterm labor using two-dimensional liquid separation and mass spectrometry. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 697-713	2	55
74	A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin and soluble vascular endothelial growth factor receptor-1) factors in normal pregnancy and patients destined to develop preeclampsia and deliver a small for gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 9-23	2	493
73	The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 270-87	2	221
72	Soluble receptor for advanced glycation end products (sRAGE) and endogenous secretory RAGE (esRAGE) in amniotic fluid: modulation by infection and inflammation. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 388-98	2.7	49
71	Exodus-1 (CCL20): evidence for the participation of this chemokine in spontaneous labor at term, preterm labor, and intrauterine infection. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 217-27	2.7	50

70	Premature labor: a state of platelet activation?. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 377-87	2.7	21
69	Visfatin/Pre-B cell colony-enhancing factor in amniotic fluid in normal pregnancy, spontaneous labor at term, preterm labor and prelabor rupture of membranes: an association with subclinical intrauterine infection in preterm parturition. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 485-96	2.7	58
68	Proteomic analysis of amniotic fluid to identify women with preterm labor and intra-amniotic inflammation/infection: the use of a novel computational method to analyze mass spectrometric profiling. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 367-88	2	46
67	Distinct genomic signatures of adaptation in pre- and postnatal environments during human evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3215-20	11.5	42
66	Emergence of hormonal and redox regulation of galectin-1 in placental mammals: implication in maternal-fetal immune tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15819-24	11.5	61
65	Evidence of the involvement of caspase-1 under physiologic and pathologic cellular stress during human pregnancy: a link between the inflammasome and parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 605-16	2	87
64	Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: soluble Tie-2. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 389-402	2	48
63	Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 41-52	2	57
62	Over-expression of the thrombin receptor (PAR-1) in the placenta in preeclampsia: a mechanism for the intersection of coagulation and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 345-55	2	35
61	Microbial prevalence, diversity and abundance in amniotic fluid during preterm labor: a molecular and culture-based investigation. <i>PLoS ONE</i> , 2008 , 3, e3056	3.7	543
60	Pyelonephritis during pregnancy: a cause for an acquired deficiency of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 629-37	2	10
59	An increased risk for non allo-immunization related intrauterine fetal death in RhD-negative patients. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008 , 21, 255-9	2	3
58	Primiparity, assisted reproduction, and preterm birth in twin pregnancies: a population based study. <i>Archives of Gynecology and Obstetrics</i> , 2008 , 277, 311-7	2.5	13
57	The human progesterone receptor shows evidence of adaptive evolution associated with its ability to act as a transcription factor. <i>Molecular Phylogenetics and Evolution</i> , 2008 , 47, 637-49	4.1	31
56	Detection of a microbial biofilm in intraamniotic infection. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 135.e1-5	6.4	130
55	First-trimester maternal serum PP13 in the risk assessment for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 122.e1-122.e11	6.4	111
54	Twin-to-twin transfusion syndrome: an antiangiogenic state?. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 382.e1-8	6.4	45
53	Total hemoglobin concentration in amniotic fluid is increased in intraamniotic infection/inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 426.e1-7	6.4	12

52	CXCL6 (granulocyte chemotactic protein-2): a novel chemokine involved in the innate immune response of the amniotic cavity. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 246-57	3.8	55
51	A role for mannose-binding lectin, a component of the innate immune system in pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 333-45	3.8	39
50	Placental growth hormone is increased in the maternal and fetal serum of patients with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 651-9	2	34
49	Plasma protein Z concentrations in pregnant women with idiopathic intrauterine bleeding and in women with spontaneous preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 453-63	2	21
48	Preeclampsia is associated with low concentrations of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 661-7	2	23
47	Human beta-defensin-2: a natural antimicrobial peptide present in amniotic fluid participates in the host response to microbial invasion of the amniotic cavity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 15-22	2	66
46	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 867-78	2	30
45	Maternal serum concentrations of the chemokine CXCL10/IP-10 are elevated in acute pyelonephritis during pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 735-44	2	19
44	Maternal serum soluble CD30 is increased in pregnancies complicated with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 803-11	2	15
43	CXCL10/IP-10: a missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 777-92	2	85
42	A systematic approach to the use of the multiplanar display in evaluation of abnormal vascular connections to the fetal heart using 4-dimensional ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007 , 26, 1461-7	2.9	12
41	The timed-pregnant baboon animal model can be used for determining the role of soluble vascular endothelial growth factor receptors 1 and 2 during development. <i>Journal of Medical Primatology</i> , 2007 , 36, 370-4	0.7	6
40	Distribution of CD14+ and CD68+ macrophages in the placental bed and basal plate of women with preeclampsia and preterm labor. <i>Placenta</i> , 2007 , 28, 571-6	3.4	51
39	Recurrent preterm birth. <i>Seminars in Perinatology</i> , 2007 , 31, 142-58	3.3	79
38	Clinical significance of the presence of amniotic fluid glue on asymptomatic patients at high risk for spontaneous preterm delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 706-14	5.8	97
37	Trial of labor and vaginal birth after cesarean section in patients with uterine Müllerian anomalies: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 537.e1-11	6.4	27
36	An episode of preterm labor is a risk factor for the birth of a small-for-gestational-age neonate. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 574.e1-5; discussion 574.e5-6	6.4	24
35	Differential expression of microRNAs with progression of gestation and inflammation in the human chorioamniotic membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 289.e1-6	6.4	39

34	Unexplained fetal death: another anti-angiogenic state. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 495-507	2	44
33	Adiponectin in severe preeclampsia. <i>Journal of Perinatal Medicine</i> , 2007 , 35, 503-12	2.7	53
32	Resistin: a hormone which induces insulin resistance is increased in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2007 , 35, 513-21	2.7	59
31	Plasma adiponectin concentrations in non-pregnant, normal and overweight pregnant women. <i>Journal of Perinatal Medicine</i> , 2007 , 35, 522-31	2.7	63
30	The role of the sagittal view of the ductal arch in identification of fetuses with conotruncal anomalies using 4-dimensional ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007 , 26, 1181-8; quiz 1189-90	2.9	16
29	The fetal inflammatory response syndrome. <i>Clinical Obstetrics and Gynecology</i> , 2007 , 50, 652-83	1.7	407
28	Chronic hypertension is an independent risk factor for preeclampsia and preterm delivery in women with rheumatologic diseases: a population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 157-63	2.4	4
27	Four-dimensional ultrasonography of the fetal heart using a novel Tomographic Ultrasound Imaging display. <i>Journal of Perinatal Medicine</i> , 2006 , 34, 39-55	2.7	47
26	Preeclampsia in twin gestations: association with IVF treatments, parity and maternal age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 141-6	2	22
25	A role of the anti-angiogenic factor sVEGFR-1 in the mirror syndrome (Ballantyne syndrome). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 607-13	2	75
24	Normal and abnormal transformation of the spiral arteries during pregnancy. <i>Journal of Perinatal Medicine</i> , 2006 , 34, 447-58	2.7	116
23	Evolution of the mammalian placenta revealed by phylogenetic analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 3203-8	11.5	250
22	Sex distribution of newborns to mothers with systemic lupus erythematosus. <i>Epidemiology</i> , 2006 , 17, 341-2	3.1	6
21	Preconceptional antibiotic treatment to prevent preterm birth in women with a previous preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 630-7	6.4	80
20	The role of cervical cerclage in obstetric practice: can the patient who could benefit from this procedure be identified?. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1-9	6.4	157
19	A rapid MMP-8 bedside test for the detection of intra-amniotic inflammation identifies patients at risk for imminent preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1025-30	6.4	69
18	Increased maternal serum human chorionic gonadotropin concentrations are an independent risk factor for SGA in dichorionic twin gestations. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 18, 117-22	2	3
17	Hydramnios and small for gestational age are independent risk factors for neonatal mortality and maternal morbidity. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 271, 296-301	2.5	11

16	Erythropoietin concentration among patients with and without preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 273, 140-3	2.5	7
15	The association between maternal obesity, glucose intolerance and hypertensive disorders of pregnancy in nondiabetic pregnant women. <i>Hypertension in Pregnancy</i> , 2005 , 24, 125-36	2	17
14	Acute gastric ulcer perforation in a 35 weeks nulliparous patient with gastric banding. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1721-2	6.4	22
13	A retrospective study of unplanned out-of-hospital deliveries. <i>Archives of Gynecology and Obstetrics</i> , 2004 , 269, 85-8	2.5	6
12	Elevated maternal mid-trimester chorionic gonadotropin β MoM is associated with fetal cerebral blood flow redistribution. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 22-27	3.8	7
11	Elevated maternal mid-trimester chorionic gonadotropin \geq or $=4$ MoM is associated with fetal cerebral blood flow redistribution. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 22-7	3.8	12
10	344 P selection is significantly elevated among diabetic patients at risk to develop preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, S175	6.4	2
9	Remote prognosis of primiparous women with preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001 , 96, 69-74	2.4	32
8	Wilson's disease in pregnancy: five successful consecutive pregnancies of the same woman. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001 , 96, 232-4	2.4	21
7	Comparison study between induced and spontaneous term and preterm births of small-for-gestational-age neonates. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001 , 97, 141-6	2.4	29
6	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000 , 79, 31-36	3.8	2
5	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000 , 79, 31-36	3.8	13
4	Clinical significance and outcome of preterm prelabor rupture of membranes: population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000 , 92, 209-16	2.4	70
3	Does the station of the fetal head during epidural analgesia affect labor and delivery?. <i>International Journal of Gynecology and Obstetrics</i> , 1999 , 64, 43-7	4	7
2	Attentional Networks during the Menstrual Cycle		1
1	Prelabor Rupture of the Membranes 1130-1188		6