

You-Ming Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/345576/you-ming-zhang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193
papers

4,145
citations

33
h-index

54
g-index

201
ext. papers

4,825
ext. citations

4.3
avg, IF

5.84
L-index

#	Paper	IF	Citations
193	Regulation of conjugate rigid plane structures for achieving transformation of fluorescence recognition properties. <i>New Journal of Chemistry</i> , 2022 , 46, 2858-2862	3.6	1
192	Controllable self-assemblies of 2,2'-bibenzimidazole derivative: Detection and adsorption of heavy metal ion. <i>Dyes and Pigments</i> , 2022 , 198, 110021	4.6	1
191	A novel fluorescent chemosensor based on naphthofuran functionalized naphthalimide for highly selective and sensitive detecting Hg ²⁺ and CN ⁻ . <i>Journal of Luminescence</i> , 2022 , 244, 118722	3.8	3
190	Selective fluorescent detection toluene in water by a novel and simple tetra-hydrazone-biphenol-based chemosensor. <i>Dyes and Pigments</i> , 2022 , 203, 110342	4.6	
189	Tri-pillar[5]arene-Based Multifunctional Stimuli-Responsive Supramolecular Polymer Network with Conductivity, Aggregation-Induced Emission, Thermochromism, Fluorescence Sensing, and Separation Properties. <i>Macromolecules</i> , 2021 , 54, 373-383	5.5	14
188	Tripodal aroyl hydrazone based AIE fluorescent sensor for relay detection Hg ²⁺ and Br ⁻ in living cells. <i>Dyes and Pigments</i> , 2021 , 191, 109389	4.6	2
187	A novel bis-acylhydrazone supramolecular gel and its application in ultrasensitive detection of CN ⁻ . <i>Dyes and Pigments</i> , 2021 , 186, 108949	4.6	6
186	Linear tri-pillar[5]arene-based acceptor for efficiently separate paraquat from water through collaboration effect. <i>Materials Science and Engineering C</i> , 2021 , 118, 111358	8.3	7
185	Stimuli-responsive supramolecular hydrogel with white AIE effect for ultrasensitive detection of Fe ³⁺ and as rewritable fluorescent materials. <i>Dyes and Pigments</i> , 2021 , 184, 108875	4.6	6
184	Novel tripodal-pillar[5]arene-based chemical sensor for efficient detection and removal paraquat by synergistic effect. <i>Sensors and Actuators B: Chemical</i> , 2021 , 327, 128885	8.5	12
183	Pillararene-based AIEgens: research progress and appealing applications. <i>Chemical Communications</i> , 2021 , 57, 284-301	5.8	29
182	A signal amplification strategy for ultrasensitive detecting H ₂ PO ₄ ⁻ using metal coordinated supramolecular gel. <i>Journal of Molecular Liquids</i> , 2021 , 321, 114500	6	4
181	Fabrication of a luminescence-silent oxidation platform based on phenazine derivatives for monitoring and imaging ascorbic acid in living cells and real sample. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129170	8.5	3
180	Formation of a lead chalcogenide quantum dot-based supramolecular polymer network via pillar[5]arene-based host-guest complexation. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5833-5840	7.8	1
179	A mechanically self-locked gemini-[1]rotaxane-assembled microsphere and its properties on L-Arg controlled reversible morphology and fluorescence changes. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10347-10353	7.1	0
178	Theoretical and Experimental Insights into the Self-Assembly and Ion Response Mechanisms of Tripodal Quinolinamido-Based Supramolecular Organogels. <i>ChemPlusChem</i> , 2021 , 86, 146-154	2.8	1
177	A novel photochemical sensor based on quinoline-functionalized phenazine derivatives for multiple substrate detection. <i>New Journal of Chemistry</i> , 2021 , 45, 5040-5048	3.6	0

176	Supramolecular organogel with aggregation-induced emission for ultrasensitive detection and effective removal of Cu ²⁺ and Hg ²⁺ from aqueous solution. <i>Dyes and Pigments</i> , 2021 , 192, 109436	4.6	4
175	Synthesis, crystal structure of a novel metal-organic framework and its catalyzing properties on the selective oxidation of cyclohexene to cyclohexenone. <i>Inorganica Chimica Acta</i> , 2021 , 525, 120494	2.7	3
174	Acid-base regulation the reversible transformation of novel phenazine derivatives and serving as biomarker for tracing acidity change in living cell and mice. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130287	8.5	1
173	Novel tetra-arm chemosensor supply collaboration effect for highly sensitive fluorescent and colorimetric sensing of L-Arg. <i>Dyes and Pigments</i> , 2021 , 194, 109658	4.6	1
172	Novel tri-[2]rotaxane-based stimuli-responsive fluorescent nanoparticles and their guest controlled reversible morphological transformation properties. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3863-3870	7.1	1
171	formation of Hg-coordinated fluorescent nanoparticles through a supramolecular polymer network used for efficient Hg sensing and separation. <i>Nanoscale</i> , 2021 , 13, 9172-9176	7.7	4
170	A simple pillar[5]arene assembled multi-functional material with ultrasensitive sensing, self-healing, conductivity and host-guest stimuli-responsive properties. <i>Soft Matter</i> , 2021 , 17, 8308-8313	3.6	0
169	Fabrication of a solid sensor based on a phenazine derivative film for enhancing the sensing properties of biogenic amine and applying for monitoring shrimp freshness. <i>New Journal of Chemistry</i> , 2021 , 45, 11234-11244	3.6	2
168	Supramolecular AIE polymer-based rare earth metallogels for the selective detection and high efficiency removal of cyanide and perchlorate. <i>Polymer Chemistry</i> , 2021 , 12, 2001-2008	4.9	4
167	Metal-Free White Light-Emitting Fluorescent Material Based on Simple Pillar[5]arene-tripodal Amide System and Theoretical Insights on Its Assembly and Fluorescent Properties. <i>Langmuir</i> , 2020 , 36, 13469-13476	4	6
166	A pillar[5]arene-based supramolecular polymer network gel and its application in adsorption and removal of organic dye in water. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2020 , 97, 137-145	1.7	3
165	A pillar[5]arene-based fluorescent sensor for sensitive detection of L-Met through a dual-site collaborative mechanism. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 240, 118569	4.4	8
164	A novel AIE chemosensor based on a coumarin functionalized pillar[5]arene for multi-analyte detection and application in logic gates. <i>New Journal of Chemistry</i> , 2020 , 44, 10885-10891	3.6	3
163	Tripodal naphthalimide assembled novel AIE supramolecular fluorescent sensor for rapid and selective detection of picric acid. <i>Dyes and Pigments</i> , 2020 , 181, 108563	4.6	16
162	Stimuli-responsive supramolecular polymer network based on bi-pillar[5]arene for efficient adsorption of multiple organic dye contaminants. <i>New Journal of Chemistry</i> , 2020 , 44, 12531-12537	3.6	3
161	A novel pillar[5]arene-based emission enhanced supramolecular sensor for dual-channel selective detection and separation of Hg ²⁺ . <i>New Journal of Chemistry</i> , 2020 , 44, 13157-13162	3.6	8
160	Competition of Exo-wall and Lone Pair Interactions: A Viable Approach to Achieve Ultrasensitive Detection and Effective Removal of AsO ₂ ⁻ in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 5831-5836	8.3	15
159	Novel fluorescent supramolecular polymer metallogel based on Al ³⁺ coordinated cross-linking of quinoline functionalized- pillar[5]arene act as multi-stimuli-responsive materials. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5519	3.1	2

158	Transparency and AIE tunable supramolecular polymer hydrogel acts as TEA-HCl vapor controlled smart optical material. <i>Soft Matter</i> , 2020 , 16, 5734-5739	3.6	14
157	Th tuned aggregation-induced emission: A novel strategy for sequential ultrasensitive detection and separation of Th and Hg. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 229, 117926	4.4	6
156	A pillar[5]arene-based and OH ⁻ dependent dual-channel supramolecular chemosensor for recyclable CO ₂ gas detection: High sensitive and selective off-on-off response. <i>Dyes and Pigments</i> , 2020 , 174, 108073	4.6	8
155	A self-assembled supramolecular gel constructed by phenazine derivative and its application in ultrasensitive detection of cyanide. <i>Dyes and Pigments</i> , 2020 , 174, 108066	4.6	14
154	A fluorescent supramolecular gel and its application in the ultrasensitive detection of CN ⁻ by anion-π interactions. <i>Soft Matter</i> , 2020 , 16, 9876-9881	3.6	7
153	Pillar[5]arene-based supramolecular AIE hydrogel with white light emission for ultrasensitive detection and effective separation of multianalytes. <i>Polymer Chemistry</i> , 2020 , 11, 5455-5462	4.9	10
152	A rhodamine-based dual chemosensor for the naked-eye detection of Hg and enhancement of the fluorescence emission for Fe. <i>Photochemical and Photobiological Sciences</i> , 2020 , 19, 1690-1696	4.2	9
151	Research progress of redox-responsive supramolecular gel. <i>Supramolecular Chemistry</i> , 2020 , 32, 578-596	1.8	5
150	-(2-Aminoethyl)-2-(hexylthio) Acetamide-Functionalized Pillar[5]arene for the Selective Detection of l-Trp through Guest-Adaptive Multisupramolecular Interactions. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 9811-9817	2.8	11
149	A novel nitrogen mustard functionalized tripodal AIE compound act as prodrug for fluorescent imaging and anticancer. <i>Journal of Luminescence</i> , 2020 , 227, 117546	3.8	3
148	Tailoring an HSO ⁻ anion hybrid receptor based on a phenazine derivative. <i>Photochemical and Photobiological Sciences</i> , 2020 , 19, 1373-1381	4.2	2
147	Phenazine derivatives for optical sensing: a review. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 11308-11339	3.1	20
146	Highly sensitive detection of mercury(II) and silver(I) ions in aqueous solution via a chromene-functionalized imidazophenazine derivative. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 402, 112814	4.7	6
145	1,8-Naphthalimide-based fluorescent chemosensors: recent advances and perspectives. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13501-13529	7.1	51
144	Lanthanide-Mediated Cyclodextrin-Based Supramolecular Assembly-Induced Emission Xerogel Films: A Transparent Multicolor Photoluminescent Material. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 13048-13055	8.3	7
143	Ratiometric fluorescent sensor based oxazo-phenazine derivatives for detect hypochlorite via oxidation reaction and its application in environmental samples. <i>Dyes and Pigments</i> , 2020 , 172, 107765	4.6	13
142	A novel AIE chemosensor based on quinoline functionalized Pillar[5]arene for highly selective and sensitive sequential detection of toxic Hg ²⁺ and CN ⁻ . <i>Dyes and Pigments</i> , 2019 , 164, 279-286	4.6	47
141	A tripodal supramolecular sensor to successively detect picric acid and CN ⁻ through guest competitive controlled AIE. <i>New Journal of Chemistry</i> , 2019 , 43, 2030-2036	3.6	23

140	A novel supramolecular polymer gel based on bis-naphthalimide functionalized-pillar[5]arene for fluorescence detection and separation of aromatic acid isomers. <i>Polymer Chemistry</i> , 2019 , 10, 253-259	4.9	28
139	Super metal hydrogels constructed from a simple tripodal gelator and rare earth metal ions and its application in highly selective and ultrasensitive detection of histidine. <i>Soft Matter</i> , 2019 , 15, 999-1004	3.6	29
138	Aggregation-Induced Emission Supramolecular Organic Framework (AIE SOF) Gels Constructed from Supramolecular Polymer Networks Based on Tripodal Pillar[5]arene for Fluorescence Detection and Efficient Removal of Various Analytes. <i>ACS Sustainable Chemistry and Engineering</i> , 2019	8.3	15
137	Highly selective Fe and F/HPO sensor based on a water-soluble cationic pillar[5]arene with aggregation-induced emission characteristic. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 221, 117215	4.4	12
136	Novel cyanide supramolecular fluorescent chemosensor constructed from a quinoline hydrazone functionalized-pillar[5]arene. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 220, 117136	4.4	12
135	Pillar[5]arene-based spongy supramolecular polymer gel and its properties in multi-responsiveness, dye sorption, ultrasensitive detection and separation of Fe. <i>Soft Matter</i> , 2019 , 15, 3241-3247	3.6	18
134	Novel pillar[5]arene-based supramolecular organic framework gel for ultrasensitive response Fe and F in water. <i>Materials Science and Engineering C</i> , 2019 , 100, 62-69	8.3	29
133	A novel fluorescent sensor based on 4-(diethylamino)-2-(hydroxy)-phenyl imine functionalized naphthalimide for highly selective and sensitive detection of CN ⁻ and Fe ³⁺ . <i>Canadian Journal of Chemistry</i> , 2019 , 97, 597-602	0.9	3
132	Rationally introduce AIE into chemosensor: A novel and efficient way to achieving ultrasensitive multi-guest sensing. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 218, 263-270	4.4	5
131	Spongy Materials Based on Supramolecular Polymer Networks for Detection and Separation of Broad-Spectrum Pollutants. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14775-14784	8.3	44
130	A novel supramolecular AIE gel for fluorescence detection and separation of metal ions from aqueous solution. <i>Soft Matter</i> , 2019 , 15, 6530-6535	3.6	3
129	A novel pillar[5]arene-based chemosensor for dual-channel detecting L-Arg by multiple supramolecular interactions. <i>Dyes and Pigments</i> , 2019 , 171, 107706	4.6	19
128	A simple water-soluble phenazine dye for colorimetric/ fluorogenic dual-mode detection and removal of Cu ²⁺ in natural water and plant samples. <i>Dyes and Pigments</i> , 2019 , 171, 107707	4.6	22
127	A novel strong AIE bi-component hydrogel as a multi-functional supramolecular fluorescent material. <i>Dyes and Pigments</i> , 2019 , 171, 107745	4.6	12
126	An azine-containing bispillar[5]arene-based multi-stimuli responsive supramolecular pseudopolyrotaxane gel for effective adsorption of rhodamine B. <i>Soft Matter</i> , 2019 , 15, 6836-6841	3.6	10
125	A novel AIE-based supramolecular polymer gel serves as an ultrasensitive detection and efficient separation material for multiple heavy metal ions. <i>Soft Matter</i> , 2019 , 15, 6878-6884	3.6	14
124	Aggregation-induced emission supramolecular organic framework (AIE SOF) gels constructed from tri-pillar[5]arene-based foldamer for ultrasensitive detection and separation of multi-analytes. <i>Soft Matter</i> , 2019 , 15, 6753-6758	3.6	18
123	A novel bis-component AIE smart gel with high selectivity and sensitivity to detect CN ⁻ , Fe and HPO. <i>Soft Matter</i> , 2019 , 15, 6348-6352	3.6	18

122	In Situ Generation of AgI Quantum Dots by the Confinement of A Supramolecular Polymer Network: A Novel Approach for Ultrasensitive Response. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 3274-3278	4.5	8
121	A Phenazine Hydrochloride for the Selective Detection and Removal of Mercury(II) Ions in Water. <i>ChemistrySelect</i> , 2019 , 4, 10060-10064	1.8	3
120	Anion induced supramolecular polymerization: a novel approach for the ultrasensitive detection and separation of F ⁻ . <i>Chemical Communications</i> , 2019 , 55, 3247-3250	5.8	60
119	Forming a water-soluble supramolecular polymer and an AIEE hydrogel: two novel approaches for highly sensitive detection and efficient adsorption of aldehydes. <i>Polymer Chemistry</i> , 2019 , 10, 6489-6494	4.9	21
118	A bi-component supramolecular gel for selective fluorescence detection and removal of Hg in water. <i>Soft Matter</i> , 2019 , 15, 9547-9552	3.6	17
117	A simple chemosensor for ultrasensitive fluorescent turn-on detection of Fe ³⁺ and alternant detection of CN ⁻ . <i>Supramolecular Chemistry</i> , 2019 , 31, 745-755	1.8	2
116	A biacylhydrazone-based chemosensor for fluorescence turn-on detection of Al ³⁺ with high selectivity and sensitivity. <i>Supramolecular Chemistry</i> , 2019 , 31, 80-88	1.8	8
115	Rapid and Selective Detection of Cyanide Anion by Enhanced Fluorescent Emission and Colorimetric Color Changes at Micromole Levels in Aqueous Medium. <i>Journal of Heterocyclic Chemistry</i> , 2018 , 55, 879-887	1.9	4
114	A water-soluble fluorescent chemosensor based on Asp functionalized naphthalimide for successive detection Fe ³⁺ and H ₂ PO ₄ ⁻ . <i>Canadian Journal of Chemistry</i> , 2018 , 96, 363-370	0.9	5
113	Competition of cation-π and exo-wall π interactions: a novel approach to achieve ultrasensitive response. <i>Chemical Communications</i> , 2018 , 54, 4549-4552	5.8	70
112	A novel pillar[5]arene-based supramolecular organic framework gel to achieve an ultrasensitive response by introducing the competition of cation-π and π interactions. <i>Soft Matter</i> , 2018 , 14, 3624-3631	3.6	21
111	Frontispiece: Pillar[5]arene-Based Supramolecular Organic Framework with Multi-Guest Detection and Recyclable Separation Properties. <i>Chemistry - A European Journal</i> , 2018 , 24,	4.8	1
110	A novel water soluble pillar[5]arene and phenazine derivative self-assembled pseudorotaxane sensor for the selective detection of Hg ²⁺ and Ag ⁺ with high selectivity and sensitivity. <i>New Journal of Chemistry</i> , 2018 , 42, 10148-10152	3.6	9
109	Pillar[5]arene-based multifunctional supramolecular hydrogel: multistimuli responsiveness, self-healing, fluorescence sensing, and conductivity. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 999-1003	7.8	46
108	Highly selective and sensitive chemosensor based on 2,3-diaminophenazine hydrochloride for the detection of cyanide in pure water and its application in plant seed samples. <i>New Journal of Chemistry</i> , 2018 , 42, 14766-14771	3.6	13
107	Tri-pillar[5]arene-based multi-stimuli-responsive supramolecular polymers for fluorescence detection and separation of Hg ²⁺ . <i>Polymer Chemistry</i> , 2018 , 9, 4625-4630	4.9	44
106	A cyanide-triggered hydrogen-bond-breaking deprotonation mechanism: fluorescent detection of cyanide using a thioacetohydrazone-functionalized bispillar[5]arene. <i>New Journal of Chemistry</i> , 2018 , 42, 1271-1275	3.6	15
105	Pillar[5]arene-Based Supramolecular Organic Framework with Multi-Guest Detection and Recyclable Separation Properties. <i>Chemistry - A European Journal</i> , 2018 , 24, 777-783	4.8	116

104	A multi-stimuli responsive metallosupramolecular polypseudorotaxane gel constructed by self-assembly of a pillar[5]arene-based pseudo[3]rotaxane via zinc ion coordination and its application for highly sensitive fluorescence recognition of metal ions. <i>Polymer Chemistry</i> , 2018 , 9, 5370-5376	4.9	22
103	An easy-to-make strong white AIE supramolecular polymer as a colour tunable photoluminescence material. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 13331-13335	7.1	31
102	A novel supramolecular AIE gel acts as a multi-analyte sensor array. <i>New Journal of Chemistry</i> , 2018 , 42, 18059-18065	3.6	28
101	Multi-stimuli-responsive supramolecular gel constructed by pillar[5]arene-based pseudorotaxanes for efficient detection and separation of multi-analytes in aqueous solution. <i>Soft Matter</i> , 2018 , 14, 8529-8536	3.6	18
100	Acylhydrazone functionalized benzimidazole-based metallogel for the efficient detection and separation of Cr. <i>Soft Matter</i> , 2018 , 14, 8390-8394	3.6	15
99	Supramolecular Aggregation-Induced Emission Gels Based on Pillar[5]arene for Ultrasensitive Detection and Separation of Multi-analytes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16597-16606	8.2	37
98	A bis-naphthalimide functionalized pillar[5]arene-based supramolecular gel acts as a multi-stimuli-responsive material. <i>New Journal of Chemistry</i> , 2018 , 42, 16167-16173	3.6	15
97	Novel 2-(hydroxy)-naphthyl imino functionalized pillar[5]arene: a highly efficient supramolecular sensor for tandem fluorescence detection of Fe ³⁺ and F ⁻ and the facile separation of Fe ³⁺ . <i>New Journal of Chemistry</i> , 2018 , 42, 11548-11554	3.6	14
96	Novel chemosensor for ultrasensitive dual-channel detection of Cu ²⁺ and its application in IMPLICATION logic gate. <i>Journal of Luminescence</i> , 2018 , 202, 225-231	3.8	5
95	Novel bispillar[5]arene-based AIEgen and its application in mercury(II) detection. <i>Sensors and Actuators B: Chemical</i> , 2018 , 272, 139-145	8.5	54
94	Ultrasensitive Detection of Formaldehyde in Gas and Solutions by a Catalyst Preplaced Sensor Based on a Pillar[5]arene Derivative. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 8775-8781	8.3	41
93	A copillar[5]arene-based fluorescence "on-off-on" sensor is applied in sequential recognition of an iron cation and a fluoride anion. <i>New Journal of Chemistry</i> , 2017 , 41, 2148-2153	3.6	21
92	A novel water soluble chemosensor based on carboxyl functionalized NDI derivatives for selective detection and facile removal of mercury(II). <i>RSC Advances</i> , 2017 , 7, 11206-11210	3.7	14
91	A novel histidine-functionalized 1,8-naphthalimide-based fluorescent chemosensor for the selective and sensitive detection of Hg ²⁺ in water. <i>New Journal of Chemistry</i> , 2017 , 41, 3303-3307	3.6	17
90	Construction of stimuli-responsive supramolecular gel via bispillar[5]arene-based multiple interactions. <i>Polymer Chemistry</i> , 2017 , 8, 2005-2009	4.9	39
89	A novel imidazophenazine-based metallogel act as reversible H ₂ PO ₄ ³⁻ sensor and rewritable fluorescent display material. <i>Sensors and Actuators B: Chemical</i> , 2017 , 251, 250-255	8.5	27
88	A highly selective colorimetric and "Off-On" fluorescence sensor for CN ⁻ based on Zn(salphenazine) complex. <i>Science China Chemistry</i> , 2017 , 60, 754-760	7.9	10
87	Colorimetric and fluorescent chemosensor for highly selective and sensitive relay detection of Cu and HPO in aqueous media. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 182, 67-72	4.4	14

86	Phenazine-based colorimetric and fluorescent sensor for the selective detection of cyanides based on supramolecular self-assembly in aqueous solution. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 175, 117-124	4.4	16
85	A highly selective fluorescent chemosensor for successive detection of Fe ³⁺ and CN ⁻ in pure water. <i>Supramolecular Chemistry</i> , 2017 , 29, 489-496	1.8	15
84	Pillar[5]arene-based fluorescent polymer for selective detection and removal of mercury ions. <i>RSC Advances</i> , 2017 , 7, 47709-47714	3.7	15
83	Iodine Controlled Pillar[5]arene-Based Multiresponsive Supramolecular Polymer for Fluorescence Detection of Cyanide, Mercury, and Cysteine. <i>Macromolecules</i> , 2017 , 50, 7863-7871	5.5	176
82	Mercaptooxazole-phenazine based blue fluorescent sensor for the ultra-sensitive detection of mercury(II) ions in aqueous solution. <i>RSC Advances</i> , 2017 , 7, 47547-47551	3.7	7
81	A novel supramolecular polymer gel based on naphthalimide functionalized-pillar[5]arene for the fluorescence detection of Hg and I and recyclable removal of Hg via cation-π interactions. <i>Soft Matter</i> , 2017 , 13, 7085-7089	3.6	73
80	A novel iodination-triggered competitive coordination mechanism: indirect detection of Hg ²⁺ and I ⁻ using a simple copillar[5]arene-based fluorometric sensor. <i>New Journal of Chemistry</i> , 2017 , 41, 12707-12712	3.6	6
79	Novel supramolecular sensors constructed from pillar[5]arene and a naphthalimide for efficient detection of Fe ³⁺ and F ⁻ in water. <i>New Journal of Chemistry</i> , 2017 , 41, 12172-12177	3.6	6
78	Novel multi-analyte responsive ionic supramolecular gels based on pyridinium functionalized-naphthalimide. <i>Soft Matter</i> , 2017 , 13, 7360-7364	3.6	24
77	A novel water soluble self-assembled supramolecular sensor based on pillar[5]arene for fluorescent detection CN ⁻ in water. <i>Tetrahedron</i> , 2017 , 73, 5307-5310	2.4	16
76	An efficient iodide ion chemosensor and a rewritable dual-channel security display material based on an ion responsive supramolecular gel. <i>RSC Advances</i> , 2017 , 7, 38210-38215	3.7	7
75	A benzimidazole functionalized NDI derivative for recyclable fluorescent detection of cyanide in water. <i>RSC Advances</i> , 2017 , 7, 38458-38462	3.7	12
74	A novel self-assembled supramolecular sensor based on thiophene-functionalized imidazophenazine for dual-channel detection of Ag ⁺ in an aqueous solution. <i>RSC Advances</i> , 2017 , 7, 53439-53444	3.7	11
73	Pillararene-based fluorescent chemosensors: recent advances and perspectives. <i>Chemical Communications</i> , 2017 , 53, 13296-13311	5.8	126
72	A pillar[5]arene-based multiple-stimuli responsive metal-organic gel was constructed for facile removal of mercury ions. <i>Soft Matter</i> , 2017 , 13, 5214-5218	3.6	35
71	A water-soluble pillar[5]arene-based chemosensor for highly selective and sensitive fluorescence detection of L-methionine. <i>RSC Advances</i> , 2017 , 7, 34411-34414	3.7	14
70	Novel fluorescent cyanide-selective chemosensor based on a functionalised pillar[5]arene copper(II) complex. <i>Supramolecular Chemistry</i> , 2017 , 29, 411-416	1.8	10
69	A rational designed fluorescent and colorimetric dual-channel sensor for cyanide anion based on the PET effect in aqueous medium. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 430-437	8.5	39

68	A novel functionalized pillar[5]arene-based selective amino acid sensor for L-tryptophan. <i>Organic Chemistry Frontiers</i> , 2017 , 4, 210-213	5.2	52
67	A colorimetric and reversible fluorescent chemosensor for Ag ⁺ in aqueous solution and its application in IMPLICATION logic gate. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 671-678	8.5	50
66	Cascade recognition of Cu ²⁺ and H ₂ PO ₄ ⁻ with high sensitivity and selectivity in aqueous media based on the effect of ES IPT. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 849-856	8.5	23
65	A novel supramolecular organogel based on acylhydrazone functionalized pillar[5]arene acts as an I responsive smart material. <i>Soft Matter</i> , 2017 , 13, 7222-7226	3.6	29
64	A highly sensitive colorimetric chemodosimeter for cyanide anion by Michael addition based on a coumarin derivative. <i>New Journal of Chemistry</i> , 2016 , 40, 8607-8613	3.6	21
63	A highly selective colorimetric chemosensor for detection of iodide ions in aqueous solution. <i>RSC Advances</i> , 2016 , 6, 86627-86631	3.7	22
62	A colorimetric and Turn-on fluorimetric chemosensor for the selective detection of cyanide and its application in food samples. <i>RSC Advances</i> , 2016 , 6, 100401-100406	3.7	48
61	Efficient sensing of fluoride ions in water using a novel water soluble self-assembled supramolecular sensor based on pillar[5]arene. <i>RSC Advances</i> , 2016 , 6, 111928-111933	3.7	15
60	A highly selective and sensitive dual-channel chemosensor for cyanide based on sulfahydrazone derivative. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2016 , 191, 1318-1323	1	3
59	An easy prepared dual-channel chemosensor for selective and instant detection of fluoride based on double Schiff-base. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016 , 167, 116-121	4.4	17
58	A reversible fluorescent chemosensor for the rapid sensing of CN ⁻ in water: utilization of the intramolecular charge transfer blocking. <i>New Journal of Chemistry</i> , 2016 , 40, 2327-2332	3.6	7
57	A novel pH sensor which could respond to multi-scale pH changes via different fluorescence emissions. <i>New Journal of Chemistry</i> , 2016 , 40, 4562-4565	3.6	18
56	Novel functionalized pillar[5]arene: synthesis, assembly and application in sequential fluorescent sensing for Fe ³⁺ and F ⁻ in aqueous media. <i>RSC Advances</i> , 2016 , 6, 20987-20993	3.7	30
55	A simple dual-channel sensor for detecting cyanide in water with high selectivity and sensitivity. <i>Supramolecular Chemistry</i> , 2016 , 28, 913-920	1.8	7
54	A carboxylic acid functionalized benzimidazole-based supramolecular gel with multi-stimuli responsive properties. <i>New Journal of Chemistry</i> , 2016 , 40, 4940-4944	3.6	18
53	A novel functionalized pillar[5]arene for forming a fluorescent switch and a molecular keypad. <i>RSC Advances</i> , 2016 , 6, 65898-65901	3.7	20
52	A recyclable probe for highly selective and sensitive detection of cyanide anion in aqueous medium by fluorescent and colorimetric changes. <i>Sensors and Actuators B: Chemical</i> , 2016 , 232, 115-124	8.5	32
51	A turn-on fluorescent sensor for relay recognition of two ions: from a F ⁻ selective sensor to highly Zn ²⁺ -selective sensor by tuning electronic effects. <i>RSC Advances</i> , 2016 , 6, 35804-35808	3.7	21

50	A turn-on fluorescent chemosensor selectively detects cyanide in pure water and food sample. <i>Tetrahedron Letters</i> , 2016 , 57, 2767-2771	2	25
49	A simple chemosensor for the dual-channel detection of cyanide in water with high selectivity and sensitivity. <i>RSC Advances</i> , 2016 , 6, 27130-27135	3.7	27
48	Rationally introduce multi-competitive binding interactions in supramolecular gels: a simple and efficient approach to develop multi-analyte sensor array. <i>Chemical Science</i> , 2016 , 7, 5341-5346	9.4	255
47	A dual-channel chemosensor could successively detect CN ⁻ and HSO ₄ ⁻ in an aqueous solution and act as a keypad lock. <i>RSC Advances</i> , 2016 , 6, 43832-43837	3.7	23
46	A "keto-enol tautomerization"-based response mechanism: a novel approach to stimuli-responsive supramolecular gel. <i>Chemical Communications</i> , 2015 , 51, 12224-7	5.8	37
45	Colorimetric probes designed to provide high sensitivity and single selectivity for CN ⁻ in aqueous solution. <i>New Journal of Chemistry</i> , 2015 , 39, 7206-7210	3.6	19
44	A reversible fluorescent chemosensor for iron ions based on 1H-imidazo [4,5-b] phenazine derivative. <i>Sensors and Actuators B: Chemical</i> , 2015 , 213, 501-507	8.5	46
43	A simple pincer-type chemosensor for reversible fluorescence turn-on detection of zinc ion at physiological pH range. <i>New Journal of Chemistry</i> , 2015 , 39, 4162-4167	3.6	11
42	A cationic water-soluble pillar[5]arene: synthesis and host-guest complexation with long linear acids. <i>RSC Advances</i> , 2015 , 5, 4958-4963	3.7	21
41	A novel supramolecular metallo-gel-based high-resolution anion sensor array. <i>Chemical Communications</i> , 2015 , 51, 1635-8	5.8	179
40	Sensitive and selective chemosensor for instant detecting fluoride ion via different channels. <i>Supramolecular Chemistry</i> , 2015 , 27, 201-211	1.8	4
39	Rationally designed supramolecular organogel dual-channel sense F ⁻ under gel-gel states via ion-controlled AIE. <i>Dyes and Pigments</i> , 2015 , 113, 748-753	4.6	23
38	A colorimetric and fluorescent cyanide chemosensor based on dicyanovinyl derivatives: utilization of the mechanism of intramolecular charge transfer blocking. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 136 Pt B, 1047-51	4.4	41
37	Nitrophenylfuran-benzimidazole-based reversible alkaline fluorescence switch accurately controlled by pH. <i>Sensors and Actuators B: Chemical</i> , 2015 , 219, 38-42	8.5	11
36	Fluorescent "turn-on" detecting CN ⁻ by nucleophilic addition induced Schiff-base hydrolysis. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 141, 113-8	4.4	15
35	A highly selective and sensitive fluorescence turn-on fluoride ion sensor. <i>RSC Advances</i> , 2015 , 5, 11786-11790	3.7	19
34	Rationally designed anion-responsive-organogels: sensing F ⁻ via reversible color changes in gel-gel states with specific selectivity. <i>Soft Matter</i> , 2014 , 10, 5715-23	3.6	47
33	Double metal ions competitively control the guest-sensing process: a facile approach to stimuli-responsive supramolecular gels. <i>Chemistry - A European Journal</i> , 2014 , 20, 11457-62	4.8	79

32	A silver-induced metal-organic gel based on biscarboxyl-functionalised benzimidazole derivative: stimuli responsive and dye sorption. <i>Supramolecular Chemistry</i> , 2014 , 26, 39-47	1.8	17
31	A highly selective colorimetric chemosensor for detection of nickel ions in aqueous solution. <i>New Journal of Chemistry</i> , 2014 , 38, 1418-1423	3.6	69
30	A novel strategy for the design of smart supramolecular gels: controlling stimuli-response properties through competitive coordination of two different metal ions. <i>Chemical Communications</i> , 2014 , 50, 10669-71	5.8	56
29	Competitive coordination control of the AIE and micro states of supramolecular gel: an efficient approach for reversible dual-channel stimuli-response materials. <i>Soft Matter</i> , 2014 , 10, 8427-32	3.6	34
28	A highly selective PET-based chemosensor for instant detecting of Zn ²⁺ . <i>RSC Advances</i> , 2014 , 4, 35797	3.7	23
27	Synthesis, Structure, and Properties of the 2-[5-(Aryloxyacetyl)-Amino-1,3,4-Thiadiazol-2-Ylthio] Propionate Derivatives. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2014 , 189, 1337-1345	1	1
26	Turn-on fluorescence sensing of cyanide ions in aqueous solution. <i>Chinese Chemical Letters</i> , 2014 , 25, 35-38	8.1	13
25	A highly selective fluorescent chemosensor for iron ion based on 1H-imidazo [4,5-b] phenazine derivative. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 121, 514-9	4.4	38
24	A green synthesis of a simple chemosensor that could instantly detect cyanide with high selectivity in aqueous solution. <i>Chinese Chemical Letters</i> , 2013 , 24, 699-702	8.1	11
23	Novel receptor for the rapid reaction and colorimetric detection of HSO ₃ ⁻ in aqueous solutions. <i>Chemical Research in Chinese Universities</i> , 2013 , 29, 236-238	2.2	3
22	Synthesis and Bioactivity of Some Novel 5-Arylmethylideneamino-1,3,4-Thiadiazole-2-Ylthioacetanilide Derivatives. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2013 , 188, 1770-1777	1	1
21	Multi-stimuli responsive metal-organic gel of benzimidazol-based ligands with lead nitrate and their use in removal of dyes from waste-water. <i>Chinese Chemical Letters</i> , 2013 , 24, 703-706	8.1	25
20	Reaction-based ratiometric chemosensor for instant detection of cyanide in water with high selectivity and sensitivity. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 3015-21	4.5	82
19	Novel and Efficient Cyclization Procedure for the Synthesis of 2,5-Disubstituted-1,3,4-thiadiazoles Without Using Any Ring-Closing Reagents. <i>Synthetic Communications</i> , 2012 , 42, 3251-3260	1.7	3
18	5-Carb-oxy-1,3-bis-(carb-oxy-meth-yl)-4-imidazolinium-4-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o230		1
17	A Simple Colorimetric Sensor with High Selectivity for Mercury Cation in Aqueous Solution. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2011 , 186, 2286-2294	1	5
16	Microwave-Induced Synthesis and Bioactivity of [3-Phenoxy-methyl-4-phenyl-1,2,4-triazole-5-yl-thio]acetyl Hydrazone Derivatives. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2010 , 185, 2030-2035	1	
15	A novel smart organogel which could allow a two channel anion response by proton controlled reversible sol-gel transition and color changes. <i>Chemical Communications</i> , 2009 , 6074-6	5.8	136

14	Synthesis of Thiosemicarbazone Derivatives of Benzo-15-crown-5 and Their Anion Recognition Properties. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2008 , 183, 1478-1488	1	3
13	Synthesis and Anion Recognition of Molecular Tweezers Receptors Based on Acyl-Thiourea. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2008 , 183, 1218-1228	1	7
12	Synthesis and Anion Recognition of Novel Molecular Tweezer Receptors Based on Carbonyl Thiosemicarbazide for Fluoride Ions. <i>Chinese Journal of Chemistry</i> , 2008 , 26, 1935-1938	4-9	8
11	Synthesis and Anion Recognition Properties of Thiosemicarbazone Based Molecular Tweezers. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2007 , 183, 44-55	1	5
10	Thiourea Based Tweezer Anion Receptors for Selective Sensing of Fluoride Ions. <i>Chinese Journal of Chemistry</i> , 2007 , 25, 709-713	4-9	15
9	Weak Interaction and Supramolecular Structure of N -ethoxycarbonyl- N ?-arylthiourea. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2007 , 182, 863-871	1	4
8	One-Pot Synthesis and Crystal Structure of 4-Phenyl-3-[4-chlorophenoxymethyl]-1H-1,2,4-triazole-5(4H)-thione. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2007 , 182, 1581-1587	1	4
7	Study on the Anion Recognition Properties of Synthesized Receptors (III): Convenient Synthesis and Anion Recognition Property of Bisthiosemicarbazone Derivative. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 1406-1410	4-9	4
6	Synthesis and crystal structure of bis{(Echloro)-chloro-[N-benzoyl-N?-(2-hydroxyethyl)thiourea] mercury(II)}. <i>Journal of Coordination Chemistry</i> , 2005 , 58, 1675-1679	1.6	11
5	Preparation and Crystal Structure of a New Cu(II) Complex of the N-ethoxycarbonyl-O-ethyl-N?-(2,4,6-trichlorophenyl)-isourea. <i>Transition Metal Chemistry</i> , 2005 , 30, 944-947	2.1	6
4	Synthetic strategies of phenazine derivatives: A review. <i>Journal of Heterocyclic Chemistry</i> ,	1.9	2
3	A supramolecular polymer network constructed by pillar[5]arene-based host-guest interactions and its application in nitro explosive detection. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> ,1	1.7	1
2	A novel highly sensitive dual-channel chemical sensor for sequential recognition of Cu ²⁺ and CN ⁻ in aqueous media and its bioimaging applications in living cells. <i>New Journal of Chemistry</i> ,	3.6	1
1	Influence of monomers' structure on the assembly and material property of pillar[5]arene-based supramolecular polymer gels. <i>Chinese Journal of Chemistry</i> ,	4.9	1