
## Sally D. Poppitt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3455874/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Postprandial glycine as a biomarker of satiety: A dose-rising randomised control trial of whey protein in overweight women. Appetite, 2022, 169, 105871.	1.8	7
2	Does a Higher Protein Diet Promote Satiety and Weight Loss Independent of Carbohydrate Content? An 8-Week Low-Energy Diet (LED) Intervention. Nutrients, 2022, 14, 538.	1.7	1
3	An extract of hops (Humulus lupulus L.) modulates gut peptide hormone secretion and reduces energy intake in healthy-weight men: a randomized, crossover clinical trial. American Journal of Clinical Nutrition, 2022, 115, 925-940.	2.2	5
4	The Role of Bovine and Non-Bovine Milk in Cardiometabolic Health: Should We Raise the "Baa�. Nutrients, 2022, 14, 290.	1.7	6
5	Animal-based food choice and associations with long-term weight maintenance and metabolic health after a large and rapid weight loss: The PREVIEW study. Clinical Nutrition, 2022, 41, 817-828.	2.3	5
6	Pancreas Fat, an Early Marker of Metabolic Risk? A Magnetic Resonance Study of Chinese and Caucasian Women: TOFI_Asia Study. Frontiers in Physiology, 2022, 13, 819606.	1.3	7
7	Fat Distribution Within the Pancreas According to Diabetes Status and Insulin Traits. Diabetes, 2022, 71, 1182-1192.	0.3	13
8	Gut microbiota predicts body fat change following a low-energy diet: a PREVIEW intervention study. Genome Medicine, 2022, 14, .	3.6	32
9	Age- and sex-specific effects of a long-term lifestyle intervention on body weight and cardiometabolic health markers in adults with prediabetes: results from the diabetes prevention study PREVIEW. Diabetologia, 2022, 65, 1262-1277.	2.9	12
10	Dissecting the relationship between plasma and tissue metabolome in a cohort of women with obesity: Analysis of subcutaneous and visceral adipose, muscle, and liver. FASEB Journal, 2022, 36, .	0.2	2
11	Does the Effect of a 3-Year Lifestyle Intervention on Body Weight and Cardiometabolic Health Differ by Prediabetes Metabolic Phenotype? A Post Hoc Analysis of the PREVIEW Study. Diabetes Care, 2022, 45, 2698-2708.	4.3	5
12	The anserine to carnosine ratio: an excellent discriminator between white and red meats consumed by free-living overweight participants of the PREVIEW study. European Journal of Nutrition, 2021, 60, 179-192.	1.8	9
13	The <scp>PREVIEW</scp> intervention study: Results from a 3â€year randomized 2 x 2 factorial multinational trial investigating the role of protein, glycaemic index and physical activity for prevention of type 2 diabetes. Diabetes, Obesity and Metabolism, 2021, 23, 324-337.	2.2	58
14	Ribosome biogenesis and degradation regulate translational capacity during muscle disuse and reloading. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 130-143.	2.9	32
15	A higher-protein nut-based snack product suppresses glycaemia and decreases glycaemic response to co-ingested carbohydrate in an overweight prediabetic Asian Chinese cohort: the TÅ« Ora postprandial RCT. Journal of Nutritional Science, 2021, 10, e30.	0.7	4
16	Effects of intragastric administration of L-tryptophan on the glycaemic response to a nutrient drink in men with type 2 diabetes — impacts on gastric emptying, glucoregulatory hormones and glucose absorption. Nutrition and Diabetes, 2021, 11, 3.	1.5	5
17	Dose-Dependent Associations of Dietary Glycemic Index, Glycemic Load, and Fiber With 3-Year Weight Loss Maintenance and Glycemic Status in a High-Risk Population: A Secondary Analysis of the Diabetes Prevention Study PREVIEW. Diabetes Care, 2021, 44, 1672-1681.	4.3	16
18	Untargeted metabolomics reveals plasma metabolites predictive of ectopic fat in pancreas and liver as assessed by magnetic resonance imaging: the TOFI_Asia study. International Journal of Obesity, 2021, 45, 1844-1854.	1.6	10

#	Article	IF	CITATIONS
19	A High-Protein, Low Glycemic Index Diet Suppresses Hunger but Not Weight Regain After Weight Loss: Results From a Large, 3-Years Randomized Trial (PREVIEW). Frontiers in Nutrition, 2021, 8, 685648.	1.6	4
20	Association of Psychobehavioral Variables With HOMA-IR and BMI Differs for Men and Women With Prediabetes in the PREVIEW Lifestyle Intervention. Diabetes Care, 2021, 44, 1491-1498.	4.3	10
21	Suppression of Energy Intake by Intragastric I-Tryptophan in Lean and Obese Men: Relations with Appetite Perceptions and Circulating Cholecystokinin and Tryptophan. Journal of Nutrition, 2021, 151, 2932-2941.	1.3	4
22	Associations of changes in reported and estimated protein and energy intake with changes in insulin resistance, glycated hemoglobin, and BMI during the PREVIEW lifestyle intervention study. American Journal of Clinical Nutrition, 2021, 114, 1847-1858.	2.2	8
23	Plasma mitochondrial derived peptides MOTS-c and SHLP2 positively associate with android and liver fat in people without diabetes. Biochimica Et Biophysica Acta - General Subjects, 2021, 1865, 129991.	1.1	11
24	Investigating IGF-II and IGF2R serum markers as predictors of body weight loss following an 8-week acute weight loss intervention: PREVIEW sub-study. Obesity Research and Clinical Practice, 2021, 15, 42-48.	0.8	3
25	Adherence to a Plant-Based Diet and Consumption of Specific Plant Foods—Associations with 3-Year Weight-Loss Maintenance and Cardiometabolic Risk Factors: A Secondary Analysis of the PREVIEW Intervention Study. Nutrients, 2021, 13, 3916.	1.7	14
26	Appraisal of Triglyceride-Related Markers as Early Predictors of Metabolic Outcomes in the PREVIEW Lifestyle Intervention: A Controlled Post-hoc Trial. Frontiers in Nutrition, 2021, 8, 733697.	1.6	2
27	What Is the Profile of Overweight Individuals Who Are Unsuccessful Responders to a Low-Energy Diet? A PREVIEW Sub-study. Frontiers in Nutrition, 2021, 8, 707682.	1.6	3
28	Potential Association Between Dietary Fibre and Humoral Response to the Seasonal Influenza Vaccine. Frontiers in Immunology, 2021, 12, 765528.	2.2	8
29	Associations of quantity and quality of carbohydrate sources with subjective appetite sensations during 3-year weight-loss maintenance: results from the PREVIEW intervention study. Clinical Nutrition, 2021, 41, 219-230.	2.3	4
30	A Bioimpedance Spectroscopy-Based Method for Diagnosis of Lower-Limb Lymphedema. Lymphatic Research and Biology, 2020, 18, 101-109.	0.5	13
31	Structure-functional changes in eNAMPT at high concentrations mediate mouse and human beta cell dysfunction in type 2 diabetes. Diabetologia, 2020, 63, 313-323.	2.9	34
32	Visceral Adiposity and Glucoregulatory Peptides are Associated with Susceptibility to Type 2 Diabetes: The TOFI_Asia Study. Obesity, 2020, 28, 2368-2378.	1.5	12
33	Metabolomic signatures for visceral adiposity and dysglycaemia in Asian Chinese and Caucasian European adults: the cross-sectional TOFI_Asia study. Nutrition and Metabolism, 2020, 17, 95.	1.3	7
34	Effects of intragastric tryptophan on acute changes in the plasma tryptophan/large neutral amino acids ratio and relationship with subsequent energy intake in lean and obese men. Food and Function, 2020, 11, 7095-7103.	2.1	4
35	Cow's Milk and Dairy Consumption: Is There Now Consensus for Cardiometabolic Health?. Frontiers in Nutrition, 2020, 7, 574725.	1.6	26
36	Goal achievement and adaptive goal adjustment in a behavioral intervention for participants with prediabetes. Journal of Health Psychology, 2020, 26, 135910532092515.	1.3	0

#	Article	IF	CITATIONS
37	Sociocognitive factors associated with lifestyle intervention attrition after successful weight loss among participants with prediabetes—The PREVIEW study. Public Health Nursing, 2020, 37, 393-404.	0.7	Ο
38	Compositional analysis of the associations between 24-h movement behaviours and cardio-metabolic risk factors in overweight and obese adults with pre-diabetes from the PREVIEW study: cross-sectional baseline analysis. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 29.	2.0	23
39	Milk proteins and human health. , 2020, , 651-669.		4
40	How Satiating Are the â€~Satiety' Peptides: A Problem of Pharmacology versus Physiology in the Development of Novel Foods for Regulation of Food Intake. Nutrients, 2019, 11, 1517.	1.7	19
41	Tissue-Specific Sample Dilution: An Important Parameter to Optimise Prior to Untargeted LC-MS Metabolomics. Metabolites, 2019, 9, 124.	1.3	15
42	Low Energy Diet-induced and Bariatric Surgery-induced Weight Loss Decreases Branched-chain and Aromatic Amino Acids in Plasma and Tissue (P21-078-19). Current Developments in Nutrition, 2019, 3, nzz041.P21-078-19.	0.1	1
43	Differential Trajectories in Altered Insulin Sensitivity Following Weight Loss and Their Impact on Circulatory Amino Acids: Results from the PREVIEW: New Zealand Sub-study (OR27-07-19). Current Developments in Nutrition, 2019, 3, nzz046.OR27-07-19.	0.1	1
44	The Degree of Aminoacidemia after Dairy Protein Ingestion Does Not Modulate the Postexercise Anabolic Response in Young Men: A Randomized Controlled Trial. Journal of Nutrition, 2019, 149, 1511-1522.	1.3	21
45	Protein intake and the incidence of pre-diabetes and diabetes in 4 population-based studies: the PREVIEW project. American Journal of Clinical Nutrition, 2019, 109, 1310-1318.	2.2	28
46	The Effect of Acute Protein Consumption on Glycaemic Control and Insulin Response in Prediabetic Asian Chinese and Caucasian Adults. Proceedings (mdpi), 2019, 37, .	0.2	0
47	Circulatory microRNAs are not effective biomarkers of muscle size and function in middle-aged men. American Journal of Physiology - Cell Physiology, 2019, 316, C293-C298.	2.1	7
48	The PREVIEW Study. European Journal of Health Psychology, 2019, 26, 10-20.	0.3	1
49	Effects of lipid emulsion particle size on satiety and energy intake: a randomised cross-over trial. European Journal of Clinical Nutrition, 2018, 72, 349-357.	1.3	7
50	A feasibility study: association between gut microbiota enterotype and antibody response to seasonal trivalent influenza vaccine in adults. Clinical and Translational Immunology, 2018, 7, e1013.	1.7	4
51	Dairy Protein Supplementation Modulates the Human Skeletal Muscle microRNA Response to Lower Limb Immobilization. Molecular Nutrition and Food Research, 2018, 62, e1701028.	1.5	15
52	Objectively Measured Physical Activity and Sedentary Time Are Associated With Cardiometabolic Risk Factors in Adults With Prediabetes: The PREVIEW Study. Diabetes Care, 2018, 41, 562-569.	4.3	30
53	Impact of dairy protein during limb immobilization and recovery on muscle size and protein synthesis; a randomized controlled trial. Journal of Applied Physiology, 2018, 124, 717-728.	1.2	35
54	PREVIEW study—influence of a behavior modification intervention (PREMIT) in over 2300 people with pre-diabetes: intention, self-efficacy and outcome expectancies during the early phase of a lifestyle intervention. Psychology Research and Behavior Management, 2018, Volume 11, 383-394.	1.3	16

#	Article	IF	CITATIONS
55	Normative Interlimb Impedance Ratios: Implications for Early Diagnosis of Uni- and Bilateral, Upper and Lower Limb Lymphedema. Lymphatic Research and Biology, 2018, 16, 559-566.	0.5	9
56	Demographic and Social-Cognitive Factors Associated with Weight Loss in Overweight, Pre-diabetic Participants of the PREVIEW Study. International Journal of Behavioral Medicine, 2018, 25, 682-692.	0.8	12
57	Men and women respond differently to rapid weight loss: Metabolic outcomes of a multiâ€centre intervention study after a lowâ€energy diet in 2500 overweight, individuals with preâ€diabetes (PREVIEW). Diabetes, Obesity and Metabolism, 2018, 20, 2840-2851.	2.2	120
58	Identification of human skeletal muscle miRNA related to strength by high-throughput sequencing. Physiological Genomics, 2018, 50, 416-424.	1.0	27
59	Higher Protein Intake Is Not Associated with Decreased Kidney Function in Pre-Diabetic Older Adults Following a One-Year Intervention—A Preview Sub-Study. Nutrients, 2018, 10, 54.	1.7	17
60	Quantitative data describing the impact of the flavonol rutin on in-vivo blood-glucose and fluid-intake profiles, and survival of human-amylin transgenic mice. Data in Brief, 2017, 10, 298-303.	0.5	2
61	Obesity and Weight Control: Is There Light at the End of the Tunnel?. Current Nutrition Reports, 2017, 6, 51-62.	2.1	0
62	Small particle size lipid emulsions, satiety and energy intake in lean men. Physiology and Behavior, 2017, 169, 98-105.	1.0	7
63	Minimal dose of milk protein concentrate to enhance the anabolic signalling response to a single bout of resistance exercise; a randomised controlled trial. Journal of the International Society of Sports Nutrition, 2017, 14, 17.	1.7	15
64	Ectopic fat accumulation in the pancreas and its biomarkers: A systematic review and metaâ€analysis. Diabetes/Metabolism Research and Reviews, 2017, 33, e2918.	1.7	64
65	Duodenal and ileal glucose infusions differentially alter gastrointestinal peptides, appetite response, and food intake: a tube feeding study. American Journal of Clinical Nutrition, 2017, 106, 725-735.	2.2	18
66	Rutin suppresses human-amylin/hIAPP misfolding and oligomer formation in-vitro , and ameliorates diabetes and its impacts in human-amylin/hIAPP transgenic mice. Biochemical and Biophysical Research Communications, 2017, 482, 625-631.	1.0	28
67	Unfolding Novel Mechanisms of Polyphenol Flavonoids for Better Glycaemic Control: Targeting Pancreatic Islet Amyloid Polypeptide (IAPP). Nutrients, 2017, 9, 788.	1.7	28
68	PREVIEW: Prevention of Diabetes through Lifestyle Intervention and Population Studies in Europe and around the World. Design, Methods, and Baseline Participant Description of an Adult Cohort Enrolled into a Three-Year Randomised Clinical Trial. Nutrients, 2017, 9, 632.	1.7	72
69	A Protein Diet Score, Including Plant and Animal Protein, Investigating the Association with HbA1c and eGFR—The PREVIEW Project. Nutrients, 2017, 9, 763.	1.7	18
70	Prevalence of Pre-Diabetes across Ethnicities: A Review of Impaired Fasting Glucose (IFG) and Impaired Glucose Tolerance (IGT) for Classification of Dysglycaemia. Nutrients, 2017, 9, 1273.	1.7	106
71	Hyperglycaemia, Pre-Diabetes and Diabesity: Can we Choose who to 'Fast-Track' into Diabetes Prevention?. Current Research in Diabetes & Obesity Journal, 2017, 2, .	0.1	0
72	Integrity of the Human Faecal Microbiota following Long-Term Sample Storage. PLoS ONE, 2016, 11, e0163666.	1.1	41

#	Article	IF	CITATIONS
73	Understanding the sensitivity of muscle protein synthesis to dairy protein in middle-aged men. International Dairy Journal, 2016, 63, 35-41.	1.5	13
74	Investigating acute satiation and meal termination effects of a commercial lipid emulsion: A breakfast meal study. Physiology and Behavior, 2015, 152, 20-25.	1.0	8
75	Postprandial effects of a polyphenolic grape extract (PGE) supplement on appetite and food intake: a randomised dose-comparison trial. Nutrition Journal, 2015, 14, 96.	1.5	8
76	Beverage Consumption: Are Alcoholic and Sugary Drinks Tipping the Balance towards Overweight and Obesity?. Nutrients, 2015, 7, 6700-6718.	1.7	31
77	Consumption of Milk Protein or Whey Protein Results in a Similar Increase in Muscle Protein Synthesis in Middle Aged Men. Nutrients, 2015, 7, 8685-8699.	1.7	66
78	Prevention of Type 2 Diabetes through Lifestyle Modification: Is There a Role for Higher-Protein Diets?. Advances in Nutrition, 2015, 6, 665-673.	2.9	18
79	Encapsulated green kiwifruit extract: a randomised controlled trial investigating alleviation of constipation in otherwise healthy adults. Asia Pacific Journal of Clinical Nutrition, 2015, 24, 421-9.	0.3	7
80	It is not just muscle mass: a review of muscle quality, composition and metabolism during ageing as determinants of muscle function and mobility in later life. Longevity & Healthspan, 2014, 3, 9.	6.7	338
81	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862.	4.3	141
82	Bovine Complex Milk Lipid Containing Gangliosides for Prevention of Rotavirus Infection and Diarrhoea in Northern Indian Infants. Journal of Pediatric Gastroenterology and Nutrition, 2014, 59, 167-171.	0.9	33
83	Etiology of Obesity Over the Life Span: Ecologic and Genetic Highlights from New Zealand Cohorts. Current Obesity Reports, 2014, 3, 38-45.	3.5	6
84	Milk Proteins and Human Health. , 2014, , 541-555.		1
85	Role of microRNAs in the age-related changes in skeletal muscle and diet or exercise interventions to promote healthy aging in humans. Ageing Research Reviews, 2014, 17, 25-33.	5.0	53
86	Milk protein for improved metabolic health: a review of the evidence. Nutrition and Metabolism, 2013, 10, 46.	1.3	172
87	Relative validity of the food frequency questionnaire used to assess dietary intake in the Leiden Longevity Study. Nutrition Journal, 2013, 12, 75.	1.5	153
88	Using a smaller dining plate does not suppress food intake from a buffet lunch meal in overweight, unrestrained women. Appetite, 2013, 69, 102-107.	1.8	32
89	Evidence of Enhanced Serum Amino Acid Profile but Not Appetite Suppression by Dietary Glycomacropeptide (GMP): A Comparison of Dairy Whey Proteins. Journal of the American College of Nutrition, 2013, 32, 177-186.	1.1	25
90	Postprandial lipemia and cardiovascular disease risk: Interrelationships between dietary, physiological and genetic determinants. Atherosclerosis, 2012, 220, 22-33.	0.4	189

#	Article	IF	CITATIONS
91	Sensitivity of ad libitum meals to detect changes in hunger. Restricted-item or multi-item testmeals in the design of preload appetite studies. Appetite, 2012, 58, 1076-1082.	1.8	15
92	Low-dose whey protein-enriched water beverages alter satiety in a study of overweight women. Appetite, 2011, 56, 456-464.	1.8	43
93	No consistent association between consumption of energy-dense snack foods and annual weight and waist circumference changes in Dutch adults. American Journal of Clinical Nutrition, 2011, 94, 19-25.	2.2	13
94	No evidence of differential effects of SFA, MUFA or PUFA on post-ingestive satiety and energy intake: a randomised trial of fatty acid saturation. Nutrition Journal, 2010, 9, 24.	1.5	43
95	Effects of Moderate-Dose Omega-3 Fish Oil on Cardiovascular Risk Factors and Mood After Ischemic Stroke. Stroke, 2009, 40, 3485-3492.	1.0	48
96	No Evidence of an Effect of Alterations in Dietary Fatty Acids on Fasting Adiponectin Over 3 Weeks. Obesity, 2008, 16, 592-599.	1.5	23
97	Postprandial response of adiponectin, interleukin-6, tumor necrosis factor-α, and C-reactive protein to a high-fat dietary load. Nutrition, 2008, 24, 322-329.	1.1	99
98	No effect of an oleoylethanolamide-related phospholipid on satiety and energy intake: a randomised controlled trial of phosphatidylethanolamine. Lipids in Health and Disease, 2008, 7, 41.	1.2	8
99	Soluble fibre oat and barley ß-glucan enriched products: can we predict cholesterol-lowering effects?. British Journal of Nutrition, 2007, 97, 1049-1050.	1.2	20
100	Supplementation of a high-carbohydrate breakfast with barley beta-glucan improves postprandial glycaemic response for meals but not beverages. Asia Pacific Journal of Clinical Nutrition, 2007, 16, 16-24.	0.3	40
101	Assessment of erythrocyte phospholipid fatty acid composition as a biomarker for dietary MUFA, PUFA or saturated fatty acid intake in a controlled cross-over intervention trial. Lipids in Health and Disease, 2005, 4, 30.	1.2	69
102	Randomized controlled crossover study of the effect of a highly β-glucan–enriched barley on cardiovascular disease risk factors in mildly hypercholesterolemic men. American Journal of Clinical Nutrition, 2003, 78, 711-718.	2.2	153
103	Long-term effects of ad libitum low-fat, high-carbohydrate diets on body weight and serum lipids in overweight subjects with metabolic syndrome. American Journal of Clinical Nutrition, 2002, 75, 11-20.	2.2	194
104	Short-term effects of macronutrient preloads on appetite and energy intake in lean women. Physiology and Behavior, 1998, 64, 279-285.	1.0	226
105	Short-term effects of alcohol consumption on appetite and energy intake. Physiology and Behavior, 1996, 60, 1063-1070.	1.0	81
106	Dietary supplementation and rapid catch-up growth after acute diarrhoea in childhood. British Journal of Nutrition, 1996, 76, 479-490.	1.2	21
107	Food intake and the menstrual cycle: A retrospective analysis, with implications for appetite research. Physiology and Behavior, 1995, 58, 1067-1077.	1.0	223