

Jing Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3455979/jing-sun-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

657
citations

14
h-index

24
g-index

157
ext. papers

966
ext. citations

3.3
avg, IF

3.53
L-index

#	Paper	IF	Citations
146	Immunomodulation effects of mesenchymal stromal cells on acute graft-versus-host disease after hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 97-104	4.7	115
145	Sorafenib maintenance in patients with FLT3-ITD acute myeloid leukaemia undergoing allogeneic haematopoietic stem-cell transplantation: an open-label, multicentre, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2020 , 21, 1201-1212	21.7	75
144	Prophylaxis vs. on-demand treatment with BAY 81-8973, a full-length plasma protein-free recombinant factor VIII product: results from a randomized trial (LEOPOLD II). <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 360-9	15.4	65
143	Effect of sorafenib on the outcomes of patients with FLT3-ITD acute myeloid leukemia undergoing allogeneic hematopoietic stem cell transplantation. <i>Cancer</i> , 2018 , 124, 1954-1963	6.4	35
142	Haploidentical transplantation might have superior graft-versus-leukemia effect than HLA-matched sibling transplantation for high-risk acute myeloid leukemia in first complete remission: a prospective multicentre cohort study. <i>Leukemia</i> , 2020 , 34, 1433-1443	10.7	30
141	Sequential intensified conditioning followed by prophylactic DLI could reduce relapse of refractory acute leukemia after allo-HSCT. <i>Oncotarget</i> , 2016 , 7, 32579-91	3.3	22
140	Two dose levels of rabbit antithymocyte globulin as graft-versus-host disease prophylaxis in haploidentical stem cell transplantation: a multicenter randomized study. <i>BMC Medicine</i> , 2019 , 17, 156	11.4	20
139	Impact of FLT3-ITD allele ratio and ITD length on therapeutic outcome in cytogenetically normal AML patients without NPM1 mutation. <i>Bone Marrow Transplantation</i> , 2020 , 55, 740-748	4.4	19
138	CDKN2 Gene Deletion as Poor Prognosis Predictor Involved in the Progression of Adult B-Lineage Acute Lymphoblastic Leukemia Patients. <i>Journal of Cancer</i> , 2015 , 6, 1114-20	4.5	18
137	Mesenchymal stem cells versus mesenchymal stem cells combined with cord blood for engraftment failure after autologous hematopoietic stem cell transplantation: a pilot prospective, open-label, randomized trial. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 236-42	4.7	17
136	Regulatory T cells induced by G-CSF participate in acute graft-versus-host disease regulation in G-CSF-mobilized allogeneic peripheral blood stem cell transplantation. <i>Journal of Translational Medicine</i> , 2018 , 16, 144	8.5	16
135	Antifungal agents for secondary prophylaxis based on response to initial antifungal therapy in allogeneic hematopoietic stem cell transplant recipients with prior pulmonary aspergillosis. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1198-203	4.7	16
134	Sorafenib Therapy Is Associated with Improved Outcomes for FMS-like Tyrosine Kinase 3 Internal Tandem Duplication Acute Myeloid Leukemia Relapsing after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1674-1681	4.7	14
133	Haploidentical versus HLA-matched sibling transplantation for refractory acute leukemia undergoing sequential intensified conditioning followed by DLI: an analysis from two prospective data. <i>Journal of Hematology and Oncology</i> , 2020 , 13, 18	22.4	14
132	The Efficacy of Recombinant FVIII Low-Dose Prophylaxis in Chinese Pediatric Patients With Severe Hemophilia A: A Retrospective Analysis From the ReCARE Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017 , 23, 851-858	3.3	10
131	Foxf2 and Smad6 co-regulation of collagen 5A2 transcription is involved in the pathogenesis of intrauterine adhesion. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 2802-2818	5.6	10
130	Building a network for hemophilia care in China: 15 years of achievement for the Hemophilia Treatment Center Collaborative Network of China. <i>Blood Advances</i> , 2019 , 3, 34-37	7.8	9

129	The efficacy of mesenchymal stem cells in bronchiolitis obliterans syndrome after allogeneic HSCT: A multicenter prospective cohort study. <i>EBioMedicine</i> , 2019 , 49, 213-222	8.8	8
128	Invasive fungal disease is associated with chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplant: a single center, retrospective study. <i>Infection</i> , 2019 , 47, 275-284	5.8	7
127	Efficacy of standard prophylaxis versus on-demand treatment with bayer's sucrose-formulated recombinant FVIII (rFVIII-FS) in Chinese children with severe hemophilia A. <i>Pediatric Hematology and Oncology</i> , 2017 , 34, 138-148	1.7	7
126	Autoimmune hematological diseases following haploidentical donor hematopoietic stem cell Transplant compared with matched sibling and unrelated donor. <i>Oncotarget</i> , 2017 , 8, 26505-26514	3.3	7
125	Upfront treatment with the first and second-generation tyrosine kinase inhibitors in Ph-positive acute lymphoblastic leukemia. <i>Oncotarget</i> , 2017 , 8, 107022-107032	3.3	7
124	Autologous peripheral blood haematopoietic stem cell transplantation for systemic lupus erythematosus: the observation of long-term outcomes in a Chinese centre. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 500-507	2.2	7
123	Epidural Labor Analgesia Is Associated with a Decreased Risk of the Edinburgh Postnatal Depression Scale in Trial of Labor after Cesarean: A Multicenter, Prospective Cohort Study. <i>BioMed Research International</i> , 2020 , 2020, 2408063	3	6
122	Nalbuphine versus dexmedetomidine for treatment of combined spinal-epidural post-anesthetic shivering in pregnant women undergoing cesarean section. <i>Journal of International Medical Research</i> , 2019 , 47, 4442-4453	1.4	6
121	Autoimmune hemolytic anemia after allogeneic hematopoietic stem cell transplantation in adults: A southern China multicenter experience. <i>Cancer Medicine</i> , 2019 , 8, 6549-6558	4.8	6
120	Mesenchymal Stem Cells May Ameliorate Nephrotic Syndrome Post-Allogeneic Hematopoietic Stem Cell Transplantation-Case Report. <i>Frontiers in Immunology</i> , 2017 , 8, 962	8.4	6
119	Effect of Eltrombopag on Platelet Response and Safety Results in Chinese Adults with Chronic ITP-Primary Result of a Phase III Study. <i>Blood</i> , 2014 , 124, 1464-1464	2.2	6
118	Application of autologous hematopoietic stem cell transplantation for pemphigus. <i>International Journal of Dermatology</i> , 2017 , 56, 296-301	1.7	5
117	Haploidentical related donor vs matched sibling donor allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia and myelodysplastic syndrome aged over 50 years: A single-center retrospective study. <i>Cancer Medicine</i> , 2020 , 9, 6244-6255	4.8	5
116	Long-term efficacy and safety of prophylaxis with recombinant factor VIII in Chinese pediatric patients with hemophilia A: a multi-center, retrospective, non-interventional, phase IV (ReCARE) study. <i>Current Medical Research and Opinion</i> , 2017 , 33, 1223-1230	2.5	4
115	Efficacy and safety of prophylaxis with BAY 81-8973 in Chinese patients with severe haemophilia A enrolled in the LEOPOLD II trial. <i>Haemophilia</i> , 2019 , 25, e153-e158	3.3	4
114	iKA-CRISPR hESCs for inducible and multiplex orthogonal gene knockout and activation. <i>FEBS Letters</i> , 2018 , 592, 2238-2247	3.8	4
113	Combination of sufentanil, dexmedetomidine and ropivacaine to improve epidural labor analgesia effect: A randomized controlled trial. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 454-460	2.1	4
112	Ponatinib therapy in recurrent Philadelphia chromosome-positive central nervous system leukemia with T315I mutation after Allo-HSCT. <i>International Journal of Cancer</i> , 2020 , 147, 1071-1077	7.5	4

111	Comparison of Two Strategies for Prophylactic Donor Lymphocyte Infusion in Patients With Refractory/Relapsed Acute Leukemia. <i>Frontiers in Oncology</i> , 2021 , 11, 554503	5.3	4
110	Metagenomic next-generation sequencing for identifying pathogens in central nervous system complications after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021 , 56, 1978-1983	4.4	4
109	A new pre-emptive TKIs strategy for preventing relapse based on BCR/ABL monitoring for Ph+ALL undergoing allo-HCT: a prospective clinical cohort study. <i>Leukemia</i> , 2021 , 35, 2054-2063	10.7	3
108	Effect of epidural analgesia in trial of labor after cesarean on maternal and neonatal outcomes in China: a multicenter, prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 498	3.2	3
107	Combination of FVIII and low-dose rFVIIa improves haemostasis in acquired haemophilia A patients: a collaborative controlled study. <i>Thrombosis Research</i> , 2015 , 135, 835-40	8.2	2
106	Prophylactic Use of Sorafenib in Patients with FLT3-ITD-Positive Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2014 , 124, 3943-3943	2.2	2
105	Comparison of Short-Term Tertiary Prophylaxis at Low-Dose and Intermediate-Dose for Adults with Severe Hemophilia a in China. <i>Blood</i> , 2015 , 126, 4681-4681	2.2	2
104	Efficacy and Safety of Fitusiran Prophylaxis, an siRNA Therapeutic, in a Multicenter Phase 3 Study (ATLAS-INH) in People with Hemophilia A or B, with Inhibitors (PwHI). <i>Blood</i> , 2021 , 138, 4-4	2.2	2
103	Haploidentical donor transplant is associated with secondary poor graft function after allogeneic stem cell transplantation: A single-center retrospective study. <i>Cancer Medicine</i> , 2021 , 10, 8497-8506	4.8	2
102	Association Between Measurable Residual Disease in Patients With Intermediate-Risk Acute Myeloid Leukemia and First Remission, Treatment, and Outcomes. <i>JAMA Network Open</i> , 2021 , 4, e2115991	10.4	2
101	Status and trend analysis of prophylactic usage of recombinant factor VIII in Chinese pediatric patients with hemophilia A: ReCare - a retrospective, phase IV, non-interventional study. <i>Current Medical Research and Opinion</i> , 2017 , 33, 1571-1578	2.5	1
100	Safety and Efficacy of Turoctocog Alfa in the Prevention and Treatment of Bleeding Episodes in Previously Treated Patients from China with Severe Hemophilia A: Results from the Guardian 7 Trial. <i>Therapeutics and Clinical Risk Management</i> , 2020 , 16, 567-578	2.9	1
99	Prenatal Exposure to Ketamine Leads to Anxiety-Like Behaviors and Dysfunction in Bed Nucleus of Stria Terminalis. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 181-191	5.8	1
98	Autologous peripheral hematopoietic stem-cell transplantation in a patient with refractory pemphigus. <i>Frontiers of Medicine in China</i> , 2008 , 2, 191-194		1
97	Superior Salvage Treatment with Regimen Containing Sorafenib for Relapse of Acute Myeloid Leukemia with FLT3-ITD after Allo-HSCT. <i>Blood</i> , 2018 , 132, 2129-2129	2.2	1
96	Mesenchymal Stem Cells Vs. Mesenchymal Stem Cells Combined With Cord Blood For Treating Engraftment Failure Following Autologous Hematopoietic Stem Cell Transplantation: A Pilot Prospective Study. <i>Blood</i> , 2013 , 122, 3693-3693	2.2	1
95	Continuous intravenous injection of Mesna can effectively prevent Hemorrhagic cystitis in hematopoietic stem cell transplantation and retain the Mesna concentration in urine: 394 cases reported within 11 years. <i>Blood</i> , 2014 , 124, 2483-2483	2.2	1
94	The Platelet-Derived Microparticles Related to the Clinical Phenotype Heterogeneity of Hemophilia a. <i>Blood</i> , 2014 , 124, 2828-2828	2.2	1

93	Autologous HSCT Followed By Immunotherapy and Maintenance Chemotherapy Compared with Allogeneic HSCT for Intermediate-Risk Molecules/Cytogenetics Acute Myeloblastic Leukemia in First Complete Remission. <i>Blood</i> , 2014 , 124, 3949-3949	2.2	1
92	Platelet-Derived Microparticles May Influence Phenotypic Heterogeneity in Patients with Severe Hemophilia. <i>Blood</i> , 2015 , 126, 4673-4673	2.2	1
91	Reconstitution of Epstein-Barr Virus-Specific T Lymphocytes at the Early Stage of Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2015 , 126, 5469-5469	2.2	1
90	Influence of Lower Dose Antithymocyteglobulin As Conditioning Regimen on Viral Infection after Haploidentical Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2016 , 128, 825-825	2.2	1
89	Acquired Haemophilia a after Allogeneic Stem Cell Transplant for Acute Myeloid Leukemia: Occurred during Cyclosporin a Used for Chronic Graft Versus Host Disease and Tolerance Induction with Rituximab. <i>Blood</i> , 2014 , 124, 5069-5069	2.2	1
88	ANKL Is Strongly EBV-Related, Frequent In Chromosome Aberrations and Gene Mutations, LMP2A/LMP1-CDK6-MDM2-CD44-Positive and Might Be Sensitive To L-Asparaginase-Containing Regimen. <i>Blood</i> , 2013 , 122, 3012-3012	2.2	1
87	Upfront transplantation may have better outcomes than pretransplant cytoreductive therapy for treating patients with MDS-EB-1 or MDS-EB-2. <i>International Journal of Cancer</i> , 2021 , 149, 1109-1120	7.5	1
86	MicroRNA-146a overexpression alleviates intestinal ischemia/reperfusion-induced acute lung injury in mice. <i>Experimental and Therapeutic Medicine</i> , 2021 , 22, 937	2.1	1
85	Dynamic assessment of measurable residual disease in favorable-risk acute myeloid leukemia in first remission, treatment, and outcomes. <i>Blood Cancer Journal</i> , 2021 , 11, 195	7	1
84	Haploidentical Hematopoietic Stem Cell Transplant Compared with Matched Sibling and Unrelated Transplants in Adults with Philadelphia-Negative Acute Lymphoblastic Leukemia in First Complete Remission. <i>Blood</i> , 2016 , 128, 2299-2299	2.2	0
83	Corticosteroids Combined with Cyclosporine a Is Superior to Corticosteroids As First-Line Treatment for Autoimmune Hemolytic Anemia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2018 , 132, 5736-5736	2.2	0
82	Intestinal Microbiota at Neutrophil Engraftment Can Predict Acute Graft-Versus-Host Disease in the Recipients of Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2018 , 132, 2122-2122	2.2	0
81	Factor VIII replacement prophylaxis in patients with hemophilia A transitioning to adults: a systematic literature review. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 287	4.2	0
80	Allogeneic hematopoietic cell transplant overcomes the poor prognostic value of CDKN2 deletion in adult B-lineage acute lymphoblastic leukemia. <i>Cancer Letters</i> , 2021 , 510, 59-66	9.9	0
79	Comparable meibomian gland changes in patients with and without ocular graft-versus-host disease after hematopoietic stem cell transplantation.. <i>Ocular Surface</i> , 2022 , 25, 1-7	6.5	0
78	Hematopoietic stem cell transplantation for patients with chronic myeloid leukemia. <i>Chinese Journal of Clinical Oncology</i> , 2004 , 1, 398-403		
77	Cidofovir, a Choice for Salvage Treatment of CMV Infection in the Patients with Haploidentical Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2020 , 136, 40-41	2.2	
76	Prophylactic Donor Lymphocyte Infusion Based on Two Different Time for Preventing Relapse in Advanced Acute Leukemia Undergoing Allo-HSCT: Comparison of Two Independent Prospective Cohorts. <i>Blood</i> , 2020 , 136, 7-8	2.2	

- 75 A Survey of Survival Status of 601 Hemophilia Patients in Guangdong Region during COVID-19 Pandemic: Investigation and Implications. *Blood*, **2020**, 136, 21-21 2.2
- 74 Herpesvirus Infections of Intestinal Tract in the Patients with Intestinal Graft-Versus-Host Diseases: Laboratory Diagnosis Based on DNA Detection By Real-Time Quantitative PCR in Feces Samples. *Blood*, **2021**, 138, 1793-1793 2.2
- 73 Pharmacokinetics-Guided Perioperative Replacement Therapy in Hemophilia a Patients. *Blood*, **2021**, 138, 2108-2108 2.2
- 72 IKZF1 deletions Coupled with CD20 Expression Represents a Novel High-Risk Subtype in Adult B-Cell Progenitor Acute Lymphoblastic Leukemia. *Blood*, **2021**, 138, 4474-4474 2.2
- 71 Detection of Cytomegalovirus Specific Cytotoxic T Lymphocyte in Allogeneic Hematopoietic Stem Cell Transplant Recipients.. *Blood*, **2005**, 106, 5345-5345 2.2
- 70 Efficacy and Safety of Ruxolitinib in Treatment of Steroid Refractory/Refractory Acute Graft-Versus-Host Disease: A Prospective Multicenter Research. *Blood*, **2018**, 132, 5724-5724 2.2
- 69 The Change Regulation of Joint Structure and Function in Children with Severe Hemophilia a Receiving Low and Intermediate-Dose for Prophylaxis. *Blood*, **2018**, 132, 2463-2463 2.2
- 68 The Outcomes of Epstein-Barr Virus Specific T Cells from Different Sources for EBV Infections in Recipients of Allogeneic Stem Cell Transplantation. *Blood*, **2018**, 132, 3330-3330 2.2
- 67 Efficacy of Mesenchymal Stem Cells in Bronchiolitis Obliterans Syndrome after Allogeneic HSCT: A Multicenter Prospective Cohort Study. *Blood*, **2019**, 134, 871-871 2.2
- 66 The Efficacy and Safety of Cidofovir in Salvage Therapy for CMV Infection in the Patients with Haploid Hematopoietic Stem Cell Transplantation. *Blood*, **2019**, 134, 5659-5659 2.2
- 65 Extended Half-Life of the Double-Chain Recombinant Factor VIII-Fc Fusion Protein (FRSW107) in Hemophilia a Patients. *Blood*, **2019**, 134, 4932-4932 2.2
- 64 Preemptive Therapy Based on the Load and Time of EBV-Emia for Preventing EBV Related PTLD after Haploidentical Hematopoietic Stem Cell Transplantation: A Prospective Multicenter Study. *Blood*, **2019**, 134, 5693-5693 2.2
- 63 Pre-Emptive Tyrosine Kinase-Inhibitor Intervention Based on BCR/ABL1 Monitoring in Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia after Allo-HSCT: Two Independent Observational Cohort Study. *Blood*, **2019**, 134, 3303-3303 2.2
- 62 The Prevalent, Features and Prognostic Impact of Deletion p16 in Patients with Adult Acute Lymphoblastic Leukemia. *Blood*, **2014**, 124, 5351-5351 2.2
- 61 Dose Study of Antithymocyte globulin in Haploidentical Allogeneic Stem Cell Transplantation. *Blood*, **2014**, 124, 1164-1164 2.2
- 60 a Novel 3D Culture Model to Mimic Hematopoietic Niche for HSCs Differentiating to Megakaryocyte with Deproteinized and Degreased Human Bone or β TCP. *Blood*, **2014**, 124, 4360-4360 2.2
- 59 Role of Allogeneic Hematopoietic Stem Cell Transplantation for None Remission / Advanced Acute Myeloid Leukemia with Flt3-ItD Mutations: Outcomes of 15 Newly Diagnosed Patients from a Single Institution. *Blood*, **2014**, 124, 5936-5936 2.2
- 58 New Insight into Epstein-Barr Virus-Associated Biological Behavior of Aggressive Natural Killer Cell Leukemia. *Blood*, **2014**, 124, 3002-3002 2.2

57	Role of Surgical Resection in Allogeneic Hematopoietic Stem Cell Transplant Recipients with Prior Pulmonary Aspergillosis. <i>Blood</i> , 2014 , 124, 5846-5846	2.2
56	Neutropenia during Hematopoietic Stem Cell Mobilization with G-CSF. <i>Blood</i> , 2014 , 124, 5835-5835	2.2
55	Allogeneic Hematopoietic Stem Cell Transplantation for Acute Leukemia: Comparison of Outcomes Among HLA-Matched Sibling Donors, HLA-Matched Unrelated Donors and HLA-Mismatched Family Donors. <i>Blood</i> , 2014 , 124, 5917-5917	2.2
54	Characteristics of Intracranial Haemorrhage in Haemophilic Children-Report in Single Center in China. <i>Blood</i> , 2014 , 124, 5063-5063	2.2
53	Mesenchymal stem cells can be specifically transplanted into the femur: a Magic result by Magnetism-induced cell target transplantation (MagiC-TT) in dual transgenic mice model. <i>Blood</i> , 2014 , 124, 2416-2416	2.2
52	Primary Engraftment Failure in Patients with Hematologic Malignancies Undergoing Autologous Hematopoietic Stem Cell Transplantation: Risk Factors Analysis. <i>Blood</i> , 2014 , 124, 5901-5901	2.2
51	Low-Dose secondary prophylaxis May Decrease Haemorrhage and Improve Health-Related Quality of Life in Adults with Severe Hemophilia. <i>Blood</i> , 2014 , 124, 2819-2819	2.2
50	The Effect of the R882H DNMT3a Mutation on Megakaryocyte Cell Lines. <i>Blood</i> , 2014 , 124, 5186-5186	2.2
49	The Hypomethylating Agent Decitabine Prior to Chemotherapy Improves the Therapy Efficacy in Refractory/Relapsed Acute Myeloid Leukemia Patients. <i>Blood</i> , 2015 , 126, 4932-4932	2.2
48	Comparison of the Efficacy of the First and Second-Generation Tyrosine Kinase Inhibitors in the First-Line Treatment of Ph-Positive Acute Lymphoblastic Leukemia. <i>Blood</i> , 2015 , 126, 1302-1302	2.2
47	Intrathecal Rituximab for EBV-Associated Post-Transplant Lymphoproliferative Disorder with Central Nervous System Involvement Unresponsive to Intravenous Rituximab-Based Treatments: A Prospective Study. <i>Blood</i> , 2015 , 126, 4352-4352	2.2
46	MagiC-TT (Magnetism-induced cell target transplantation) Enhanced the CD45+ Cells Target Migration, in Situ Proliferation and Promotion of Hematopoietic Recovery after Transplantation. <i>Blood</i> , 2015 , 126, 5404-5404	2.2
45	Target Transplantation of Mesenchymal Stem Cells into the Murine Femur to Support Hematopoiesis By MagiC-TT: Both In Vivo and in Vitro Studies. <i>Blood</i> , 2015 , 126, 5409-5409	2.2
44	Cytokine Gene Polymorphisms and Epstein-Barr Virus Infection after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2015 , 126, 3125-3125	2.2
43	Comparison of Short-Term Tertiary Prophylaxis at Low-Dose and Intermediate-Dose for Adults with Severe Hemophilia a in China. <i>Blood</i> , 2015 , 126, 4675-4675	2.2
42	A Comparison of Lamivudine and Entecavir for the Prophylaxis of Hepatitis B Virus Reactivation in Recipients of Allogeneic Hematopoietic Stem Cell Transplantation: A Single Institutional Experience. <i>Blood</i> , 2015 , 126, 2026-2026	2.2
41	Efficacy and Safety of Micafungin As Salvage Treatment for Invasive Fungal Disease in Patients with Hematologic Malignancies. <i>Blood</i> , 2015 , 126, 4628-4628	2.2
40	Intermediate-Dose Tertiary Prophylaxis Show a Better Joint Protection in Adults with Severe Hemophilia Than Low-Dose Patterns. <i>Blood</i> , 2016 , 128, 4970-4970	2.2

- 39 Emerging Potential Roles of Lysyl-Oxidase-like 2 Stimulates Cancer Associated Fibroblasts Promoting Myelofibrosis of Myeloproliferative Neoplasms. *Blood*, **2016**, 128, 5495-5495 2.2
- 38 Two Doses of Antithymocyteglobulin As Graft-Versus-Host Disease Prophylaxis in Haploidentical Allogeneic Stem Cell Transplantation: A Multicenter Prospective Study. *Blood*, **2016**, 128, 4603-4603 2.2
- 37 Autoimmune Hematological Diseases Following Haploidentical Donor Hematopoietic Stem Cell Transplant Compared with Matched Sibling and Unrelated Donor. *Blood*, **2016**, 128, 5861-5861 2.2
- 36 The Expression of GATA-3 and FoxP3 Genes and the Frequency of Tregs Are Correlated with Gvhd Following Allogeneic HSCT. *Blood*, **2010**, 116, 5181-5181 2.2
- 35 Granulocyte Colony-Stimulating Factor Induces High Expression of HLA-G In CD3+CD4+ T Lymphocytes and CD3+CD8+ T Lymphocytes. *Blood*, **2010**, 116, 4870-4870 2.2
- 34 The Effect of Rhg-CSF on MDSC In Bone Marrow and Peripheral Blood Cells. *Blood*, **2010**, 116, 4709-4709 2.2
- 33 Allogeneic Hematopoietic Stem Cell Transplantation for Blastic Plasmacytoid Dendritic Cell Neoplasm. *Blood*, **2011**, 118, 4938-4938 2.2
- 32 Continuous Intravenous Injection of Mesna Is Powerful in Preventing Acute Hemorrhagic Cystitis in Hematopoietic Stem Cell Transplantation: 108 Cases report. *Blood*, **2011**, 118, 3015-3015 2.2
- 31 Antithymocyte Globulin (ATG) Plus Cyclosporine (CsA) and Combined with Cord Blood Infusion Is Superior to ATG Plus Csa for the Treatment of Severe Aplastic Anemia. *Blood*, **2012**, 120, 4397-4397 2.2
- 30 Effect of Antithymocyte Globulin Dosage for Prophylactic Gvhd On Epstein-Barr Virus Reactivation and Diseases in Allogeneic Hematopoietic Stem Cell Transplantation. *Blood*, **2012**, 120, 4486-4486 2.2
- 29 New Method for in Vivo Hematopoiesis Microenvironment Research: Tissue-Engineering-Bone Femur Repairing Model and Semi-Solid Decalcification. *Blood*, **2012**, 120, 4732-4732 2.2
- 28 Molecular Monitoring and Stepwise Preemptive Therapy to Prevent Epstein-Barr Virus-Associated Diseases After Allogeneic Hematopoietic Stem Cell Transplantation.. *Blood*, **2012**, 120, 3067-3067 2.2
- 27 Secondary Antifungal Prophylaxis in Allogeneic Hematopoietic Stem Cell Recipients. *Blood*, **2012**, 120, 4140-4140 2.2
- 26 Analysis of Infection-Related Mortality in Allogeneic Hematopoietic Stem Cell Transplantation Recipients with Refractory/Relapse Acute Leukemia. *Blood*, **2012**, 120, 4513-4513 2.2
- 25 The Comparison Between Long-Term and Short-Term Administration of Itraconazole for Primary Antifungal Prophylaxis in Recipients of Allogeneic Hematopoietic Stem Cell: A Multicenter, Randomized, Open-Label Trial (NCT01160952). *Blood*, **2012**, 120, 1930-1930 2.2
- 24 Improvement in Poor Graft Function After Allogeneic Hematopoietic Stem Cell Transplantation Upon Administration of Mesenchymal Stem Cells From Third-Party Donors: A Pilot Prospective Study. *Blood*, **2012**, 120, 1904-1904 2.2
- 23 The Management of EBV-Associated Post-Transplant Lymphoproliferative Disorder with Central Nervous System Involvement After Allogeneic Hematopoietic Stem Cell Transplantation. *Blood*, **2012**, 120, 1959-1959 2.2
- 22 Granulocyte Colony-Stimulating Factor-Mediated Immunoregulation Via Inducing Blood Cells Expressing Human Leucocyte Antigen-G.. *Blood*, **2012**, 120, 3051-3051 2.2

21	Herpesvirus-Associated Central Nervous System Diseases After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2012 , 120, 4139-4139	2.2
20	Epstein-Barr Virus Infection In Recipient Of Allogeneic Hematopoietic Stem Cell Transplantation: The Role Of Cytomegalovirus. <i>Blood</i> , 2013 , 122, 4555-4555	2.2
19	Immunologic Effects Of Mesenchymal Stem Cells In The Treatment Of Refractory Acute Graft-Versus-Host Disease. <i>Blood</i> , 2013 , 122, 2056-2056	2.2
18	The Comparison of Immune Components in Three Grafts for Stem Cell Transplantation. <i>Blood</i> , 2013 , 122, 5485-5485	2.2
17	Mesenchymal Stem Cell As a Salvage Treatment For Refractory Acute Graft-Versus-Host Disease: a Matched Pair Analysis. <i>Blood</i> , 2013 , 122, 3294-3294	2.2
16	Continuous Intravenous Injection Of Mesna Can Reduce Acute Hemorrhagic Cystitis Occurrence Rate In Hematopoietic Stem Cell Transplantation: 359 Allo-HSCT Cases Report. <i>Blood</i> , 2013 , 122, 4556-4556	2.2
15	Sequential Intensified Conditioning Followed By Early Tapering Immunosuppressants and DLI In Allogeneic Hematopoietic Stem Cell Transplantation For Refractory/Recurrent T Lymphoblastic Lymphoma. <i>Blood</i> , 2013 , 122, 2122-2122	2.2
14	The Effect Of Prior Chemotherapy Courses With MD-AraC On The Hematopoietic Stem Cell Mobilization. <i>Blood</i> , 2013 , 122, 5446-5446	2.2
13	Comparison of clinical efficacy between HLA-mismatched related and HLA-matched unrelated donor hematopoietic stem cell transplantation for hematopoietic malignancies. <i>Blood</i> , 2013 , 122, 5509-5509	2.2
12	Sequential Intensified Conditioning Followed By Tapering Of Prophylactic Immunosuppressants and Donor Lymphocyte Infusions In Allogeneic Hematopoietic Stem Cell Transplantation For Refractory Leukemia. <i>Blood</i> , 2013 , 122, 702-702	2.2
11	Graft-Versus-Host Disease Following Myeloablative Busulfan Plus Fludarabine and Busulfan Plus Cyclophosphamide For Allogeneic Hematopoietic Stem Cell Transplantation In Acute Myeloid Leukemia In First Complete Remission. <i>Blood</i> , 2013 , 122, 3290-3290	2.2
10	Imatinib Mesylate Versus Allogeneic Hematopoietic Stem Cell Transplantation For Patients With Chronic Myeloid Leukemia In Chronic Phase. <i>Blood</i> , 2013 , 122, 5518-5518	2.2
9	Rituximab-Based Treatments Followed By Adoptive Cellular Therapies For EBV-Associated Post-Transplant Lymphoproliferative Disease In Recipients Of Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2013 , 122, 4637-4637	2.2
8	HLA Polymorphisms and Epstein-Barr Virus Infection In The Recipient Of Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2013 , 122, 3291-3291	2.2
7	Study Of Stem Cell Homing and Donor-Recipient Cellular Interaction In Allogeneic Hematopoietic Stem Cell Transplantation Mice Model. <i>Blood</i> , 2013 , 122, 5424-5424	2.2
6	A Two-Year Follow-Up Of a Prospective Study Of Intensified Conditioning Regimen With High-Dose-Etoposide Allogeneic Hematopoietic Stem Cell Transplantation For Adult Acute Lymphoblastic Leukemia In China. <i>Blood</i> , 2013 , 122, 4570-4570	2.2
5	Safety and Efficacy of Moroctocog Alfa (AF-CC) in Chinese Patients with Hemophilia A: Results of Two Open-Label Studies. <i>Journal of Blood Medicine</i> , 2020 , 11, 439-448	2.3
4	Clinical Characteristics of Patients with Different N-Terminal Probrain Natriuretic Peptide Levels after Hematopoietic Stem Cell Transplantation. <i>Disease Markers</i> , 2020 , 2020, 8839336	3.2

- 3 The Biological Significance of Multi-copy Regions and Their Impact on Variant Discovery. *Genomics, Proteomics and Bioinformatics*, **2020**, 18, 516-524 6.5
- 2 First open-label, single-arm, prospective study of real-world use of FIX replacement therapy in a predominantly pediatric hemophilia B population in China. *Medicine (United States)*, **2021**, 100, e26077 1.8
- 1 Value of Contrast-enhanced Ultrasound in Evaluating Synovitis and Predicting Recurrent Joint Bleeding of Hemophilia.. *Current Medical Science*, **2022**, 1 2.8