Susan Jick

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3455998/susan-jick-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

249	11,669	57	99
papers	citations	h-index	g-index
254 ext. papers	13,314 ext. citations	6.1 avg, IF	6.44 L-index

#	Paper	IF	Citations
249	Association between glycemic control and risk of venous thromboembolism in diabetic patients: a nested case-control study <i>Cardiovascular Diabetology</i> , 2022 , 21, 2	8.7	2
248	Glucocorticoids and Risk of Venous Thromboembolism in Asthma Patients Aged 20-59 Years in the United Kingdom's CPRD 1995-2015 <i>Clinical Epidemiology</i> , 2022 , 14, 83-93	5.9	2
247	Characterization of the deterioration of diabetes control in patients with a subsequent diagnosis of pancreatic cancer: A descriptive study <i>Pancreatology</i> , 2022 ,	3.8	1
246	Presence of Codes for Indication for Use in Clinical Practice Research Datalink Aurum: An Assessment of Benign Prostatic Hyperplasia Treatments <i>Clinical Epidemiology</i> , 2022 , 14, 641-652	5.9	
245	Validity of bariatric surgery codes in the UK Clinical Practice Research Datalink (CPRD) GOLD compared with Hospital Episodes Statistics. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 858-867	2.6	O
244	Epidemiology of skin event rates among users of pumps for the subcutaneous administration of drugs for chronic conditions. <i>Current Medical Research and Opinion</i> , 2021 , 37, 1563-1571	2.5	1
243	Antidiabetic Treatment, Level of Glycemic Control, and Risk of Fracture in Type 2 Diabetes: a Nested, Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 554-566	5.6	1
242	The risks of major cardiac events among patients with psoriatic arthritis treated with apremilast, biologics, DMARDs or corticosteroids. <i>Rheumatology</i> , 2021 , 60, 1926-1931	3.9	4
241	Survival after Stevens-Johnson Syndrome or Toxic Epidermal Necrolysis: A United Kingdom-Based Cohort Study. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1349-1351.e1	4.3	2
240	Quality and Completeness of Myocardial Infarction Recording in Clinical Practice Research Datalink Aurum. <i>Clinical Epidemiology</i> , 2021 , 13, 745-753	5.9	2
239	The Risk of Venous Thromboembolism (VTE) in Men with Benign Prostatic Hyperplasia Treated with 5-Alpha Reductase Inhibitors (5ARIs). <i>Clinical Epidemiology</i> , 2021 , 13, 661-673	5.9	O
238	Incident depression in patients diagnosed with multiple sclerosis: a multi-database study. <i>European Journal of Neurology</i> , 2020 , 27, 1556-1560	6	5
237	Infections in patients diagnosed with multiple sclerosis: A multi-database study. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 41, 101982	4	32
236	Herpes Zoster, Hepatitis C, and Tuberculosis Risk with Apremilast Compared to Biologics, DMARDs and Corticosteroids to Treat Psoriasis and Psoriatic Arthritis. <i>Clinical Epidemiology</i> , 2020 , 12, 153-161	5.9	10
235	The risk of treated anxiety and treated depression among patients with psoriasis and psoriatic arthritis treated with apremilast compared to biologics, DMARDs and corticosteroids: a cohort study in the United States MarketScan database. <i>Journal of the European Academy of Dermatology</i>	4.6	4
234	Quality and completeness of diagnoses recorded in the new CPRD Aurum Database: evaluation of pulmonary embolism. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1134-1140	2.6	6
233	The risk of myocardial infarction, stroke, and revascularization among patients with psoriasis treated with apremilast compared with biologics and disease-modifying antirheumatic drugs: A cohort study in the US MarketScan database. <i>Journal of the American Academy of Dermatology</i> ,	4.5	3

(2018-2020)

232	study. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 37, 101423	4	15
231	Risk of hand osteoarthritis in new users of hormone replacement therapy: A nested case-control analysis. <i>Maturitas</i> , 2020 , 132, 17-23	5	1
230	CPRD Aurum database: Assessment of data quality and completeness of three important comorbidities. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1456-1464	2.6	8
229	A study on the epidemiology of tinnitus in the United Kingdom. <i>Clinical Epidemiology</i> , 2019 , 11, 855-87	1 5.9	20
228	Clinical implications of the association between fluoroquinolones and tendon rupture: The magnitude of the effect with and without corticosteroids. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 949-959	3.8	15
227	Association Between Glycemic Control and Risk of Fracture in Diabetic Patients: A Nested Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1645-1654	5.6	29
226	Weight change and blood glucose concentration as markers for pancreatic cancer in subjects with new-onset diabetes mellitus: A´matched case-control study. <i>Pancreatology</i> , 2019 , 19, 578-586	3.8	9
225	ACE inhibitor use and risk of cataract: a case-control analysis. <i>British Journal of Ophthalmology</i> , 2019 , 103, 1561-1565	5.5	2
224	Incidence and Risk of Glucocorticoid-Associated Adverse Effects in Patients With Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2019 , 71, 498-511	4.7	42
223	Multi-database study of multiple sclerosis: identification, validation and description of MS patients in two countries. <i>Journal of Neurology</i> , 2019 , 266, 1095-1106	5.5	12
222	Mortality in Patients With Giant Cell Arteritis: A Cohort Study in UK Primary Care. <i>Arthritis Care and Research</i> , 2018 , 70, 1251-1256	4.7	14
221	Parkinson disease and the risk of epileptic seizures. <i>Annals of Neurology</i> , 2018 , 83, 363-374	9.4	28
220	Cataract in patients with diabetes mellitus-incidence rates in the UK and risk factors. <i>Eye</i> , 2018 , 32, 102	:8 ₄ 1. 0 3:	5 50
219	Antibiotic Drug Use and the Risk of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: A Population-Based Case-Control Study. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1207-1209	4.3	12
218	Adverse events profile of oral corticosteroids among asthma patients in the UK: cohort study with a nested case-control analysis. <i>Respiratory Research</i> , 2018 , 19, 75	7.3	54
217	Colorectal cancer and markers of anemia. European Journal of Cancer Prevention, 2018, 27, 530-538	2	9
216	A cohort study of comorbidity in patients with granulomatosis with polyangiitis. <i>Rheumatology</i> , 2018 , 57, 291-299	3.9	7
215	Risk Associated with Cumulative Oral Glucocorticoid Use in Patients with Giant Cell Arteritis in Real-World Databases from the USA and UK. <i>Rheumatology and Therapy</i> , 2018 , 5, 327-340	4.4	25

214	Reply to "Intriguing association of Parkinson disease and epileptic seizures". <i>Annals of Neurology</i> , 2018 , 84, 162-163	9.4	
213	Proton Pump Inhibitor Use and Risk of Developing Alzheimer's Disease or Vascular Dementia: A Case-Control Analysis. <i>Drug Safety</i> , 2018 , 41, 1387-1396	5.1	23
212	Risk of Incident Osteoarthritis of the Hand in Statin Initiators: A Sequential Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1795-1805	4.7	8
211	Maternal depression and antidepressant use during pregnancy and the risk of autism spectrum disorder in offspring. <i>Clinical Epidemiology</i> , 2018 , 10, 1599-1612	5.9	19
210	The Potential of Glycemic Control and Body Weight Change as Early Markers for Pancreatic Cancer in Patients With Long-standing Diabetes Mellitus: A Case-Control Study. <i>Pancreas</i> , 2018 , 47, 807-815	2.6	12
209	Metformin and the risk of renal cell carcinoma: a case-control analysis. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 257-262	2	10
208	Giant cell arteritis and vascular disease-risk factors and outcomes: a cohort study using UK Clinical Practice Research Datalink. <i>Rheumatology</i> , 2017 , 56, 753-762	3.9	12
207	The Epidemiology of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis în the UK. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1240-1247	4.3	94
206	Selective Serotonin Reuptake Inhibitors and Cataract Risk: A Case-Control Analysis. <i>Ophthalmology</i> , 2017 , 124, 1635-1639	7.3	6
205	Risk of Incident Antidepressant-Treated Depression Associated with Use of 5EReductase Inhibitors Compared with Use of EBlockers in Men with Benign Prostatic Hyperplasia: A Population-Based Study Using the Clinical Practice Research Datalink. <i>Pharmacotherapy</i> , 2017 , 37, 517-527	5.8	6
204	Antenatal Exposure and Diseases in the Offspring: The Role of Big Data. <i>Drug Safety</i> , 2017 , 40, 363-364	5.1	
203	Serious adverse effects associated with glucocorticoid therapy in patients with giant cell arteritis (GCA): A nested case-control analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 819-827	5.3	48
202	Reply to Greenland: A serious misinterpretation of a consistent inverse association of statin use with glioma across 3 case-control studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 89-90	12.1	
201	Risk of gynecomastia and breast cancer associated with the use of 5-alpha reductase inhibitors for benign prostatic hyperplasia. <i>Clinical Epidemiology</i> , 2017 , 9, 83-91	5.9	15
200	Diabetes, use of metformin, and the risk of meningioma. <i>PLoS ONE</i> , 2017 , 12, e0181089	3.7	10
199	Validation of autism spectrum disorder diagnoses recorded in the Clinical Practice Research Datalink, 1990-2014. <i>Clinical Epidemiology</i> , 2017 , 9, 475-482	5.9	11
198	The association between thyroid disorders and incident gout: population-based case-control study. <i>Clinical Epidemiology</i> , 2017 , 9, 205-215	5.9	1
197	Population-Based Study on the Epidemiology of Mflife's Disease. <i>Audiology and Neuro-Otology</i> , 2017 , 22, 74-82	2.2	37

(2016-2017)

Pulmonary arterial hypertension in the USA: an epidemiological study in a large insured pediatric population. <i>Pulmonary Circulation</i> , 2017 , 7, 126-136	2.7	29	
Incidence of outcomes potentially associated with corticosteroid therapy in patients with giant cell arteritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 650-656	5.3	27	
Metformin use and risk of lactic acidosis in people with diabetes with and without renal impairment: a cohort study in Denmark and the UK. <i>Diabetic Medicine</i> , 2017 , 34, 485-489	3.5	15	
Validation of Stevens-Johnson syndrome or toxic epidermal necrolysis diagnoses in the Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 429-436	2.6	12	
Prevalence of hypercalcemia of malignancy among pediatric cancer patients in the UK Clinical Practice Research Datalink database. <i>Clinical Epidemiology</i> , 2017 , 9, 339-343	5.9	4	
Metabolic syndrome in relation to risk of meningioma. <i>Oncotarget</i> , 2017 , 8, 2284-2292	3.3	13	
Diabetes, use of antidiabetic drugs, and the risk of glioma. <i>Neuro-Oncology</i> , 2016 , 18, 340-9	1	42	
Risk of erectile dysfunction associated with use of 5-freductase inhibitors for benign prostatic hyperplasia or alopecia: population based studies using the Clinical Practice Research Datalink. <i>BMJ, The,</i> 2016 , 354, i4823	5.9	22	
Associations of antibiotic use with risk of primary liver cancer in the Clinical Practice Research Datalink. <i>British Journal of Cancer</i> , 2016 , 115, 85-9	8.7	10	
The risk of new onset depression in association with influenzaA population-based observational study. <i>Brain, Behavior, and Immunity</i> , 2016 , 53, 131-137	16.6	22	
Rates of Cancers and Opportunistic Infections in Patients With Psoriatic Arthritis Compared With Patients Without Psoriatic Arthritis. <i>Journal of Clinical Rheumatology</i> , 2016 , 22, 241-7	1.1	11	
Metabolic syndrome in relation to Barrett's esophagus and esophageal adenocarcinoma: Results from a large population-based case-control study in the Clinical Practice Research Datalink. <i>Cancer Epidemiology</i> , 2016 , 42, 9-14	2.8	21	
Incidence rates of suicidal behaviors and treated depression in patients with and without psoriatic arthritis using the Clinical Practice Research Datalink. <i>Modern Rheumatology</i> , 2016 , 26, 774-9	3.3	8	
Inflammatory Bowel Disease and the Risk of Autoimmune Diseases. <i>Journal of Crohnps and Colitis</i> , 2016 , 10, 186-93	1.5	38	
Risk of Seizures Associated with Antidepressant Use in Patients with Depressive Disorder: Follow-up Study with a Nested Case-Control Analysis Using the Clinical Practice Research Datalink. <i>Drug Safety</i> , 2016 , 39, 307-21	5.1	17	
Use of cardiac glycosides and risk of glioma. <i>Journal of Neuro-Oncology</i> , 2016 , 127, 321-8	4.8	2	
Prevalence of Diabetes and Diabetic Nephropathy in a Large U.S. Commercially Insured Pediatric Population, 2002-2013. <i>Diabetes Care</i> , 2016 , 39, 278-84	14.6	30	
Doubling of serum creatinine and the risk of cardiovascular outcomes in patients with chronic kidney disease and type 2 diabetes mellitus: a cohort study. <i>Clinical Epidemiology</i> , 2016 , 8, 177-84	5.9	10	
	Incidence of outcomes potentially associated with corticosteroid therapy in patients with giant cell arteritis. Seminars in Arthritis and Rheumatism, 2017, 46, 650-656 Metformin use and risk of lactic acidosis in people with diabetes with and without renal impairment: a cohort study in Denmark and the UK. Diabetic Medicine, 2017, 34, 485-489 Validation of Stevens-Johnson syndrome or toxic epidermal necrolysis diagnoses in the Clinical Practice Research Datalink. Pharmacoepidemiology and Drug Safety, 2017, 26, 429-436 Prevalence of hypercalcemia of malignancy among pediatric cancer patients in the UK Clinical Practice Research Datalink database. Clinical Epidemiology, 2017, 9, 339-343 Metabolic syndrome in relation to risk of meningioma. Oncotarget, 2017, 8, 2284-2292 Diabetes, use of antidiabetic drugs, and the risk of glioma. Neuro-Oncology, 2016, 18, 340-9 Risk of erectile dysfunction associated with use of 5-Teductase inhibitors for benign prostatic hyperplasia or alopecia: population based studies using the Clinical Practice Research Datalink. BMJ, The, 2016, 354, 14823 Associations of antibiotic use with risk of primary liver cancer in the Clinical Practice Research Datalink. British Journal of Cancer, 2016, 115, 85-9 The risk of new onset depression in association with influenza—A population-based observational study. Brain, Behavior, and Immunity, 2016, 53, 131-137 Rates of Cancers and Opportunistic Infections in Patients With Psoriatic Arthritis. Journal of Clinical Rheumatology, 2016, 22, 241-7 Metabolic syndrome in relation to Barrett's esophagus and esophageal adenocarcinoma: Results from a large population-based case-control study in the Clinical Practice Research Datalink. Cancer Epidemiology, 2016, 22, 914. Incidence rates of suicidal behaviors and treated depression in patients with and without psoriatic arthritis using the Clinical Practice Research Datalink. Drug Safety, 2016, 39, 307-21 Use of cardiac glycosides and risk of glioma. Journal of Neuro-Oncology, 2016, 127, 321-8 Preva	Incidence of outcomes potentially associated with corticosteroid therapy in patients with giant cell arteritis. Seminars in Arthritis and Rheumatism, 2017, 46, 650-656 MetFormin use and risk of lactic acidosis in people with diabetes with and without renal impairment: a cohort study in Denmark and the UK. Diabetic Medicine, 2017, 34, 485-489 Validation of Stevens-Johnson syndrome or toxic epidermal necrolysis diagnoses in the Clinical Practice Research Datalink. Pharmacoepidemiology and Drug Safety, 2017, 26, 429-436 Prevalence of hypercalcemia of malignancy among pediatric cancer patients in the UK Clinical Practice Research Datalink database. Clinical Epidemiology, 2017, 9, 339-343 Metabolic syndrome in relation to risk of meningioma. Oncotarget, 2017, 8, 2284-2292 33 Diabetes, use of antidiabetic drugs, and the risk of glioma. Neuro-Oncology, 2016, 18, 340-9 Risk of erectile dysfunction associated with use of 5-IPeductase inhibitors for benign prostatic hyperplasia or alopecia; population based studies using the Clinical Practice Research Datalink. BHIS. BHIS. Journal of Cancer, 2016, 115, 85-9 The risk of new onset depression in association with influenza-A population-based observational study. Brain, Behavior, and Immunity, 2016, 53, 131-137 Rates of Cancers and Opportunistic Infections in Patients With Psoriatic Arthritis Compared With Patients Without Psoriatic Arthritis. Journal of Clinical Rheumatology, 2016, 22, 241-7 Metabolic syndrome in relation to Barrett's esophagus and esophagual adenocarcinoma: Results from a large population-based case-control study in the Clinical Practice Research Datalink. Cancer Epidemiology, 2016, 26, 274-9 Inflammatory Bowel Disease and the Risk of Autoimmune Diseases. Journal of Crohnpa and Colitis, 2016, 10, 186-93 Inflammatory Bowel Disease and the Risk of Autoimmune Diseases. Journal of Crohnpa and Colitis, 2016, 10, 186-93 Inflammatory Bowel Disease and the Risk of Autoimmune Diseases. Journal of Crohnpa and Colitis, 2016, 10, 186-93 Inflammatory Bowel	population. <i>Pulmonary Circulation</i> , 2017 , 7, 126-136 Incidence of outcomes potentially associated with corticosteroid therapy in patients with giant cell arteritis. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 650-656 Metformin use and risk of lactic acidosis in people with diabetes with and without renal impairment: a cohort study in Denmark and the UK. <i>Diabetic Medicine</i> , 2017 , 34, 485-489 3:5 Validation of Stevens-Johnson syndrome or toxic epidermal necrolysis diaposes in the Clinical Practice Research Datallink. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 429-436 Prevalence of hypercalcemia of malignancy among pediatric cancer patients in the UK Clinical Practice Research Datallink. <i>Pharmacoepidemiology</i> , 2017 , 9, 339-343 Metabolic syndrome in relation to risk of meningioma. <i>Oncotarget</i> , 2017 , 8, 2284-2292 33 Metabolic syndrome in relation to risk of meningioma. <i>Oncotarget</i> , 2017 , 8, 2284-2292 33 Sisk of erectile dysfunction associated with use of 5-Treductase inhibitors for benign prostatic hyperplasia or alopecia: population based studies using the Clinical Practice Research Datallink. Sign. J. The, 2016 , 354, 14823 Associations of antibiotic use with risk of primary liver cancer in the Clinical Practice Research Datallink. Britsh of new onset depression in association with influenza-A population-based observational study. <i>Brain, Behavior, and Immunits</i> , 2016 , 53, 131-137 Rates of Cancers and Opportunistic Infections in Patients With Psoriatic Arthritis Compared With Patients Without Psoriatic Arthritis. <i>Journal of Clinical Rheumatology</i> , 2016 , 22, 241-7 Metabolic syndrome in relation to Barrett's esophagus and esophague adenocarcinoma: Results from a large population-based case-control study in the Clinical Fractice Research Datallink. <i>Cancer Epidemiology</i> , 2016 , 42, 9-14 Indidence rates of suicidal behaviors and treated depression in patients with and without psoriatic arthritis using the Clinical Practice Research Datallink. <i>Drug Safety</i> , 2016

178	Helping everyone do better: a call for validation studies of routinely recorded health data. <i>Clinical Epidemiology</i> , 2016 , 8, 49-51	5.9	32
177	Use of Selective Cyclooxygenase-2 Inhibitors, Other Analgesics, and Risk of Glioma. <i>PLoS ONE</i> , 2016 , 11, e0149293	3.7	7
176	Rosacea in Patients with Ulcerative Colitis and Crohn's Disease: A Population-based Case-control Study. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 680-7	4.5	34
175	Maternal Pre-pregnancy Body Mass Index and Autism Spectrum Disorder among Offspring: A Population-Based Case-Control Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 479-87	2.7	31
174	Bisphosphonate therapy start may transiently increase the risk of tendon rupture in patients with glucocorticoid co-medication: a population-based observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1116-1123	2.6	3
173	Does Angiotensin-Converting Enzyme Inhibitor and Ellocker Use Reduce the Risk of Primary Liver Cancer? A Case-Control Study Using the U.K. Clinical Practice Research Datalink. <i>Pharmacotherapy</i> , 2016 , 36, 187-95	5.8	7
172	Menopausal hormone therapy use and risk of primary liver cancer in the clinical practice research datalink. <i>International Journal of Cancer</i> , 2016 , 138, 2146-53	7.5	12
171	Influenza infections and risk of Alzheimer's disease. <i>Brain, Behavior, and Immunity</i> , 2016 , 57, 187-192	16.6	10
170	A population-based study examining the risk of malignancy in patients diagnosed with inflammatory bowel disease. <i>Journal of Gastroenterology</i> , 2016 , 51, 1050-1062	6.9	20
169	Achilles or biceps tendon rupture in women and men with type 2 diabetes: A population-based case-control study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 903-9	3.2	9
168	The Risk of Achilles or Biceps Tendon Rupture in New Statin Users: A Propensity Score-Matched Sequential Cohort Study. <i>Drug Safety</i> , 2016 , 39, 1229-1237	5.1	11
167	Associations of NSAID and paracetamol use with risk of primary liver cancer in the Clinical Practice Research Datalink. <i>Cancer Epidemiology</i> , 2016 , 43, 105-11	2.8	15
166	Epidemiology of multiple sclerosis: results from a large observational study in the UK. <i>Journal of Neurology</i> , 2015 , 262, 2033-41	5.5	41
165	Statin use and risk of primary liver cancer in the Clinical Practice Research Datalink. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	51
164	Comparative Safety of Testosterone Dosage Forms. JAMA Internal Medicine, 2015, 175, 1187-96	11.5	63
163	Oral and inhaled glucocorticoid use and risk of Achilles or biceps tendon rupture: a population-based case-control study. <i>Annals of Medicine</i> , 2015 , 47, 492-8	1.5	12
162	Antipsychotic drug use and the risk of seizures: follow-up study with a nested case-control analysis. <i>CNS Drugs</i> , 2015 , 29, 591-603	6.7	35
161	Benzodiazepine Use and Risk of Developing Alzheimer's Disease or Vascular Dementia: A Case-Control Analysis. <i>Drug Safety</i> , 2015 , 38, 909-19	5.1	61

(2014-2015)

	Nonsteroidal anti-inflammatory drugs and the risk of nonmelanoma skin cancer. <i>International Journal of Cancer</i> , 2015 , 137, 144-53	7.5	24
159	Metformin initiation and renal impairment: a cohort study in Denmark and the UK. <i>BMJ Open</i> , 2015 , 5, e008531	3	6
158	No evidence for a decreased risk of thyroid cancer in association with use of metformin or other antidiabetic drugs: a case-control study. <i>BMC Cancer</i> , 2015 , 15, 719	4.8	19
157	Non-steroidal anti-inflammatory drugs and the risk of head and neck cancer: A case-control analysis. <i>International Journal of Cancer</i> , 2015 , 137, 2424-31	7.5	14
156	Association of hormone therapy and incident gout: population-based case-control study. <i>Menopause</i> , 2015 , 22, 1335-42	2.5	10
155	Population-based study of the association between asthma and pneumococcal disease in children. <i>Clinical Epidemiology</i> , 2015 , 7, 325-34	5.9	2
154	Rates of Cardiovascular Disease and Major Adverse Cardiovascular Events in Patients With Psoriatic Arthritis Compared to Patients Without Psoriatic Arthritis. <i>Journal of Clinical Rheumatology</i> , 2015 , 21, 405-10	1.1	22
153	Prevalence of hypercalcemia of malignancy among cancer patients in the UK: analysis of the Clinical Practice Research Datalink database. <i>Cancer Epidemiology</i> , 2015 , 39, 901-7	2.8	29
152	Oral Contraceptives and the Risk of Venous Thromboembolism 2015 , 181-201		
151	Poorly controlled type 2 diabetes mellitus is associated with a decreased risk of incident gout: a population-based case-control study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1651-8	2.4	13
150	Testosterone lab testing and initiation in the United Kingdom and the United States, 2000 to 2011. Journal of Clinical Endocrinology and Metabolism, 2014 , 99, 835-42	5.6	138
150 149		5.6 2.6	138
	Journal of Clinical Endocrinology and Metabolism, 2014, 99, 835-42 Validity of non-fatal idiopathic serious ventricular arrhythmia in UK-based Clinical Practice Research		138
149	Validity of non-fatal idiopathic serious ventricular arrhythmia in UK-based Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 999-1001 Relative risk of myelodysplastic syndromes in patients with autoimmune disorders in the General	2.6	
149	Validity of non-fatal idiopathic serious ventricular arrhythmia in UK-based Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 999-1001 Relative risk of myelodysplastic syndromes in patients with autoimmune disorders in the General Practice Research Database. <i>Cancer Epidemiology</i> , 2014 , 38, 544-9 Anti-diabetic medications and risk of primary liver cancer in persons with type II diabetes. <i>British</i>	2.6	25
149 148 147	Validity of non-fatal idiopathic serious ventricular arrhythmia in UK-based Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 999-1001 Relative risk of myelodysplastic syndromes in patients with autoimmune disorders in the General Practice Research Database. <i>Cancer Epidemiology</i> , 2014 , 38, 544-9 Anti-diabetic medications and risk of primary liver cancer in persons with type II diabetes. <i>British Journal of Cancer</i> , 2014 , 111, 1710-7 Electronic health databases for epidemiological research on joint replacements: considerations	2.6 2.8 8.7	25 17
149 148 147 146	Validity of non-fatal idiopathic serious ventricular arrhythmia in UK-based Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 999-1001 Relative risk of myelodysplastic syndromes in patients with autoimmune disorders in the General Practice Research Database. <i>Cancer Epidemiology</i> , 2014 , 38, 544-9 Anti-diabetic medications and risk of primary liver cancer in persons with type II diabetes. <i>British Journal of Cancer</i> , 2014 , 111, 1710-7 Electronic health databases for epidemiological research on joint replacements: considerations when making cross-national comparisons. <i>Annals of Epidemiology</i> , 2014 , 24, 660-5 Mortality of patients with multiple sclerosis: a cohort study in UK primary care. <i>Journal of Neurology</i>	2.6 2.8 8.7 6.4	25 17 15

142	Drospirenone-containing oral contraceptives may increase the risk of venous thromboembolism. <i>Evidence-based Nursing</i> , 2014 , 17, 71	0.3	1
141	Prevalence and management of chronic kidney disease in primary care patients in the UK. <i>International Journal of Clinical Practice</i> , 2014 , 68, 1110-21	2.9	17
140	Switch patterns of osteoporosis medication and its impact on persistence among postmenopausal women in the U.K. General Practice Research Database. <i>Menopause</i> , 2014 , 21, 1106-13	2.5	6
139	Association of a reduction in low-density lipoprotein cholesterol with incident cardiovascular and cerebrovascular events among people with type 2 diabetes mellitus. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 855-65	3.9	5
138	Use of diuretics and risk of incident gout: a population-based case-control study. <i>Arthritis and Rheumatology</i> , 2014 , 66, 185-96	9.5	57
137	Use of anti-malarial drugs and the risk of developing eye disorders. <i>Travel Medicine and Infectious Disease</i> , 2014 , 12, 40-7	8.4	9
136	Case-control analysis on metformin and cancer of the esophagus. <i>Cancer Causes and Control</i> , 2013 , 24, 1763-70	2.8	24
135	Use of acid-suppressive drugs in pregnancy and the risk of childhood asthma: bidirectional crossover study using the general practice research database. <i>Drug Safety</i> , 2013 , 36, 1097-104	5.1	16
134	Antimalarial chemoprophylaxis and the risk of neuropsychiatric disorders. <i>Travel Medicine and Infectious Disease</i> , 2013 , 11, 71-80	8.4	22
133	Migraine, triptans, and the risk of developing rosacea: a population-based study within the United Kingdom. <i>Journal of the American Academy of Dermatology</i> , 2013 , 69, 399-406	4.5	35
132	Association of infant pneumococcal vaccination with pneumococcal pneumonia among mothers: a nested case-control study using the GPRD. <i>Vaccine</i> , 2013 , 31, 1590-6	4.1	5
131	Association of childhood attention-deficit/hyperactivity disorder with atopic diseases and skin infections? A matched case-control study using the General Practice Research Database. <i>Annals of Allergy, Asthma and Immunology</i> , 2013 , 111, 102-106.e2	3.2	31
130	Incidence of bone metastases in breast cancer patients in the United Kingdom: results of a multi-database linkage study using the general practice research database. <i>Cancer Epidemiology</i> , 2013 , 37, 240-6	2.8	28
129	The risk of adverse outcomes in association with use of testosterone products: a cohort study using the UK-based general practice research database. <i>British Journal of Clinical Pharmacology</i> , 2013 , 75, 26	io- 7 8	20
128	Antihypertensive drugs and the risk of congenital anomalies. <i>Pharmacotherapy</i> , 2013 , 33, 476-82	5.8	16
127	Seizures in patients with Alzheimer's disease or vascular dementia: a population-based nested case-control analysis. <i>Epilepsia</i> , 2013 , 54, 700-7	6.4	92
126	Metformin and the risk of endometrial cancer: a case-control analysis. <i>Gynecologic Oncology</i> , 2013 , 129, 565-9	4.9	36
125	Spironolactone may reduce the risk of incident rosacea. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2480-2483	4.3	3

(2012-2013)

124	Comment on: Suissa and Azoulay. Metformin and the risk of cancer: time-related biases in observational studies. Diabetes Care 2012;35:2665-2673. <i>Diabetes Care</i> , 2013 , 36, e85	14.6	2
123	Opioid use for noncancer pain and risk of fracture in adults: a nested case-control study using the general practice research database. <i>American Journal of Epidemiology</i> , 2013 , 178, 559-69	3.8	68
122	Risk of colorectal cancer after initiation of orlistat: matched cohort study. <i>BMJ, The</i> , 2013 , 347, f5039	5.9	15
121	Risk of rosacea in patients with diabetes using insulin or oral antidiabetic drugs. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2790-2793	4.3	17
120	Risk of incident stroke in patients with Alzheimer disease or vascular dementia. <i>Neurology</i> , 2013 , 81, 910-9	6.5	42
119	Opioid use for noncancer pain and risk of myocardial infarction amongst adults. <i>Journal of Internal Medicine</i> , 2013 , 273, 511-26	10.8	74
118	Asthma drugs and the risk of congenital anomalies. <i>Pharmacotherapy</i> , 2013 , 33, 363-8	5.8	19
117	Antidepressant use during early pregnancy and the risk of congenital anomalies. <i>Pharmacotherapy</i> , 2013 , 33, 693-700	5.8	25
116	Epidemiology, co-morbidities, and medication use of patients with Alzheimer's disease or vascular dementia in the UK. <i>Journal of Alzheimerps Disease</i> , 2013 , 35, 565-73	4.3	49
115	Opioids and Risk of Type 2 Diabetes in Adults with Non-Cancer Pain. <i>Pain Physician</i> , 2013 , 1;16, 88-88	1.8	
114	Metformin, other antidiabetic drugs, and risk of Alzheimer's disease: a population-based case-control study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 916-21	5.6	219
113	Drug-/radiation-induced interstitial lung disease in the United Kingdom general population: incidence, all-cause mortality and characteristics at diagnosis. <i>Respirology</i> , 2012 , 17, 861-8	3.6	10
112	Incidence of the pneumoconioses in the United Kingdom general population between 1997 and 2008. <i>Respiration</i> , 2012 , 84, 200-6	3.7	10
111	Patient-related risk factors for fracture-healing complications in the United Kingdom General Practice Research Database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012 , 83, 653-60	4.3	140
110	Drospirenone- and levonorgestrel-containing oral contraceptives and the risk of gallbladder disease. <i>Contraception</i> , 2012 , 86, 220-3	2.5	5
109	Metformin does not alter the risk of lung cancer: a case-control analysis. <i>Lung Cancer</i> , 2012 , 78, 133-7	5.9	47
108	Risk of venous thromboembolism in oral contraceptive users varies according to progestin type. <i>Evidence-based Nursing</i> , 2012 , 15, 82-3	0.3	
107	Use of antidiabetic agents and the risk of pancreatic cancer: a case-control analysis. <i>American Journal of Gastroenterology</i> , 2012 , 107, 620-6	0.7	87

106	Use of metformin is not associated with a decreased risk of colorectal cancer: a case-control analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 280-6	4	83
105	Persistence with osteoporosis medications among postmenopausal women in the UK General Practice Research Database. <i>Menopause</i> , 2012 , 19, 33-40	2.5	37
104	Diabetes mellitus and the risk of cholecystectomy. <i>Digestive and Liver Disease</i> , 2011 , 43, 742-7	3.3	12
103	Statin use and risk of first-time psoriasis diagnosis. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 77-83	4.5	27
102	Use of metformin and the risk of ovarian cancer: a case-control analysis. <i>Gynecologic Oncology</i> , 2011 , 123, 200-4	4.9	108
101	Parkinson's disease or Parkinson symptoms following seasonal influenza. <i>Influenza and Other Respiratory Viruses</i> , 2011 , 5, 328-33	5.6	37
100	Risk of non-fatal venous thromboembolism in women using oral contraceptives containing drospirenone compared with women using oral contraceptives containing levonorgestrel: case-control study using United States claims data. <i>BMJ, The</i> , 2011 , 342, d2151	5.9	159
99	Risk of venous thromboembolism in users of oral contraceptives containing drospirenone or levonorgestrel: nested case-control study based on UK General Practice Research Database. <i>BMJ, The,</i> 2011 , 342, d2139	5.9	147
98	Cancer risk in patients with chronic obstructive pulmonary disease. <i>Journal of Pragmatic and Observational Research</i> , 2010 , 1, 15-23	7.4	1
97	Use of depot medroxyprogesterone acetate and fracture risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4909-16	5.6	68
96	Reflux disease, gastrointestinal ulcer or weight loss in patients with COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2010 , 7, 172-8	2	7
95	Association of smoking with amyotrophic lateral sclerosis risk and survival in men and women: a prospective study. <i>BMC Neurology</i> , 2010 , 10, 6	3.1	38
94	Long-term metformin use is associated with decreased risk of breast cancer. <i>Diabetes Care</i> , 2010 , 33, 1304-8	14.6	358
93	Postmarketing study of ORTHO EVRA and levonorgestrel oral contraceptives containing hormonal contraceptives with 30 mcg of ethinyl estradiol in relation to nonfatal venous thromboembolism. <i>Contraception</i> , 2010 , 81, 16-21	2.5	54
92	ORTHO EVRA and venous thromboembolism: an update. <i>Contraception</i> , 2010 , 81, 452-3	2.5	27
91	Risk of stroke in patients with idiopathic Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 31-5	3.6	45
90	Cancer risk in association with Parkinson disease: a population-based study. <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 186-90	3.6	43
89	Opioid pharmacotherapy for chronic non-cancer pain in the United States: a research guideline for developing an evidence-base. <i>Journal of Pain</i> , 2010 , 11, 807-29	5.2	124

88	COPD and the risk of depression. Chest, 2010, 137, 341-7	5.3	115
87	Risk for incident atrial fibrillation in patients who receive antihypertensive drugs: a nested case-control study. <i>Annals of Internal Medicine</i> , 2010 , 152, 78-84	8	67
86	Chronic obstructive pulmonary disease and the risk of cardiovascular diseases. <i>European Journal of Epidemiology</i> , 2010 , 25, 253-60	12.1	111
85	Hyperlipidaemia, statin use and the risk of developing rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 546-51	2.4	52
84	Statin use and risk of gallstone disease followed by cholecystectomy. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 2001-7	27.4	68
83	Previous maternal oral contraception and the risk among subsequent offspring of asthma diagnosis in early childhood. <i>Paediatric and Perinatal Epidemiology</i> , 2009 , 23, 567-73	2.7	6
82	Updated study on risk of cholestatic liver disease and flucloxacillin. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 269-70	3.8	7
81	Psoriasis and risk of incident cancer: an inception cohort study with a nested case-control analysis. Journal of Investigative Dermatology, 2009 , 129, 2604-12	4.3	82
80	The risk of unintended pregnancies in users of the contraceptive patch compared to users of oral contraceptives in the UK General Practice Research Database. <i>Contraception</i> , 2009 , 80, 142-51	2.5	11
79	Lithium, antipsychotics, and risk of psoriasis. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 134-40	1.7	16
78	Postmenopausal estrogen-containing hormone therapy and the risk of breast cancer. <i>Obstetrics and Gynecology</i> , 2009 , 113, 74-80	4.9	50
77	The risk of newly diagnosed asthma in migraineurs with or without previous triptan prescriptions. <i>Headache</i> , 2008 , 48, 606-10	4.2	7
76	Antidepressant drug use and risk of venous thromboembolism. <i>Pharmacotherapy</i> , 2008 , 28, 144-50	5.8	19
75	Use of statins and the risk of Parkinson's disease: a retrospective case-control study in the UK. <i>Drug Safety</i> , 2008 , 31, 399-407	5.1	54
74	Association between use of thiazolidinediones or other oral antidiabetics and psoriasis: A population based case-control study. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 421-9	4.5	50
73	Use of thiazolidinediones and fracture risk. Archives of Internal Medicine, 2008, 168, 820-5		268
72	Diabetes in patients with idiopathic Parkinson's disease. <i>Diabetes Care</i> , 2008 , 31, 1808-12	14.6	51
71	Metformin, sulfonylureas, or other antidiabetes drugs and the risk of lactic acidosis or hypoglycemia: a nested case-control analysis. <i>Diabetes Care</i> , 2008 , 31, 2086-91	14.6	319

70	Use of antihypertensives and the risk of Parkinson disease. <i>Neurology</i> , 2008 , 70, 1438-44	6.5	183
69	Rejoinder on flepatitis B vaccination and multiple sclerosis the jury is still out Department of the property	2.6	2
68	Using prescription claims data for drugs available over-the-counter (OTC). <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 961-8	2.6	75
67	Diclofenac and acute myocardial infarction in patients with no major risk factors. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 662-7	3.8	14
66	Migraine and the risk of stroke, TIA, or death in the UK (CME). Headache, 2007, 47, 1374-84	4.2	36
65	The contraceptive patch in relation to ischemic stroke and acute myocardial infarction. <i>Pharmacotherapy</i> , 2007 , 27, 218-20	5.8	25
64	Statins and the risk of pneumonia: a population-based, nested case-control study. <i>Pharmacotherapy</i> , 2007 , 27, 325-32	5.8	107
63	Further results on the risk of nonfatal venous thromboembolism in users of the contraceptive transdermal patch compared to users of oral contraceptives containing norgestimate and 35 microg of ethinyl estradiol. <i>Contraception</i> , 2007 , 76, 4-7	2.5	90
62	Cardiovascular safety of cyclo-oxygenase-2 inhibitors. <i>Lancet, The</i> , 2007 , 369, 555-6; author reply 556	40	1
61	Nonsteroidal antiinflammatory drugs and acute myocardial infarction in patients with no major risk factors. <i>Pharmacotherapy</i> , 2006 , 26, 1379-87	5.8	24
60	Glucocorticoid use, other associated factors, and the risk of tuberculosis. <i>Arthritis and Rheumatism</i> , 2006 , 55, 19-26		284
59	Allergy, histamine 1 receptor blockers, and the risk of multiple sclerosis. <i>Neurology</i> , 2006 , 66, 572-5	6.5	46
58	Antibiotic use and risk of multiple sclerosis. American Journal of Epidemiology, 2006, 163, 997-1002	3.8	39
57	Risk of nonfatal venous thromboembolism in women using a contraceptive transdermal patch and oral contraceptives containing norgestimate and 35 microg of ethinyl estradiol. <i>Contraception</i> , 2006 , 73, 223-8	2.5	138
56	Risk of nonfatal venous thromboembolism with oral contraceptives containing norgestimate or desogestrel compared with oral contraceptives containing levonorgestrel. <i>Contraception</i> , 2006 , 73, 566	-76	55
55	Authors' response to a letter to the editor from Paul Brenner, M.D Contraception, 2006, 74, 354-355	2.5	
54	Cerebral venous sinus thrombosis in users of four hormonal contraceptives: levonorgestrel-containing oral contraceptives, norgestimate-containing oral contraceptives, desogestrel-containing oral contraceptives and the contraceptive patch. <i>Contraception</i> , 2006 , 74, 290-2	2.5	26
53	Hepatitis B vaccination and multiple sclerosis: the jury is still out. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 653-5	2.6	16

(2002-2005)

52	Risk of cholestatic liver disease associated with flucloxacillin and flucloxacillin prescribing habits in the UK: cohort study using data from the UK General Practice Research Database. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 76-82	3.8	90
51	Tamoxifen-treated breast carcinoma patients and the risk of acute myocardial infarction and newly-diagnosed angina. <i>Cancer</i> , 2005 , 103, 1114-21	6.4	50
50	Recent use of oral contraceptives and the risk of multiple sclerosis. Archives of Neurology, 2005, 62, 136	2-5	114
49	Cigarette smoking and the progression of multiple sclerosis. <i>Brain</i> , 2005 , 128, 1461-5	11.2	210
48	Antidepressants and the risk of suicidal behaviors. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 338-43	27.4	365
47	Statins and newly diagnosed diabetes. British Journal of Clinical Pharmacology, 2004 , 58, 303-9	3.8	25
46	Tamoxifen and cataracts: a null association. Breast Cancer Research and Treatment, 2004, 87, 189-96	4.4	16
45	Recombinant hepatitis B vaccine and the risk of multiple sclerosis: a prospective study. <i>Neurology</i> , 2004 , 63, 838-42	6.5	188
44	The risk of severe depression, psychosis or panic attacks with prophylactic antimalarials. <i>Drug Safety</i> , 2004 , 27, 203-13	5.1	67
43	Use of beta-blockers and risk of fractures. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 1326-32	27.4	249
42	Inhaled corticosteroids and the risk of fractures in children and adolescents. <i>Pediatrics</i> , 2004 , 114, 469-7	7 ₹.4	53
41	Lipid-lowering drugs and the risk of depression and suicidal behavior. <i>Archives of Internal Medicine</i> , 2003 , 163, 1926-32		84
40	Temporal trends in orchidopexy, Great Britain, 1992-1998. <i>Environmental Health Perspectives</i> , 2003 , 111, 129-32	8.4	42
39	Validity of the general practice research database. <i>Pharmacotherapy</i> , 2003 , 23, 686-9	5.8	437
38	Who receives lipid-lowering drugs: the effects of comorbidities and patient characteristics on treatment initiation. <i>British Journal of Clinical Pharmacology</i> , 2003 , 55, 288-98	3.8	11
37	Discontinuation and switching of therapy after initiation of lipid-lowering drugs: the effects of comorbidities and patient characteristics. <i>British Journal of Clinical Pharmacology</i> , 2003 , 56, 84-91	3.8	27
36	Author's response to letter from Ray et al British Journal of Clinical Pharmacology, 2003, 56, 461-462	3.8	78
35	Itraconazole and fluconazole and certain rare, serious adverse events. <i>Pharmacotherapy</i> , 2002 , 22, 697-	7 9 .8	21

34	Statins and the risk of idiopathic venous thromboembolism. <i>British Journal of Clinical Pharmacology</i> , 2002 , 53, 101-5	3.8	59
33	Live attenuated polio vaccine and the risk of intussusception. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 451-453	3.8	5
32	The risk of cataract among users of inhaled steroids. <i>Epidemiology</i> , 2001 , 12, 229-34	3.1	81
31	Angiotensin-converting enzyme inhibitors, calcium channel blockers, and breast cancer. <i>Archives of Internal Medicine</i> , 2000 , 160, 349-53		96
30	Intracranial haemorrhage and use of selective serotonin reuptake inhibitors. <i>British Journal of Clinical Pharmacology</i> , 2000 , 50, 43-7	3.8	69
29	The risk of gastrointestinal bleed, myocardial infarction, and newly diagnosed hypertension in users of meloxicam, diclofenac, naproxen, and piroxicam. <i>Pharmacotherapy</i> , 2000 , 20, 741-4	5.8	25
28	Isotretinoin use and risk of depression, psychotic symptoms, suicide, and attempted suicide. <i>Archives of Dermatology</i> , 2000 , 136, 1231-6		173
27	Pitfalls of pharmacoepidemiology 2000 , 321, 1528-1528		2
26	Frequency of liver disease in type 2 diabetic patients treated with oral antidiabetic agents. <i>Diabetes Care</i> , 1999 , 22, 2067-71	14.6	46
25	Pregnancy outcomes after maternal exposure to fluconazole. <i>Pharmacotherapy</i> , 1999 , 19, 221-2	5.8	69
24	Risk of idiopathic cerebral haemorrhage in women on oral contraceptives with differing progestagen components. <i>Lancet, The</i> , 1999 , 354, 302-3	40	11
23	The risk of venous thromboembolism in users of postcoital contraceptive pills. <i>Contraception</i> , 1999 , 59, 79-83	2.5	91
22	A study of the relation of exposure to quinolones and suicidal behaviour. <i>British Journal of Clinical Pharmacology</i> , 1998 , 45, 77-81	3.8	9
21	Pregnancies and terminations after 1995 warning about third-generation oral contraceptives. <i>Lancet, The</i> , 1998 , 351, 1404-5	40	28
20	Acute respiratory-tract infections and risk of first-time acute myocardial infarction. <i>Lancet, The</i> , 1998 , 351, 1467-71	40	297
19	A population-based study of appetite-suppressant drugs and the risk of cardiac-valve regurgitation. New England Journal of Medicine, 1998, 339, 719-24	59.2	227
18	Third-generation oral contraceptives and venous thrombosis. <i>Lancet, The</i> , 1997 , 349, 731-2; author reply 732-3	40	18
17	Calcium-channel blockers and risk of cancer. <i>Lancet, The</i> , 1997 , 349, 525-8	40	177

LIST OF PUBLICATIONS

16	Ciprofloxacin safety in a pediatric population. <i>Pediatric Infectious Disease Journal</i> , 1997 , 16, 130-3; discussion 133-4, 160-2	3.4	73
15	Histamine-2 receptor antagonists and gastric cancer. <i>Epidemiology</i> , 1996 , 7, 434-6	3.1	16
14	Risk of acute myocardial infarction and low-dose combined oral contraceptives. <i>Lancet, The</i> , 1996 , 347, 627-8	40	69
13	Antidepressants and suicide. <i>BMJ: British Medical Journal</i> , 1995 , 310, 215-8		162
12	Combined estrogen and progesterone use and endometrial cancer. <i>Epidemiology</i> , 1993 , 4, 384	3.1	16
11	Estrogens, progesterone, and endometrial cancer. <i>Epidemiology</i> , 1993 , 4, 20-4	3.1	67
10	Antidepressants and Convulsions. <i>Journal of Clinical Psychopharmacology</i> , 1992 , 12, 241???245	1.7	21
9	Further validation of information recorded on a general practitioner based computerized data resource in the united kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 1992 , 1, 347-349	2.6	199
8	Maternal zinc and fetal neural tube defects. <i>Teratology</i> , 1992 , 46, 341-8		36
7	Large computer databases. <i>BMJ: British Medical Journal</i> , 1991 , 302, 912		
6	Cimetidine use and gastric cancer. <i>Epidemiology</i> , 1990 , 1, 251-4	3.1	14
5	The relationship of oral contraceptive use to rheumatoid arthritis. <i>Epidemiology</i> , 1990 , 1, 153-6	3.1	18
4	Hospitalizations for pulmonary reactions following nitrofurantoin use. <i>Chest</i> , 1989 , 96, 512-5	5.3	29
3	Predictive values, relative risks, and overall benefits of high and low maternal serum alpha-fetoprotein screening in singleton pregnancies: new epidemiologic data. <i>American Journal of Obstetrics and Gynecology</i> , 1989 , 161, 291-7	6.4	117
2	Drug-induced cutaneous reactions. A report from the Boston Collaborative Drug Surveillance Program on 15,438 consecutive inpatients, 1975 to 1982. <i>JAMA - Journal of the American Medical Association</i> , 1986 , 256, 3358-63	27.4	133
1	The UK General Practice Research Database375-385		18