

Sabine Rohrmann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3456004/sabine-rohrmann-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

358
papers

14,615
citations

68
h-index

103
g-index

391
ext. papers

16,899
ext. citations

4.6
avg, IF

6.1
L-index

#	Paper	IF	Citations
358	Hormonal patterns in men with prediabetes and diabetes in NHANES III: possible links with prostate cancer.. <i>Cancer Causes and Control</i> , 2022 , 33, 429	2.8	0
357	Different dietary assessment methods, similar conclusions? Comparison of a country's adherence to food-based dietary guidelines as depicted in two population-based surveys using different dietary assessment methods.. <i>Public Health Nutrition</i> , 2022 , 1-20	3.3	0
356	Characterisation of meat consumption across sociodemographic, lifestyle and anthropometric groups in Switzerland: results from the National Nutrition Survey menuCH.. <i>Public Health Nutrition</i> , 2022 , 1-26	3.3	0
355	Increased vitamin B6 turnover is associated with greater mortality risk in the general US population: A prospective biomarker study.. <i>Clinical Nutrition</i> , 2022 , 41, 1343-1356	5.9	0
354	Incidence and mortality trends of thyroid cancer from 1980 to 2016. <i>Swiss Medical Weekly</i> , 2021 , 151, w30029	3.1	2
353	Association between dietary patterns and prediabetes, undetected diabetes or clinically diagnosed diabetes: results from the KORA FF4 study. <i>European Journal of Nutrition</i> , 2021 , 60, 2331-2341	5.2	4
352	No-meat eaters are less likely to be overweight or obese, but take dietary supplements more often: results from the Swiss National Nutrition survey menuCH. <i>Public Health Nutrition</i> , 2021 , 24, 4156-4165	3.3	1
351	Are there sex differences among colorectal cancer patients in treatment and survival? A Swiss cohort study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 1407-1419	4.9	1
350	Identifying classes of the pain, fatigue, and depression symptom cluster in long-term prostate cancer survivors-results from the multi-regional Prostate Cancer Survivorship Study in Switzerland (PROCAS). <i>Supportive Care in Cancer</i> , 2021 , 29, 6259-6269	3.9	3
349	Cancer is associated with inferior outcome in patients with ischemic stroke. <i>Journal of Neurology</i> , 2021 , 268, 4190-4202	5.5	0
348	Does diet map with mortality? Ecological association of dietary patterns with chronic disease mortality and its spatial dependence in Switzerland. <i>British Journal of Nutrition</i> , 2021 , 1-13	3.6	1
347	Vitamin B6 Status among Vegetarians: Findings from a Population-Based Survey. <i>Nutrients</i> , 2021 , 13,	6.7	6
346	Glaucoma and mortality risk: findings from a prospective population-based study. <i>Scientific Reports</i> , 2021 , 11, 11771	4.9	1
345	How food choices link sociodemographic and lifestyle factors with sustainability impacts. <i>Journal of Cleaner Production</i> , 2021 , 300, 126896	10.3	7
344	Daily and meal-based assessment of dairy and corresponding protein intake in Switzerland: results from the National Nutrition Survey menuCH. <i>European Journal of Nutrition</i> , 2021 , 60, 2099-2109	5.2	
343	National study for multidisciplinary outpatient oncological rehabilitation: online survey to support revised quality and performance criteria. <i>Supportive Care in Cancer</i> , 2021 , 29, 3839-3847	3.9	
342	The association of sex steroid hormone concentrations with non-alcoholic fatty liver disease and liver enzymes in US men. <i>Liver International</i> , 2021 , 41, 300-310	7.9	7

341	Onkologische Prävention Inwiefern ist die Ernährung entscheidend?. <i>Onkologe</i> , 2021 , 27, 100-107	0.1	
340	Cost-effectiveness of physical activity interventions in cancer survivors of developed countries: a systematic review. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 961-975	5.1	4
339	Ultraprocessed Food Consumption is Strongly and Dose-Dependently Associated with Excess Body Weight in Swiss Women. <i>Obesity</i> , 2021 , 29, 601-609	8	4
338	Risk for Invasive Cancers in Women With Breast Cancer : Results From a Population Not Covered by Organized Mammographic Screening. <i>Frontiers in Oncology</i> , 2021 , 11, 606747	5.3	0
337	Associations between habitual diet, metabolic disease, and the gut microbiota using latent Dirichlet allocation. <i>Microbiome</i> , 2021 , 9, 61	16.6	7
336	Impact of comorbidities at diagnosis on the 10-year colorectal cancer net survival: A population-based study. <i>Cancer Epidemiology</i> , 2021 , 73, 101962	2.8	1
335	Parathyroid Hormone in Pregnancy: Vitamin D and Other Determinants. <i>Nutrients</i> , 2021 , 13,	6.7	2
334	Body weight and self-perception are associated with depression: Results from the National Health and Nutrition Examination Survey (NHANES) 2005-2016. <i>Journal of Affective Disorders</i> , 2020 , 274, 929-934	6.6	5
333	Association of Dietary Patterns and Type-2 Diabetes Mellitus in Metabolically Homogeneous Subgroups in the KORA FF4 Study. <i>Nutrients</i> , 2020 , 12,	6.7	6
332	Health-related quality of life in long-term prostate cancer survivors after nerve-sparing and non-nerve-sparing radical prostatectomy-Results from the multiregional PROCAS study. <i>Cancer Medicine</i> , 2020 , 9, 5416-5424	4.8	1
331	Survival outcome of non-small cell lung cancer patients: Comparing results between the database of the Comprehensive Cancer Center Zürich and the Epidemiological Cancer Registry Zurich and Zug. <i>Lung Cancer</i> , 2020 , 146, 217-223	5.9	
330	Relationship of sex steroid hormones with bone mineral density of the lumbar spine in adult men. <i>Bone and Joint Research</i> , 2020 , 9, 139-145	4.2	1
329	Differences in Bone Mineral Density between Adult Vegetarians and Nonvegetarians Become Marginal when Accounting for Differences in Anthropometric Factors. <i>Journal of Nutrition</i> , 2020 , 150, 1266-1271	4.1	11
328	Environment-wide association study to comprehensively test and validate associations between nutrition and lifestyle factors and testosterone deficiency: NHANES 1988-1994 and 1999-2004. <i>Hormones</i> , 2020 , 19, 205-214	3.1	1
327	The relative risk of second primary cancers in Switzerland: a population-based retrospective cohort study. <i>BMC Cancer</i> , 2020 , 20, 51	4.8	15
326	Vitamin Substitution Beyond Childhood Requirements and Risks. <i>Deutsches Arzteblatt International</i> , 2020 , 117, 14-22	2.5	5
325	Comment on: Wiser et al. Ovarian cancer in Switzerland: incidence and treatment according to hospital registry data. <i>Swiss Med Wkly</i> .2018;148:w14647. <i>Swiss Medical Weekly</i> , 2020 , 150, w20179	3.1	
324	Metabolites, Nutrients, and Lifestyle Factors in Relation to Coffee Consumption: An Environment-Wide Association Study. <i>Nutrients</i> , 2020 , 12,	6.7	6

323	In Reply. <i>Deutsches Arzteblatt International</i> , 2020 , 117, 346	2.5	
322	Epidemiology of Frailty in Older People. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1216, 21-27.6	19	
321	Age-specific health-related quality of life in disease-free long-term prostate cancer survivors versus male population controls-results from a population-based study. <i>Supportive Care in Cancer</i> , 2020 , 28, 2875-2885	3.9	6
320	The Importance of Sweet Beverage Definitions When Targeting Health Policies-The Case of Switzerland. <i>Nutrients</i> , 2020 , 12,	6.7	4
319	Multidisciplinary Outpatient Cancer Rehabilitation Can Improve Cancer Patients' Physical and Psychosocial Status-a Systematic Review. <i>Current Oncology Reports</i> , 2020 , 22, 122	6.3	5
318	Geographical variation in malignant and benign/borderline brain and CNS tumor incidence: a comparison between a high-income and a middle-income country. <i>Journal of Neuro-Oncology</i> , 2020 , 149, 273-282	4.8	1
317	Association of dietary intake of milk and dairy products with blood concentrations of insulin-like growth factor 1 (IGF-1) in Bavarian adults. <i>European Journal of Nutrition</i> , 2020 , 59, 1413-1420	5.2	15
316	Cross-sectional associations between healthy eating index and sex steroid hormones in men-National Health and Nutrition Examination Survey 1999-2002. <i>Andrology</i> , 2020 , 8, 154-159	4.2	2
315	Intake of Processed Meat and Association with Sociodemographic and Lifestyle Factors in a Representative Sample of the Swiss Population. <i>Nutrients</i> , 2019 , 11,	6.7	4
314	Nationally Representative Estimates of Serum Testosterone Concentration in Never-Smoking, Lean Men Without Aging-Associated Comorbidities. <i>Journal of the Endocrine Society</i> , 2019 , 3, 1759-1770	0.4	4
313	Underweight and weight loss are predictors of poor outcome in patients with brain metastasis. <i>Journal of Neuro-Oncology</i> , 2019 , 145, 339-347	4.8	2
312	Age-Specific Serum Total and Free Estradiol Concentrations in Healthy Men in US Nationally Representative Samples. <i>Journal of the Endocrine Society</i> , 2019 , 3, 1825-1836	0.4	1
311	Cultural Differences in Diet and Determinants of Diet Quality in Switzerland: Results from the National Nutrition Survey menuCH. <i>Nutrients</i> , 2019 , 11,	6.7	27
310	Associations of Current, Childhood, and Adolescent Milk Intake with Serum Insulin-like Growth Factor (IGF)-1 and IGF Binding Protein 3 Concentrations in Adulthood. <i>Nutrition and Cancer</i> , 2019 , 71, 931-938	2.8	0
309	Occupational physical activity and all-cause and cardiovascular disease mortality: Results from two longitudinal studies in Switzerland. <i>American Journal of Industrial Medicine</i> , 2019 , 62, 559-567	2.7	12
308	Semen quality of young men in Switzerland: a nationwide cross-sectional population-based study. <i>Andrology</i> , 2019 , 7, 818-826	4.2	12
307	Health-related quality of life in long-term survivors with localised prostate cancer by therapy-Results from a population-based study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13076	2.4	11
306	Joint effects of BMI and smoking on mortality of all-causes, CVD, and cancer. <i>Cancer Causes and Control</i> , 2019 , 30, 549-557	2.8	8

305	Have Swiss adult males and females stopped growing taller? Evidence from the population-based nutrition survey menuCH, 2014/2015. <i>Economics and Human Biology</i> , 2019 , 33, 201-210	2.6	5
304	Plasma concentrations of anserine, carnosine and pi-methylhistidine as biomarkers of habitual meat consumption. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 692-702	5.2	21
303	Healthy lifestyle is inversely associated with mortality in cancer survivors: Results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>PLoS ONE</i> , 2019 , 14, e0218048	3.7	18
302	Post-Diagnostic Diet Quality and Mortality in Females with Self-Reported History of Breast or Gynecological Cancers: Results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>Nutrients</i> , 2019 , 11,	6.7	7
301	EPID-10. VENOUS THROMBOEMBOLIC EVENTS IN GLIOBLASTOMA PATIENTS: AN EPIDEMIOLOGICAL VIEW. <i>Neuro-Oncology</i> , 2019 , 21, vi76-vi76	1	78
300	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221	11.4	7
299	Clustering of sociodemographic and lifestyle factors among adults with excess weight in a multilingual country. <i>Nutrition</i> , 2019 , 62, 177-185	4.8	9
298	Vitamin D status and its determinants in healthy pregnant women living in Switzerland in the first trimester of pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 10	3.2	7
297	Increasing trends in in situ breast cancer incidence in a region with no population-based mammographic screening program: results from Zurich, Switzerland 2003-2014. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 653-660	4.9	2
296	Selenium and Sex Steroid Hormones in a U.S. Nationally Representative Sample of Men: A Role for the Link between Selenium and Estradiol in Prostate Carcinogenesis?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 578-583	4	3
295	Dietary Heterocyclic Amine Intake and Colorectal Adenoma Risk: A Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 99-109	4	16
294	Dietary Patterns and Their Sociodemographic and Lifestyle Determinants in Switzerland: Results from the National Nutrition Survey. <i>Nutrients</i> , 2018 , 11,	6.7	26
293	Bevacizumab may improve quality of life, but not overall survival in glioblastoma: an epidemiological study. <i>Annals of Oncology</i> , 2018 , 29, 1431-1436	10.3	41
292	Impact of comorbidities at diagnosis on prostate cancer treatment and survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 707-715	4.9	8
291	Prevalence and determinants of vitamin D deficiency in the third trimester of pregnancy: a multicentre study in Switzerland. <i>British Journal of Nutrition</i> , 2018 , 119, 299-309	3.6	25
290	Self-reported dietary flavonoid intake and serum markers of inflammation: the multiethnic cohort. <i>Cancer Causes and Control</i> , 2018 , 29, 601-607	2.8	6
289	The risk of prostate cancer mortality and cardiovascular mortality of nonmetastatic prostate cancer patients: A population-based retrospective cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 309.e15-309.e23	2.8	8
288	Treatment of patients with myocardial infarction depends on history of cancer. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 639-645	4.3	29

287	Lifestyle and Progression of Lower Urinary Tract Symptoms in German Men-Results From the EPIC-Heidelberg Cohort. <i>Urology</i> , 2018 , 120, 192-196	1.6	6
286	Racial differences in maternal and umbilical cord blood leukocyte telomere length and their correlations. <i>Cancer Causes and Control</i> , 2018 , 29, 759-767	2.8	3
285	Dietary Patterns Are Associated with Cardiovascular and Cancer Mortality among Swiss Adults in a Census-Linked Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	6
284	Cancer of unknown primary-Epidemiological trends and relevance of comprehensive genomic profiling. <i>Cancer Medicine</i> , 2018 , 7, 4814-4824	4.8	22
283	Indicators of Data Quality at the Cancer Registry Zurich and Zug in Switzerland. <i>BioMed Research International</i> , 2018 , 2018, 7656197	3	9
282	Health-related quality of life among long-term (8 years) prostate cancer survivors by primary intervention: a systematic review. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 22	3	18
281	Impact of subtypes and comorbidities on breast cancer relapse and survival in population-based studies. <i>Breast</i> , 2018 , 41, 151-158	3.6	9
280	Changing geographical patterns and trends in cancer incidence in children and adolescents in Europe, 1991-2010 (Automated Childhood Cancer Information System): a population-based study. <i>Lancet Oncology, The</i> , 2018 , 19, 1159-1169	21.7	51
279	Glioblastoma in the era of bevacizumab: An epidemiological study in the Canton of Zurich, Switzerland, 2010-2014.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e14062-e14062	2.2	
278	Cross-Sectional Epidemiology and Intervention Studies of Mediators of the Energy Imbalance-Prostate Cancer Association. <i>Energy Balance and Cancer</i> , 2018 , 87-114	0.2	
277	Consumption of caffeinated beverages and serum concentrations of sex steroid hormones in US men. <i>Cancer Causes and Control</i> , 2018 , 29, 157-166	2.8	2
276	Trends in prostate cancer incidence between 1996 and 2013 in two Swiss regions by age, grade, and T-stage. <i>Cancer Causes and Control</i> , 2018 , 29, 269-277	2.8	2
275	Risk of cardiovascular disease morbidity and mortality in frail and pre-frail older adults: Results from a meta-analysis and exploratory meta-regression analysis. <i>Ageing Research Reviews</i> , 2017 , 35, 63-73 ¹²		112
274	Adherence to dietary recommendations is not associated with depression in two Swiss population-based samples. <i>Psychiatry Research</i> , 2017 , 252, 310-318	9.9	2
273	International incidence of childhood cancer, 2001-10: a population-based registry study. <i>Lancet Oncology, The</i> , 2017 , 18, 719-731	21.7	593
272	Type A personality and mortality: Competitiveness but not speed is associated with increased risk. <i>Atherosclerosis</i> , 2017 , 262, 19-24	3.1	20
271	OS01.6 Glioblastoma in the era of bevacizumab: an epidemiological study in the Canton of Zurich, Switzerland. <i>Neuro-Oncology</i> , 2017 , 19, iii2-iii2	1	78
270	Body height and mortality - mortality follow-up of four Swiss surveys. <i>Preventive Medicine</i> , 2017 , 101, 67-71	4.3	9

269	Sex-specific effects of leisure-time physical activity on cause-specific mortality in NHANES III. <i>Preventive Medicine</i> , 2017 , 101, 53-59	4.3	8
268	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 407-419	5.2	17
267	Continuous outcome logistic regression for analyzing body mass index distributions. <i>F1000Research</i> , 2017 , 6, 1933	3.6	7
266	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017 , 35, 1297-1303	2.2	14
265	Incidence trends and clinical-pathological characteristics of invasive cutaneous melanoma from 1980 to 2010 in the Canton of Zurich, Switzerland. <i>Melanoma Research</i> , 2017 , 27, 145-151	3.3	20
264	Evaluation of completeness of case ascertainment in Swiss cancer registration. <i>European Journal of Cancer Prevention</i> , 2017 , 26 Joining Forces for better c, S139-S146	2	20
263	Haem iron and nitrate/nitrite account for much of the mortality increase associated with red meat consumption. <i>Evidence-Based Medicine</i> , 2017 , 22, 179		
262	Primary Treatment Choice Over Time and Relative Survival of Prostate Cancer Patients: Influence of Age, Grade, and Stage. <i>Oncology Research and Treatment</i> , 2017 , 40, 484-489	2.8	5
261	Atopy and prostate cancer: Is there a link between circulating levels of IgE and PSA in humans?. <i>Cancer Immunology, Immunotherapy</i> , 2017 , 66, 1557-1562	7.4	3
260	Plasma Inflammation Markers of the Tumor Necrosis Factor Pathway but Not C-Reactive Protein Are Associated with Processed Meat and Unprocessed Red Meat Consumption in Bavarian Adults. <i>Journal of Nutrition</i> , 2017 , 147, 78-85	4.1	21
259	Investigating nutrition and lifestyle factors as determinants of abdominal obesity: an environment-wide study. <i>International Journal of Obesity</i> , 2017 , 41, 340-347	5.5	9
258	Pre-diabetes and serum sex steroid hormones among US men. <i>Andrology</i> , 2017 , 5, 49-57	4.2	15
257	Intra-individual variation of plasma trimethylamine-N-oxide (TMAO), betaine and choline over 1 year. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 261-268	5.9	56
256	Associations between self-reported and objectively measured physical activity, sedentary behavior and overweight/obesity in NHANES 2003-2006. <i>International Journal of Obesity</i> , 2017 , 41, 186-193	5.5	44
255	Prevalence of Vitamin D Deficiency and Its Associations with Skin Color in Pregnant Women in the First Trimester in a Sample from Switzerland. <i>Nutrients</i> , 2017 , 9,	6.7	24
254	Loneliness is adversely associated with physical and mental health and lifestyle factors: Results from a Swiss national survey. <i>PLoS ONE</i> , 2017 , 12, e0181442	3.7	117
253	Racial/Ethnic Differences in the Associations of Overall and Central Body Fatness with Circulating Hormones and Metabolic Factors in US Men. <i>International Journal of Endocrinology and Metabolism</i> , 2017 , 15, e44926	1.8	1
252	The inverse association between serum 25-hydroxyvitamin D and mortality may be modified by vitamin A status and use of vitamin A supplements. <i>European Journal of Nutrition</i> , 2016 , 55, 393-402	5.2	5

251	Is body weight dissatisfaction a predictor of depression independent of body mass index, sex and age? Results of a cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 863	4.1	42
250	Type A personality and its association with mortality: Considering different analysis approaches of the Bortner Scale. <i>European Psychiatry</i> , 2016 , 33, S174-S175	6	
249	Loneliness is adversely associated with lifestyle and physical and mental health. <i>European Psychiatry</i> , 2016 , 33, S82-S82	6	2
248	Plasma Concentrations of Trimethylamine-N-oxide Are Directly Associated with Dairy Food Consumption and Low-Grade Inflammation in a German Adult Population. <i>Journal of Nutrition</i> , 2016 , 146, 283-9	4.1	110
247	Incidence of metachronous contralateral breast cancer in the Canton of Zurich: a population-based study of the cancer registry. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 365-71	4.9	5
246	31 years of lung cancer in the canton of Zurich, Switzerland: incidence trends by sex, histology and laterality. <i>Swiss Medical Weekly</i> , 2016 , 146, w14327	3.1	6
245	Diet and Other Lifestyle Factors Associated with Prostate Cancer Differ Between the German and Italian Region of Switzerland. <i>International Journal for Vitamin and Nutrition Research</i> , 2016 , 86, 1-8	1.7	6
244	Influence of In Utero Maternal and Neonate Factors on Cord Blood Leukocyte Telomere Length: Clues to the Racial Disparity in Prostate Cancer?. <i>Prostate Cancer</i> , 2016 , 2016, 3691650	1.9	9
243	Breast cancer screening attendance in two Swiss regions dominated by opportunistic or organized screening. <i>BMC Health Services Research</i> , 2016 , 16, 519	2.9	20
242	Associations of C-Reactive Protein, Granulocytes and Granulocyte-to-Lymphocyte Ratio with Mortality from Breast Cancer in Non-Institutionalized American Women. <i>PLoS ONE</i> , 2016 , 11, e0157482	3.7	7
241	Heavy Smoking Is More Strongly Associated with General Unhealthy Lifestyle than Obesity and Underweight. <i>PLoS ONE</i> , 2016 , 11, e0148563	3.7	34
240	Overweight, obesity, and breast cancer screening: results from the 2012 Swiss Health Survey. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 130-6	2	8
239	Association between serum 25-hydroxyvitamin D and serum sex steroid hormones among men in NHANES. <i>Clinical Endocrinology</i> , 2016 , 85, 258-66	3.4	30
238	Glioblastoma in the Canton of Zurich, Switzerland revisited: 2005 to 2009. <i>Cancer</i> , 2016 , 122, 2206-15	6.4	52
237	Association between serum calcium concentration and risk of incident and fatal cardiovascular disease in the prospective AMORIS study. <i>Atherosclerosis</i> , 2016 , 251, 85-93	3.1	35
236	Is body weight dissatisfaction associated with depression?. <i>European Psychiatry</i> , 2016 , 33, S174-S174	6	1
235	Associations of serum carotenoid concentrations and fruit or vegetable consumption with serum insulin-like growth factor (IGF)-1 and IGF binding protein-3 concentrations in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Journal of Nutritional Science</i> , 2016 , 5, e13	2.7	9
234	Prevalence and Progression of Lower Urinary Tract Symptoms in an Aging Population. <i>Urology</i> , 2016 , 95, 158-63	1.6	22

233	Processed meat: the real villain?. <i>Proceedings of the Nutrition Society</i> , 2016 , 75, 233-41	2.9	42
232	Adherence to the cancer prevention recommendations of the World Cancer Research Fund/American Institute for Cancer Research and mortality: a census-linked cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 678-85	7	23
231	Serum leptin, C-reactive protein, and cancer mortality in the NHANES III. <i>Cancer Medicine</i> , 2016 , 5, 120-8	4.8	19
230	The Association of Milk and Dairy Consumption and Calcium Intake With the Risk and Severity of Prostate Cancer. <i>Current Nutrition Reports</i> , 2015 , 4, 66-71	6	1
229	Changes in autopsy rates among cancer patients and their impact on cancer statistics from a public health point of view: a longitudinal study from 1980 to 2010 with data from Cancer Registry Zurich. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 637-43	5.1	12
228	Associations between objective and self-reported physical activity and vitamin D serum levels in the US population. <i>Cancer Causes and Control</i> , 2015 , 26, 881-91	2.8	44
227	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
226	Impact of Smoking and Excess Body Weight on Overall and Site-Specific Cancer Mortality Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1516-22	4	33
225	Mediterranean diet and mortality in Switzerland: an alpine paradox?. <i>European Journal of Nutrition</i> , 2015 , 54, 139-48	5.2	45
224	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 372-81	7.5	60
223	Effects of leisure-time and occupational physical activity on total mortality risk in NHANES III according to sex, ethnicity, central obesity, and age. <i>Journal of Physical Activity and Health</i> , 2015 , 12, 184-92	2.5	42
222	Associations between fruit and vegetable consumption and psychological distress: results from a population-based study. <i>BMC Psychiatry</i> , 2015 , 15, 213	4.2	25
221	Circulating total testosterone and PSA concentrations in a nationally representative sample of men without a diagnosis of prostate cancer. <i>Prostate</i> , 2015 , 75, 1167-76	4.2	29
220	Relationship of Serum Vitamin D Concentrations and Allostatic Load as a Measure of Cumulative Biological Risk among the US Population: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015 , 10, e0139217	3.7	13
219	Association between socioeconomic and demographic characteristics and utilization of colonoscopy in the EPIC-Heidelberg cohort. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 81-8	2	5
218	The association between circulating IGF1, IGFBP3, and calcium: results from NHANES III. <i>Endocrine Connections</i> , 2015 , 4, 187-95	3.5	13
217	Lifestyle and health-related predictors of cervical cancer screening attendance in a Swiss population-based study. <i>Cancer Epidemiology</i> , 2015 , 39, 870-6	2.8	30
216	Diabetes risk scores and death: predictability and practicability in two different populations. <i>European Journal of Public Health</i> , 2015 , 25, 26-8	2.1	

215	Intake of Meat Mutagens and Risk of Prostate Cancer in a Cohort of U.S. Health Professionals. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1557-63	4	18
214	Glioblastoma in the Canton of Zurich, Switzerland, revisited (2005-2009).. <i>Journal of Clinical Oncology</i> , 2015 , 33, e13025-e13025	2.2	1
213	Association between endogenous sex steroid hormones and insulin-like growth factor proteins in US men. <i>Cancer Causes and Control</i> , 2014 , 25, 353-63	2.8	4
212	Urinary lignans and inflammatory markers in the US National Health and Nutrition Examination Survey (NHANES) 1999-2004 and 2005-2008. <i>Cancer Causes and Control</i> , 2014 , 25, 395-403	2.8	16
211	To adjust or not in studies on racial differences in hormone concentrations? Depends on the question!. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 407-8	5.6	
210	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
209	Association of serum inorganic phosphate with sex steroid hormones and vitamin D in a nationally representative sample of men. <i>Andrology</i> , 2014 , 2, 967-76	4.2	13
208	946: Incidence of second malignancies for prostate cancer in the canton of Zurich, 1980-2010. <i>European Journal of Cancer</i> , 2014 , 50, S230-S231	7.5	2
207	The association between urinary phytoestrogen excretion and components of the metabolic syndrome in NHANES. <i>European Journal of Nutrition</i> , 2014 , 53, 1371-81	5.2	19
206	Mortality risk associated with underweight: a census-linked cohort of 31,578 individuals with up to 32 years of follow-up. <i>BMC Public Health</i> , 2014 , 14, 371	4.1	56
205	The combined effect on survival of four main behavioural risk factors for non-communicable diseases. <i>Preventive Medicine</i> , 2014 , 65, 148-52	4.3	19
204	Added salt and cancer mortality: confounding by smoking. <i>Epidemiology</i> , 2014 , 25, 615-6	3.1	3
203	Incidence of second malignancies for prostate cancer. <i>PLoS ONE</i> , 2014 , 9, e102596	3.7	23
202	Recent Trends in Cancer Incidence: Impact of Risk Factors, Diagnostic Activities and Data Quality of Registration. <i>Tumori</i> , 2014 , 100, 399-405	1.7	2
201	Racial variation in sex steroid hormone concentration in black and white men: a meta-analysis. <i>Andrology</i> , 2014 , 2, 428-35	4.2	38
200	Italianity is associated with lower risk of prostate cancer mortality in Switzerland. <i>Cancer Causes and Control</i> , 2014 , 25, 1523-9	2.8	4
199	Obesity and cancer: the role of vitamin D. <i>BMC Cancer</i> , 2014 , 14, 712	4.8	24
198	Urinary phytoestrogens and depression in perimenopausal US women: NHANES 2005-2008. <i>Journal of Affective Disorders</i> , 2014 , 156, 200-5	6.6	18

197	Impact of different domains of physical activity on cause-specific mortality: a longitudinal study. <i>Preventive Medicine</i> , 2014 , 62, 89-95	4.3	42
196	Recent trends in cancer incidence: impact of risk factors, diagnostic activities and data quality of registration. <i>Tumori</i> , 2014 , 100, 399-405	1.7	4
195	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 617-24	7.5	46
194	Should we go nuts about nuts?. <i>BMC Medicine</i> , 2013 , 11, 165	11.4	4
193	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257
192	Primary brain tumour epidemiology in Georgia: first-year results of a population-based study. <i>Journal of Neuro-Oncology</i> , 2013 , 112, 241-6	4.8	17
191	Better risk assessment with glycated hemoglobin instead of cholesterol in CVD risk prediction charts. <i>European Journal of Epidemiology</i> , 2013 , 28, 551-5	12.1	8
190	Impact of body mass index on prognostically relevant breast cancer tumor characteristics. <i>Breast Care</i> , 2013 , 8, 192-8	2.4	19
189	Associations between urinary soy isoflavonoids and two inflammatory markers in adults in the United States in 2005-2008. <i>Cancer Causes and Control</i> , 2013 , 24, 1185-96	2.8	13
188	Urinary phytoestrogen levels and frailty in older American women of the National Health and Nutrition Examination Survey (NHANES) 1999-2002: a cross-sectional study. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 269-76	4.5	8
187	Racial variation in vitamin D cord blood concentration in white and black male neonates. <i>Cancer Causes and Control</i> , 2013 , 24, 91-8	2.8	16
186	Inverse association between circulating vitamin D and mortality--dependent on sex and cause of death?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 960-6	4.5	19
185	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013 , 108, 708-14	8.7	39
184	Calcium intake and serum concentration in relation to risk of cardiovascular death in NHANES III. <i>PLoS ONE</i> , 2013 , 8, e61037	3.7	49
183	Meat consumption and diet quality and mortality in NHANES III. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 598-606	5.2	64
182	Racial/ethnic differences in serum sex steroid hormone concentrations in US adolescent males. <i>Cancer Causes and Control</i> , 2013 , 24, 817-26	2.8	18
181	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013 , 28, 677-88	12.1	13
180	Physical activity and risk of breast cancer overall and by hormone receptor status: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1667-78	7.5	54

179	Serum lipid profiles and cancer risk in the context of obesity: four meta-analyses. <i>Journal of Cancer Epidemiology</i> , 2013 , 2013, 823849	2.8	58
178	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38	7	29
177	Association of serum calcium with serum sex steroid hormones in men in NHANES III. <i>Aging Male</i> , 2013 , 16, 151-8	2.1	1
176	Association of urinary phytoestrogen concentrations with serum concentrations of prostate-specific antigen in the National Health and Nutrition Examination Survey. <i>Nutrition and Cancer</i> , 2013 , 65, 813-9	2.8	3
175	Association between endogenous sex steroid hormones and inflammatory biomarkers in US men. <i>Andrology</i> , 2013 , 1, 919-28	4.2	43
174	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
173	Trends in sex hormone concentrations in US males: 1988-1991 to 1999-2004. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 456-66		29
172	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012 , 272, 358-70	10.8	55
171	Racial variation in umbilical cord blood sex steroid hormones and the insulin-like growth factor axis in African-American and white female neonates. <i>Cancer Causes and Control</i> , 2012 , 23, 445-54	2.8	9
170	Impact of overweight and obesity on postmenopausal breast cancer: analysis of 20-year data from Switzerland. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 797-803	2.5	7
169	Effects of selenium status, dietary glucosinolate intake and serum glutathione S-transferase β activity on the risk of benign prostatic hyperplasia. <i>BJU International</i> , 2012 , 110, E879-85	5.6	7
168	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82
167	Effects of phenotypes in heterocyclic aromatic amine (HCA) metabolism-related genes on the association of HCA intake with the risk of colorectal adenomas. <i>Cancer Causes and Control</i> , 2012 , 23, 1429-42	2.8	18
166	Associations of dietary calcium intake and calcium supplementation with myocardial infarction and stroke risk and overall cardiovascular mortality in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition study (EPIC-Heidelberg). <i>Heart</i> , 2012 , 98, 920-5	5.1	230
165	Heterocyclic aromatic amine [HCA] intake and prostate cancer risk: effect modification by genetic variants. <i>Nutrition and Cancer</i> , 2012 , 64, 704-13	2.8	16
164	Ability of a biomarker-based score to predict death from circulatory disease and cancer in NHANES III. <i>BMC Public Health</i> , 2012 , 12, 895	4.1	11
163	Association between sex steroid hormones and hematocrit in a nationally representative sample of men. <i>Journal of Andrology</i> , 2012 , 33, 1332-41		18
162	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 148	4.7	9

161	Polymorphisms in thioredoxin reductase and selenoprotein K genes and selenium status modulate risk of prostate cancer. <i>PLoS ONE</i> , 2012 , 7, e48709	3.7	40
160	Serum sex steroid hormones and frailty in older American men of the Third National Health and Nutrition Examination Survey (NHANES III). <i>Aging Male</i> , 2012 , 15, 208-15	2.1	45
159	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012 , 130, 2428-37	7.5	29
158	Vitamin/mineral supplementation and cancer, cardiovascular, and all-cause mortality in a German prospective cohort (EPIC-Heidelberg). <i>European Journal of Nutrition</i> , 2012 , 51, 407-13	5.2	30
157	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012 , 106, 1866-74	8.7	44
156	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13
155	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012 , 106, 1004-10	8.7	40
154	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 619-28	4	32
153	Problems with epidemiological approach and conclusions-the response. <i>Heart</i> , 2012 , 98, 1751.2-1752	5.1	
152	Social inequalities and mortality in Europe--results from a large multi-national cohort. <i>PLoS ONE</i> , 2012 , 7, e39013	3.7	79
151	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 748-60	7.5	22
150	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1434-41	9.3	47
149	The prevalence of low sex steroid hormone concentrations in men in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Clinical Endocrinology</i> , 2011 , 75, 232-9	3.4	40
148	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
147	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26	5.5	41
146	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011 , 104, 1493-9	8.7	208
145	Anthropometry, physical activity and hip fractures in the elderly. <i>Injury</i> , 2011 , 42, 188-93	2.5	19
144	Intake of heterocyclic aromatic amines and the risk of prostate cancer in the EPIC-Heidelberg cohort. <i>Cancer Causes and Control</i> , 2011 , 22, 109-14	2.8	37

143	Association of serum 25-hydroxyvitamin D with sex steroid hormones and interactions with smoking: implications for prostate cancer risk. <i>Cancer Causes and Control</i> , 2011 , 22, 827-36	2.8	10
142	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23
141	Body fatness and sex steroid hormone concentrations in US men: results from NHANES III. <i>Cancer Causes and Control</i> , 2011 , 22, 1141-51	2.8	77
140	Dietary calcium and magnesium intake in relation to cancer incidence and mortality in a German prospective cohort (EPIC-Heidelberg). <i>Cancer Causes and Control</i> , 2011 , 22, 1375-82	2.8	43
139	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011 , 54, 3037-46	10.3	66
138	The impact of social status inconsistency on cardiovascular risk factors, myocardial infarction and stroke in the EPIC-Heidelberg cohort. <i>BMC Public Health</i> , 2011 , 11, 104	4.1	19
137	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
136	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 623-34	7.5	30
135	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011 , 129, 449-59	7.5	38
134	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ, The</i> , 2011 , 342, d1584	5.9	172
133	Pregnancy loss and risk of cardiovascular disease: a prospective population-based cohort study (EPIC-Heidelberg). <i>Heart</i> , 2011 , 97, 49-54	5.1	80
132	Racial variation in umbilical cord blood leptin concentration in male babies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 665-71	4	6
131	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 826-35	7	95
130	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75	4	26
129	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25
128	Evaluation of the obesity genes FTO and MC4R and the type 2 diabetes mellitus gene TCF7L2 for contribution to stroke risk: The Mannheim-Heidelberg Stroke Study. <i>Obesity Facts</i> , 2011 , 4, 290-6	5.1	8
127	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011 , 63, 1235-50	2.8	28
126	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutrition-Elderly Network on Ageing and Health study. <i>Journal of Internal Medicine</i> , 2010 , 268, 133-44	10.8	45

125	Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2278-86	4	56
124	Sex steroid hormone concentrations and risk of death in US men. <i>American Journal of Epidemiology</i> , 2010 , 171, 583-92	3.8	104
123	Reply to CK Chow. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1534-1535	7	
122	Effects of selenium status and polymorphisms in selenoprotein genes on prostate cancer risk in a prospective study of European men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2958-68	4	100
121	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1769-76	7	22
120	Dietary glucosinolate intake, polymorphisms in selected biotransformation enzymes, and risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 135-43	4	43
119	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
118	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 407-18	3.8	90
117	Dietary vitamin K intake in relation to cancer incidence and mortality: results from the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1348-58	7	74
116	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010 , 17, 1007-19	5.7	116
115	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85	27.4	122
114	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
113	Obesity: focus on all-cause mortality and cancer. <i>Maturitas</i> , 2010 , 65, 112-6	5	56
112	Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010 , 102, 529-37	9.7	301
111	Consistency of vitamin and/or mineral supplement use and demographic, lifestyle and health-status predictors: findings from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2010 , 104, 1058-64	3.6	34
110	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 71-7	4.9	5
109	Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 753-65	4.4	52
108	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010 , 21, 357-71	2.8	63

107	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
106	Association of serum cholesterol and cholesterol-lowering drug use with serum sex steroid hormones in men in NHANES III. <i>Cancer Causes and Control</i> , 2010 , 21, 1575-83	2.8	18
105	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , 2010 , 10, 563	4.8	5
104	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2394-403	7.5	86
103	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
102	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010 , 34, 696-701	2.8	8
101	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009 , 139, 568-75	4.1	51
100	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 331-46	7	168
99	Heterocyclic aromatic amine intake increases colorectal adenoma risk: findings from a prospective European cohort study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1418-24	7	90
98	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
97	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
96	Serum undercarboxylated osteocalcin as biomarker of vitamin K intake and risk of prostate cancer: a nested case-control study in the Heidelberg cohort of the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 49-56	4	19
95	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
94	Racial variation in sex steroid hormones and the insulin-like growth factor axis in umbilical cord blood of male neonates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1484-91	4	38
93	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12	7	85
92	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29
91	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
90	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009 , 125, 902-8	7.5	62

89	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
88	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 982-7	7.5	23
87	Dietary glucosinolate intake and risk of prostate cancer in the EPIC-Heidelberg cohort study. <i>International Journal of Cancer</i> , 2009 , 125, 2179-86	7.5	73
86	Socio-demographic characteristics of participation in the opportunistic German cervical cancer screening programme: results from the EPIC-Heidelberg cohort. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 533-41	4.9	32
85	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 565-74	4.4	19
84	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
83	Association of cigarette smoking, alcohol consumption, and physical activity with sex steroid hormone levels in US men. <i>Cancer Causes and Control</i> , 2009 , 20, 877-86	2.8	120
82	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 811-21	2.8	29
81	Lifestyle factors, obesity and the risk of colorectal adenomas in EPIC-Heidelberg. <i>Cancer Causes and Control</i> , 2009 , 20, 1397-408	2.8	46
80	Relationship of sex steroid hormones with bone mineral density (BMD) in a nationally representative sample of men. <i>Clinical Endocrinology</i> , 2009 , 70, 26-34	3.4	46
79	Endogenous sex steroid hormones and measures of chronic kidney disease (CKD) in a nationally representative sample of men. <i>Clinical Endocrinology</i> , 2009 , 71, 246-52	3.4	23
78	Alcohol consumption patterns, diet and body weight in 10 European countries. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S81-100	5.2	27
77	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S188-205	5.2	48
76	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S206-25	5.2	116
75	Eating out of home: energy, macro- and micronutrient intakes in 10 European countries. The European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S239-62	5.2	68
74	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S263-74	5.2	17
73	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009 , 33, 497-506	5.5	63
72	Dietary intake of meat and meat-derived heterocyclic aromatic amines and their correlation with DNA adducts in female breast tissue. <i>Mutagenesis</i> , 2009 , 24, 127-32	2.8	14

71	The impact of education on risk factors and the occurrence of multimorbidity in the EPIC-Heidelberg cohort. <i>BMC Public Health</i> , 2008 , 8, 384	4.1	87
70	The association of urinary cadmium with sex steroid hormone concentrations in a general population sample of US adult men. <i>BMC Public Health</i> , 2008 , 8, 72	4.1	22
69	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008 , 98, 1574-81	8.7	132
68	Alcohol consumption and the risk for prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1282-7	4	27
67	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
66	Body size and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3252-61	4	95
65	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1653-62	7	36
64	Contribution of obesity and abdominal fat mass to risk of stroke and transient ischemic attacks. <i>Stroke</i> , 2008 , 39, 3145-51	6.7	126
63	Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 1081-9	3.8	32
62	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008 , 93, 1666-77	6.6	68
61	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50	6.6	33
60	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1405-13	7	91
59	Dietary intake of vitamin K and risk of prostate cancer in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 985-92	7	54
58	Biomarkers of dietary intake of flavonoids and phenolic acids for studying diet-cancer relationship in humans. <i>European Journal of Nutrition</i> , 2008 , 47 Suppl 2, 60-8	5.2	43
57	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
56	An accurate risk score based on anthropometric, dietary, and lifestyle factors to predict the development of type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 510-5	14.6	283
55	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
54	Viral infections and lower urinary tract symptoms in the third national health and nutrition examination survey. <i>Journal of Urology</i> , 2007 , 178, 2181-5	2.5	19

53	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 672-81	7	94
52	Fruit and vegetable consumption, intake of micronutrients, and benign prostatic hyperplasia in US men. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 523-9	7	67
51	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 347-55	7.5	80
50	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
49	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71
48	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72	7.5	194
47	Association of IGF-1 and IGFBP-3 with lower urinary tract symptoms in the third national health and nutrition examination survey. <i>Prostate</i> , 2007 , 67, 1693-8	4.2	19
46	The EPIC nutrient database project (ENDB): a first attempt to standardize nutrient databases across the 10 European countries participating in the EPIC study. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 1037-56	5.2	270
45	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007 , 22, 871-81	12.1	79
44	Meat and dairy consumption and subsequent risk of prostate cancer in a US cohort study. <i>Cancer Causes and Control</i> , 2007 , 18, 41-50	2.8	95
43	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136
42	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 537-49	2.8	26
41	Lifestyle and diet in people using dietary supplements: a German cohort study. <i>European Journal of Nutrition</i> , 2007 , 46, 165-73	5.2	77
40	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
39	Serum estrogen, but not testosterone, levels differ between black and white men in a nationally representative sample of Americans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2519-25 ^{5.6}	5.6	128
38	Androgens and diabetes in men: results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>Diabetes Care</i> , 2007 , 30, 234-8	14.6	256
37	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007 , 10, 1515-25	3.3	110
36	Determinants and correlates of serum undercarboxylated osteocalcin. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 563-70	4.5	37

35	Intake of heterocyclic aromatic amines from meat in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2007 , 98, 1112-5	3.6	24
34	Long-term reproducibility of a food-frequency questionnaire and dietary changes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2007 , 98, 194-200	3.6	56
33	Smoking and risk of fatal prostate cancer in a prospective U.S. study. <i>Urology</i> , 2007 , 69, 721-5	1.6	35
32	Serum sex steroid hormones and lower urinary tract symptoms in Third National Health and Nutrition Examination Survey (NHANES III). <i>Urology</i> , 2007 , 69, 708-13	1.6	76
31	Re: "Obesity and hormone-dependent tumors: cohort and co-twin control studies based on the Swedish twin registry". <i>International Journal of Cancer</i> , 2006 , 118, 785	7.5	2
30	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006 , 119, 2389-97	7.5	48
29	Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 879-85 ⁴		95
28	Ethanol intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006 , 164, 1103-14	3.8	25
27	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
26	Concordance rates and modifiable risk factors for lower urinary tract symptoms in twins. <i>Epidemiology</i> , 2006 , 17, 419-27	3.1	32
25	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk--results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006 , 9, 449-64	3.3	50
24	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
23	The effect of occasional smoking on smoking-related cancers: in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2006 , 17, 1305-9	2.8	23
22	Association of cigarette smoking, alcohol consumption and physical activity with lower urinary tract symptoms in older American men: findings from the third National Health And Nutrition Examination Survey. <i>BJU International</i> , 2005 , 96, 77-82	5.6	99
21	Association between markers of the metabolic syndrome and lower urinary tract symptoms in the Third National Health and Nutrition Examination Survey (NHANES III). <i>International Journal of Obesity</i> , 2005 , 29, 310-6	5.5	194
20	Prediagnostic plasma vitamin C levels and the subsequent risk of prostate cancer. <i>Nutrition</i> , 2005 , 21, 686-90	4.8	6
19	Association of vasectomy and prostate cancer among men in a Maryland cohort. <i>Cancer Causes and Control</i> , 2005 , 16, 1189-94	2.8	28
18	Serum C-reactive protein concentration and lower urinary tract symptoms in older men in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Prostate</i> , 2005 , 62, 27-33	4.2	91

17	Nonsteroidal anti-inflammatory drugs and risk of prostate cancer in the Baltimore Longitudinal Study of Aging. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 390-6	4	70
16	Associations of obesity with lower urinary tract symptoms and noncancer prostate surgery in the Third National Health and Nutrition Examination Survey. <i>American Journal of Epidemiology</i> , 2004 , 159, 390-7	3.8	105
15	Re: Body size and serum levels of insulin and leptin in relation to the risk of benign prostatic hyperplasia. <i>Journal of Urology</i> , 2004 , 172, 779	2.5	1
14	Association of prostate cancer risk with insulin, glucose, and anthropometry in the Baltimore longitudinal study of aging. <i>Urology</i> , 2004 , 63, 253-8	1.6	76
13	Association between serum concentrations of micronutrients and lower urinary tract symptoms in older men in the Third National Health and Nutrition Examination Survey. <i>Urology</i> , 2004 , 64, 504-9	1.6	21
12	Development and validation of a short food list to assess the intake of total fat, saturated, mono-unsaturated, polyunsaturated fatty acids and cholesterol. <i>European Journal of Public Health</i> , 2003 , 13, 262-8	2.1	8
11	Time trends in cigarette smoking in two German cohorts--results from EPIC Germany. <i>European Journal of Cancer Prevention</i> , 2003 , 12, 327-32	2	9
10	Comparing the results of a cholesterol and saturated fat screener when using two different scores. <i>European Journal of Epidemiology</i> , 2003 , 18, 413-5	12.1	
9	Validation of a short questionnaire to qualitatively assess the intake of total fat, saturated, monounsaturated, polyunsaturated fatty acids, and cholesterol. <i>Journal of Human Nutrition and Dietetics</i> , 2003 , 16, 111-7	3.1	12
8	Family history of prostate cancer and obesity in relation to high-grade disease and extraprostatic extension in young men with prostate cancer. <i>Prostate</i> , 2003 , 55, 140-6	4.2	68
7	Trends in cigarette smoking in the German centers of the European Prospective Investigation into Cancer and Nutrition (EPIC): the influence of the educational level. <i>Preventive Medicine</i> , 2003 , 36, 448-54	4.3	15
6	Cooking of meat and fish in Europe--results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1216-30	5.2	40
5	Development of a short questionnaire to assess the dietary intake of heterocyclic aromatic amines. <i>Public Health Nutrition</i> , 2002 , 5, 699-705	3.3	31
4	The healthy migrant effect--not merely a fallacy of inaccurate denominator figures. <i>International Journal of Epidemiology</i> , 2000 , 29, 191-2	7.8	153
3	Psychobiological differences between the aggression and psychoticism dimension. <i>Pharmacopsychiatry</i> , 1999 , 32, 5-12	2	28
2	Non-AIDS defining malignancies in the combination ART era: immunological and socio-behavioral risk factors. <i>F1000Research</i> , 8 , 1400	3.6	
1	Outpatient multidisciplinary cancer rehabilitation in Switzerland: a status assessment. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 1	1.4	